



BrokerVerse Schedules and Batch Jobs

Scheduled jobs, batch processes

Prepared by – **iorta TechNXT**

Version – **1.1**

Date – **04 October 2026**

TABLE OF CONTENTS

1. Document Control.....	4
2. Acronyms.....	4
3. About this document.....	5
3.1 Terms used.....	6
4. How the scheduler works.....	7
4.1 Engine.....	7
4.2 Master > Schedules.....	7
5. Scheduled jobs.....	9
5.1 Summary.....	9
5.2 E-mail outbox.....	11
5.3 Renewal notice queue.....	12
5.4 Policy expiry.....	12
5.5 Quotation expiry.....	12
5.6 Renewal pipeline.....	12
5.7 Renewal notices.....	12
5.8 Receivable ageing.....	13
5.9 Collection reminders.....	13
5.10 Daily reports.....	13
5.11 Scheduled reports.....	13
5.12 Housekeeping.....	14
5.13 Dormant accounts.....	15
5.14 Month-end close reminder (off).....	15
5.15 Recurring journals (off).....	15
5.16 Accrual auto-reversal (off).....	15
5.17 Period auto soft-close (off).....	15
5.18 Remittance schedules (off).....	15
5.19 Overdue data subject requests (off).....	16
5.20 Bank reconciliation auto-match (off).....	16
5.21 Prospects not worked in time (off).....	16
5.22 Scheduled campaigns (off).....	16
5.23 BI extract (off).....	17
5.24 Integration outbox.....	17
5.25 SMS renewal notices and SMS payment reminders (off).....	17
5.26 My Work reminders.....	18
5.27 Cover note expiry.....	18
5.28 Post-dated cheques due.....	18

5.29 Missing claim documents.....	18
5.30 AML transaction monitoring.....	18
5.31 KYC refresh due.....	19
5.32 Screening provider retry (off).....	19
5.33 EIS outbox (off).....	19
5.34 Compliance reminders (compliance package).....	20
5.35 Complaint deadlines (compliance package).....	20
5.36 Breach notification deadlines (compliance package).....	20
6. Monitoring and failure handling.....	21
6.1 What to watch.....	21
6.2 When a job fails.....	21
6.3 Restart safety at a glance.....	22
6.4 Support runbook by job.....	22
7. Batch processes.....	25
7.1 Upload templates and the import rules.....	25
7.2 Renewal batch.....	26
7.3 Bulk disbursement and bulk print.....	27
7.4 Remittance processing.....	27
7.5 Month-end close run.....	27
7.6 Recurring journals.....	28
7.7 Bank statement import and auto-match.....	28
7.8 Insurer statement import.....	29
8. Operational run book.....	30
8.1 Overnight and early morning (automatic).....	30
8.2 Daily checklist.....	31
8.3 Switching jobs on at go-live.....	31
8.4 Month-end sequence.....	32
9. Gaps and observations.....	33
10. Document Sign-Off.....	34

1. Document Control

Date	Version	Author & Business Unit Info	Reviewed By & Business Unit Info	Approved By & Business Unit Info	Change History
04 October 2026	1.1.1	iorta TechNXT			Version 1.1.1: release figures aligned (57 master upload templates of the 74 delivered). Version 1.1: every job of jobs.json, the migrations and the seeds listed (My Work, AML/CFT, IC compliance, complaints, breach deadlines, EIS, integrations, SMS, operations, distribution); support runbook per job; run book and gaps updated

2. Acronyms

Acronym / Symbol	Definition / Meaning
OOTB	Out of the box
AML	Anti-money laundering
AMLC	Anti-Money Laundering Council
EDD	Enhanced due diligence
KYC	Know your customer
EIS	Electronic Invoicing System
IC	Insurance Commission
NPC	National Privacy Commission
PDC	Post-dated cheque
CTPL	Compulsory third party liability
BI	Business intelligence

CSV	Comma-separated values
BIR	Bureau of Internal Revenue
GL	General ledger
JV	Journal voucher
OR	Official receipt
PV	Payment voucher
SMTP	Simple Mail Transfer Protocol
CSV	Comma-separated values
XLSX	Excel workbook
PDF	Portable document format
API	Application programming interface
EWT	Expanded withholding tax
FX	Foreign exchange

3. About this document

This document describes everything BrokerVerse OOTB runs on a timetable and every batch process an operator starts by hand: what each one reads and writes, the setting that controls it, the e-mails and notifications it produces, how to run it on demand, how to watch it and what happens when it fails or runs twice. It closes with the daily and month-end run book.

It is written for the operations and finance supervisors who own the processes and for the support team that runs the platform. All facts come from the application code (backend/src/jobs, backend/src/modules/*/jobs.js, the module services), the jobs registered in backend/src/db/seeds/jobs.json, in the migrations (INSERT INTO scheduled_jobs) and in the seed 73_ops_accounting.sql, and the upload templates in

docs/package/05_Delivery/Upload_Templates. The three jobs of the IC and NPC compliance registers (compliance-reminders, complaints-deadlines, privacy-breach-deadlines) arrive with the IC and NPC compliance package (migrations 0270, 0272 and 0273); they appear on Master > Schedules once that package is deployed.

3.1 Terms used

Term	Meaning
Scheduled job	A row of <code>scheduled_jobs</code> : code, name, cron expression, handler, parameters, enabled flag. Shown on Master > Schedules.
Job run	One execution of a scheduled job, recorded in <code>job_runs</code> (started, finished, status, output or error, triggered by).
Background queue	The table <code>job_queue</code> , used for long batches started from a screen (renewal batch notices and quotes).
Batch process	A process an operator starts on a screen that handles many records at once (uploads, bulk print, renewal batch, month-end close).
Business date	Today's date in the time zone of the setting <code>general.timezone</code> (Asia/Manila). Every job uses it, never the server date.

4. How the scheduler works

4.1 Engine

The scheduler starts with the API server (`backend/src/server.js`). It loads every enabled row of `scheduled_jobs` and schedules it with `node-cron` in the business time zone, so `0 6 * * *` runs at 06:00 Manila time whatever the server clock (containers run on UTC).

Item	Behaviour	Controlled by
Time zone	All cron expressions are read in <code>general.timezone</code> (Asia/Manila in the seed). Changing the setting reschedules every job.	Master > Configuration > Company & Branding > General
Scheduler on or off per server	Each API instance runs the scheduler unless the environment variable <code>SCHEDULER_ENABLED</code> is <code>false</code> , <code>0</code> , <code>no</code> or <code>off</code> . Use it to keep a web-only instance from running jobs. Run now still works on such an instance.	Environment variable
Picking up changes	Every instance checks every <code>SCHEDULER_RELOAD_SECONDS</code> (default 30) whether any job's cron, enabled flag, handler or parameters, or the time zone, changed, and reloads its timetable.	Environment variable
One run at a time	Each run takes a PostgreSQL advisory lock on the job code. A second instance that fires the same job at the same time skips it. A scheduled run also skips when another instance already started a scheduled run of the same job in the same minute. A skipped run records nothing.	Automatic
Missed runs	A run that falls while no instance is running is not caught up. The next scheduled time runs normally. Jobs that work on "everything due up to today" (policy expiry, recurring journals, accrual reversal, ageing) recover on their next run; jobs that look at one exact day (renewal notices) do not.	Design
Run history	Each run writes a <code>job_runs</code> row and updates Last run and Last status on the job. Run history is kept for housekeeping. <code>job_runs_days</code> (90 days).	Master > Configuration > Data Retention, Privacy & Uploads

4.2 Master > Schedules

The screen lists every job with: Job, What it does, Schedule (in words, with the time zone in the column header), Status (Scheduled or Switched off), Next run, Last run, Last status, and three actions.

Action	What it does	Who may use it
Run now (play icon)	Runs the job at once on the server you are connected to, records a run	Permission <code>write:schedules</code> (Accounting, System Administrator)

Action	What it does	Who may use it
	with Triggered by = your user name, and shows the result as a message.	
Run history (clock icon)	Shows the last 100 runs: Started, Finished, Status, Triggered by, Result (the output in words, or the error).	Permission read:schedules (Accounting, System Administrator)
Edit schedule (pencil icon)	Changes Schedule (cron) and Enabled. The dialog explains the cron format: minute hour day month weekday, for example 0 6 * * * runs daily at 06:00 Asia/Manila time. Save reloads the timetable at once.	Permission write:schedules (Accounting, System Administrator)

Job parameters (for example the days before period end of the month-end reminder, or the list of reports of the daily-reports job) are not on the Edit dialog. A System Administrator changes them through the API: PUT /api/schedules/<code> with {"params": {...}}.

Save refuses an invalid cron expression with the message "... is not a valid schedule (five fields: minute hour day month weekday, e.g. 0 6 * * *)". After every edit, check that Next run shows the expected date.

To run a job on demand:

1. Open Master > Schedules.
2. Find the job and click Run now.
3. Read the message: success with the job's output (for example "notifications: 3"), or the error.
4. Open Run history to see the run recorded with your user name.

A job switched off can still be run with Run now. This is the way to use the period-end and bank jobs that ship switched off without scheduling them.

5. Scheduled jobs

5.1 Summary

Thirty-five jobs are registered (thirty-two in the current build and three with the IC and NPC compliance package), plus one job per report schedule. "Where registered" names the file that creates the job; a job is never registered twice (ON CONFLICT (code) DO NOTHING), so a value the broker changed on Master > Schedules is kept at every upgrade.

Job (code)	Default timing (Asia/Manila)	OOTB	Handler	Setting that controls it	Where registered
Renewal notice queue (renewal-queue)	Every minute	On	processRenewalQueue	none	jobs.json
Integration outbox (integration-outbox)	Every 2 minutes	On	integrationOutbox	the connectors of Master > System Configuration > Integrations (retry policy per connector), integrations.dispatch_batch_size (50), integrations.stuck_minutes (10)	0310
E-mail outbox (email-outbox)	Every 5 minutes	On	emailOutbox	notification.email_enabled, notification.from_address, SMTP_URL	jobs.json
My Work reminders (my-work-reminders)	Every 15 minutes	On	myWorkReminders	myWork.auto_tasks, myWork.overdue_task_alert	jobs.json, 0253
Screening provider retry (aml-provider-retry)	Every 15 minutes	Off	amlProviderRetry	aml.screening_provider (provider, maxAttempts 5)	0263
EIS outbox (eis-outbox)	Every 15 minutes	Off	eisOutbox	eis.enabled (off), eis.mode, eis.max_attempts (5), eis.retry_minutes (15), eis.sending_stale_minutes (15)	0283, 0330
Scheduled campaigns (campaign-dispatch)	Every 15 minutes	Off	campaignDispatch	the campaigns scheduled on Operations > Sales & Marketing > Campaigns; campaigns.max_recipients (5,000)	0307
Breach notification deadlines (privacy-breach-deadlines)	Hourly at :15	On	privacyBreachDeadlines	privacy.breach_reminder_hours (48, 24, 6), privacy.breach_notification_hours (72)	0273 (compliance package)
Policy expiry (policy-expiry)	Daily 00:15	On	policyExpiry	none	jobs.json
Quotation expiry (quote-expiry)	Daily 00:30	On	quoteExpiry	limits.quote_validity_days (30)	jobs.json
Accrual auto-reversal (accrual-reversal)	00:30 on day 1 of each month	Off	accrualReversal	none	0135
Recurring journals (recurring-journals)	Daily 01:15	Off	recurringJournals	the recurring journal templates	0135
Dormant accounts (dormant-users)	Daily 01:45	On	dormantUsers	access.dormant_days (90)	jobs.json
Period auto soft-close (period-auto-soft-close)	Daily 02:00	Off	periodAutoSoftClose	job parameter graceDays (5)	0135
BI extract (bi-extract)	Daily 02:00	Off	biExtract	bi.extract_datasets, bi.extract_folder, bi.extract_keep_runs	0308

Job (code)	Default timing (Asia/Manila)	OOTB	Handler	Setting that controls it	Where registered
Housekeeping (housekeeping)	Daily 02:45	On	housekeeping	(30) housekeeping.* (job runs, e-mails, sign-ins, sessions, reset codes, notifications, queue, integration outbox, attempts and inbox, EIS submissions, AML provider requests, go-live workbook rows, audit trail)	jobs.json
Daily reports (daily-reports)	Daily 05:00	On	dailyReports	job parameter reports	jobs.json
Renewal pipeline (renewal-pipeline)	Daily 05:30	On	renewalPipeline	renewals.pipeline_days (90), renewals.grace_period_days (30)	jobs.json
Bank reconciliation auto-match (bank-auto-match)	Daily 05:45	Off	bankAutoMatch	bank_reconciliation.date_window_days, bank_reconciliation.group_max_lines, match rules	0116
Renewal notices (renewal-notices)	Daily 06:00	On	renewalNotices	notification.renewal_reminder, limits.renewal_notice_days (60, 30, 15)	jobs.json
Remittance schedules (remittance-schedules)	Daily 06:15	Off	remittanceSchedules	the schedules of Accounts > Remittance > Scheduling	jobs.json
Cover note expiry (cover-note-expiry)	Daily 06:20	On	coverNoteExpiry	cover_note.reminder_days_before (7)	seed 73
Post-dated cheques due (pdc-deposit-due)	Daily 06:25	On	pdcDepositDue	pdc.due_window_days (3)	seed 73
AML transaction monitoring (aml-transaction-monitoring)	Daily 06:30	On	amlTransactionMonitoring	job parameter days (3); the monitoring rules of Compliance > AML Settings	0263
Missing claim documents (claim-document-reminders)	Daily 06:35	On	claimDocumentReminders	claims.document_reminder_days (3; 0 = off), e-mail template claim_missing_documents	seed 73
Compliance reminders (compliance-reminders)	Daily 06:45	On	complianceReminders	compliance.licence_reminder_days (90, 60, 30, 15, 7), compliance.fit_proper_reminder_days (30), compliance.insurer_authority_expiring_days (60)	0270 (compliance package)
Receivable ageing (receivable-ageing)	Daily 07:00	On	receivableAgeing	limits.receivable_ageing_buckets (30, 60, 90, 120)	jobs.json
Overdue data subject requests (privacy-requests-due)	Daily 07:00	Off	privacyRequestsDue	privacy.request_due_days (15)	0221
KYC refresh due (aml-kyc-refresh-due)	Mondays 07:00	On	amlKycRefreshDue	KYC refresh months per rating (Compliance > AML Settings)	0263
Prospects not worked in time (lead-assignment-sla)	Daily 07:30	Off	leadAssignmentSla	leads.assignment_sla_hours (48)	0300
Collection reminders (collection-reminders)	Daily 08:00	On	collectionReminders	collections.reminder_days_before (7), collections.reminder_repeat_days (7),	jobs.json

Job (code)	Default timing (Asia/Manila)	OOTB	Handler	Setting that controls it	Where registered
				collections.email_subject, collections.email_template	
Month-end close reminder (month-end-reminder)	Daily 08:00	Off	monthEndReminder	job parameter daysBefore (3)	0135
Complaint deadlines (complaints-deadlines)	Daily 08:00	On	complaintsDeadlines	complaints.ack_days (2), complaints.resolution_days_simple (7), complaints.resolution_days_complex (45), complaints.auto_escalate	0272 (compliance package)
SMS renewal notices (sms-renewal-notices)	Daily 08:10	Off	smsRenewalNotices	messaging.renewal_notice_days (30, 7), template event renewal_notice, messaging.service_consent	0311
SMS payment reminders (sms-payment-reminders)	Daily 08:20	Off	smsPaymentReminders	messaging.payment_reminder_days (3, 0), template event payment_reminder	0311
Scheduled report (report-<id>)	As set on the report schedule	Created per schedule	scheduledReport	the report schedule; reports.email_subject, reports.email_body	per schedule

The five finance jobs (accrual reversal, recurring journals, period auto soft-close, bank auto-match, month-end reminder) ship switched off; the finance team decides at go-live whether to switch them on or to run them from the screens. The jobs that send to a third party (SMS, EIS, screening provider) and the distribution jobs (lead assignment, campaigns, BI extract) also ship switched off: switch each one on when its connector or set-up is live (see Switching jobs on at go-live in the operational run book).

5.2 E-mail outbox

Item	Detail
Purpose	Delivers the e-mails that the rest of the system has queued in email_outbox.
Reads	email_outbox rows with status queued and fewer than 5 attempts, oldest first, at most 50 per run.
Writes	Status sent with sent date, or the error and the attempt count; after the fifth failed attempt the status becomes failed.
Sends	Every queued e-mail, from the address in notification.from_address (OOTB BrokerVerse <connect@iortatechnxt.com>), over the SMTP server in SMTP_URL.
Switch	Nothing leaves the system unless notification.email_enabled is on and SMTP_URL is set. Otherwise the run reports how many are queued and why ("notification.email_enabled is false" or "SMTP_URL not set") and the e-mails wait.
On demand	Run now, or Retry on a message in Master > E-mail Outbox (resets its attempts and sends it at once when sending is enabled).
Restart safety	Each message is marked sent right after the SMTP server accepts it. A crash between the two steps can send that one message twice.

5.3 Renewal notice queue

Item	Detail
Purpose	Works through the background queue <code>job_queue</code> : renewal notices and renewal quotes started from Operations > Renewals > Renewal Batch.
Reads	Waiting jobs (up to 500 per run); jobs stuck in processing for more than 15 minutes are put back to waiting first.
Writes	Per batch policy: notice status Sent or Failed (with the error), quote status Quoted or Failed; the renewal, its notice and activity records; the batch status (Completed, or back to Draft).
Sends	One renewal notice e-mail per policy (see the Communication Templates document) and an in-app notification to the policy owner.
Restart safety	A policy is only processed while its status is Queued, so a queued job skips what was already sent. A policy being sent at the moment of a crash may receive its notice twice.

New queue jobs are also started at once when they are created; the every-minute job is the safety net after a restart.

5.4 Policy expiry

Sets the status of every active or issued policy whose expiry date is before the business date to expired. Output: number expired. Writes `policies.status`. Sends nothing. Safe to run any number of times.

5.5 Quotation expiry

Sets to expired every quotation in draft, quoted or sent status created more than `limits.quote_validity_days` (30) days ago. Output: number expired. Writes `quotes.status`. Sends nothing. Safe to rerun.

The job counts from the creation date of the quotation, not from its Valid Until date. A quotation whose validity was extended on screen still expires 30 days after it was created.

5.6 Renewal pipeline

Item	Detail
Purpose	Feeds the renewal queue and lapses renewals that were not completed in time.
Reads	Active and issued policies, not yet renewed, expiring between <code>renewals.grace_period_days</code> (30) days ago and <code>renewals.pipeline_days</code> (90) days ahead, with no renewal record; open renewals whose policy expired more than the grace period ago.
Writes	New renewal records (<code>renewals</code>), lapsed renewals with the reason "Not renewed within the 30-day grace period".
Notifications	For each lapse, an alert to the policy owner: "Policy lapsed: <policy number>".
Output	created, lapsed.
Restart safety	A policy with a renewal record is never enrolled again; a lapsed renewal is no longer open. Safe to rerun.

5.7 Renewal notices

Creates in-app reminders "Renewal due in N days" for the policy owner of every active or issued policy that expires exactly N days after the business date, for each N

in `limits.renewal_notice_days` (60, 30, 15). The message reads "Policy <number> expires on <date>" and links to the policy. Output: notifications created.

- Switched off by the setting `notification.renewal_reminder` (the run then reports that reminders are switched off).
- It sends no e-mail to the client. Client renewal notices go out from the Renewal Queue or a Renewal Batch.
- Safe to rerun: a reminder already created for the same policy and window is not repeated. Because it looks at one exact day, a day on which the job did not run is not caught up.

5.8 Receivable ageing

Recomputes, for every open or partly paid bill, the days past the due date and the ageing bucket from `limits.receivable_ageing_buckets` (labels current, 1-30, 1-60, 1-90, 1-120 and >120: each label starts at 1, so "1-60" means 31 to 60 days), and stores them on the bill (`receivables.age_days`, `ageing_bucket`). Output: updated. Safe to rerun.

The job description on the screen says "and notify collections", but the job sends no notification. Collection notifications come from the Collection reminders job.

5.9 Collection reminders

Item	Detail
Purpose	Reminds clients of premiums falling due or overdue and tells the account officer.
Reads	Collection items not Paid or Committed, due within <code>collections.reminder_days_before</code> (7) days or already overdue, not reminded in the last <code>collections.reminder_repeat_days</code> (7) days.
Writes	<code>collection_items.last_reminder_at</code> ; a Reminder action on the collection item.
Sends	An e-mail to the client (template <code>collections.email_subject</code> / <code>collections.email_template</code>) when the client has an e-mail address; an in-app reminder to the policy owner and to holders of <code>write:collections</code> : "Premium due <date> - <policy>" or "Premium overdue N day(s) - <policy>".
Output	candidates, emails, notifications, skipped (clients without e-mail).
On demand	Run now, or the Send Payment Reminders Now button on Accounts > Collections.
Restart safety	The repeat window stops a second reminder within 7 days.

5.10 Daily reports

Generates the Production Register, Collection Report and Claims Position (or the reports named in the job parameter `reports`) with the default range (365 days back to today) and the default format (xlsx), and records them in the generated-file history. It also deletes generated files older than `reports.retention_days`. It does not e-mail the files. A rerun produces another set of files. See the Reports Book.

5.11 Scheduled reports

One job per report schedule, code `report-<schedule id>`, created when a report schedule is saved through the API. Each run generates the report and queues an e-

mail with the download link to the schedule's recipients, then records last run and status on the schedule. A rerun e-mails again.

5.12 Housekeeping

Deletes, in batches of 5,000 rows, data past its retention period. Every period is a setting on Master > Configuration > Data Retention, Privacy & Uploads (days; 0 keeps forever).

Data	Setting	OOTB days	Rows deleted
Job run history	housekeeping.job_runs_days	90	runs started before the cut-off
Sent e-mails	housekeeping.email_outbox_sent_days	180	sent messages
Failed e-mails	housekeeping.email_outbox_failed_days	730	failed messages
Sign-in history	housekeeping.login_history_days	365	sign-in records
Sign-in sessions	housekeeping.refresh_tokens_days	30	revoked or expired refresh tokens
Password reset codes	housekeeping.password_resets_days	7	used or expired codes
Read notifications	housekeeping.notifications_read_days	180	read notifications only
Background queue	housekeeping.job_queue_done_days	30	completed queue jobs
Integration outbox	housekeeping.integration_outbox_days	180	integration_outbox messages that are sent, failed, cancelled or skipped (SMS, CTPL, insurer requests, bank files); queued, processing and retrying messages are never deleted
Integration attempts	housekeeping.integration_attempts_days	180	integration_attempts of finished messages (an attempt also goes with its message)
Integration inbox	housekeeping.integration_inbox_days	180	integration_inbox messages processed, ignored or failed; received messages not yet processed are kept
EIS submissions	housekeeping.eis_submissions_days	3,653 (10 years)	eis_submissions accepted, rejected, failed or uploaded manually; queued and sending submissions are kept. The acknowledgement is tax evidence: do not go below the BIR record-keeping period
AML provider requests	housekeeping.aml_provider_requests_days	1,827 (5 years)	aml_provider_requests succeeded, failed or abandoned; the screenings themselves (aml_screenings) are not purged. AMLA record keeping
Go-live workbook rows	housekeeping.data_load_rows_days	365	data_load_rows of batches loaded or failed; the batch history stays and the rows of a validated workbook not yet loaded are kept
Audit trail	housekeeping.audit_log_days	0 (keep)	never below 2,557 days (7 years, BIR and Insurance Commission record keeping)

Output: rows deleted per table and the tables kept forever. Safe to rerun. A row that is still pending (a queued or retrying message, a received inbound message, a queued e-invoice, a pending screening request, a validated workbook) is never deleted, whatever the period.

5.13 Dormant accounts

Deactivates every active user (except the built-in administrator BrokerVerse) who has not signed in, or since creation, for `access.dormant_days` (90) days, and ends their sessions. Output: number and user names. A deactivated user is reactivated on Master > Users and Access > User. Setting the days to 0 disables the job's effect. Safe to rerun.

5.14 Month-end close reminder (off)

Notifies holders of `write:period-end` (high priority, link to Month-End Close) when the current accounting period ends within `daysBefore` (3) days: "Month-end close: 2026-10 ends in 2 day(s)", message "Accounting period 2026-10 ends on ... Post pending journals and prepare the month-end close run."; and for every ended period still open: "Month-end close: 2026-09 is still open". A notification is not repeated for the same period and title.

5.15 Recurring journals (off)

Posts every active recurring journal template (Accounts > Period End > Recurring Journals) whose next run date has arrived, one journal per occurrence, catching up missed occurrences. Templates with auto-post create posted journals, the others pending journals that need approval. Templates with auto-reverse are scheduled for reversal the next day. Output: journals posted and errors. Idempotent: one journal per template and occurrence date; a failed occurrence keeps the next run date there and is retried. The same action is on the screen: Accounts > Period End > Recurring Journals > Run due.

5.16 Accrual auto-reversal (off)

On day 1 of the month, posts the reversal of every accrual, commission deferral and FX revaluation journal whose reversal date has arrived (journals created by the month-end close run or by auto-reverse templates). Each reversal is done on its own; a failure (for example a closed period) is reported and retried on the next run. Idempotent: an entry already reversed is not reversed again.

5.17 Period auto soft-close (off)

Soft-closes every open regular period that ended more than `graceDays` (5) days ago, when none of the automatic blocking month-end checks fails (no unposted or pending journals, trial balance balances, suspense account cleared). Manual sign-offs are not considered. Periods with failing checks are skipped and listed with the reasons. In a soft-closed period only users with `approve:period-end` may post.

5.18 Remittance schedules (off)

Runs the active remittance schedules of Accounts > Remittance > Scheduling whose next run date has come: draft remittances per insurer for the policies up to the cut-

off date, then the next run date moves on by the frequency (Daily, Weekly, Monthly, Quarterly). The schedules have no timer of their own; this job is their only timer and runs them in the business time zone. Run Now on the Scheduling screen runs one schedule at once. The drafts still go through Accounts > Remittance > Approval Workflow.

5.19 Overdue data subject requests (off)

Notifies the holders of read:privacy (high priority, link to Master > Data Privacy > Data Subject Requests) of every open data subject request past its due date: "Data subject request DSR-2026-00001 is overdue". A request is reminded at most once in 20 hours, so a rerun on the same day sends nothing new. Output: overdue, notified.

5.20 Bank reconciliation auto-match (off)

Runs the automatic matching rules (adjustment, contra, reference, amount and date, one-to-many, many-to-one) on every active bank account linked to a GL cash account that has unmatched statement lines. Each account is processed on its own; an error on one account does not stop the others. It never matches into a period whose reconciliation is approved. Output: accounts, matches per account. Safe to rerun: it only looks at unmatched lines. Matching also runs right after each statement import when bank_reconciliation.auto_match_on_import is on (default), which is why the job ships switched off.

5.21 Prospects not worked in time (off)

Item	Detail
Purpose	Returns to the reassignment queue the prospects still New more than leads.assignment_sla_hours hours after they were assigned, so that a manager gives them to someone else.
Reads	leads with status New and assignment status assigned, assigned (or created) more than the limit ago.
Writes	The prospect's assignment status becomes queued with the reason; a row in lead_assignment_history; a notification to the users with write:lead-assignment.
Switch	Off in the seed. Switch it on once the assignment rules are set up. Setting leads.assignment_sla_hours to 0 stops it.
Restart safety	A queued prospect is not queued again; a rerun only picks up prospects that crossed the limit since.

5.22 Scheduled campaigns (off)

Item	Detail
Purpose	Sends the marketing campaigns whose scheduled time has come.
Reads	campaigns with status scheduled and a scheduled time up to now; the segment's clients and prospects and their marketing consent in privacy_consent.
Writes	One campaign_recipients row per person (queued, or excluded with the reason); one e-mail per consenting recipient in email_outbox; the campaign becomes sent with its counts.
Switch	Off in the seed. Campaigns sent with Send now do not need it. Nothing leaves the system until the e-mail outbox job sends it.
Restart safety	A recipient is recorded once per campaign; a campaign already sent is skipped.

5.23 BI extract (off)

Item	Detail
Purpose	Writes one CSV file per Report Builder dataset listed in <code>bi.extract_datasets</code> to the storage folder <code>bi.extract_folder</code> , in a sub-folder of the business date, for the data warehouse or BI tool to collect.
Reads	The curated datasets of the Report Builder (all rows; no user scope).
Writes	The CSV files in file storage and a <code>bi.extract_runs</code> row (folder, files with their row counts, status). Only the last <code>bi.extract_keep_runs</code> runs are kept in the list.
Switch	Off in the seed. The administrator can also run it from Reports > Report Builder > BI extract > Run now.
Restart safety	A rerun on the same day overwrites the files of that day.

5.24 Integration outbox

Item	Detail
Purpose	Sends the messages queued for third parties: SMS and Viber messages, CTPL authentication requests, LTO feeds, insurer requests and bank payment files.
Reads	<code>integration_outbox</code> rows in status queued or retry whose next attempt time has come, oldest first, at most <code>integrations.dispatch_batch_size</code> (50) per run. Rows left in processing longer than <code>integrations.stuck_minutes</code> (10) (the server stopped while sending) are put back to retry first. Rows are picked with a row lock that other servers skip, so two instances never send the same message.
Writes	One <code>integration_attempts</code> row per attempt (mode, result, HTTP status, duration, error). The message becomes sent (with the provider's reference and answer), retry with the next attempt time (first wait of the connector, doubled at each attempt, up to the longest wait), or failed after the last attempt or when the provider refuses the request. Last success and last failure on the connector.
Sends	Through the connector's adapter. A connector in test mode answers from the built-in test provider and nothing leaves the system. A switched-off connector keeps its messages queued without counting an attempt. A live connector with a missing endpoint or credential variable fails the attempt with the reason "not ready for live use".
On demand	Master > System Configuration > Integrations > Outbox: Send due messages; Resend on a failed, cancelled or not sent message (fresh attempt count, sent at once); Cancel message.
Output	sent, retry, failed, held.
Restart safety	A message is marked sent in the same transaction as the provider's answer; a message whose answer could not be applied stays failed with "Sent, but the answer could not be applied" in Last error. The idempotency key of each business event stops the same event from being queued twice. A crash during the provider call can send that one message twice.

5.25 SMS renewal notices and SMS payment reminders (off)

`sms-renewal-notices` queues the renewal notice SMS (template event `renewal_notice`) for policies expiring in each of `messaging.renewal_notice_days` (30 and 7) days; `sms-payment-reminders` queues the payment reminder SMS (event `payment_reminder`) for open bills due in each of `messaging.payment_reminder_days` (3 and 0) days. Before queueing, each message passes the consent check (`messaging.service_consent`) and needs a valid mobile number; a message that fails is recorded as Not sent with the reason. The integration outbox then sends the messages. Each notice is queued once per policy or bill and day, so a rerun sends

nothing twice. Both jobs ship switched off: switch them on when the SMS connector is live.

5.26 My Work reminders

Item	Detail
Purpose	Keeps the follow-up tasks of Operations > My Work in line with the records and reminds their owners.
Reads	Collection promises to pay, renewal next steps and claim follow-up dates (when myWork.auto_tasks is on); open tasks whose reminder time has come; open tasks past their due date and time.
Writes	Creates the follow-up tasks of new promises, next steps and follow-up dates and closes those whose record is closed; marks reminded and overdue-notified tasks.
Sends	An in-app reminder "Task due: <title>" at the reminder time, and one alert "Task overdue: <title>" per task when myWork.overdue_task_alert is on. No e-mail.
Restart safety	A task is reminded once and alerted once. Safe to rerun.

5.27 Cover note expiry

Links each active cover note to the policy issued for it, expires the cover notes past their end date, and reminds the owner (the placement owner, the account executive of the quotation or the creator; else the holders of write:policies) of each active cover note ending within cover_note.reminder_days_before (7) days with no policy issued yet: "Cover note <number> expires on <date>". A cover note is reminded once. Safe to rerun.

5.28 Post-dated cheques due

Tells Accounting (holders of write:receipts) in one notification how many post-dated cheques are due for deposit today or earlier and within pdc.due_window_days (3) days, with the total amount, linked to Accounts > Post-Dated Cheques. It writes nothing else. A rerun sends the notification again.

5.29 Missing claim documents

E-mails the claimant of every open claim (statuses in claims.open_statuses) that has a client e-mail address and at least one required document still pending, when the last reminder (or the registration of the claim) is more than claims.document_reminder_days (3) days old, with the template claim_missing_documents. It records the reminder on the claim and tells the holders of write:claims how many reminders were sent. Setting the days to 0 switches the reminders off. Safe to rerun: a claim reminded within the period is skipped.

5.30 AML transaction monitoring

Item	Detail
Purpose	Runs the active covered and suspicious transaction rules of Compliance > AML Settings over the last days (3) days up to the business date.
Reads	Receipts, payment links, cancellations with return premium, refund vouchers, claim payments and overpayments of the period, per rule.
Writes	One alert (AMA number) per rule and transaction; an alert already raised for the same rule and transaction is not raised again.
Sends	When alerts were added, one high-priority notification to the compliance

Item	Detail
	officer (read:aml): "<n> new AML transaction alert(s)", linked to Compliance > Transaction Alerts.
On demand	Compliance > Transaction Alerts > Run monitoring, for any period. After an outage longer than 3 days, run it for the missed dates.
Restart safety	Safe to rerun: the window overlaps on purpose and duplicates are not created.

5.31 KYC refresh due

Every Monday at 07:00, marks Refresh due the clients whose KYC refresh date has come (deleted and anonymised clients excepted), then notifies the compliance officer (read:aml) of the number of KYC refreshes due and overdue and of the EDD reviews open or awaiting approval, linked to Compliance > KYC Refresh; high priority when a refresh is overdue. A rerun sends the summary again but marks nothing twice.

5.32 Screening provider retry (off)

Sends again the requests to the commercial screening provider (aml.screening_provider) that failed, until the provider's maximum attempts (5). A successful answer applies the provider's matches to the screening hits. When a request is abandoned after its last attempt, the compliance officer is notified ("Screening provider request abandoned ... screen the party manually"). Ships switched off: switch it on when the provider is set to Provider API. The uploaded lists are always screened as well, so screening continues while the provider is down. Safe to rerun.

5.33 EIS outbox (off)

Item	Detail
Purpose	Sends the e-invoices queued for the BIR Electronic Invoicing System: each sales invoice issued, and each cancellation of an invoice already sent.
Switch	Does nothing while eis.enabled is off (the run reports "the EIS connector is switched off"). eis.mode test uses the built-in test provider; live uses eis.endpoint with the credentials held in the environment variables named in eis.client_id_env, eis.client_secret_env and eis.signing_key_env.
Reads	Submissions queued or failed with fewer than eis.max_attempts (5) attempts whose next attempt time has come, at most 50 per run.
Writes	Accepted (with the EIS reference), rejected (final: cancel and reissue the invoice) or failed with the error and the next attempt after eis.retry_minutes (15), doubled at each attempt.
On demand	Accounts > Tax > E-Invoicing (EIS): Send now, Retry, Queue earlier invoices, Export payloads and Uploaded manually (fallback).
Restart safety	A submission is set to sending before the call. A crash during the call leaves it in sending; a submission in sending longer than eis.sending_stale_minutes (15) counts as a failed attempt and the next run sends it again (within eis.max_attempts; the EIS rejects a duplicate of an invoice it already holds). A submission that used up its attempts stays failed for Retry or Uploaded manually.

5.34 Compliance reminders (compliance package)

Daily at 06:45, reminds the compliance team (read:compliance) of: each licence of the Licence Register at each threshold of `compliance.licence_reminder_days` (90, 60, 30, 15 and 7 days before expiry, and once expired), once per threshold, together with the user who holds the licence; fit and proper reviews overdue or due within `compliance.fit_proper_reminder_days` (30); insurers whose IC certificate of authority expires within `compliance.insurer_authority_expiring_days` (60) or has expired (at most once a week per insurer and state). It does nothing until the compliance registers are migrated. Safe to rerun.

5.35 Complaint deadlines (compliance package)

Daily at 08:00, reminds the person assigned to each complaint of the acknowledgement and resolution deadlines that have come (`complaints.ack_days`, `complaints.resolution_days_simple`, `complaints.resolution_days_complex`, counted in calendar days from the date received) and, when `complaints.auto_escalate` is on, escalates the complaints whose resolution is overdue to the complaints officers (approve:complaints). Every reminder and escalation is kept in the complaint history. Safe to rerun.

5.36 Breach notification deadlines (compliance package)

Hourly at :15, reminds the data privacy team (read:privacy) of every personal data breach of the Breach Register not yet notified to the NPC, at each mark of `privacy.breach_reminder_hours` (48, 24 and 6 hours before the deadline of `privacy.breach_notify_hours`, 72 hours from discovery) and once the deadline has passed. Each mark is reminded once. Because the clock runs in hours, this job must stay on and the scheduler must run on at least one server at all times.

6. Monitoring and failure handling

6.1 What to watch

Where	What it shows
Master > Schedules	Last status per job (success or failed) and Next run. A blank Next run on an enabled job means the scheduler is off on that server or the cron is invalid.
Master > Schedules > Run history	Each run with its output or error message.
Master > E-mail Outbox	Queued, sent and failed e-mails, with the last error and Retry. A banner tells whether sending is enabled.
Operations > Renewals > Renewal Batch	Per batch: queued, sent, failed counts; Retry Failed.
Master > System Configuration > Integrations	Connectors tab: Waiting, Failed and Sent today per connector, last success and last failure, what is missing before going live. Outbox tab: status counts, Last error, Next attempt. Inbox tab: failed and ignored inbound messages.
Accounts > Tax > E-Invoicing (EIS)	Banner (connector on, mode, credentials set) and the counters queued, accepted, failed, rejected, uploaded manually.
Compliance > AML Dashboard	Failed requests to the screening provider, hits and alerts open, cases overdue, reports to file; a warning when an active screening list has no version loaded.
Compliance > Insurance Commission and Data Privacy (NPC) screens (compliance package)	Licences expiring, reviews due, complaints past a deadline, breaches with the 72-hour Clock.
Server log	"scheduled job <code> failed" with the run id and error; "scheduler: N job(s) scheduled (time zone Asia/Manila)" at start and after each reload.
Database	job_runs (status, error), job_queue (status, error, attempts), email_outbox (status, attempts, error), integration_outbox and integration_attempts, eis_submissions.

6.2 When a job fails

A failed run is recorded with status failed and the error text, and the job's Last status turns to failed. Nothing is retried automatically: the job runs again at its next scheduled time.

1. Open Run history and read the error.
2. Fix the cause (for example a closed period for a recurring journal, a missing GL account, SMTP unreachable).
3. Click Run now. Every job in this document can be rerun; the restart-safety notes above say what a rerun repeats.

No e-mail or notification is sent when a scheduled job fails. Someone has to look at Master > Schedules each morning (see the run book), or the support team adds an alert on the server log line "scheduled job ... failed".

6.3 Restart safety at a glance

Job	Safe to rerun	What a rerun repeats
Policy expiry, quotation expiry, receivable ageing, housekeeping, dormant accounts, period auto soft-close	Yes	Nothing
Renewal pipeline, month-end reminder, renewal notices	Yes	Nothing (existing records and notifications are detected)
Recurring journals, accrual reversal, bank auto-match	Yes	Nothing (one journal per occurrence; reversed entries skipped; matched lines skipped)
Collection reminders	Yes	Nothing within the repeat window
E-mail outbox, renewal notice queue, integration outbox	Yes	At most the one message being sent at the moment of a crash
EIS outbox	Yes	Nothing; a submission left in sending after a crash is sent again after <code>eis.sending_stale_minutes</code>
Daily reports, scheduled reports, BI extract	Yes	Another file; a scheduled report e-mails its recipients again; the BI extract overwrites the files of the day
My Work reminders, cover note expiry, missing claim documents, SMS renewal notices, SMS payment reminders, campaigns, prospects not worked in time	Yes	Nothing (reminded, queued or sent records are detected)
AML transaction monitoring, KYC refresh due, screening provider retry	Yes	Nothing, except the KYC summary notification
Compliance reminders, complaint deadlines, breach notification deadlines	Yes	Nothing (each threshold or mark is reminded once)
Post-dated cheques due	Yes	The summary notification

6.4 Support runbook by job

Use this table when a job shows Last status failed, when its Next run is blank, or when users report that its effect is missing. The first checks for every job are the same: Run history (the error), the server log line with the run id, and whether the scheduler runs on at least one server (SCHEDULER_ENABLED). The table gives what is specific to each job. "Owner" is who decides on the business side; support (L2) does the technical checks.

Job	Symptom	Check	Fix or workaround	Owner
renewal-queue	Renewal Batch stays Processing	job_queue rows in processing or failed with their error; the client e-mail address	Retry Failed on the batch; correct the client e-mail	Operations
integration-outbox	Messages stay Queued or Retry scheduled; Failed count grows	Connectors tab: Enabled, Mode, credential ticks, Before going live; Outbox Last error and attempt log; provider status	Fix the endpoint or credential variable (server restart after a secret change), then Resend; Cancel messages that must not go; see Integrations outbox monitoring in the Production Support document	System Administrator
email-outbox	E-mails stay Queued	notification.email_enabled, SMTP_URL, Last error	Fix SMTP, then Retry; see the E-mail outbox section	System Administrator
my-work-reminders	No task reminders; follow-up tasks missing	myWork.auto_tasks, myWork.overdue_task_alert; the task's reminder time	Run now; correct the setting	Operations

Job	Symptom	Check	Fix or workaround	Owner
aml-provider-retry	Failed provider requests on the AML Dashboard	aml.screening_provider (provider, endpoint, API key variable set on the server); Provider tab call log	Fix the provider settings, then Retry on the request; screen manually the parties of abandoned requests	Compliance officer
eis-outbox	Failed or rejected count grows; submissions in sending	eis.enabled, eis.mode, credential variables; Last error	Failed: fix and Retry. Rejected: cancel and reissue the invoice. In sending longer than eis.sending_stale_minutes: the next run retries it by itself; once the attempts are used up, Retry or Uploaded manually. EIS down: Export payloads and upload manually	Accounting Manager
campaign-dispatch	Scheduled campaign still Scheduled after its time	Job enabled; campaign status; segment consent results	Run now, or Send now on the campaign	Marketing
privacy-breach-deadlines	No reminders on an open breach	Job enabled; breach status (already notified?); privacy.breach_* settings	Run now. Never leave this job off: the NPC 72-hour deadline runs in hours	DPO
policy-expiry, quote-expiry	Expired policies or quotations still active	Business date, general.timezone	Run now (both catch up)	Operations
accrual-reversal, recurring-journals, period-auto-soft-close	Journals or soft-close missing	Error text: closed period, missing GL account, failing checks	Open the period or correct the account, Run now; or run from Accounts > Period End	Accounting Manager
dormant-users	Active user deactivated unexpectedly	access.dormant_days, the user's last sign-in	Reactivate on User Management; adjust the days	System Administrator
bi-extract	No files for the BI tool	bi.extract_folder, storage space and permissions; BI extract tab	Run now on Reports > Report Builder > BI extract	BI owner
housekeeping	Tables grow; job slow	Run output per table; retention settings	Run now; it works in batches of 5,000 rows	Support
daily-reports, report-<id>	Report files or e-mails missing	Generated-file history; e-mail outbox	Run now; correct recipients	Report owner
renewal-pipeline, renewal-notices	Renewals not enrolled; reminders missing	renewals.*, notification.renewal_reminder; Renewal notices only looks at exact days	Run now; for a missed day of renewal notices, send from the Renewal Queue	Operations
bank-auto-match	Statement lines not matched	Statements imported; match rules; approved periods	Run now or Auto-match on the workspace	Accounting
remittance-schedules	Draft remittances not created	Job enabled; schedule active and its next run date	Run Now on the schedule	Accounting
cover-note-expiry	Cover note still active after its end date	Business date; issued policy linked	Run now	Processing
pdc-deposit-due	No deposit reminder	pdc.due_window_days; holders of write:receipts	Run now; open Accounts > Post-Dated Cheques	Accounting
aml-transaction-monitoring	No alerts after a known cash payment	Rule enabled and its parameters; the receipt's payment	Run monitoring for the dates concerned	Compliance officer

Job	Symptom	Check	Fix or workaround	Owner
claim-document-reminders	Claimants not reminded	mode in the cash list claims.document_reminder_days (0 = off); client e-mail; e-mail outbox	Run now; Remind on the claim	Claims
compliance-reminders	Licence or authority reminders missing	Licence and insurer dates entered; compliance package deployed	Run now; complete the register	Compliance team
receivable-ageing	Ageing buckets out of date	Business date	Run now	Accounting
privacy-requests-due	No overdue alerts	Job enabled; holders of read:privacy	Switch the job on; Run now	DPO
aml-kyc-refresh-due	Refresh dates passed but status unchanged	Client's next KYC refresh date	Run now; Complete KYC refresh on the profile	Compliance officer
lead-assignment-sla	Untouched prospects not queued	Job enabled; leads.assignment_sla_hours	Run now; reassign from the Queue tab	Sales manager
collection-reminders, month-end-reminder	Reminders missing	Repeat window; client e-mail; job enabled (month-end)	Run now, or Send Payment Reminders Now	Accounting
complaints-deadlines	Deadlines passed without reminder	Complaint assigned to someone; complaints.auto_escalate	Run now; assign the complaint	Complaints officer
sms-renewal-notice, sms-payment-reminders	No SMS sent	Job enabled; SMS connector Live; template active; Not sent reasons (consent, mobile number)	Correct the connector or the client data; Run now (nothing is sent twice)	Operations

7. Batch processes

7.1 Upload templates and the import rules

Every bulk upload has a template in docs/package/05_Delivery/Upload_Templates (also downloadable on the screens that have an Upload or Import button). Each workbook has three sheets: Data (header row and one or two Philippine sample rows, required columns in dark red), Columns (required or not, format, allowed values, example, other accepted header names) and Instructions (screen, API route, file types, row limit, what happens on errors).

Rules common to all uploads:

- XLSX (first sheet) or CSV saved as UTF-8; the first row holds the column headers. Column order does not matter; headers are matched without regard to case, spaces or punctuation.
- Dates as YYYY-MM-DD, amounts as plain numbers (no peso sign, no thousands separator). Delete the sample rows before uploading.
- File size up to 10 MB. Rows: up to 20,000 for the data-migration uploads (IMPORT_MAX_ROWS), up to 1,000 for receipts, payment vouchers, open items and masters (limits.bulk_upload_max_rows).
- Row by row (most uploads): each row is checked and saved on its own; the result lists the failed rows with their spreadsheet row number and the reason. Upload only the corrected rows again, otherwise the saved rows are created a second time.
- All or nothing (opening balances, bank statements): the whole file is checked first and nothing is saved when any row is wrong.

Upload	Screen	Rule	Notes
Leads	Operations > Sales & Marketing > Prospects > Bulk Upload	Row by row	First Name or Company Name required.
Quotations	Operations > Sales & Marketing > Quotations > Bulk Upload	Row by row	With a Lead Id the quotation joins that lead, else a new lead is created; premiums are recalculated from the rate and tariff.
Policies	Operations > Policy > Bulk Upload	Row by row	New business: client, policy (insurer at 100%), premium bill, booking journal and commission. Go-live mode ("Existing policies (go-live)"): client and policy only. Co-insured policies cannot be uploaded.
Official receipts	Accounts > Receipts > Bulk upload	Row by row	Each row issues an OR, applies it to the oldest open bills of the policy and posts the journal; the receipt date must be in an open period.
Payment vouchers	Accounts > Disbursement > Bulk upload	Row by row	Each row creates a draft voucher, then approved and paid on screen (maker-checker).

Upload	Screen	Rule	Notes
Opening balances	Accounts > Period End > Period Management > Import opening balances	All or nothing	Debits must equal credits; loading again with the same go-live date replaces the earlier load; no journal is posted.
Open items	Accounts > Collections > Import open items	Row by row, rows already loaded skipped	Each row becomes an open bill of a go-live policy; no journal (the GL carries them in the opening balance).
Masters (57 templates)	The master screen > Upload, or the API route where the screen has no Upload button yet	Row by row	A row whose code exists is refused; edit existing records on screen.
Bank statement	Accounts > Bank Reconciliation > Reconciliation Workspace > Import statement	All or nothing	See bank statement import below.
Remittance bulk	Accounts > Remittance > Bulk Processing	Validate, then process valid rows	See remittance bulk processing below.
Remittance bank transactions	Accounts > Remittance > Reconciliation > Import	Read in the browser	TransDate, Reference, Amount, Description.
Users	Server script backend/scripts/provision-users.js	Dry run, then CONFIRM_PROVISION=yes	Not a screen upload; users must change the initial password.

The full column lists are in the templates and in docs/package/05_Delivery/Upload_Templates/README.md.

7.2 Renewal batch

Menu: Operations > Renewals > Renewal Batch. **Permission:** renewals write.

Step	What happens	Validation
Create batch	Pick policies by criteria (expiry range, insurer, product, premium range, client, payment status) or by list. A batch number is assigned and the batch is Draft.	At most renewals.batch_max_policies (500) policies; policies already renewed or cancelled, no longer renewable, or with a renewal in progress are refused or left out. Policies expiring up to renewals.batch_window_days (30) ahead are proposed.
Select	Tick the policies to act on.	
Send Renewal Notices	Queues the next notice (first, second, final) for the selected policies; the batch becomes Processing and the renewal notice queue sends them.	Only policies whose notice status is NotSent; notices must go in order when renewals.enforce_notice_order is on; the client needs an e-mail address.
Prepare quotes	Queues re-rated renewal quotes for the selected policies.	Only policies not yet quoted (or failed).
Retry Failed	Puts failed notices back in the queue.	Only Failed notices.
Generate Report	Downloads the batch with notice and quote status (Excel or CSV).	
Completion	When nothing is queued the batch becomes Completed if every selected policy had its notice, else back to Draft.	A batch with sent notices cannot be deleted, only cancelled.

7.3 Bulk disbursement and bulk print

- **Bulk Disburse** (Accounts > Disbursement > Bulk Disburse): creates one payout voucher, for approval, per selected agent or referrer with Approved commission lines. The vouchers then follow the normal approval and payment, and feed the QAP and Form 2307 (issued).
- **Bulk upload of vouchers**: see the upload table above.
- **Bulk print of payment vouchers** (Accounts > Disbursement > Bulk print): one PDF, one voucher per page, for one voucher or a customer code and date range.
- **Bulk print of official receipts** (Accounts > Receipts > Bulk print): one PDF, one receipt per page, for one receipt or a customer code and date range. The title comes from `receipts.print_title` ("Official Receipts").

7.4 Remittance processing

Process	Menu	Input	Output
Automated Processing	Accounts > Remittance > Automated Processing	Active automated remittance configurations (Remittance Master, for example ARM-001 Monthly Auto Remittance): insurers, frequency. Candidates are the unremitted policies per insurer.	Execute creates draft remittances; Process submits the selected drafts for approval as one batch and notifies holders of <code>write:remittance</code> ("Remittances awaiting approval").
Bulk Processing	Accounts > Remittance > Bulk Processing	A remittance file with the configuration BFM-001 (CSV) or BFM-002 (XLSX): PolicyNo, Premium, Commission, InsuredName.	Upload / Validate lists every row error (policy not found, premium not positive, commission above premium, duplicate policy); Process creates draft remittances from the valid rows.
Scheduling	Accounts > Remittance > Scheduling	Remittance schedules: insurers to remit, cut-off days, frequency and next run date.	No timer of its own: the job <code>remittance-schedules</code> (Master > Schedules, daily, disabled until switched on) runs the due schedules. Run Now runs one at once. Pause and resume.
Approval	Accounts > Remittance > Approval Workflow	Submitted remittances	Approve or reject (the approver must not be the submitter); the initiator is notified.
Statements	Accounts > Remittance > Statements	Period and insurers	CSV statement, optionally e-mailed as a link.

The remittance schedules on Accounts > Remittance > Scheduling run only through the job `remittance-schedules` on Master > Schedules, delivered switched off. Until it is switched on, run them with Run Now or execute Automated Processing on the agreed day.

7.5 Month-end close run

Menu: Accounts > Period End > Month-End Close. **Permissions:** `write:period-end` to prepare; `approve:period-end` (Accounting Manager) to approve.

1. **Start** the close of a period. One open run per period; the checklist is copied into the run (MEC number).
2. **Execute** the steps: accruals, recurring journals, unearned commission deferral, FX revaluation, checks. Executing again first reverses the run's own earlier accrual, deferral and FX journals, so a rerun gives the same ledger as one run.
3. **Review the checklist.** Automatic checks: no unposted or pending journals (blocking), trial balance balances (blocking), suspense account cleared (blocking), no unapplied receipts, bank transactions reconciled, sub-ledgers tie out to the GL, issued policies are billed, remittances to insurers paid, direct-bill commission billed (warnings). Manual sign-offs: bank reconciliations reviewed and signed off (blocking), prepayments and depreciation reviewed, payroll and statutory contributions booked (warnings). Checklist items are maintained on Master > Finance > Close Checklist.
4. **Sign** the manual items.
5. **Submit** with the target soft-closed or closed. When `accounting.period_close_requires_approval` is on (default) the run waits for approval; otherwise the period closes at once.
6. **Approve** (a different user with `approve:period-end`) or **Reject** with a reason. Approval closes the period.
7. **Cancel** an unfinished run if needed; its accrual, deferral and FX journals are reversed.

The Month-End Close Status report shows every period with its run, failed checks, warnings, journals and who prepared and approved it.

The year-end close (Accounts > Period End > Year-End Close) needs all twelve periods closed and period 13 open. It posts the closing entries in period 13, writes the opening balances of the next year, locks the year and creates the next fiscal year.

7.6 Recurring journals

Templates are kept on Accounts > Period End > Recurring Journals (RJV number): name, kind (recurring or accrual), frequency (monthly, quarterly, yearly), start, next run and end dates, auto-post, auto-reverse, lines. They are posted by the Recurring journals job, by Run due on the same screen, or by the accruals and recurring steps of the month-end close run. See the job description above for idempotency.

7.7 Bank statement import and auto-match

Menu: Accounts > Bank Reconciliation > Reconciliation Workspace > Import statement. **Permission:** `write:bank-reconciliation`.

Item	Detail
Input	The bank's statement file (CSV or XLSX) with its format: BDO-SAMPLE, BPI-SAMPLE, MBT-SAMPLE for those banks' exports, GENERIC (template <code>Bank_Statement_Generic_Upload_Template.xlsx</code>) for others. Formats are kept on Master > Finance > Bank Statement Formats. Also: bank account, statement reference, opening and closing balance.
Preview	Shows the lines, the totals, the balance check and possible duplicates before saving.

Item	Detail
Validation	Refused as a whole when a row cannot be read, when the statement does not balance (opening + credits - debits = closing) while <code>bank_reconciliation.require_balanced_statement</code> is on, or when the same file was already imported for the account. Duplicate lines can be skipped. Lines whose text starts with total, balance forward, beginning or ending balance are ignored.
Output	A bank statement (BST number) with its lines; then automatic matching when <code>bank_reconciliation.auto_match_on_import</code> is on. The message says how many lines were imported and auto-matched.
After	Match the rest by hand, book bank charges, interest and direct credits as adjustments, prepare the reconciliation (BRC number) and have it approved.

A statement can also be entered by hand (Manual statement), with the same checks.

7.8 Insurer statement import

Menu: Accounts > Insurer Reconciliation > Insurer Statements. **Permissions:** write:remittance to import and resolve; approve:insurer-reconciliation to approve.

Item	Detail
Input	The insurer's statement (CSV or XLSX): premium remittance confirmation or commission statement, with the insurer's format (Master > Finance > Insurer Statement Formats) or the generic one; insurer, type, period, the insurer's reference and the amount tolerance (<code>insurer_reconciliation.amount_tolerance</code>).
Preview	Lines, totals and rows that cannot be read; nothing is saved.
Validation	A row that cannot be read stops the import; the same file cannot be imported twice for an insurer.
Auto-match	By policy number (ignoring case, spaces and dashes) to a remittance line or commission debit note line; otherwise on gross premium within the tolerance and insured name when exactly one record fits. Premium, commission, taxes and amount paid are compared within the tolerance.
Output	An insurer statement (ISR number) with matches and differences: lines not found at the broker, broker records missing on the statement, amount differences.
Resolution	Each difference is resolved with a note or an adjustment; submit (all resolved when <code>insurer_reconciliation.require_resolved</code>); a second user approves and the adjustments post through the posting rule <code>insurer_statement.adjustment</code> . The differences report downloads as Excel, CSV or PDF.

8. Operational run book

The run book lists what happens on its own and what the team checks or starts. Times are Asia/Manila.

8.1 Overnight and early morning (automatic)

Time	Job	Depends on
Every minute	Renewal notice queue	
Every 2 minutes	Integration outbox	Connectors enabled and live
Every 5 minutes	E-mail outbox	notification.email_enabled, SMTP
Every 15 minutes	My Work reminders; EIS outbox, screening provider retry and scheduled campaigns (if switched on)	eis.enabled; screening provider; campaigns scheduled
Hourly at :15	Breach notification deadlines (compliance package)	Breaches logged
00:15	Policy expiry	
00:30	Quotation expiry	
00:30, day 1	Accrual auto-reversal (if switched on)	Month-end close run of the previous month
01:15	Recurring journals (if switched on)	Open period for the journal date
01:45	Dormant accounts	
02:00	Period auto soft-close and BI extract (if switched on)	Blocking checks pass; storage folder
02:45	Housekeeping	
05:00	Daily reports	
05:30	Renewal pipeline	Policy expiry has run
05:45	Bank auto-match (if switched on)	Statements imported
06:00	Renewal notices (in-app)	Renewal pipeline
06:15	Remittance schedules (if switched on)	Collected premium up to the cut-off date
06:20	Cover note expiry	
06:25	Post-dated cheques due	
06:30	AML transaction monitoring	Receipts and payments of the last 3 days posted
06:35	Missing claim documents	E-mail outbox for delivery
06:45	Compliance reminders (compliance package)	Licence register and insurer certificates entered
07:00	Receivable ageing; overdue data subject requests (if switched on); KYC refresh due (Mondays)	
07:30	Prospects not worked in time (if switched on)	Assignment rules
08:00	Collection reminders; month-end reminder (if switched on); complaint deadlines (compliance package)	E-mail outbox for delivery
08:10, 08:20	SMS renewal notices, SMS payment reminders (if switched on)	SMS connector live; integration outbox

8.2 Daily checklist

1. **Master > Schedules:** every enabled job shows Last status success and a Next run. Open Run history for any failure and rerun after fixing (Support runbook by job).
2. **Master > E-mail Outbox:** no growing queue; resolve failed e-mails (wrong address, SMTP) and Retry.
3. **Master > System Configuration > Integrations:** Failed and Waiting per connector; nothing in Retry scheduled for more than an hour; failed inbound messages.
4. **Operations > Renewals > Renewal Batch:** batches in Processing have moved on; Retry Failed where needed. Send the day's notices from the Renewal Queue.
5. **Accounts > Receipts and Collections:** post receipts; review overdue items after the 08:00 reminders; deposit the post-dated cheques due.
6. **Accounts > Bank Reconciliation:** import yesterday's statements; review the auto-matches and match the rest.
7. **Accounts > Remittance:** run Automated Processing or Bulk Processing on the agreed days; approve submitted remittances.
8. **Accounts > Tax > E-Invoicing (EIS)** (when switched on): no failed or rejected submission left without action.
9. **Compliance:** the compliance officer works the new transaction alerts and screening hits; the compliance team reads the licence, complaint and breach reminders (compliance package).

8.3 Switching jobs on at go-live

Job	Switch on when	Who decides
sms-renewal-notices, sms-payment-reminders	The SMS connector is Live and the templates are approved	Operations head
eis-outbox	The broker is enrolled with the EIS and eis.enabled is on	Accounting Manager with the tax adviser
aml-provider-retry	A commercial screening provider is contracted and set to Provider API	Compliance officer
lead-assignment-sla	Assignment rules are set up	Sales head
campaign-dispatch	Campaigns will be scheduled rather than sent with Send now	Marketing
bi-extract	The BI tool reads the storage folder	BI owner
privacy-requests-due	The privacy team uses Data Subject Requests	DPO
remittance-schedules, finance jobs	The finance team chooses the job over the screens	Accounting Manager

The jobs delivered switched on (including AML transaction monitoring, KYC refresh due, My Work reminders and the three compliance package jobs) stay on. Switching off privacy-breach-deadlines, compliance-reminders or aml-transaction-monitoring needs the written agreement of the DPO or the compliance officer, recorded in the change.

8.4 Month-end sequence

Day	Step	Where
Last 3 days of the month	Month-end reminder (if on) prompts finance; post pending journals, receipts and vouchers dated in the month.	Notifications; Accounts
Last day	Import the bank statements up to the month end; match; book bank charges and interest.	Accounts > Bank Reconciliation
Day 1 to 3	Prepare and approve the bank reconciliation of each account for the month (the close needs the sign-off).	Accounts > Bank Reconciliation > Reconciliations
Day 1 to 3	Import and reconcile the insurer statements; approve adjustments.	Accounts > Insurer Reconciliation
Day 1 to 3	Run due recurring journals (if the job is off).	Accounts > Period End > Recurring Journals
Day 1 to 5	Raise commission debit notes for unbilled direct-bill commission; generate remittances due to insurers.	Accounts > Remittance
Day 3 to 5	Start the month-end close run, execute, review checks, sign, submit; manager approves.	Accounts > Period End > Month-End Close
After approval	Run Trial Balance (Opening / Movement / Closing), Income Statement, Balance Sheet, Month-End Close Status.	Reports > Financial Reports
Day 1 of next month	Accrual auto-reversal (job if on, otherwise it runs when a run is executed and the reversals are due).	Master > Schedules
Monthly / quarterly	VAT Summary, SLSP, QAP, SAWT and BIR Form 2307 for the BIR returns; 0619-E by day bir.withholding_due_day (10) of the next month, 1601-EQ and 2551Q after the quarter, with Record filing after payment; BIR DAT files validated with the BIR module before submission.	Accounts > Tax > Withholding Returns, BIR DAT Files
Monthly	Print the CAS books of the month (General Journal, General Ledger, Cash Receipts, Cash Disbursements, Sales, Purchase), in month order.	Accounts > Tax > CAS Books and Documents
Within 5 working days of a covered transaction	Generate, file and record the CTR file (aml.ctr_due_working_days).	Compliance > AMLC Reports
Yearly (January to March)	1604-E with the alphalist and DAT file; IC annual statement workbook and IC production report for the accountant (compliance package).	Accounts > Tax > Annual Alphalist 1604-E; Compliance > Insurance Commission
Month end + grace (5 days)	Period auto soft-close (if on) soft-closes periods whose checks pass.	Master > Schedules

9. Gaps and observations

No.	Observation	Suggested action
1	No alert when a scheduled job fails; failures are visible only on Master > Schedules and in the server log.	Add an alert on the log line or a notification on failure; meanwhile check the screen daily.
2	Job parameters (daysBefore, graceDays, reports) can only be changed through the API, though the period-end notes refer to Master > Schedules.	Add a parameters field to the Edit dialog.
3	The Renewal notices job only reaches policies expiring exactly 60, 30 or 15 days ahead; a missed day is not caught up. The job creates in-app reminders only.	Run the Renewal Queue daily; consider a window instead of an exact day.
4	The Receivable ageing job description says it notifies collections; it does not.	Correct the description or add the notification.
5	Quotation expiry counts from the creation date, not from Valid Until.	Decide which rule the broker wants.
6	Report schedules have no screen (API only).	See the Reports Book.
7	Missed runs during downtime are not caught up by the scheduler.	After an outage, use Run now for the daily jobs of the missed day; for AML transaction monitoring use Run monitoring with the missed dates.

Closed since the first issue of this document: housekeeping now purges the integration outbox, attempts and inbox, the EIS submissions, the AML provider requests and the go-live workbook rows (settings housekeeping.*); an EIS submission left in sending is retried after `eis.sending_stale_minutes`; the user manual names the Schedules screen as Master > Schedules.

10. Document Sign-Off

Serial Number	Description	Owner	Status
1	No open items at the time of issue	iorta TechNXT	

Sign Off Date	Signature	Approved By	Department & Project Role



Insurance technology for the Philippines



10+

COUNTRIES

Global Presence



8

GLOBAL OFFICES

Strategically Located



11+

MARKETS SERVED

Across Continents



100%

COMMITMENT

To Excellence



MALAYSIA



INDIA



PHILIPPINES



THAILAND



VIETNAM



USA



ETHIOPIA



CAMBODIA



HONGKONG



SINGAPORE



Scan More Details