



Test Summary Report

BrokerVerse OOTB release readiness

Prepared by – **iorta TechNXT**

Version – **1.0**

Date – **03 October 2026**

TABLE OF CONTENTS

1. Document Control.....	4
2. Acronyms.....	4
3. Scope and approach.....	5
3.1 Scope.....	5
3.2 Approach.....	6
4. Environment and data.....	7
4.1 Test users.....	7
4.2 UAT data set.....	7
5. Test execution summary by module.....	8
5.1 By test type.....	9
5.2 Cases not passed.....	9
6. End-to-end cycle results.....	11
6.1 What the cycle produced.....	11
6.2 Life-cycle scenario.....	12
7. Role-based access results.....	13
8. Security testing performed.....	14
9. Performance observations.....	15
10. Defects and observations.....	16
10.1 BV-DEF-001: Front-end library react-router has a moderate security advisory (open redirect).....	17
10.2 BV-DEF-002: Data privacy features not built: consent capture, data subject request register, anonymisation.....	17
10.3 BV-DEF-003: Application-level encryption covers only two-step verification secrets.....	17
10.4 BV-DEF-004: Product configurator component list does not show the template; per-template rating factors look duplicated.....	17
10.5 BV-OBS-005: Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused.....	18
10.6 BV-DEF-006: Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting.....	18
10.7 BV-OBS-007: Menu group Master > Generals > Organization has an address that opens "Page not found".....	18
10.8 BV-OBS-008: Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px.....	18
11. Entry and exit criteria.....	19
11.1 Entry criteria.....	19
11.2 Exit criteria.....	19
12. Release recommendation.....	20

13. Document Sign-Off..... 21

1. Document Control

Date	Version	Author & Business Unit Info	Reviewed By & Business Unit Info	Approved By & Business Unit Info	Change History
03 October 2026	1.0	iorta TechNXT			Initial issue

2. Acronyms

Acronym / Symbol	Definition / Meaning
OOTB	Out of the box
UAT	User acceptance test
QA	Quality assurance
API	Application programming interface
OR	Official receipt
JV	Journal voucher
PV	Payment voucher
RFQ	Request for quotation
CTPL	Compulsory third party liability
APPA	Auto passenger personal accident
BIR	Bureau of Internal Revenue
VAT	Value-added tax
EWT	Expanded withholding tax
CWT	Creditable withholding tax
SAWT	Summary Alphalist of Withholding Taxes
QAP	Quarterly Alphalist of Payees
SLSP	Summary List of Sales and Purchases
TB	Trial balance
GL	General ledger

2FA	Two-step verification
TOTP	Time-based one-time password
SMTP	Simple Mail Transfer Protocol

3. Scope and approach

This report records the testing of BrokerVerse OOTB before release: what was tested, how, on which environment and data, what passed, what failed and what is still open. It goes with the workbook **BrokerVerse_Test_Cases.xlsx**, which holds every test case with its steps, test data, expected and actual result, status and evidence.

3.1 Scope

The test covered the whole broking cycle of a Philippine non-life broker, one module at a time and end to end:

- Sign-in and security, user and role administration, masters, configuration and document numbering, product configurator.
- Sales: prospects, quick quote and insurer comparison, quotations and customer response, requests for quotation, placement slips.
- Policy: motor with CTPL, package and non-package issuance, endorsements, cancellations, claims, renewals.
- Money: open items and payment capture, billing and official receipts, collections and credit control, disbursement, remittance to insurers, direct bill, commission, petty cash.
- Accounting: journal vouchers (correction, reversal), period end (month-end and year-end), bank and insurer reconciliation, BIR tax reports.
- Reinsurance, incentives, reports, dashboards, schedules, e-mail outbox, audit trail, role-based access per persona, and the go-live data load.

Out of scope for this cycle: load and stress testing, browsers other than Chromium, mobile layouts, live payment gateway keys and delivery of e-mail to real mailboxes (no SMTP server in the test environment).

3.2 Approach

Each test case is written for manual execution: numbered steps on screen, concrete test data and an observable expected result. The status of each case was set from recorded evidence only:

- **Business-rule regression run** of the backend (634 tests, 03 October 2026). Each rule and negative case is mapped to the test that exercises it; the file and test name are in the Traceability sheet.
- **Front-end unit tests** (11 suites, 43 tests): menu permissions, screen access, quotation input checks, bank account checks, sign-in screen.
- **End-to-end UAT cycle** on a fresh database: 371 business steps run with one user per role through the same services the screens use, from set-up to month-end close and reports.
- **Screen check**: every menu screen opened in Chromium as the administrator and as six role users, recording access, console errors, failed requests and clipped content.

A case without evidence from these runs is marked Not Run, and one that cannot be run in this environment is marked Blocked. A case is marked Fail when the result differs from the expected result; each Fail has a defect or gap in the register.

4. Environment and data

Item	Value
Build	Production build of the web application (brokerverse) served with the backend API
Database	Fresh PostgreSQL database: reference data seed, then the UAT data set
Business date	04 October 2026 (Asia/Manila); data spread over May to October 2026
Browser	Chromium, 1440 x 900
E-mail	Sending off; customer answers recorded as customer responses
Payment gateway	Sandbox only
Execution	03 to 04 October 2026 (the UAT cycle ran across midnight Manila time)

4.1 Test users

User	Role	Used for
BrokerVerse	system-admin	Set-up, masters, configuration, screen check of every menu
beatriz.lacson	system-admin	Masters, commission matrix, incentive programs
maria.rivera, paolo.dizon	sales	Prospects, quotations, customer responses, payment capture
jose.bernardo, rica.fernandez	processing	RFQ, placement, issuance, renewals, reinsurance (maker and checker)
ana.buenaventura	operations	Endorsements, cancellations, client servicing
carlo.estrada, joy.macaraeg	claims	Claims registration and settlement (maker and checker)
liza.quiambao, nestor.pangilinan	accounting	Receipts, remittance, disbursement, reconciliation (maker and checker)
teresa.villaroman, ramon.almario	accounting-manager	Approvals, credit limits, month-end close

4.2 UAT data set

The data set is fictional and follows Philippine formats: 7 insurers with their credit terms, 25 commission rate rows, 2 bank accounts linked to the ledger, 14 in-force policies migrated at go-live, 61 prospects, 62 new policies and 6 renewal terms issued across motor, CTPL, personal accident, travel, householder, fire, IAR, CAR, EAR, marine, CGL, money, employee benefits and surety bond, 58 receipts, 8 claims, 22 insurer settlements, 6 bank statements and 3 insurer statements.

5. Test execution summary by module

497 test cases were prepared. 480 passed, 8 failed, 3 are blocked by the environment and 6 were not run in this cycle. The pass rate over all cases is 97%; over the cases executed it is 98%.

Module	Total	Pass	Fail	Blocked	Not Run
Sign-in and security	35	28	4	1	2
User and role administration	16	16	0	0	0
Masters	21	20	1	0	0
Configuration and numbering	17	17	0	0	0
Product configurator	10	9	1	0	0
Go-live data load	8	8	0	0	0
Prospects and clients	12	12	0	0	0
Quick quote and compare insurers	9	9	0	0	0
Quotations and customer response	16	15	0	1	0
Request for quotation and placement	13	13	0	0	0
Policy issuance	15	15	0	0	0
Endorsements and cancellations	13	13	0	0	0
Claims	15	14	0	0	1
Renewals	16	16	0	0	0
Open items and payments	10	10	0	0	0
Billing and receipts	13	13	0	0	0
Collections and credit control	10	10	0	0	0
Disbursement and payment vouchers	6	6	0	0	0
Remittance to insurers	15	14	0	0	1
Direct bill	10	10	0	0	0
Commission and referrers	10	10	0	0	0
Petty cash	7	6	0	0	1
Journal vouchers and ledger	16	16	0	0	0
Period end	16	16	0	0	0
Bank reconciliation	15	15	0	0	0
Insurer reconciliation	6	6	0	0	0
Tax (BIR)	9	9	0	0	0
Reinsurance	7	7	0	0	0
Incentives	6	6	0	0	0
Reports	45	44	0	0	1
Dashboards	8	8	0	0	0
E-mail outbox and notifications	6	5	0	1	0
Audit trail	4	4	0	0	0

Module	Total	Pass	Fail	Blocked	Not Run
End-to-end life cycle	23	23	0	0	0
Screen checks (all menus)	20	20	0	0	0
Role-based access	19	17	2	0	0
Total	497	480	8	3	6

5.1 By test type

Test type	Total	Pass	Fail	Blocked	Not Run
Functional	172	163	5	3	1
Negative	75	73	0	0	2
Validation	39	37	0	0	2
Integration	38	38	0	0	0
Role access	39	36	2	0	1
Report	69	69	0	0	0
Accounting	65	64	1	0	0

5.2 Cases not passed

TC ID	Scenario	Status	Defect
BV-SEC-004	Login with blank User ID and Password	Not Run	-
BV-SEC-013	Forgot password with a verification code	Blocked	-
BV-SEC-020	Idle session signs out after the configured minutes	Not Run	-
BV-SEC-032	Dependency audit of the release build	Fail	BV-DEF-001
BV-SEC-033	Personal data encrypted at application level	Fail	BV-DEF-003
BV-SEC-034	Record client consent under the Data Privacy Act	Fail	BV-DEF-002
BV-SEC-035	Log and answer a data subject access or erasure request	Fail	BV-DEF-002
BV-MST-019	Premium taxes and LGU rates maintained by Accounting	Fail	BV-DEF-006
BV-PCF-005	Rating factors list shows which template each factor belongs to	Fail	BV-DEF-004
BV-QUO-010	Customer approves through the link	Blocked	-
BV-CLM-008	Settle date before issue date refused on screen	Not Run	-
BV-REM-004	Settlement below minimum amount held	Not Run	-
BV-PCH-006	Request above the max limit	Not Run	-
BV-RPT-006	Own production only for a scoped agent	Not Run	-
BV-EML-003	Retry while sending is	Blocked	-

TC ID	Scenario	Status	Defect
	on		
BV-RBA-016	Accounting: every permitted screen loads its data without error	Fail	BV-DEF-006, BV-OBS-008
BV-RBA-019	Accounting Manager: every permitted screen loads its data without error	Fail	BV-DEF-006, BV-OBS-008

Blocked cases need an SMTP server (password reset by e-mail, customer approval link by e-mail, outbox retry while sending is on). Not Run cases are screen-only checks or timed checks planned for the next manual cycle.

6. End-to-end cycle results

The business cycle ran on a fresh database on 03 to 04 October 2026 with one user per role: 371 steps, 2,116 API calls, 0 failed steps, in 24 seconds.

Phase	Steps passed	Steps failed
Set-up	46	0
Go-live migration	1	0
Retail package business	84	0
Corporate non-package business	45	0
Billing and collection	61	0
Servicing: endorsements, renewals, claims	31	0
Money: remittances, commission, petty cash	27	0
Reinsurance and incentives	2	0
Reconciliation: bank and insurer statements	10	0
Month-end close	6	0
Reports and dashboards	58	0
Total	371	0

6.1 What the cycle produced

Business result	Count
In-force policies migrated at go-live	14
Prospects (retail and corporate)	61
Insurer offers / declines recorded	102 / 16
Customer responses: accepted / declined / revise	66 / 4 / 2
Policies issued (retail)	39
Policies issued (corporate, incl. 1 recorded policy)	23
Renewal terms issued	6
Placement slips / insurer bindings	22 / 36
Official receipts by accounting / captures confirmed	40 / 18
Instalment plans / instalments paid	4 / 4
Premium warranty reminders / cancellation for non-payment	5 / 1
Direct bill client payments / debit notes approved / collected	6 / 4 / 2
Endorsements: additional / return / cancellation	4 / 2 / 1
Renewals completed / lapsed / refused after the window	6 / 1 / 3
Claims notified / settled and closed / closed without payment / open	8 / 4 / 2 / 2
Insurer remittances paid by cheque / approved awaiting cheque	16 / 6
Sub-agent commission lines approved / payouts	5 / 2
Petty cash requests paid	3
Reinsurance treaty / cessions	1 / 3
Bank statements / lines / matched by rules / by hand / adjustments	6 / 78 / 56 / 5 / 15
Bank reconciliations approved	5
Insurer statements / lines matched /	3 / 11 of 17 / 3

Business result	Count
reconciliations approved	
Months closed / soft-closed	4 / 1
Reports run with rows / dashboards checked	39 / 19

Every report of the catalogue returned rows for the test period and produced an Excel file. The trial balance was balanced at the end of the cycle and the sub-ledger tie-out of the month-end checklist passed.

6.2 Life-cycle scenario

The 23-step life-cycle scenario of one motor policy (docs/e2e/E2E_TEST_PLAN.md) is in the workbook as module "End-to-end life cycle": 23 of 23 steps passed.

7. Role-based access results

Each role user signed in and opened every one of the 173 menu screens, by menu and by typing the address. The table compares what the role opened with the grants of the role.

User	Role	Screens granted	Screens opened	Opened outside the menu	Typed addresses refused	Screens with errors
maria.rivera	sales	31	31	0	141 of 141	0
jose.bernardo	processing	41	41	0	131 of 131	0
ana.buenaventura	operations	29	29	0	143 of 143	0
carlo.estrada	claims	12	12	0	160 of 160	0
liza.quiambao	accounting	91	91	0	81 of 81	1
teresa.villaro-man	accounting-manager	91	91	0	81 of 81	1

No role opened a screen outside its grants. The address of the menu group Master > Generals > Organization shows "Page not found" for every user, the administrator included, and is not counted as a screen (BV-OBS-007). Both accounting roles open every granted screen, but on Master > Finance > Premium Taxes & LGU Rates the product list of the charges calculator is refused (BV-DEF-006).

The server applies the same personas on every endpoint. The regression run confirms, among others, that sales and operations cannot post or read receipts, that claims officers do not list prospects, that scoped agents see only their own book, that maker and checker must be different users on every approval, and that approvals above the authority matrix limit are refused.

8. Security testing performed

Area	What was tested	Result
Authentication on every endpoint	Every non-public API route called without a token; list of public routes compared with the intended list	Every non-public route answered 401; only the intended public routes are open
Tokens	Algorithm other than HS256, refresh token reuse, deactivation and role change, 30-minute access token	Refused or revoked as expected
Password policy	Length 8, upper, lower, digit, symbol, history of 5, 90-day expiry, temporary passwords	Enforced on change, reset and user creation
Lockout and throttling	5 failed sign-ins lock the account; sign-in rate limit per user and address; 2FA code rate limit; global API rate limit	Locked, 429 with Retry-After, unlock audited
Two-step verification	Enrolment, sign-in with code, forced enrolment by role, administrator reset	Works to RFC 6238; secrets encrypted
Role permission probes	Each persona against screens and endpoints outside its role; administrator-only actions by a user desk user	Refused
Injection probes	SQL and script text in search fields, HTML and script files renamed as documents, spreadsheet formulas in exports	No effect; uploads refused by file signature; CSV cells guarded
Documents	Signed links, expiry, attachment disposition, upload size limit	Refused without session or valid signature; 413 above the limit
Security headers	Standard security headers and request id on every response; generic 500 message	Present
Secrets and logs	Default secrets, CORS * and localhost base URL in production; tokens in the log	API refuses to start; no token in the log
Dependency audit	npm audit of runtime dependencies	Backend: 0 vulnerabilities. Front end: 2 moderate in react-router (BV-DEF-001)

Not tested in this cycle: an external penetration test, and privacy processes (consent, data subject requests, anonymisation), which the product does not support yet (BV-DEF-002).

9. Performance observations

No load or stress test was run. The following timings were observed during the functional runs on a single server and are recorded for information only:

- UAT cycle: 2,116 API calls with database writes in 24 seconds, about 11 ms per call on average, run one after the other.
- Backend regression run: 634 tests in about 4 minutes 43 seconds.
- Screen check: every screen loaded its data within the 2.6-second wait used per screen; no time-out was recorded.

Recommendation: run a load test with the client's expected number of concurrent users and month-end volumes on the production-sized server before go-live.

10. Defects and observations

ID	Title	Module	Severity	Type	Status
BV-DEF-001	Front-end library react-router has a moderate security advisory (open redirect)	Sign-in and security	Medium	Defect	Open
BV-DEF-002	Data privacy features not built: consent capture, data subject request register, anonymisation	Sign-in and security	Medium	Gap	Open
BV-DEF-003	Application-level encryption covers only two-step verification secrets	Sign-in and security	Medium	Gap	Open
BV-DEF-004	Product configurator component list does not show the template; per-template rating factors look duplicated	Product configurator	Low	Defect	Open
BV-OBS-005	Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused	Renewals	Low	Observation	Open
BV-DEF-006	Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting	Masters	Low	Defect	Open
BV-OBS-007	Menu group Master > Generals > Organization has an address that opens "Page not found"	Screen checks (all menus)	Low	Observation	Open
BV-OBS-008	Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px	Incentives	Low	Observation	Open

10.1 BV-DEF-001: Front-end library react-router has a moderate security advisory (open redirect)

npm audit of the front-end runtime dependencies reports 2 moderate findings, both in react-router (open redirect). The fixed version is a new major release. Backend runtime dependencies report 0 vulnerabilities.

- Workaround: The application builds its navigation targets from its own menu and routes and does not redirect to addresses taken from the URL. Keep the web server allowing only the application origin.
- Target: Next minor release: upgrade react-router to the fixed major version and re-test navigation

10.2 BV-DEF-002: Data privacy features not built: consent capture, data subject request register, anonymisation

No screen records client consent (date, purpose, channel), no register tracks data subject access or erasure requests, and there is no function to anonymise an inactive client. Needed for Data Privacy Act compliance processes.

- Workaround: Keep consent forms and the request log outside the system (signed forms filed against the client code; request register kept by the Data Protection Officer).
- Target: Product backlog; to be scheduled with the client

10.3 BV-DEF-003: Application-level encryption covers only two-step verification secrets

Only TOTP secrets are encrypted with DATA_ENCRYPTION_KEY. Client personal data (TIN, ID numbers, contact details) is stored in plain database columns.

- Workaround: Use encrypted storage for the database server and backups, restrict database access to the support team, and keep backups encrypted.
- Target: Product backlog; field-level encryption of personal identifiers

10.4 BV-DEF-004: Product configurator component list does not show the template; per-template rating factors look duplicated

On Product Configurator > Rating Engine (and the other component lists) the rows do not show which template they belong to. Factors with the same name on different templates appear as duplicates.

- Workaround: Open the factor to see its template, or filter by template where the screen offers it.
- Target: Next minor release

10.5 BV-OBS-005: Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused

A renewal requested for a policy that expired more than grace days plus lapsed-renewal days ago is refused (HTTP 422). This is by design: such a risk is quoted as new business. In the UAT cycle 3 migrated policies were refused this way.

- Workaround: Quote the client as new business from the prospect or client record.
- Target: No change planned; confirm the window settings with the client at configuration

10.6 BV-DEF-006: Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting

Screen check of 03 October 2026: signed in as liza.quiambao (accounting) or teresa.villaroman (accounting-manager), Master > Finance > Premium Taxes & LGU Rates opens, but its request GET /placements/options is refused with 403 (the role has no placement read permission). The product drop-down of the charges calculator stays empty. Rules and LGU rates can still be maintained.

- Workaround: Run the charges calculation as the System Administrator, or check the charges on a test quotation.
- Target: Next patch: let the screen read the product list through a permission Accounting holds

10.7 BV-OBS-007: Menu group Master > Generals > Organization has an address that opens "Page not found"

The menu group Organization carries its own address (/master/generals/organization) with no screen behind it. Typing the address shows "Page not found" for every user, including the administrator. Company and Branch under it open normally. No data is shown.

- Workaround: Open Company or Branch from the menu.
- Target: Next minor release: remove the address from the group or open the Company screen

10.8 BV-OBS-008: Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px

Screen check at 1440 x 900: the Achievement Overview card on My Programs is wider than the content area and is cut off on the right (administrator and accounting users).

- Workaround: Collapse the side menu or zoom the browser to 90%.
- Target: Next minor release

Open items by severity: Critical 0, High 0, Medium 3, Low 5.

11. Entry and exit criteria

11.1 Entry criteria

Criterion	Met
Production build of front end and backend available	Yes
Fresh PostgreSQL database seeded with reference data	Yes
One test user per role, plus a second user where maker and checker are needed	Yes
UAT data set loaded	Yes
Test cases reviewed and mapped to evidence	Yes

11.2 Exit criteria

Criterion	Status
All High priority cases executed	Met
No open Critical or High defect	Met
End-to-end cycle without failed step	Met (371 of 371)
Backend regression run without failure	Met (634 of 634)
Every menu screen opens for the administrator	Met
Open Medium and Low items have a workaround and a target	Met

12. Release recommendation

To be completed by the release manager.

13. Document Sign-Off

Serial Number	Description	Owner	Status
1	8 defects and observations open (Medium 3, Low 5); see the chapter Defects and observations	iorta TechNXT	Open

Sign Off Date	Signature	Approved By	Department & Project Role



Transforming Insurance with AI Innovation



10+
COUNTRIES
Global Presence



8
GLOBAL OFFICES
Strategically Located



11+
MARKETS SERVED
Across Continents



100%
COMMITMENT
To Excellence



MALAYSIA



INDIA



PHILIPPINES



THAILAND



VIETNAM



USA



ETHIOPIA



CAMBODIA



HONGKONG



SINGAPORE



Scan More Details