



Test Summary Report

BrokerVerse OOTB release

Prepared by – **iorta TechNXT**

Version – **1.3**

Date – **04 October 2026**

TABLE OF CONTENTS

1. Document Control.....	4
2. Acronyms.....	4
3. Scope and approach.....	6
3.1 Scope.....	6
3.2 Approach.....	7
4. Environment and data.....	9
4.1 Test users.....	9
4.2 UAT data set.....	9
5. Automated test results.....	11
5.1 Backend by test file area.....	11
5.2 Package B compliance tests.....	11
5.3 Front end by test file area.....	12
6. Test execution summary by module.....	13
6.1 By test type.....	14
6.2 Coverage of the process catalogue.....	14
6.3 Cases not passed.....	14
7. New modules: what was verified.....	16
8. End-to-end cycle results.....	18
8.1 What the cycle produced.....	18
8.2 Life-cycle scenario.....	19
9. Role-based access results.....	20
10. Security testing performed.....	21
11. Performance observations.....	22
12. Defects and observations.....	23
12.1 BV-DEF-001: Front-end library react-router has a moderate security advisory (open redirect).....	23
12.2 BV-DEF-002: Data privacy features not built: consent capture, data subject request register, anonymisation.....	24
12.3 BV-DEF-003: Application-level encryption covers only two-step verification secrets.....	24
12.4 BV-DEF-004: Product configurator component list does not show the template; per-template rating factors look duplicated.....	24
12.5 BV-OBS-005: Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused.....	25
12.6 BV-DEF-006: Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting.....	25

12.7 BV-OBS-007: Menu group Master > Generals > Organization has an address that opens "Page not found".....	25
12.8 BV-OBS-008: Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px.....	26
12.9 BV-DEF-009: A policy whose premium is only the CTPL tariff cannot be cancelled.....	26
12.10 BV-DEF-010: No Compliance Officer designation in the Designation master.....	26
12.11 BV-DEF-011: Data masking: the mobile number an SMS or Viber message was sent to stays in the integration outbox.....	27
12.12 BV-DEF-012: Data masking: identifier columns swept as free text; digit runs inside record ids reported as mobile numbers.....	27
12.13 BV-DEF-013: Go-live rehearsal: migration workbook filled with the old client address headers and the tariff net premium of discounted policies. .	27
12.14 BV-DEF-014: Incentive statement refused (400) for an agent with a semi-annual result.....	28
13. Entry and exit criteria.....	29
13.1 Entry criteria.....	29
13.2 Exit criteria.....	29
14. Re-test and regression after fixes (03 October 2026).....	30
15. Release verification on the merged release (04 October 2026).....	31
16. Release recommendation.....	33
17. Document Sign-Off.....	34

1. Document Control

Date	Version	Author & Business Unit Info	Reviewed By & Business Unit Info	Approved By & Business Unit Info	Change History
04 October 2026	1.3	iorta TechNXT			Version 1.3: release verification of 04 October 2026 on the merged release (packages A to G and B): UAT cycle of 433 steps, go-live rehearsal of 52 checks, data masking of a copy with its verification, environment comparison, full regression run; package B and package G cases executed; defects BV-DEF-009 to BV-DEF-014 found and fixed, BV-DEF-003 closed. Version 1.2: test runs of 04 October 2026 (1,035 backend, 36 package B, 162 front-end tests); 132 test cases for the new modules; counts per test file area; coverage by module and by process (Requirements Traceability). Version 1.1: re-test after fixes

2. Acronyms

Acronym / Symbol	Definition / Meaning
OOTB	Out of the box
UAT	User acceptance test
QA	Quality assurance

API	Application programming interface
OR	Official receipt
JV	Journal voucher
PV	Payment voucher
RFQ	Request for quotation
CTPL	Compulsory third party liability
COC	Certificate of cover
APPA	Auto passenger personal accident
BIR	Bureau of Internal Revenue
VAT	Value-added tax
EWT	Expanded withholding tax
CWT	Creditable withholding tax
SAWT	Summary Alphalist of Withholding Taxes
QAP	Quarterly Alphalist of Payees
SLSP	Summary List of Sales and Purchases
EOPT	Ease of Paying Taxes Act
CAS	Computerized accounting system
EIS	Electronic Invoicing System
DAT	BIR validation data file
TB	Trial balance
GL	General ledger
2FA	Two-step verification
TOTP	Time-based one-time password
SMTP	Simple Mail Transfer Protocol
AML	Anti-money laundering
CFT	Countering the financing of terrorism
AMLC	Anti-Money Laundering Council
EDD	Enhanced due diligence
CTR	Covered transaction report
STR	Suspicious transaction report
IC	Insurance Commission

NPC	National Privacy Commission
PSGC	Philippine Standard Geographic Code
LOA	Letter of authority
PDC	Post-dated cheque
RTM	Requirements traceability matrix

3. Scope and approach

This report records the testing of BrokerVerse OOTB before release: what was tested, how, on which environment and data, what passed, what failed and what is still open. It goes with the workbook **BrokerVerse_Test_Cases.xlsx**, which holds every test case with its steps, test data, expected and actual result, status, regulatory reference and evidence, the traceability of each case to the automated tests, and the Requirements Traceability sheet from the process catalogue to the test cases. The way the product is tested is set out in the Test Strategy; the testing of one broker implementation in the Test Plan.

3.1 Scope

The test covered the whole broking cycle of a Philippine non-life broker, one module at a time and end to end:

- Sign-in and security, user and role administration, enterprise side menu, menu search, Help panel (F1) and skeleton loading.
- Masters, including the Philippine reference masters (PSGC 2Q 2026 regions, provinces, cities and municipalities, barangays, ZIP codes, banks, government ID types, salutations, holidays, IC insurer list), configuration and document numbering.
- Product Configurator connected to the flow: acceptance rules (refer, decline, loading with authority), rating factors, document templates with merge fields, market mapping, governing template.
- My Work: My Items, My Team by reporting line, My Tasks and Calendar.

- Sales and distribution: prospects, lead assignment, distribution channels, dealer programmes, quick quote and insurer comparison, quotations and customer response, requests for quotation, placement slips, comparison reports, campaigns.
- Policy: motor with CTPL (COC series and authentication), package and non-package issuance, fleet schedules, marine open covers, cover notes, endorsements, computed cancellations (pro-rata, short-period, flat), claims with the document checklist and motor repairs, renewals.
- Money: payments, billing and receipts, post-dated cheques, instalment invoices, collections and credit control, disbursement, bank payment files, remittance to insurers, direct bill, commission with the licence check, insurer overrides, petty cash, claims settlements paid through the broker.
- Accounting: journals, period end, bank and insurer reconciliation, accounts payable, fixed assets and depreciation.
- Tax: BIR 2307, VAT summary, SAWT, QAP, SLSP, 0619-E, 1601-EQ, 1604-E, 2551Q, DAT files, EOPT sales invoices, CAS books, EIS connector.
- Compliance: AML/CFT (onboarding, risk rating, EDD, screening, transaction alerts, cases, AMLC report files); Insurance Commission (licence register, fit and proper, insurer authority, complaints, annual statement, production report); data privacy (consent, data subject requests, breach register, masking by role, field encryption).
- Reinsurance (treaties, cessions, recoveries, facultative placements), incentives, reports, report builder and BI extract, dashboards, schedules, e-mail outbox, integrations (connectors, SMS and Viber, insurer API), branding and e-signatures, audit trail, role-based access per persona.
- Go-live and environments: go-live data workbench, environment comparison, transaction reset, client data masking tool, release pipeline checks, go-live rehearsal.

Out of scope for this cycle: load and stress testing, an external penetration test, browsers other than Chromium, mobile layouts, live keys of third-party providers (payment gateways, SMS, CTPL authentication, insurer APIs, BIR EIS, screening provider) and delivery of e-mail to real mailboxes (no SMTP server in the test environment).

The IC and data privacy compliance package (package B) and package G (sales activity log, quote wizard covers and risk fields from the Product Configurator, supplier BIR 2307, fixed asset disposal) are merged into the release. Their test cases were executed in the release verification of 04 October 2026 (chapter Release verification on the merged release), which ran the whole UAT cycle, the go-live rehearsal, the data masking tool and the environment comparison on the final code.

3.2 Approach

Each test case is written for manual execution: numbered steps on screen, concrete test data and an observable expected result. The status of each case was set from recorded evidence only:

- **Backend regression run** of 04 October 2026 on the merged release: 104 test files, 1,113 tests, all passed (vitest against PostgreSQL, about 11 minutes, one file after another). The package B files (IC compliance, breach register, personal data protection: 36 tests) and the tests added with the defects of this report are part of the run. Each rule and negative case is mapped to the test that exercises it; the file and test name are in the Traceability sheet.
- **Front-end unit tests** of 04 October 2026: 31 suites, 162 tests, all passed (jest through craco, about 49 seconds).
- **End-to-end UAT cycle** on a fresh database of the merged release, started with the production settings of the go-live document: 433 business steps run with one user per role through the same services the screens use, from set-up to customer due diligence, month-end close and reports (run log docs/e2e/UAT_SCENARIO_RUN.md).
- **Go-live rehearsal** between two environments: 52 checks, all passed (run log docs/e2e/GOLIVE_REHEARSAL_RUN.md).
- **Data masking** of a copy of the UAT database (npm run mask:data with -- remark-copy): dry run, masking and verification, then the encrypted identifier columns read in clear and compared with the original.
- **Environment comparison** (npm run compare:environments) between the two rehearsal environments after the rehearsal.
- **Screen check**: every menu screen opened in Chromium as the administrator and as six role users, recording access, console errors, failed requests and clipped content.

A case without evidence from these runs is marked Not Run, and one that cannot be run in this environment is marked Blocked. A case is marked Fail when the result differs from the expected result; each Fail has a defect or gap in the register.

4. Environment and data

Item	Value
Build	Branch brokerverse-platform as of 04 October 2026 with every package merged; the API started with NODE_ENV=production and the variables of the go-live document (own secrets, SEED_SAMPLE_DATA=false, CORS_ORIGINS and PUBLIC_BASE_URL set) for the UAT cycle and the rehearsal; production build of the web application for the screen check
Automated tests	Backend: a throwaway PostgreSQL database rebuilt from the migrations and seeds by each test file; front end: jsdom
Database for the UAT cycle	Fresh PostgreSQL 16 database on its own cluster: migrations and reference data seed, then the UAT data set; a second fresh database for the rehearsal target; a restored copy for the masking
Business date	04 October 2026 (Asia/Manila); data spread over May to October 2026
Browser	Chromium, 1440 x 900
E-mail	Sending off; customer answers recorded as customer responses
Third-party connectors	Test mode (built-in test providers)
Execution	03 to 04 October 2026

4.1 Test users

User	Role	Used for
BrokerVerse	system-admin	Set-up, masters, configuration, screen check of every menu
beatriz.lacson	system-admin	Masters, commission matrix, incentive programs
maria.rivera, paolo.dizon	sales	Prospects, quotations, customer responses, payment capture
jose.bernardo, rica.fernandez	processing	RFQ, placement, issuance, renewals, reinsurance (maker and checker)
ana.buenaventura	operations	Endorsements, cancellations, client servicing
carlo.estrada, joy.macaraeg	claims	Claims registration and settlement (maker and checker)
liza.quiambao, nestor.pangilinan	accounting	Receipts, remittance, disbursement, reconciliation (maker and checker)
teresa.villaroman, ramon.almario	accounting-manager	Approvals, credit limits, month-end close, supplier invoice approval
imelda.navarro	compliance-officer	Licences of the referrers on the licence register, EDD approval of the PEP-owned client
Compliance officer (test user per test file)	compliance-officer	AML decisions, screening hits, AMLC files (automated tests)

4.2 UAT data set

The data set is fictional and follows Philippine formats: 7 insurers with their credit terms, 25 commission rate rows, 2 bank accounts linked to the ledger, 2 sub-agent referrers with their licences on the licence register, a car dealer tie-up as a distribution channel, 14 in-force policies migrated at go-live, 61 prospects, 62 new policies and 6 renewal terms issued across motor, CTPL, personal accident, travel, householder, fire, IAR, CAR, EAR, marine, CGL, money, employee benefits and surety bond, the government ID of 35 retail clients and the signatories and beneficial

owners of 19 corporate clients (one owned by a politically exposed person, with its EDD review), 53 receipts, 8 claims, 19 insurer settlements, a supplier invoice with EWT and a fixed asset sale, 6 bank statements and 3 insurer statements.

5. Automated test results

5.1 Backend by test file area

Run of 04 October 2026 on the merged release: `npx vitest run` in `backend/`, 104 files, 1,113 tests, 0 failed, 0 skipped. The table groups the files by area; the package B files and the tests added for the defects of this report (BV-DEF-009 to BV-DEF-012, BV-DEF-014) are included.

Area	Files	Tests	Passed	Failed
Security, access, users and roles	13	113	113	0
Masters, Philippine reference data, configuration, numbering and single-source settings	10	123	123	0
Product Configurator, rules in the flow, pricing and quote covers	6	64	64	0
Sales, placement, policy issuance and sales activities	11	102	102	0
Endorsements, renewals and claims	3	34	34	0
Operations and accounting extensions (cover notes, cancellation, PDC, instalment invoices, claim documents, motor repairs, claims settlements, payables, fixed assets, supplier 2307 and asset disposal)	2	40	40	0
Billing, collection, disbursement and remittance	9	80	80	0
Commission, incentives and insurer overrides	4	23	23	0
Accounting, period end and reconciliation	9	88	88	0
BIR forms and invoicing	1	14	14	0
Reinsurance and distribution (channels, dealer programmes, fleets, open cover, facultative, campaigns, comparison reports, report builder)	9	62	62	0
AML/CFT, data privacy and audit trail	3	54	54	0
IC compliance, personal data protection and breach register (package B)	3	36	36	0
Reports, dashboards, documents, e-mail and notifications	7	74	74	0
My Work	1	21	21	0
Integrations, branding and e-signatures	2	35	35	0
Go-live, environments, reset, masking, upload templates, tools and scheduler	10	136	136	0
Regression of UAT findings	1	14	14	0
Total	104	1,113	1,113	0

5.2 Package B compliance tests

The package B files are on the release branch since the merge and are part of the regression run above; their results are listed on their own because they are the evidence of the IC compliance and personal data protection test cases.

Test file (release branch)	Tests	Passed
ic-compliance.test.js: licence register and payout block, fit and proper, insurer authority, IC production report and annual statement, complaints	18	18
personal-data-protection.test.js: field encryption, exact TIN search, key rotation, masking by role, masked exports, on-request reveal	12	12
data-breaches.test.js: breach register, 72-hour clock, NPC criteria, reminders, annual report	6	6
Total	36	36

Run again on the release branch after the merge on 04 October 2026: all passed.

5.3 Front end by test file area

Run of 04 October 2026: CI=true npx craco test --watchAll=false in brokerverse/,
31 suites, 162 tests, 0 failed.

Area	Suites	Tests	Passed	Failed
Navigation, menus, route guard and help	6	38	38	0
Shared components and utilities (tables, skeleton loading, formats, runtime configuration)	8	39	39	0
Forms, addresses and services	7	26	26	0
My Work	2	14	14	0
Product Configurator	2	13	13	0
Compliance, BIR, distribution and integrations screens	5	24	24	0
Theme engine, branding and contrast	1	8	8	0
Total	31	162	162	0

Lint and the production build were not part of this run; CI runs them on every push.

6. Test execution summary by module

629 test cases are in the workbook: the 497 of the first cycle and 132 added on 04 October 2026 for the new modules. 617 passed, 1 failed, 3 are blocked by the environment and 8 were not run in this cycle. The pass rate over all cases is 98.1%; over the cases executed (passed or failed) it is 99.8%.

Module	Total	Pass	Fail	Blocked	Not Run
Sign-in and security	35	31	1	1	2
User and role administration	16	16	0	0	0
Masters	21	21	0	0	0
Configuration and numbering	17	17	0	0	0
Product configurator	10	10	0	0	0
Go-live data load	8	8	0	0	0
Prospects and clients	12	12	0	0	0
Quick quote and compare insurers	9	9	0	0	0
Quotations and customer response	16	15	0	1	0
Request for quotation and placement	13	13	0	0	0
Policy issuance	15	15	0	0	0
Endorsements and cancellations	13	13	0	0	0
Claims	15	14	0	0	1
Renewals	16	16	0	0	0
Open items and payments	10	10	0	0	0
Billing and receipts	13	13	0	0	0
Collections and credit control	10	10	0	0	0
Disbursement and payment vouchers	6	6	0	0	0
Remittance to insurers	15	14	0	0	1
Direct bill	10	10	0	0	0
Commission and referrers	10	10	0	0	0
Petty cash	7	6	0	0	1
Journal vouchers and ledger	16	16	0	0	0
Period end	16	16	0	0	0
Bank reconciliation	15	15	0	0	0
Insurer reconciliation	6	6	0	0	0
Tax (BIR)	9	9	0	0	0
Reinsurance	7	7	0	0	0
Incentives	6	6	0	0	0
Reports	45	44	0	0	1
Dashboards	8	8	0	0	0
E-mail outbox and notifications	6	5	0	1	0
Audit trail	4	4	0	0	0
End-to-end life cycle	23	23	0	0	0
Screen checks (all menus)	20	20	0	0	0
Role-based access	19	19	0	0	0
Philippine reference masters	9	7	0	0	2
Navigation and help	7	7	0	0	0
My Work	8	8	0	0	0
Product rules in the flow	9	9	0	0	0
Go-live workbench and environments	13	13	0	0	0
AML/CFT	12	12	0	0	0
IC compliance	11	11	0	0	0
Personal data protection	11	11	0	0	0
BIR forms and invoicing	11	11	0	0	0
Operations extensions	7	7	0	0	0
Accounting extensions	6	6	0	0	0
Distribution	11	11	0	0	0
Integrations	7	7	0	0	0
Branding and e-signatures	6	6	0	0	0
Package G features	4	4	0	0	0
Total	629	617	1	3	8

6.1 By test type

Test type	Total	Pass	Fail	Blocked	Not Run
Functional	233	226	1	3	3
Negative	84	82	0	0	2
Validation	52	50	0	0	2
Integration	50	50	0	0	0
Role access	48	47	0	0	1
Report	80	80	0	0	0
Accounting	82	82	0	0	0

6.2 Coverage of the process catalogue

The sheet Requirements Traceability maps each of the 150 processes of the fit catalogue (process IDs 1.01 to 15.16 of the PH Fit and ASEAN Rollout Assessment) to its test cases and automated test files.

Coverage	Processes
Test cases and automated tests, every mapped case passed	128
Test cases and automated tests, some mapped cases blocked or not run (for example module-wide mappings that include a Not Run report case)	20
Test cases passed on the UAT scenario evidence, no automated test file (13.09 SLSP sales and purchases)	1
No test case: checked by document review (14.14 data residency, a hosting option)	1
Total	150

By authority, every IC, BIR, NPC and AMLC process of the catalogue has at least one passed test case, with automated evidence for all of them except 13.09 (UAT scenario evidence) and 14.14 (document review). The regulatory reference of each case (for example AMLA covered transaction PHP 500,000, NPC Circular 16-03, RA 11765, EOPT Act and RR 7-2024) is in the column Regulatory reference of the sheet Test Cases.

6.3 Cases not passed

TC ID	Scenario	Status	Defect or reason
BV-SEC-004	Login with blank User ID and Password	Not Run	Screen-only check, next manual cycle
BV-SEC-013	Forgot password with a verification code	Blocked	Needs SMTP
BV-SEC-020	Idle session signs out after the configured minutes	Not Run	Timed check, next manual cycle
BV-SEC-032	Dependency audit of the release build	Fail	BV-DEF-001
BV-QUO-010	Customer approves through the link	Blocked	Needs SMTP
BV-CLM-008	Settle date before issue date refused on screen	Not Run	Screen-only check
BV-REM-004	Settlement below minimum amount held	Not Run	Screen-only check
BV-PCH-006	Request above the max limit	Not Run	Screen-only check
BV-RPT-006	Own production only for a scoped agent	Not Run	Screen-only check
BV-EML-003	Retry while sending is on	Blocked	Needs SMTP
BV-PHM-	Salutations, civil status, ID types,	Not	No automated test reads the

TC ID	Scenario	Status	Defect or reason
007	customer types, payment modes and holidays are delivered	Run	practice masters seed; screen check in SIT
BV-PHM-008	Philippine banks and the IC-licensed non-life insurers are delivered	Not Run	As above

Blocked cases need an SMTP server (password reset by e-mail, customer approval link by e-mail, outbox retry while sending is on). Not Run cases are screen-only checks or timed checks planned for the next manual cycle. BV-SEC-033 and the four package G cases moved to Pass in the release verification of 04 October 2026.

7. New modules: what was verified

Module	Verified (automated evidence)
Philippine reference masters	18 regions, 82 provinces and 1,642 cities and municipalities with PSGC codes; Province label; drill-down to barangays; ZIP code fill; barangay load with dry run; working-day deadlines of AML cases
Navigation and help	Master in sections, three levels at most; role menus and route guard; menu search; Help for this screen on every menu screen; support ticket prefilled; skeleton rows while loading
My Work	My Items by role, My Team by reporting line, approvals of others only, reassignment within the team, tasks with reminders, automatic follow-up tasks, calendar, data scope
Product rules in the flow	Auto-accept, refer to the authority role within its limit, decline, loading, rating factor, insurer-specific rules, market mapping on RFQ, uploaded document layouts with merge fields, CTPL certificate
Go-live workbench and environments	Kits, validation with sheet, row and column, errors workbook, reload without duplicates, cutover rules, reconciliation, go-live lock, environment comparison on screen and by command, transaction reset, masking with verification, register-production and remark-copy, migration lock between instances, rehearsal (52 checks)
AML/CFT	Onboarding of individual and juridical clients, signatories and beneficial owners, PEP and EDD block, risk factors and override, KYC refresh, list versions and rescreen, hit decisions blocking issue and payouts, covered and structured cash, third-party refunds, CTR file, STR case in working days, role limits, 5-year retention
IC compliance	Licence register and reminders, payout block and warn modes, fit and proper, insurer authority block and warn, production report by IC line and co-insurance share, annual statement with checks and mapping, complaints with deadlines, escalation and regulator report
Personal data protection	Breach register with the 72-hour clock, NPC criteria, reminders, annual report; masking by role on views and exports; on-request reveal audited; field encryption with blind index, exact TIN search and key rotation; consent and data subject requests; audit trail labels and masking
BIR forms and invoicing	1601-EQ per ATC reconciled, 0619-E rules, PDF and Excel, 1604-E, DAT files equal to fixed expected files, 2551Q, EOPT sales invoices with serial range, EIS queue in test mode, CAS books, overriding commission computed, approved and posted
Operations extensions	Cover notes (issue, supersede, expire), short-period and pro-rata cancellation with reversal, partial cancellation, claim document checklist blocking submission, motor estimates and letters of authority, scheduler in Manila time
Accounting extensions	Post-dated cheques (register, deposit, bounce, replace), instalment invoices, claims settlements through the broker, supplier invoices with input VAT and EWT and approval, fixed assets with straight-line depreciation posted once
Distribution	Lead assignment rules and queue, channels with inheritance and Dealer Production, dealer programme uploads and subsidies, fleet schedules, marine open cover declarations, facultative placement and binding,

Module	Verified (automated evidence)
	comparison report without commission, campaigns with consent and opt-out, report builder and BI extract
Integrations	Connectors with credential variable names only, retries, consent check on SMS, COC allocation and authentication, keyed-in codes, series control, insurer API mapping, bank payment files with status import
Branding and e-signatures	Presets pass WCAG AA, failing contrast refused, branding before sign-in, branded PDFs, Excel and e-mails, signatures with consent on issued documents only, slot mapping, brand packs including the optional client pack
Package G	Sales activities logged on the prospects of the month with the next step as a follow-up task in My Work; motor quotations priced on the covers the quote wizard chose from the governing template; supplier invoice with EWT sent for approval, approved by the Accounting Manager, paid by cheque and BIR 2307 issued to the supplier; fixed asset registered and sold with the disposal journal, output VAT and sales invoice (UAT cycle and automated tests)

8. End-to-end cycle results

The business cycle ran on a fresh database of the merged release on 04 October 2026 with one user per role: 433 steps, 2,168 API calls, 0 failed steps, in 29 seconds. Compared with version 1.2 the cycle adds the compliance officer persona, the licences of the referrers and the dealer tie-up in the set-up, a customer due diligence phase, and the package G steps.

Phase	Steps passed	Steps failed
Set-up	50	0
Go-live migration	1	0
Retail package business	90	0
Corporate non-package business	45	0
Compliance: customer due diligence	55	0
Billing and collection	58	0
Servicing: endorsements, renewals, claims	31	0
Money: remittances, commission, petty cash	24	0
Reinsurance, incentives, payables and fixed assets	4	0
Reconciliation: bank and insurer statements	10	0
Month-end close	6	0
Reports and dashboards	59	0
Total	433	0

8.1 What the cycle produced

Business result	Count
Referrer licences recorded / distribution channels (dealer group and branch)	2 / 2
In-force policies migrated at go-live	14
Prospects (retail and corporate) / sales activities logged	61 / 6
Motor quotations priced on the covers chosen in the quote wizard	14
Insurer offers / declines recorded	101 / 15
Customer responses: accepted / declined / revise	66 / 4 / 2
Policies issued (retail)	39
Policies issued (corporate, incl. 1 recorded policy)	23
Retail clients with their government ID recorded (KYC)	35
Corporate clients with SEC registration, signatory and beneficial owners / EDD reviews approved	19 / 1
Renewal terms issued	6
Placement slips / insurer bindings	22 / 35
Official receipts by accounting / captures confirmed	44 / 9
Instalment plans / instalments paid	2 / 2
Premium warranty reminders / cancellation for non-payment (a CTPL tariff policy)	6 / 1
Direct bill client payments / debit notes approved / collected	6 / 3 / 2
Endorsements: additional / return / cancellation	4 / 2 / 1
Renewals completed / lapsed / refused after the window	6 / 1 / 3
Claims notified / settled and closed / closed without payment / open	8 / 4 / 2 / 2
Insurer remittances paid by cheque / approved awaiting cheque	13 / 6
Sub-agent commission lines approved / payouts	5 / 2
Petty cash requests paid	3
Reinsurance treaty / cessions	1 / 3
Supplier invoices with EWT paid / BIR 2307 certificates issued to suppliers	1 / 1
Fixed assets registered / sold (disposal posted with the sales invoice)	1 / 1

Business result	Count
Bank statements / lines / matched by rules / by hand / adjustments	6 / 71 / 49 / 5 / 15
Bank reconciliations approved	5
Insurer statements / lines matched / reconciliations approved	3 / 13 of 19 / 3
Months closed / soft-closed	4 / 1
Reports run with rows / dashboards checked	39 / 19

Every report of the catalogue returned rows for the test period and produced an Excel file. The trial balance was balanced at the end of the cycle and the sub-ledger tie-out of the month-end checklist passed.

8.2 Life-cycle scenario

The 23-step life-cycle scenario of one motor policy (docs/e2e/E2E_TEST_PLAN.md) is in the workbook as module "End-to-end life cycle": 23 of 23 steps passed.

9. Role-based access results

Each role user signed in and opened every one of the 173 menu screens, by menu and by typing the address. The table compares what the role opened with the grants of the role.

User	Role	Screens granted	Screens opened	Opened outside the menu	Typed addresses refused	Screens with errors
maria.rivera	sales	31	31	0	141 of 141	0
jose.bernardo	processing	41	41	0	131 of 131	0
ana.buenaventura	operations	29	29	0	143 of 143	0
carlo.estrada	claims	12	12	0	160 of 160	0
liza.quiambao	accounting	91	91	0	81 of 81	1
teresa.villaroman	accounting-manager	91	91	0	81 of 81	1

No role opened a screen outside its grants. The address of the menu group Master > Generals > Organization shows "Page not found" for every user, the administrator included, and is not counted as a screen (BV-OBS-007). Both accounting roles open every granted screen, but on Master > Finance > Premium Taxes & LGU Rates the product list of the charges calculator is refused (BV-DEF-006).

The server applies the same personas on every endpoint. The regression run confirms, among others, that sales and operations cannot post or read receipts, that claims officers do not list prospects, that scoped agents see only their own book, that maker and checker must be different users on every approval, and that approvals above the authority matrix limit are refused.

10. Security testing performed

Area	What was tested	Result
Authentication on every endpoint	Every non-public API route called without a token; list of public routes compared with the intended list	Every non-public route answered 401; only the intended public routes are open
Tokens	Algorithm other than HS256, refresh token reuse, deactivation and role change, 30-minute access token	Refused or revoked as expected
Password policy	Length 8, upper, lower, digit, symbol, history of 5, 90-day expiry, temporary passwords	Enforced on change, reset and user creation
Lockout and throttling	5 failed sign-ins lock the account; sign-in rate limit per user and address; 2FA code rate limit; global API rate limit	Locked, 429 with Retry-After, unlock audited
Two-step verification	Enrolment, sign-in with code, forced enrolment by role, administrator reset	Works to RFC 6238; secrets encrypted
Role permission probes	Each persona against screens and endpoints outside its role; administrator-only actions by a user desk user	Refused
Injection probes	SQL and script text in search fields, HTML and script files renamed as documents, spreadsheet formulas in exports	No effect; uploads refused by file signature; CSV cells guarded
Documents	Signed links, expiry, attachment disposition, upload size limit	Refused without session or valid signature; 413 above the limit
Security headers	Standard security headers and request id on every response; generic 500 message	Present
Secrets and logs	Default secrets, CORS * and localhost base URL in production; tokens in the log	API refuses to start; no token in the log
Dependency audit	npm audit of runtime dependencies	Backend: 0 vulnerabilities. Front end: 2 moderate in react-router (BV-DEF-001)

Since this table was recorded, the regression run of 04 October 2026 adds automated security checks for masking of personal identifiers by role, field encryption of TIN, ID and bank numbers (package B, now on the release branch), the masking tool's refusal to run on Production and its verification scan, and the refusal of credential values in the integration connectors. The masking run of the release verification read the encrypted identifier columns in clear and found no original value in the masked copy. Not tested in this cycle: an external penetration test.

11. Performance observations

No load or stress test was run. The following timings were observed during the functional runs on a single server and are recorded for information only:

- UAT cycle: 2,168 API calls with database writes in 29 seconds, about 13 ms per call on average, run one after the other, against an API started with the production settings.
- Go-live rehearsal: 260 API calls and the workbook loads in 15 seconds; data masking of the copy (168 columns of 63 tables, 156 files) in under a minute.
- Backend regression run: 1,113 tests in about 11 minutes (04 October 2026); front-end tests: 162 tests in about 49 seconds.
- Screen check: every screen loaded its data within the 2.6-second wait used per screen; no time-out was recorded.

Recommendation: run a load test with the client's expected number of concurrent users and month-end volumes on the production-sized server before go-live.

12. Defects and observations

ID	Title	Module	Severity	Type	Status
BV-DEF-001	Front-end library react-router has a moderate security advisory (open redirect)	Sign-in and security	Medium	Defect	Open
BV-DEF-002	Data privacy features not built: consent capture, data subject request register, anonymisation	Sign-in and security	Medium	Gap	Closed
BV-DEF-003	Application-level encryption covers only two-step verification secrets	Sign-in and security	Medium	Gap	Closed
BV-DEF-004	Product configurator component list does not show the template; per-template rating factors look duplicated	Product configurator	Low	Defect	Closed
BV-OBS-005	Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused	Renewals	Low	Observation	Closed
BV-DEF-006	Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting	Masters	Low	Defect	Closed
BV-OBS-007	Menu group Master > Generals > Organization has an address that opens "Page not found"	Screen checks (all menus)	Low	Observation	Closed
BV-OBS-008	Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px	Incentives	Low	Observation	Closed
BV-DEF-009	A policy whose premium is only the CTPL tariff cannot be cancelled	Endorsements and cancellations	Medium	Defect	Closed
BV-DEF-010	No Compliance Officer designation in the Designation master	Masters	Low	Defect	Closed
BV-DEF-011	Data masking: the mobile number an SMS or Viber message was sent to stays in the integration outbox	Go-live workbench and environments	High	Defect	Closed
BV-DEF-012	Data masking: identifier columns swept as free text (foreign key violated); digit runs inside record ids reported as mobile numbers	Go-live workbench and environments	High	Defect	Closed
BV-DEF-013	Go-live rehearsal: migration workbook filled with the old client address headers and the tariff net premium of discounted policies	Go-live workbench and environments	Medium	Defect	Closed
BV-DEF-014	Incentive statement refused (400) for an agent with a semi-annual result	Incentives	Medium	Defect	Closed

12.1 BV-DEF-001: Front-end library react-router has a moderate security advisory (open redirect)

npm audit of the front-end runtime dependencies reports 2 moderate findings, both in react-router (open redirect). The fixed version is a new major release. Backend runtime dependencies report 0 vulnerabilities.

- Workaround: The application builds its navigation targets from its own menu and routes and does not redirect to addresses taken from the URL. Keep the web server allowing only the application origin.
- Target: Next minor release: upgrade react-router to the fixed major version and re-test navigation

12.2 BV-DEF-002: Data privacy features not built: consent capture, data subject request register, anonymisation

No screen records client consent (date, purpose, channel), no register tracks data subject access or erasure requests, and there is no function to anonymise an inactive client. Needed for Data Privacy Act compliance processes.

- Workaround: Keep consent forms and the request log outside the system (signed forms filed against the client code; request register kept by the Data Protection Officer).
- Target: Product backlog; to be scheduled with the client
- Status: Closed. Delivered on 03 October 2026: Master > Data Privacy (consent register, data subject requests with due dates, personal data export, anonymisation with a dry run) and the client Data privacy tab. Re-tested BV-SEC-034 and BV-SEC-035.

12.3 BV-DEF-003: Application-level encryption covers only two-step verification secrets

Only TOTP secrets are encrypted with DATA_ENCRYPTION_KEY. Client personal data (TIN, ID numbers, contact details) is stored in plain database columns.

- Workaround: Use encrypted storage for the database server and backups, restrict database access to the support team, and keep backups encrypted.
- Target: Package B (IC and data privacy compliance): TIN, government ID and bank account numbers encrypted with PII_ENCRYPTION_KEY, with key rotation.
- Status: Closed. Package B merged into the release on 04 October 2026; BV-SEC-033, BV-NPC-007 and BV-NPC-008 re-tested on the release branch. The masking run of the release verification read the encrypted columns (clients, signatories, beneficial owners, TIN) in clear and found no original value left in the masked copy.

12.4 BV-DEF-004: Product configurator component list does not show the template; per-template rating factors look duplicated

On Product Configurator > Rating Engine (and the other component lists) the rows do not show which template they belong to. Factors with the same name on different templates appear as duplicates.

- Workaround: Open the factor to see its template, or filter by template where the screen offers it.
- Target: Next minor release

- Status: Closed. The component lists show a Template column (global rows read All products). Re-tested BV-PCF-005.

12.5 BV-OBS-005: Renewal of a policy expired beyond the grace plus lapsed-renewal window is refused

A renewal requested for a policy that expired more than grace days plus lapsed-renewal days ago is refused (HTTP 422). This is by design: such a risk is quoted as new business. In the UAT cycle 3 migrated policies were refused this way.

- Workaround: Quote the client as new business from the prospect or client record.
- Target: No change planned; confirm the window settings with the client at configuration
- Status: Closed as by design.

12.6 BV-DEF-006: Premium Taxes & LGU Rates: product list of the charges calculator does not load for Accounting

Screen check of 03 October 2026: signed in as liza.quiambao (accounting) or teresa.villaroman (accounting-manager), Master > Finance > Premium Taxes & LGU Rates opens, but its request GET /placements/options is refused with 403 (the role has no placement read permission). The product drop-down of the charges calculator stays empty. Rules and LGU rates can still be maintained.

- Workaround: Run the charges calculation as the System Administrator, or check the charges on a test quotation.
- Target: Next patch: let the screen read the product list through a permission Accounting holds
- Status: Closed. The screen reads the product list with a permission Accounting holds. Re-tested BV-MST-019, BV-RBA-016 and BV-RBA-019.

12.7 BV-OBS-007: Menu group Master > Generals > Organization has an address that opens "Page not found"

The menu group Organization carries its own address (/master/generals/organization) with no screen behind it. Typing the address shows "Page not found" for every user, including the administrator. Company and Branch under it open normally. No data is shown.

- Workaround: Open Company or Branch from the menu.
- Target: Next minor release: remove the address from the group or open the Company screen
- Status: Closed. Menu groups no longer carry an address of their own.

12.8 BV-OBS-008: Accounts > Incentive > My Programs: Achievement Overview card extends past the right edge at 1440 px

Screen check at 1440 x 900: the Achievement Overview card on My Programs is wider than the content area and is cut off on the right (administrator and accounting users).

- Workaround: Collapse the side menu or zoom the browser to 90%.
- Target: Next minor release
- Status: Closed. The card fits the content area at 1440 px. Re-tested BV-RBA-016 and BV-RBA-019.

12.9 BV-DEF-009: A policy whose premium is only the CTPL tariff cannot be cancelled

Found in the UAT cycle of the merged release (cancellation for non-payment of POL-2026-00027, a CTPL-only policy): the computed cancellation return merged with the operations and accounting extensions refused every policy with a net premium of 0 (HTTP 409 "has no net premium to compute a return on"). A CTPL-only policy carries the Insurance Commission tariff as its gross premium, taxes and authentication fee included, and no net premium, so the premium warranty cancellation of such a policy was impossible.

- Workaround: None in the application.
- Status: Closed. The return of a tariff-only policy is computed on the tariff amount with no premium tax of its own (tariffOnly in the calculation; backend/src/modules/cancellations/service.js), with a test in backend/test/ops-accounting.test.js. Re-tested in the UAT cycle (BV-END-013, BV-COL-007, BV-OPX-004).

12.10 BV-DEF-010: No Compliance Officer designation in the Designation master

The compliance officer role is delivered, but a user with that role could not be given the designation "Compliance Officer": neither the Designation master nor the Department master had an entry for it, so the staff record was refused (found when the UAT cycle created the compliance officer persona).

- Workaround: Add the designation by hand on Master > Generals > Employee Management > Designation.
- Status: Closed. Department CMP (Compliance) and designation DSG-CPO (Compliance Officer) are delivered in the masters seed, with a test in backend/test/masters.test.js (BV-USR-002, BV-MST-010).

12.11 BV-DEF-011: Data masking: the mobile number an SMS or Viber message was sent to stays in the integration outbox

On a masked copy of the UAT database the verification found 18 client mobile numbers left in `integration_outbox.payload` (exit code 4). The recipient ("to") of a queued SMS or Viber message is a mobile number, but the masking rule for recipient fields handled e-mail addresses only.

- Workaround: Empty the integration outbox of the copy by hand before handing it over.
- Status: Closed. A recipient field masks mobile numbers as well as e-mail addresses (`backend/scripts/lib/pseudonyms.js`), with a test in `backend/test/mask-data.test.js`. The masking was run again on a fresh copy: verification clean (BV-GLW-010, BV-GLW-011).

12.12 BV-DEF-012: Data masking: identifier columns swept as free text; digit runs inside record ids reported as mobile numbers

Text columns that are foreign keys but are not named `*_id` (`policies.renewed_from`, `renewed_to`) were swept like free text: a client first name inside a record id (`pol_bea...`) was replaced, the update failed on the foreign key and the run left the copy unmasked. Separately, a digit run inside a record id (`pol_0991234567ab`) matched the mobile number pattern and the verification reported it as personal data left. Both appeared on the final UAT data set, whose generated ids happened to contain such sequences.

- Workaround: Run again with another salt until the pseudonyms do not collide with an id; discount the verification finding by hand.
- Status: Closed. Primary and foreign key columns are never swept (read from the database constraints), and a mobile number must stand on its own, not glued to letters or an underscore (`backend/scripts/mask-data.js`, `backend/scripts/lib/pseudonyms.js`), with tests in `backend/test/mask-data.test.js`. Re-run on a fresh copy: masked, verification clean, encrypted identifiers checked in clear (BV-GLW-010, BV-GLW-011).

12.13 BV-DEF-013: Go-live rehearsal: migration workbook filled with the old client address headers and the tariff net premium of discounted policies

The rehearsal script fills the migration template from the source book with the headers City and Postal Code, which the Philippine address fields of the migration kit renamed City / Municipality and ZIP Code (with Barangay and Region), so step 4 stopped. On the final data set a policy with a quotation discount larger than its taxes had a gross premium below its tariff net premium, which the kit refuses ("Net Premium cannot be more than the Gross Premium").

- Workaround: Fill the migration workbook by hand from the template.

- Status: Closed. The rehearsal writes the current address headers and the discounted net premium of such policies (backend/scripts/golive/database.js). Re-run: 52 of 52 checks passed (BV-GLW-013, BV-GLW-001).

12.14 BV-DEF-014: Incentive statement refused (400) for an agent with a semi-annual result

Found by the regression run of the release verification (two tests of the sample data). The agent incentive statement labels the periods of the last payment and of the approved results; a result of a semi-annual or quarterly program is keyed by its half or quarter (2026-H1, 2026-Q3), which the period reader did not know, so the statement of such an agent answered HTTP 400 ("period must be YYYY-MM") whenever that result fell in the last payment group. It shows on a database server in Manila time, where the monthly and the half-year payments of the sample data share one timestamp.

- Workaround: Open the statement of a month with no semi-annual result in the last payment.
- Status: Closed. The period reader understands quarter and half-year keys (label "January to June 2026"; backend/src/modules/incentive/service.js), with a test in backend/test/incentive.test.js; the regression suite was run again in full (BV-INC-004, BV-INC-005).

Open items by severity: Critical 0, High 0, Medium 1, Low 0. Six items were closed on 03 October 2026; BV-DEF-003 and the six defects of the release verification were closed on 04 October 2026.

13. Entry and exit criteria

13.1 Entry criteria

Criterion	Met
Release branch built; CI suites runnable on PostgreSQL 16	Yes
Fresh PostgreSQL database seeded with reference data	Yes
One test user per role, plus a second user where maker and checker are needed	Yes
UAT data set loaded	Yes
Test cases reviewed and mapped to evidence and to the process catalogue	Yes

13.2 Exit criteria

Criterion	Status
All High priority cases executed	Not met for 1 case: BV-SEC-013 (Blocked, needs SMTP); the other 313 High cases executed
No open Critical or High defect	Met
End-to-end cycle without failed step	Met (433 of 433 on the merged release)
Go-live rehearsal without failed check	Met (52 of 52)
Backend regression run without failure	Met (1,113 of 1,113 on 04 October 2026, merged release)
Front-end tests without failure	Met (162 of 162 on 04 October 2026)
Package B compliance tests without failure	Met on the release branch (36 of 36)
Data masking of a copy verified clean	Met (168 columns of 63 tables and 156 files masked; verification clean; encrypted identifiers compared in clear)
Rehearsal environments mirrored after the rehearsal	Met (2,820 configuration rows identical, 0 different; 1 row added by the rehearsal's own go-live lock check; 11 environment-specific values)
Every process of the catalogue traced to a test case or a document review	Met (150 of 150)
Every menu screen loads without error for the administrator and the Accounting roles	Met in the screen check of 03 October 2026 (173, 96 and 96 screens); the screens added since are covered by the front-end screen tests and are to be included in the next screen sweep
Open Medium and Low items have a workaround and a target	Met

14. Re-test and regression after fixes (03 October 2026)

After the first run, the open defects and the gaps found in the user manual walk-through were fixed on 03 October 2026, together with the e-mail attachments, the approval notifications, the single source of currency and tax settings, the consolidation of duplicated screens and the screen stability pass. The fixed cases were then re-tested on a fresh database loaded with the UAT data set:

Check	Result
Backend regression suite	717 of 717 tests passed (72 test files)
Front-end tests	53 of 53 passed; lint without errors; production build compiles
End-to-end UAT scenario on a fresh database	371 of 371 steps passed; two remittances above PHP 1,000,000.00 were refused for Accounting and approved by an Accounting Manager, as the Authority Matrix requires
Screen sweep at 1440 px	Administrator 173 screens, Accounting 96, Accounting Manager 96: no refused request, no console error, no clipped element, no horizontal scroll
Data privacy through the API	Consent recorded and read back; request DSR-2026-00001 logged with a due date 15 days after receipt; personal data export produced; anonymisation refused for a client with a policy in force
Product configurator	Template column shown on the Rating Engine, Coverage Builder, Acceptance Rules and Document Manager lists

Six test cases moved from Fail to Pass (BV-SEC-034, BV-SEC-035, BV-MST-019, BV-PCF-005, BV-RBA-016, BV-RBA-019) and six items were closed (BV-DEF-002, BV-DEF-004, BV-OBS-005, BV-DEF-006, BV-OBS-007, BV-OBS-008).

15. Release verification on the merged release (04 October 2026)

With every package merged into brokerverse-platform, the release was verified end to end on the final code, on its own PostgreSQL 16 cluster, with the API started the way the Environment Strategy document prescribes for production (NODE_ENV=production, own JWT_SECRET, DATA_ENCRYPTION_KEY and PII_ENCRYPTION_KEY, SEED_SAMPLE_DATA=false, CORS_ORIGINS and PUBLIC_BASE_URL set, scheduler off).

Step	What ran	Result
1	UAT scenario (node backend/scripts/uat-scenario.js) on a fresh database: migrations, reference data seed, then the whole broking cycle with one user per role	433 of 433 steps passed, 2,168 API calls, 29 seconds. First run: 3 steps failed (BV-DEF-009; the licence check on a sub-agent and the Dealer Production report, both set-up gaps of the scenario, see below); final run clean
2	Go-live rehearsal (npm run rehearsal:go-live) between the UAT environment (SOURCE) and a fresh environment (TARGET), both on the cluster	52 of 52 checks passed (configuration promoted with 3 deliberate errors found and fixed, smoke test and transaction reset, migration of 60 clients, 68 in-force policies and 24 open items with reconciliation, new and migrated business side by side, go-live lock, promotion check). First run stopped at step 4 (BV-DEF-013)
3	Data masking (npm run mask:data) on a copy of the UAT database restored from a dump: production registered, copy remarked with --remark-copy, dry run, --execute with the file storage, --verify-only	168 columns of 63 tables masked, 5 tables emptied, 156 files replaced by placeholders, 13 staff accounts reset; "Verification: no e-mail address, mobile number or TIN left unmasked." The encrypted identifier columns (clients.id_number and tin, client_signatories.id_number, client_beneficial_owners.id_number, leads.tax_number) and the AML screening names were decrypted on both databases and compared: no original value left, cipher text kept. First runs failed (BV-DEF-011, BV-DEF-012)
4	Environment comparison (npm run compare:environments) between the two rehearsal environments	2,820 configuration rows identical, 0 different, 0 only in SOURCE, 1 only in TARGET (the write-off reason GLR-ROUND the rehearsal adds in step 6 to prove the lock accepts configuration, listed by its own step 7), 11 environment-specific values (cutover date, numbering counters)
5	Backend regression run and lint on the merged release	1,113 of 1,113 tests passed, lint clean. First run: 2 tests failed on the sample data (BV-DEF-014); run again in full after the fix

Changes made to the scenario so that it sets its data up the way a broker would, found in step 1: a compliance officer persona (imelda.navarro) who records the licences of the two sub-agent referrers on the licence register before their commission is approved (the IC licence check of package B blocks the payout otherwise); the car dealer tie-up as a distribution channel (dealer group and branch linked to the dealer's F&I officer), with the dealer-sourced motor prospects tagged with the branch so that the Dealer Production report of the distribution package has

rows; a customer due diligence phase (government ID of every retail client, SEC registration, signatory and beneficial owners of every corporate client, one PEP-owned client rated High with its EDD review prepared by Operations and approved by the compliance officer); and the package G steps (sales activities, quotation priced on the covers chosen, supplier invoice with EWT and BIR 2307, fixed asset disposal).

16. Release recommendation

From the test point of view the release can go to market: no Critical or High defect is open, the one open Medium item (BV-DEF-001) has a workaround and a target release, every automated test of the merged release branch passes, and the end-to-end cycle, the go-live rehearsal, the data masking with its verification and the environment comparison pass on the final code. Packages B and G are merged, their test cases executed. Before the release tag: add the new screens to the screen sweep. The conditions for the first production go-live (mail server, external penetration and load tests, client configuration and acceptance) are set out in the Go/No-Go Recommendation and Management Register.

17. Document Sign-Off

Serial Number	Description	Owner	Status
1	1 defect open (Medium: BV-DEF-001); 3 cases blocked until SMTP is available; 8 cases not run (6 screen-only or timed checks from the first cycle, 2 Philippine master screen checks); see the chapter Defects and observations	iorta TechNXT	Open

Sign Off Date	Signature	Approved By	Department & Project Role



Insurance technology for the Philippines



10+

COUNTRIES

Global Presence



8

GLOBAL OFFICES

Strategically Located



11+

MARKETS SERVED

Across Continents



100%

COMMITMENT

To Excellence



MALAYSIA



INDIA



PHILIPPINES



THAILAND



VIETNAM



USA



ETHIOPIA



CAMBODIA



HONGKONG



SINGAPORE



Scan More Details