

FUNCTIONAL REQUIREMENTS SPECIFICATION

Renewal

BRD-6 Renewal (RMEL Phase 2 Online Dispositioning, Addendum 1 and Workshop Addendum)

BIBS – BDOI Broker System

Client	BDO Insurance and Reinsurance Brokers, Inc.
Document	BIBS-FRS-BRD-06
Version	1.0
Date	25 September 2026
Status	Issued for BDOI review
Classification	Confidential

Document Control

Version	Date	Author	Reviewer	Approver	Change
0.9	18 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Solution Architect		Internal draft from the BRD-6 baseline and the build design
1.0	25 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Project Manager	BDOI Product Owner (pending)	First issue for BDOI review; aligned with the cross-BRD decisions D1 to D4

Distribution List

Name / Unit	Role	Organisation	Purpose
Product Owner, Renewal	Approver	BDOI	Review and sign-off
Unit Head, Combank and Corbank	Approver	BDOI	Review and sign-off
Retail and Corporate Marketing (Team Leaders, Account Officers)	Business user	BDOI	Review of extraction, assignment, disposition and review
Processing (Team Leaders, Processing Officers)	Business user	BDOI	Review of processing, insurer and Renewal Advice steps
Marketing Business Services and System Support (MBS)	Business owner	BDOI	Review of administration, lists of values and templates
Business Project Services	BRD owner	BDO Unibank ESG	Traceability check against the BRD
Project team	Delivery	iorta TechNXT	Build, test and UAT preparation

Contents

1 Introduction.....	6
1.1 Purpose.....	6
1.2 Scope.....	6
1.3 References.....	7
1.4 Definitions and acronyms.....	8
1.5 How to read the functional requirements.....	9
2 Business context and process overview.....	10
2.1 Business context.....	10
2.2 Process overview.....	11
2.3 Dispositions and paths.....	12
3 Personas and roles.....	13
3.1 Personas.....	13
3.2 Permissions.....	13
3.3 Permissions matrix.....	15
4 Functional requirements.....	16
4.1 Access, security and audit.....	16
FR-RN-001 Log in, session warnings and multiple tabs.....	16
FR-RN-002 Restrict each function and each record to authorised users.....	17
FR-RN-003 Define profiles and assign Renewal functions.....	18
FR-RN-004 Keep a complete audit trail of renewal actions.....	20
4.2 Extraction and the expiring list.....	21
FR-RN-010 Extract renewal candidates automatically at the lead days.....	21
FR-RN-011 Generate the list of expiring accounts for a date range.....	22
FR-RN-012 Filter the expiring list with multi-select criteria.....	23
FR-RN-013 Show the expiring list in one scrollable grid with column filters and search.....	25
FR-RN-014 Export and print the expiring list.....	27
FR-RN-015 Initiate renewal processing explicitly.....	28
4.3 Sanitation, buckets and rules.....	29
FR-RN-020 Run the sanitation, matching and eligibility checks.....	29
FR-RN-021 Use a unique renewal reference as the matching key.....	30
FR-RN-022 Classify candidates into Clean, Review and Exception buckets.....	31
FR-RN-023 Apply the decision matrix and rule-based disposition.....	32
FR-RN-024 Tag non-renewable risk codes and send the NFR.....	34
FR-RN-025 Ingest LAMD reports and route paid-off and RMU accounts.....	35
FR-RN-026 Flag accounts due for KYC review.....	36
FR-RN-027 Reflect endorsements on the mother policy before approval.....	37
4.4 Assignment and transfer (Marketing TL).....	38
FR-RN-030 Assign and re-assign accounts to Marketing AOs.....	38
FR-RN-031 Transfer an account to another Marketing unit.....	40
FR-RN-032 Receive, accept or decline transferred accounts.....	41
4.5 Disposition (Marketing AO).....	42
FR-RN-040 View all my accounts in one scrollable list.....	42
FR-RN-041 View a renewal account and download its details.....	43
FR-RN-042 View the full account history before the disposition.....	44

FR-RN-043	Give the disposition of an account.....	45
FR-RN-044	Add remarks to an account.....	47
FR-RN-045	List my dispositioned accounts with status, flags and lock.....	48
FR-RN-046	Update returned accounts.....	49
FR-RN-047	Re-open accounts tagged Not for Renewal.....	50
FR-RN-048	Route renewals with financial or structural changes to the New Business path.....	51
4.6	Team Leader review.....	52
FR-RN-050	Review, return and post dispositioned accounts.....	52
FR-RN-051	Override the outstanding-balance flag and other controlled overrides.....	53
4.7	Processing.....	55
FR-RN-060	Upload dispositioned files.....	55
FR-RN-061	Assign accounts to Processing Officers.....	56
FR-RN-062	Work the processing list.....	57
FR-RN-063	Update data on the renewal account.....	58
FR-RN-064	Review computations and the financial impact.....	59
FR-RN-065	Return accounts to Marketing.....	60
4.8	Insurer round-trip.....	61
FR-RN-070	Extract For Renewal accounts per insurer and send them.....	61
FR-RN-071	Receive and apply insurer responses.....	63
4.9	Letters, acceptance and follow-up.....	64
FR-RN-080	Generate the Renewal Advice.....	64
FR-RN-081	Send Renewal Advices in batch, encrypted and password-protected.....	66
FR-RN-082	Generate and send the No Advice Letter.....	67
FR-RN-083	NRNS reminders and non-acceptance letters.....	68
FR-RN-084	Record client acceptance and proceed to placement and booking.....	69
FR-RN-085	Contact Center follow-up.....	71
4.10	Submitted policies hand-off.....	72
FR-RN-090	Renew submitted policies handed over by Submitted Policies.....	72
4.11	Monitoring and reports.....	73
FR-RN-100	Renewal home and officer dashboards.....	73
FR-RN-101	Renewal status report with summary.....	74
FR-RN-102	Centralised renewal listings with escalation.....	75
FR-RN-103	Operational renewal reports.....	76
4.12	Administration.....	77
FR-RN-110	Maintain the renewal lists of values.....	77
FR-RN-111	Update the Renewal Advice and letter templates.....	78
FR-RN-112	Maintain renewal rules and parameters.....	79
5	Workflow and status model.....	80
5.1	Stages.....	80
5.2	Transitions.....	82
5.3	Checks, buckets and decision matrix.....	83
5.4	Insurer batch and letter states.....	85
5.5	SLA and escalation.....	86
6	Reports and documents.....	87
6.1	Reports.....	87
6.2	Expiring list columns.....	87
6.3	Renewal status report columns.....	88
6.4	Insurer extract columns.....	88

6.5 Summary counters.....	89
6.6 Documents.....	89
7 Interfaces and integration.....	91
8 Non-functional requirements.....	93
9 Configuration items owned by the Business and System Administrators.....	94
9.1 Parameters.....	94
9.2 Lists of values.....	94
9.3 Masters and rules maintained by the business.....	95
10 Assumptions, dependencies and open questions.....	96
10.1 Assumptions.....	96
10.2 Dependencies.....	96
10.3 Open questions.....	97
11 Traceability.....	99
11.1 BRRN requirements.....	99
11.2 Main BRD line IDs.....	101
11.3 Out-of-scope IDs.....	106
12 Sign-off.....	107

1 Introduction

1.1 Purpose

This Functional Requirements Specification (FRS) states how BIBS (BDOI Broker System, on iNXT BrokerVerse) meets the Renewal business requirements of BDO Insurance and Reinsurance Brokers, Inc. (BDOI). It turns each BRD requirement into functional requirements with actors, flows, rules, validations, screens, fields, notifications, audit and acceptance criteria.

BDOI uses this document to confirm that the system will behave as the business expects. The project team uses it to build the Renewal module, to test it and to prepare user acceptance testing (UAT). Every functional requirement (FR) cites the BRD requirements it meets and their BRD pages.

Renewal is **designed and not yet built**. The FRs describe the behaviour of the build design (R5). Screen names and API paths are those of the design and are confirmed at build. Error codes are assigned at build; this document gives the message text only, except where a check reuses a platform code that already exists (section 1.5).

1.2 Scope

The scope is the renewal of **client policies placed and booked by BDOI**: from the extraction of the expiring accounts (the legacy "RMEL" list) to the disposition by Marketing, the processing and insurer round-trip, the Renewal Advice and other letters, the client's acceptance, and the placement and booking of the renewal. Packaged and non-packaged accounts follow one process (p.43).

Table 1: Scope of this FRS

Area	In scope	Source
Access and administration	Log-in, session, multi-tab, profiles and function grants, lists of values, templates, LAMD and Contact Center roles	BRD x.001, x.002, 5.003-5.005, 6.002; BRRN.024, 026
Expiring list	Automatic and on-demand extraction, date range, filter criteria, one scrollable grid, column filters and search, export, print	BRRN.002-008, 030; BRD 1.003, 3.003
Governance rules	In-system sanitation, unique reference, Clean / Review / Exception buckets, decision matrix, explicit initiation, non-renewable risk codes, LAMD reports, KYC flag, endorsements on the mother policy	BRRN.009, 020-023, 028-032, 034, 039
Marketing	Assignment, re-assignment, transfer between units, disposition with reasons and remarks, account history, TL review, return and post, outstanding-balance override, New Business path	BRD 1.004-1.008, 1.011, 2.003-2.007; BRRN.011-017, 027, 033
Processing and insurer	Dispositioned-file upload, assignment to Processing Officers, data update, computations, return to Marketing, extract per insurer, insurer responses	BRD 3.004-3.009, 4.003-4.007; BRRN.018, 035, 038
Letters and acceptance	Renewal Advice (first and second notice), NAL, NFR, NRNS reminder and non-acceptance letters, Contact Center follow-up, acceptance and automatic progression to placement and booking	BRRN.001, 010, 025, 026, 037, 040
Monitoring	Renewal home and dashboards, renewal status report with 34-line summary, centralised listings with escalation, other renewal reports	BRD 1.009, 2.008, 3.010, 4.008; BRRN.019, 036

Area	In scope	Source
Submitted policies	Renewal of submitted policies handed over by BRD-12 (RenewalHandOff)	Cross-BRD decision D2

Out of scope for this phase:

- Requirements that reference BDOIsys, EBIX or QPS (Addendum 1, p.34): the nine BRD IDs of section 11.3. The BIBS renewal reference and invoice number replace those references, and the reports stay.
- Renewal of Employee Benefits programmes. They are renewed in the EB module (BRD-8) and excluded from the renewal lists (decision D3).
- Renewal of **package products** (the insurer agreement). This is BRD-3 (BRPM.017); BRD-6 renews the client policies sold on them.
- Accounting entries of their own. A renewal books through the BRD-1 booking with business type RENEWAL; Renewal posts nothing itself.

1.3 References

Table 2: Reference documents

Ref.	Document	Version / date	Location
R1	Renewal Addendum (Workshop), BRRN.020-040, pages 1-18 of the BRD-6 pack	v1.0, 8 to 10-Apr-2026; approved 16-Apr-2026	docs/source-documents/Renewal (RN) BRD.pdf
R2	Renewal Addendum 1, BRRN.001-019 and the out-of-scope list, pages 19-38	v1.0, 18-Nov-2025 / 16-Dec-2025; approved 20 to 23-Jan-2026	same file
R3	RMEL Phase 2 - Online Dispositioning BRD (main BRD, persona IDs 1.xxx to 6.xxx), pages 39-189	v1.0, 9-May-2025; signed 9 to 27-May-2025	same file
R4	BDOI Renewal (BRD-6) requirements baseline and fit/gap	current	docs/requirements/BDOI_RN_BRD_SPEC.md
R5	Renewal build design	current	docs/architecture/RENEWAL_DESIGN.md
R6	Cross-BRD decisions and answered questions (BRD-6 to BRD-12)	current	docs/requirements/BDOI_CROSS_BRD_DECISIONS.md
R7	Submitted Policies build design (RenewalHandOff)	current	docs/architecture/SUBMITTED_POLICIES_DESIGN.md
R8	BDO UX guidelines (brand, screen patterns)	current	docs/design/BDO_UX_GUIDELINES.md
R9	BRD-1 New Business requirements baseline (shared platform capabilities)	current	docs/requirements/BDOI_NB_BRD_SPEC.md

Page references in this document ("p.27") are PDF page numbers of the BRD-6 pack (R1 to R3). The main BRD also carries its own page footer ("x of 151"); this document does not use it.

Order of precedence. The Workshop addendum (R1) is the latest signed layer. Where a BRRN ID of Addendum 1 (R2) restates a main-BRD ID, the BRRN governs and both IDs are traced to the same FR. The main BRD (R3) governs the persona IDs that no BRRN restates.

1.4 Definitions and acronyms

Term	Meaning
AO	Account Officer (Marketing); "Marketing AO / Admin" in the BRD, with the Account Broker
ARN	Account Reference Number of a BIBS account (BRD-1)
BRD	Business Requirements Document
BRRN	Requirement ID prefix of the two Renewal addenda (BRRN.001-019 Addendum 1, BRRN.020-040 Workshop addendum)
Bucket	Classification of a renewal candidate after the checks (Clean, Review or Exception; BRRN.023)
Candidate	A renewal record created for one expiring root invoice and policy year; it exists before any renewal account
CBG	Consumer Banking Group segment of the bank (definition to confirm, RQ08)
CLG	Segment initiated in bulk in the workshop example (BRRN.021)
Decision matrix	Versioned rules that propose a disposition and say whether it is automatic or manual (BRRN.034)
Disposition	Marketing's decision on an expiring account (For Renewal, Not for Renewal, For Quotation, For Proposal, Lost Business)
FR	Functional requirement of this document (FR-RN-xxx)
IBG	Institutional Banking Group segment (BRRN.036)
KYC	Know Your Customer review of the client
LAMD	Bank loan unit that supplies the paid-off and RMU loan reports (the BRD does not expand the acronym, RQ20)
LOV	List of values maintained by the Business Administrator
NAL	No Advice Letter, for expiring policies that need neither an RA nor an NFR (BRRN.001)
NB path	A renewal with financial or structural changes processed as a New Business quotation or PRF (BRRN.033)
NFR	Not for Renewal Letter; the addendum also writes NRL
NRNS	No Renew / No Submit account (BRRN.037)
PN	Promissory note number of the bank loan; the key of LAMD matching
PO	Processing Officer
PRF	Proposal Request Form (non-package New Business, BRD-1)
RA	Renewal Advice, the letter that offers the renewal terms to the client (first or second notice)
RMEL	Legacy name of the list of expiring accounts (not expanded in the BRD)
RMU	Remedial Management Unit (BRD 2.004.4.1)
RQnn	Open question on BRD-6 raised by the project team (section 10.3)
STP	Straight-through processing, a renewal that proceeds without manual action (BRRN.031, 039)
TL	Team Leader (Marketing or Processing)
UAT	User acceptance testing
UH	Unit Head

1.5 How to read the functional requirements

Each FR in section 4 has the same parts:

- A header table with the **BRD trace** (requirement IDs and pages), the **actor**, the BRD **priority**, the **fit** class of the baseline (R4), and the **screens** and **API** of the build design (R5).
- **Description, preconditions, main flow and alternate and exception flows.**
- **Business rules.** *Configurable* rules are maintained by the Business Administrator or the System Administrator in BIBS (parameter, list of values, rule set or master record, section 9). *Fixed* rules are part of the system and change only through a change request.
- **Validations and messages:** the check, the message the user sees and its code. Codes of the Renewal module are assigned at build ("To be assigned at build"). A code is quoted only where the check reuses a platform code that exists today (for example ACCESS_DENIED, WORKFLOW_REASON_REQUIRED). A "-" marks a screen check (for example a blank mandatory field).
- **Screens and fields:** label, type, whether mandatory ("Cond." = mandatory when the condition in the Validation column applies), the source list and the validation.
- **Notifications, audit and numbered acceptance criteria.** The acceptance criteria are the basis of the test cases of the BRD-6 test plan.

The main BRD repeats most capabilities once per persona (for example report generation under 1.009, 2.008, 3.010 and 4.008). One FR covers the capability for every persona that has it, and its BRD trace lists each persona's IDs. A range such as "1.009.2.1-40" stands for every line ID in it; the full list of line IDs with their pages is in section 11.2.

Note. Values marked "default" (lead days, notice days, thresholds, list entries) are placeholders that BDOI confirms through the open questions in section 10.3. They are configuration, so a changed answer does not need a new build.

Table 3: Fit classes (from the requirements baseline, R4)

Class	Meaning
FIT	Works today with the platform built for BRD-1
CONFIGURE	Needs set-up only (parameters, lists, roles, templates)
CHANGE	Extends or re-purposes an existing capability
NEW	A capability that does not exist before BRD-6
OUT	Out of scope per the BRD (Addendum 1, p.34)

2 Business context and process overview

2.1 Business context

BDOI renews the policies it has placed. Today IT extracts the list of expiring accounts, Marketing records its dispositions in spreadsheets, communication runs by e-mail, and the upload to QPS and the text file for Renewal Advices work for packaged accounts only; non-packaged accounts and exceptions are handled by hand (p.42). The BRD asks for one online process in which the Business Units extract the list themselves, disposition online with a staged workflow, export the accounts per insurer and monitor each renewal (p.41-43). The Workshop addendum adds rule-based governance: in-system sanitation, a mandatory reference, buckets, a decision matrix and automatic progression to booking (p.3-15).

Table 4: Current and envisioned process (BRD p.42-43, workshop p.3)

#	Current process (before)	Envisioned process in BIBS (after)
1	IT extracts the expiring list (RMEL)	A daily job extracts the expiring accounts at the lead days; users also generate the list for any date range
2	Eligibility depends on manual pre-cleaning of the list	BIBS runs the sanitation, matching and eligibility checks and classifies each record Clean, Review or Exception
3	Disposition is done in a spreadsheet	The AO dispositions online; clean cases that the decision matrix marks automatic get a system disposition
4	Communication by e-mail between Marketing and Processing	A staged workflow with assignment, review, return and post, and notifications at each step
5	Accounts are sent to insurers by e-mail from Excel	BIBS builds the extract per insurer and sends it protected; the insurer's decision file is uploaded and applied
6	RAs come from an IT text file for packaged accounts only	Users generate RAs (first and second notice) for any account from the latest template and send them in batch, protected
7	Renewal status is monitored by hand	Renewal home, status report with summary counters, listings by unit and segment with escalation
8	Accepted renewals are re-keyed for placement and booking	Acceptance moves the renewal account to placement and booking without re-keying; it books as business type RENEWAL

2.2 Process overview

The table lists the steps of the renewal, and Figure 1 shows them by actor. Each step is a stage of the BIBS workflow RNW_CASE (section 5).

Table 5: *Process steps*

#	Step	Owner	What happens in BIBS	BRD
1	Extraction	System (job) or Marketing / Processing TL	Booked invoices whose policy period ends in the window become renewal candidates, each with a renewal reference. Extraction does not start the renewal	BRRN.002, 005, 021, 030
2	Sanitation and buckets	System	Reference and PN matching and the eligibility checks run; the candidate is Clean, Review or Exception. Non-renewable risk codes are tagged Not for Renewal	BRRN.009, 020, 022, 023
3	Initiation	Authorised user	Explicit start of renewal processing, in bulk (for example CLG) or one by one (for example Non-Mortgage)	BRRN.021
4	Rule-based disposition	System	The decision matrix proposes a disposition; a Clean candidate with an automatic rule proceeds straight through; CBG Motor and Fire follow the LAMD-driven STP	BRRN.031, 034, 039
5	Assignment and transfer	Marketing TL	Assigns or re-assigns the account to an AO (non-CBG), or transfers it to another Marketing unit	BRD 1.005-1.007
6	Disposition	Marketing AO	Views the account and its history; gives the disposition with reason and remarks; pushes	BRD 2.004; BRRN.027
7	Review and post	Marketing TL	Returns the account with remarks or posts it; overrides the outstanding-balance flag	BRD 1.008, 1.011
8	Processing	Processing TL / Officer	Uploads dispositioned files; assigns to a PO; updates the renewal account; reviews computations; returns to Marketing	BRD 3.004-3.008, 4.003-4.006; BRRN.018
9	Insurer	Processing	Extract per insurer, sent protected; the insurer's file is uploaded; Renew As Is advances, Reject or Revise stops or reroutes	BRD 3.009, 4.007; BRRN.035
10	Renewal Advice	Marketing / Processing	RA generated (first or second notice) and sent in batch, protected; the account locks on the Marketing side	BRRN.010
11	Follow-up and letters	System, Contact Center	NRNS reminders and non-acceptance letters; NAL and NFR; Contact Center remarks and client documents	BRRN.001, 009, 025, 026, 037
12	Acceptance, placement, booking	Client, System	Acceptance recorded; the renewal account is placed and queued for booking; it books as RENEWAL	BRRN.038, 040
13	New Business path	Marketing	A renewal with financial or structural changes becomes a quotation or PRF tagged "For Proposal / New Business Path"	BRRN.033, 038
14	Monitoring	All	Home, reports, summary counters, listings with escalation	BRD 1.009, 2.008, 3.010, 4.008; BRRN.019, 036




Figure 1: Renewal process by actor (BRN.001-040, BRD 1.003-4.09)

2.3 Dispositions and paths

The disposition decides the path of the account after the TL posts it. The codes are fixed because they drive the workflow; their labels are maintained in the list RNW_DISPOSITION.

Table 6: Dispositions (BRD 2.004.3, p.81)

Code	Label	Path after posting
FOR_RENEWAL	For Renewal	Processing (FOR_PROCESSING), insurer round-trip, Renewal Advice, acceptance, placement and booking
NOT_FOR_RENEWAL	Not for Renewal	Letter step (NFR or NAL), then closed as NOT_RENEWED; can be reopened until expiry plus the reopen days
FOR_QUOTATION	For Quotation	New Business path: a package quotation pre-filled from the expiring account
FOR_PROPOSAL	For Proposal	New Business path: a PRF (non-package) pre-filled from the expiring account
LOST_BUSINESS	Lost Business	Closed as LOST

3 Personas and roles

3.1 Personas

Table 7: Personas and BIBS roles

Persona	BIBS role	Responsibilities in Renewal	BRD
Marketing Team Leader	MKT_TL	Generates the expiring list; initiates; assigns and re-assigns AOs; transfers and receives accounts; reviews, returns and posts; overrides the outstanding-balance flag; RAs; reports	BRD 1.001-1.011
Marketing AO / Admin, Account Broker	MKT_AO	Views assigned accounts; dispositions; remarks; requests transfers; updates returned accounts; RAs; reports	BRD 2.001-2.009
Processing Team Leader	PROCESSING_TL	Generates the list for processing; uploads dispositioned files; assigns to POs; updates data; computations; insurer extract and responses; RAs; reports	BRD 3.001-3.011
Processing Officer / Broker	PROCESSOR	Processes assigned accounts; uploads; updates data; computations; insurer extract and responses; RAs; reports	BRD 4.001-4.09
Business Administrator	BUSINESS_ADMIN	Maintains lists of values, renewal rules and templates; assigns user profiles	BRD 5.001-5.005
System Administrator	SYSADMIN	Defines profiles and assigns functions to them	BRD 6.001-6.002
LAMD user	LAMD (new)	Uploads paid-off and RMU reports; validation and eligibility checks only	BRRN.024, 029
Contact Center user	CONTACT_CENTER (new)	Views renewal lists; records follow-up remarks; uploads client documents	BRRN.026
Client	- (external)	Receives the RA and letters; accepts by e-mail, signed RA or payment	BRRN.010, 040
Insurer	- (external)	Receives the renewal extract; returns its decision file	BRD 3.009; BRRN.035

The Processing Officer section of the BRD says "Log in with a Operations Team Leader user profile" (4.001.1.1, p.148). BIBS reads it as the Processing Officer profile. The final role-to-function matrix is open (OQ48, RQ20, RQ21).

3.2 Permissions

The BRD lists 25 functions that the System Administrator assigns to profiles (6.002.2.1-25, p.181-185). BIBS gives each function a permission.

Table 8: Renewal permissions and the BRD functions they carry

Permission	Allows	BRD function (6.002.2.n)
RNW_VIEW	Renewal home, lists, record page, account history	4, 11, 13, 17
RNW_EXTRACT	Generate the expiring list for a range, run the extraction, initiate candidates	3, 15

Permission	Allows	BRD function (6.002.2.n)
RNW_ASSIGN	Assign and re-assign AOs, transfer, receive transfers (an AO only requests transfers)	5, 6, 7
RNW_DISPOSE	Give the disposition, remarks, update returned accounts, start the NB path	12, 14
RNW_REVIEW	TL review, return and post	8, 22
RNW_OVERRIDE	Outstanding-balance, bucket, disposition and insurer-mismatch overrides; RA cancellation	BRD 1.011; BRRN.023, 031, 035
RNW_PROCESS_ASSIGN	Assign accounts to Processing Officers	5 (processing)
RNW_PROCESS	Update data, review computations, return to Marketing	18, 19, 22
RNW_UPLOAD	Upload dispositioned files	16
RNW_INSURER	Extract per insurer, send, upload insurer responses	20
RNW_RA_GENERATE	Generate, view and download RA, NAL and NFR	10, 21
RNW_RA_SEND	Send letters in batch	10
RNW_ACCEPT	Record client acceptance	BRRN.040
RNW_FOLLOWUP	Contact Center remarks, documents and follow-ups	BRRN.026
RNW_LAMD_UPLOAD, RNW_VALIDATE	LAMD reports and validation checks	BRRN.024, 029
RNW_REPORT_VIEW, RNW_EXPORT	Renewal reports; exports	9
RNW_SETUP	Non-renewable risk codes, check settings, bucket rules, decision matrix, lead days	23 (rules)
RNW_TEMPLATE_MAINTAIN	Update the renewal templates	25
ATTACHMENT_MANAGE, LOV_MANAGE, ACCESS_REQUEST (existing)	Acquire documents, maintain LOVs, request user access	1, 23, 24

Function 2 (open the application in several tabs) needs no permission; it is the platform behaviour for every user.

3.3 Permissions matrix

The table is the role-to-permission matrix proposed in the build design ("Y" = granted; "T" = transfer request only). The System Administrator maintains it through role-permission change requests (FR-RN-003).

Table 9: Role-to-permission matrix for Renewal (proposal until OQ48 / RQ20 / RQ21)

Permission	MKT TL	MKT AO	Proc. TL	Proc. Officer	Bus. Admin	Sys. Admin	LAMD	Contact Center
RNW_VIEW	Y	Y	Y	Y	Y		Y	Y
RNW_EXTRACT	Y		Y					
RNW_ASSIGN	Y	T						
RNW_DISPOSE	Y	Y						
RNW_REVIEW	Y							
RNW_OVERRIDE	Y							
RNW_PROCESS_ASSIGN			Y					
RNW_PROCESS			Y	Y				
RNW_UPLOAD			Y	Y				
RNW_INSURER			Y	Y				
RNW_RA_GENERATE	Y	Y	Y	Y				
RNW_RA_SEND	Y	Y	Y	Y				
RNW_ACCEPT	Y	Y	Y	Y				
RNW_FOLLOWUP								Y
RNW_LAMD_UPLOAD							Y	
RNW_VALIDATE							Y	
RNW_REPORT_VIEW	Y	Y	Y	Y	Y			
RNW_EXPORT	Y	Y	Y					
RNW_SETUP					Y			
RNW_TEMPLATE_MAINTAIN					Y			
LOV_MANAGE					Y			
Role-permission change requests						Y		

Data scope. Marketing users see the candidates of their sales units, and an AO sees the candidates assigned to him. Processing users see the processing stages. LAMD and Contact Center users see a read-only projection without premium columns (to confirm, RQ21). The scope is applied by the server, never by the screen only.

Segregation of duties. Activation of a bucket rule set, a decision matrix or a non-renewable risk code needs a checker other than the maker (MASTER_AUTHORIZE). The LAMD role never holds a placement, booking, issuance, letter, disposition or messaging permission (BRRN.024).

4 Functional requirements

4.1 Access, security and audit

FR-RN-001 Log in, session warnings and multiple tabs

BRD trace	BRD 1.001.1-1.001.3.1, 2.001.1-2.001.1.3, 3.001.1-3.001.1.3, 4.001.1-4.001.1.3, 5.001.1-5.001.1.3, 6.001.1-6.001.1.1 (p.44, 78-79, 108, 148, 179-180), BRD 1.002.1, 2.002.1, 3.002.1, 4.002.1, 5.002.1 (p.44, 79, 109, 148, 179)	Actor	All Renewal personas
Priority	Must have	Fit	FIT
Screens	Login; session warning dialog; any Renewal screen in a second tab	API	POST /api/v1/auth/login; GET /api/v1/system/session-policy

Description

Users of every Renewal persona log in on any BDO-issued device with their BIBS user ID and the profile of their persona. Renewal uses the platform log-in, session policy and multi-tab behaviour built for BRD-1; it adds no screen of its own.

BIBS warns the user after 15 minutes of inactivity and 30 minutes before the system-triggered log-out, as the BRD asks for each persona.

Preconditions

- The user has an active BIBS account with a Renewal role.

Main flow

- The user enters the user ID and password on the Login screen.
- BIBS checks the credentials and opens the home page with the menu of the user's roles (section Renewal).
- The user opens Renewal screens in several browser tabs; each tab works on its own and the session is shared.

Alternate and exception flows

- Idle user. After the idle-warning minutes BIBS shows the warning; the user continues or is logged out at the idle limit.
- End of session. The warning appears the configured minutes before the system log-out.
- Wrong credentials. BIBS refuses the log-in; after the configured failed attempts the account locks (3 attempts, decision D5).

Business rules

Rule	Statement	Kind	Maintained in
R1	Idle warning after 15 minutes; warning 30 minutes before the system log-out.	Configurable	Parameters SESSION_IDLE_WARNING_MINUTES, SESSION_EXPIRY_WARNING_MINUTES

Rule	Statement	Kind	Maintained in
R2	Account lock after 3 failed attempts for all users (decision D5).	Configurable	Parameter LOGIN_MAX_FAILED_ATTEMPTS
R3	Directory sign-in (BDO EUA / Windows ID) is built as a parked port; local sign-in stays until BDO supplies the interface (decision D6).	Fixed	-

Validations and messages

Check	Message shown	Code
User ID or password wrong	Invalid user ID or password	-

Notifications

- None.

Audit

- Every successful and failed log-in is recorded with user, time and source address.

Acceptance criteria

1. A user with the Processing TL profile logs in and sees the Renewal section with the Processing screens only.
2. The idle warning appears after 15 minutes of inactivity.
3. The user works on the Expiry List in one tab and on a record page in a second tab without losing either.

FR-RN-002 Restrict each function and each record to authorised users

BRD trace	BRD 6.002.2.1-6.002.2.24 (p.181-185), BRRN.024 (p.6), BRD p.43 key capability (Team Leaders view only their team's accounts)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	All Renewal screens; User Access Matrix	API	Every endpoint checks its permission and the data scope

Description

Every Renewal screen, button and API call requires a permission (section 3.2). Menus show only the screens that the user's roles allow; buttons for actions the user may not perform are hidden.

Every list, record, report and export is limited to the user's data scope. A Marketing TL sees the candidates of his sales units, an AO those assigned to him, Processing the processing stages. LAMD and Contact Center users see a projection without premium columns.

The LAMD role is limited to validation and never holds booking, issuance, placement, letter or customer-communication permissions (BRRN.024).

Preconditions

- The user is logged in.

Main flow

1. The user opens a screen or starts an action.

2. BIBS checks the permission of the action and the scope of the record.
3. BIBS shows the screen or performs the action.

Alternate and exception flows

- No permission. The screen is not in the menu; a direct link shows "You do not have access to this page". An API call is refused and logged.
- Out of scope. A record outside the user's scope is not listed and cannot be opened.

Business rules

Rule	Statement	Kind	Maintained in
R1	Roles are granted permissions as in section 3.3 until BDOI confirms the matrix (OQ48, RQ20, RQ21).	Configurable	Role-permission change request (FR-RN-003)
R2	Data scope is applied by the server in every query, report and export.	Fixed	-
R3	The LAMD role cannot be granted placement, booking, issuance, letter or messaging permissions; an automated test guards this.	Fixed	-

Validations and messages

Check	Message shown	Code
Action without permission	You are not permitted to perform this action	ACCESS_DENIED

Notifications

- None.

Audit

- Refused API calls are logged with user, endpoint and time.
- All LAMD actions are logged (BRRN.024 AC3).

Acceptance criteria

1. A Marketing AO sees My Dispositions and the record pages of his accounts, and does not see the Processing Worklist or Renewal Setup.
2. A Marketing TL does not see candidates of another sales unit.
3. A LAMD user can upload a LAMD report and view match results, and cannot generate or send an RA.

FR-RN-003 Define profiles and assign Renewal functions

BRD trace	BRD 6.002.1, 6.002.1.2-6.002.1.6 (p.180-181), BRD 6.002.2, 6.002.2.1-6.002.2.25 (p.181-185), BRD 5.004.1 (p.180)	Actor	System Administrator; Business Administrator (requester); access approver
Priority	Must have	Fit	CONFIGURE
Screens	Access Requests; User Access Matrix; Roles	API	POST /api/v1/nbadmin/access-requests (types ASSIGN_ROLE, MODIFY_ROLE_PERMISSIONS)

Description

The profiles Marketing TL, Marketing AO / Admin, Processing TL, Processing Officer and Business Administrator exist as BIBS roles (MKT_TL, MKT_AO, PROCESSING_TL, PROCESSOR, BUSINESS_ADMIN). The workshop adds LAMD and CONTACT_CENTER.

Each of the 25 BRD functions maps to a permission (section 3.2). The System Administrator assigns functions to a profile through an approved role-permission change request, and the Business Administrator assigns profiles to users through an access request (BRD 5.004.1). Both are the User Access Maintenance flow of BRD-11.

Preconditions

- The requester has ACCESS_REQUEST.

Main flow

- The requester opens Access Requests and chooses the type (assign role to a user, or modify role permissions).
- The requester selects the user or role and the roles or permissions, and writes the justification.
- An approver other than the requester approves the request.
- BIBS applies the change and records it on the role or user history.

Alternate and exception flows

- The approver rejects the request with a reason; nothing changes.

Business rules

Rule	Statement	Kind	Maintained in
R1	The approver is never the requester.	Fixed	-
R2	Users may hold several roles (decision D5); there is no single-role check.	Fixed	-

Validations and messages

Check	Message shown	Code
No role or permission selected	Select at least one role or permission	-

Notifications

- The approvers when a request is submitted; the requester when it is decided.

Audit

- Request, decision and the applied change with users and times.

Acceptance criteria

- The function "Extract accounts for renewal per insurer" (6.002.2.20) is granted to the Processing Officer profile only after another user approves the request.
- A user assigned the Marketing AO profile sees the Renewal screens of that profile at the next log-in.

FR-RN-004 Keep a complete audit trail of renewal actions

BRD trace	BRRN.021 (p.4), BRRN.022 (p.4), BRRN.023 (p.4-6), BRRN.031 (p.9-10), BRRN.035 (p.11-12), BRRN.040 (p.14-15)	Actor	System; any user with RNW_VIEW (read)
Priority	Must have	Fit	FIT
Screens	Record page (History tab); Renewal Reports (RNW-DECISIONS, RNW-SANITATION)	API	Audit service; GET /api/v1/renewal/candidates/{ref}/history

Description

The workshop addendum asks, requirement by requirement, that every action is logged with the user, the time and the data source. BIBS records extraction, initiation, reference matching, every check run and bucket change, every disposition (user, matrix or upload), override, transfer, return, post, letter generation and sending, insurer response, LAMD match and acceptance.

The History tab of a record shows the workflow history, the disposition rows and the audit rows in time order. Extraction and initiation are different events, so the audit tells them apart (BRRN.021 AC3).

Preconditions

- None.

Main flow

1. A user or a job performs an action on a candidate.
2. BIBS writes the history row and the audit row (who, when, what, source, before and after values) in the same transaction.
3. A user opens the History tab and reads the trail.

Business rules

Rule	Statement	Kind	Maintained in
R1	Audit and history rows are append-only; no user can change or delete them.	Fixed	-
R2	System actions are recorded with the job or rule that made them (for example matrix version and rule id).	Fixed	-

Notifications

- None.

Audit

- This FR is the audit.

Acceptance criteria

1. For a renewed account, the History tab lists extraction, initiation, bucket, disposition, post, insurer response, RA, acceptance and booking with user or source and time.
2. An extraction and the later initiation of the same candidate appear as two events with different users and times.
3. No screen or API allows history or audit rows to be edited or deleted.

4.2 Extraction and the expiring list

FR-RN-010 Extract renewal candidates automatically at the lead days

BRD trace	BRRN.030 (p.8-9), BRRN.005 (p.24-25), restating BRD 1.003.4.1.2, 3.003.4.2 (p.50, 114)	Actor	System (job RNW_EXTRACTION)
Priority	Must have	Fit	NEW
Screens	Renewal Home (extraction runs); Expiry List	API	Job RNW_EXTRACTION; GET /api/v1/renewal/extraction-runs

Description

Every day BIBS extracts as renewal candidates the booked root invoices (policy years) whose policy expiry date equals the business date plus the lead days (default 140 days; a value per segment may override it). Extraction is expiry-based, not maturity-based (BRRN.030 AC1).

Each candidate gets a renewal reference and keeps the expiring invoice number, ARN, policy number and a snapshot of the listing fields. Expired and expiring accounts that are not yet renewed stay listed until the candidate closes, so the list has no omissions and no duplicates (BRRN.005).

After extraction BIBS runs the checks of FR-RN-020. A candidate does nothing more until it is initiated (FR-RN-015).

Preconditions

- The job is active.

Main flow

- The job runs at 01:00 PHT.
- BIBS selects the booked root invoices whose expiry falls on the target date, skipping invoices already extracted and excluded lines.
- BIBS creates one candidate per invoice with stage EXTRACTED, records the run (RXR-yyyy) with its counts, and runs the checks.

Alternate and exception flows

- Multi-year account. Only the last policy year of the term produces a candidate.
- Run failure. The run is marked failed, alert RNW_EXTRACTION_FAILED is raised, and the next run picks up the missed dates.
- Placed or issued accounts that are not yet booked ("unbooked", BRRN.005) are included when their period ends in the window (interpretation to confirm, RQ06).

Business rules

Rule	Statement	Kind	Maintained in
R1	Lead days 140 (default); per-segment values override it.	Configurable	Parameters RNW_EXTRACTION_LEAD_DAYS, RNW_EXTRACTION_LEAD_DAYS_BY_SEGMENT
R2	One open candidate per expiring invoice (unique company + expiring invoice no.).	Fixed	-

Rule	Statement	Kind	Maintained in
R3	Employee Benefits lines (HMO, GLI, GPA) are excluded (decision D3).	Configurable	Parameter RNW_EXCLUDED_LINES
R4	Extraction never starts the renewal and never guarantees renewability (BRRN.021, BRRN.030 AC3).	Fixed	-
R5	Job time 01:00 PHT.	Configurable	Job schedule (System Administrator)

Notifications

- Alert RNW_EXTRACTION_FAILED to the job owners when a run fails.

Audit

- Each run with trigger, range, counts (read, new, existing, skipped), start and end.

Acceptance criteria

- A policy expiring 140 days after the business date becomes a candidate that day, with a renewal reference, and does not appear twice after a second run.
- A change of the lead days to 150 takes effect at the next run without a release.
- An HMO policy is not extracted.

FR-RN-011 Generate the list of expiring accounts for a date range

BRD trace	BRRN.002 (p.22-23), restating BRD 1.003.1, 1.003.1.1, 1.003.2, 3.003.1, 3.003.1.1, 3.003.2 (p.44-45, 109), BRD 3.003.4, 3.003.4.1 (p.111)	Actor	Marketing TL; Processing TL
Priority	Must have	Fit	NEW
Screens	Expiry List (Generate Expiry List dialog)	API	GET /api/v1/renewal/candidates?expiryFrom=&expiryTo=

Description

The TL opens the Expiry List and clicks **Generate Expiry List**. He selects a start and end date (month, day, year) and BIBS shows the expiring accounts in that range. Changing the range refreshes the list at once.

When the range goes beyond what the job has already extracted, BIBS extracts the missing dates on demand. This is recorded as an extraction, not as an initiation (BRRN.021).

Preconditions

- The user has RNW_EXTRACT (generate) or RNW_VIEW (view the list).

Main flow

- The user clicks **Generate Expiry List**.
- The user picks the start and end dates (MM/DD/YYYY) and clicks **Generate**.
- BIBS extracts any missing dates and lists the candidates whose expiry falls in the range, within the user's scope.
- The user changes the range; the list refreshes.

Alternate and exception flows

- No account matches. BIBS shows "No expiring accounts in the selected range".

Business rules

Rule	Statement	Kind	Maintained in
R1	An on-demand extraction uses the same selection as the job and is recorded with trigger MANUAL_RANGE.	Fixed	-
R2	Users may extract on demand for any range; the scheduled run and the on-demand run share the same duplicate guard (RQ04).	Fixed	-

Validations and messages

Check	Message shown	Code
Start or end date missing or not a date	Enter a valid start and end date	-
End date before start date	The end date must be on or after the start date	-

Screens and fields: Generate Expiry List

Field	Type	Mand.	Source / LOV	Validation
Expiry from	Date	Yes	-	MM/DD/YYYY
Expiry to	Date	Yes	-	On or after expiry from

Notifications

- None.

Audit

- On-demand extractions are recorded as runs with the user, range and counts.

Acceptance criteria

- A TL generates the list for 01-Mar to 31-Mar and sees every candidate of his units expiring in March, and only those.
- An end date before the start date cannot be submitted.
- A range with no expiring account shows the empty-list message.

FR-RN-012 Filter the expiring list with multi-select criteria

BRD trace	BRRN.003 (p.23), restating BRD 1.003.3, 1.003.3.1-1.003.3.1.13, 3.003.3, 3.003.3.1-3.003.3.13 (p.45-47, 109-111)	Actor	Marketing TL; Processing TL
Priority	Must have	Fit	CHANGE
Screens	Expiry List (Filters panel)	API	GET /api/v1/renewal/candidates (filter parameters as include / exclude lists)

Description

The Filters panel offers Unit Head, Business Origin, Account Type, Region, Area, Invoicing Branch, Risk Code, Market Segment, Department Name and Account Officer, plus Bucket, Disposition and Stage. Each criterion supports single, multiple, "all except" and all selections, with a search in the drop-down.

Apply filters the list at once; **Cancel** closes the panel without change; **Clear** restores all. The selected values stay visible above the grid and in the page address, so a filtered list can be shared.

Preconditions

- The list is displayed.

Main flow

- The user opens Filters and, per criterion, ticks values or chooses "all except" and ticks the values to exclude.
- The user clicks **Apply**; BIBS filters the list and shows the active filters as chips.

Alternate and exception flows

- The user clicks **Clear**; all criteria return to "All".

Business rules

Rule	Statement	Kind	Maintained in
R1	Selection types: single, multiple, all except, all.	Fixed	-
R2	An 'all except' and an 'only' selection on the same criterion cannot be combined.	Fixed	-

Validations and messages

Check	Message shown	Code
Conflicting selection on one criterion	Choose either 'only' or 'all except' for <criterion>	-

Screens and fields: Filters

Field	Type	Mand.	Source / LOV	Validation
Unit Head / Business Origin / Account Type / Region / Area / Invoicing Branch / Risk Code / Market Segment / Department Name / Account Officer	Multi-select with search	No	Masters and LOVs of each field	Include or exclude mode
Bucket	Multi-select	No	Clean, Review, Exception	-
Disposition / Stage	Multi-select	No	LOV RNW_DISPOSITION; RNW_CASE stages	-

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

- Choosing Risk Code "all except" MC01 lists every expiring account except those with risk code MC01.
- Two Unit Heads selected together list the accounts of both.
- Clear returns the full list.

FR-RN-013 Show the expiring list in one scrollable grid with column filters and search

BRD trace	BRRN.004 (p.23-24), restating BRD 1.003.4.1, 1.003.4.1.1, 1.003.4.1.1.2-1.003.4.1.1.24, 3.003.4.1, 3.003.4.1.2-3.003.4.1.21 (p.47-50, 111-114), BRRN.006 (p.25), restating BRD 1.003.4.1.3, 1.003.4.1.4, 3.003.4.3, 3.003.4.4, 3.006.1.5, 4.003.1.5 (p.50, 114-115, 119, 149-150)	Actor	Marketing TL; Processing TL; Processing Officer
Priority	Must have	Fit	CHANGE
Screens	Expiry List (tabs Unassigned Disposition, For Renewal, For Quotation, For Proposal, Not for Renewal, Lost Business, Exceptions, All)	API	GET /api/v1/renewal/candidates (keyset chunks)

Description

The list shows every candidate of the range in **one scrollable view**, without pages, with a row count. The columns are those of BRD 1.003.4.1.1 (section 6.2), plus the Classification pill (Clean / Review / Exception) and the flag chips (Returned, Transferred, Endorsed, Claims, Outstanding, KYC due, NRNS). The Processing list has the first 21 columns (3.003.4.1) and not the claims and outstanding-premium columns.

Columns can be resized and reordered, and the layout is kept per user. Each column has a filter (text, list, date or amount). A keyword search across all columns filters and highlights the matches, like Ctrl+F.

Preconditions

- The list is generated (FR-RN-011).

Main flow

- The user scrolls the list; BIBS loads further rows as the user scrolls.
- The user types in a column filter or in the search box; the list filters and the matches are highlighted.
- The user resizes or drags a column; the layout is saved for the next visit.

Alternate and exception flows

- More than 5,000 rows. Filters and search run on the server; the grid keeps the same behaviour.

Business rules

Rule	Statement	Kind	Maintained in
R1	No pagination: one scrollable view with a row count (BRRN.004; UX-6 / RQ05 to confirm against the UX pager rule).	Fixed	-
R2	The EBIX invoice number and BDOIsys reference columns are out of scope; the BIBS expiring invoice number and the renewal reference take their place.	Fixed	-
R3	Claims columns read the Claims module; until it is connected they show 'claims not connected' (decision D4).	Fixed	-

Screens and fields: Expiry List grid (main columns)

Field	Type	Mand.	Source / LOV	Validation
Expiring Invoice No.	Display	-	Booked invoice	BIBS invoice number

Field	Type	Mand.	Source / LOV	Validation
Renewal Reference No.	Display	-	Candidate	RNW-yyyy-nnnnnnn
Cover No. / Version No.	Display	-	Invoice	-
Invoicing Branch / Department Code / Department Name / Unit Head	Display	-	Sales organisation	-
Client Name / Assured's Name / Business Origin / Account Officer	Display	-	Account and client	-
Expiring Policy No. / Insurance Company / Risk Code / Risk Name / Risk Description	Display	-	Account and catalogue	-
Renewal Stage / Status / Renewal Disposition / Disposition Remarks	Display	-	Candidate	-
Number of Claims / Status of Each Claim	Display	-	Claims module	Marketing list only
Amount of Outstanding Premium	Amount	-	Operations ledger	Marketing list only
Classification	Pill	-	Bucket	Clean (green), Review (yellow), Exception (red)

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

1. A list of 20,000 candidates scrolls from the first to the last row without a pager, and the row count shows 20,000.
2. Typing a client name in the search box filters the list and highlights the name in each matching row.
3. A column moved to the first position stays first after the user logs out and in.

FR-RN-014 Export and print the expiring list

BRD trace	BRRN.007 (p.25-26), restating BRD 1.003.5, 1.003.6, 1.003.7, 3.003.5, 3.003.6, 3.003.7 (p.50-51, 115), BRRN.008 (p.26), restating BRD 1.003.7.1, 1.003.7.2, 3.003.7.1, 3.003.7.2 (p.51, 115)	Actor	Marketing TL; Processing TL
Priority	Must have	Fit	CHANGE
Screens	Expiry List (Export, Print)	API	GET /api/v1/reports/RNW-EXPIRY-LIST/export? format=XLSX PDF

Description

The user downloads the list as .xlsx with the columns and filters of the current view, saves it, and prints it. The export is the report RNW-EXPIRY-LIST run with the grid's filter state, so the file equals the displayed list.

Print opens a PDF preview (landscape, A4 or Legal) that matches the printout; the browser print dialog sets margins and scaling.

Preconditions

- The user has RNW_EXPORT.

Main flow

- The user clicks **Export** and chooses Excel, or **Print**.
- BIBS produces the file from the current view and downloads it, or opens the print preview.

Alternate and exception flows

- The user ticks "Keep a copy"; BIBS also stores the file in the report archive.

Business rules

Rule	Statement	Kind	Maintained in
R1	The export has the same rows and columns as the view; nothing is truncated.	Fixed	-
R2	Page size A4 or Legal; orientation landscape by default.	Configurable	Report parameters pageSize / orientation

Notifications

- None.

Audit

- Each export is logged with user, filters and time.

Acceptance criteria

- The Excel file of a filtered list has exactly the rows and columns shown on screen.
- The print preview shows the same rows as the printed pages.

FR-RN-015 Initiate renewal processing explicitly

BRD trace	BRRN.021 (p.4)	Actor	Authorised user (Marketing TL, Processing TL with RNW_EXTRACT)
Priority	Must have	Fit	NEW
Screens	Expiry List (Initiate); record page	API	POST /api/v1/renewal/candidates/initiate

Description

Extracted accounts are displayed, but renewal processing starts only when an authorised user initiates them. Segments flagged for bulk initiation (for example CLG) are initiated in bulk from the list; the others (for example Non-Mortgage) one by one.

Initiation records the user and time and moves the candidate to EVALUATING, where BIBS applies the bucket and the decision matrix (FR-RN-022, FR-RN-023). Candidates handed over by Submitted Policies are initiated by the hand-off itself (FR-RN-090).

Preconditions

- The candidate is EXTRACTED; the user has RNW_EXTRACT.

Main flow

- The user selects candidates (single, multiple, all except, all) and clicks **Initiate**.
- BIBS records the initiation and routes each candidate by its bucket and the matrix.

Alternate and exception flows

- A bulk selection includes a segment that is initiated one by one. BIBS initiates the others and lists the refused ones.

Business rules

Rule	Statement	Kind	Maintained in
R1	No extracted candidate progresses without initiation.	Fixed	-
R2	Segments initiated in bulk: CLG (default).	Configurable	Parameter RNW_BULK_INITIATION_SEGMENTS (RQ02)

Validations and messages

Check	Message shown	Code
Candidate not EXTRACTED	Renewal <ref> is already initiated	To be assigned at build
Bulk initiation of a single-initiation segment	Segment <segment> is initiated one account at a time	To be assigned at build

Notifications

- The assigned TL queue when candidates reach UNASSIGNED.

Audit

- INITIATED event with user and time, separate from EXTRACTED.

Acceptance criteria

- An extracted candidate stays EXTRACTED and appears in no worklist until it is initiated.
- Bulk initiation of 200 CLG candidates records the user and time on each.

3. A Non-Mortgage candidate in a bulk selection is refused with the segment message.

4.3 Sanitation, buckets and rules

FR-RN-020 Run the sanitation, matching and eligibility checks

BRD trace	BRRN.020 (p.4), BRRN.022 (p.4)	Actor	System (check engine); Renewal processor (view)
Priority	Must have	Fit	NEW
Screens	Record page (Checks & Bucket tab); Renewal Reports (RNW-SANITATION)	API	GET /api/v1/renewal/candidates/{ref}/checks

Description

After extraction, after every upload and on every relevant event, BIBS runs the checks of section 5.3 on the candidate - reference match, PN present, risk code renewable, LAMD status, claims, pending endorsement, outstanding premium, financial impact, insurer response match, mandatory fields, product renewable, insurer usable, duplicate candidate and KYC due. Eligibility no longer depends on manual pre-cleaning of the list.

Each check writes a result PASS, WARN, FAIL, INFO or NOT_APPLICABLE with its detail. The Checks & Bucket tab shows the latest results, and the RNW-SANITATION report lists them for any range.

Preconditions

- A candidate exists.

Main flow

1. A trigger occurs (extraction, upload, insurer or LAMD file, endorsement posted, payment, nightly job).
2. BIBS runs every active check and stores the run and its results.
3. BIBS recomputes the bucket (FR-RN-022).

Alternate and exception flows

- The Claims module is not connected. The claims check reports INFO "claims not connected" and does not block (decision D4).

Business rules

Rule	Statement	Kind	Maintained in
R1	Checks and their default severities are those of section 5.3; the list is to be confirmed (RQ01).	Configurable	Check settings (Renewal Setup)
R2	Re-evaluation on InvoiceBooked, InvoiceMovementPosted, AccountStatusChanged, every upload and nightly (job RNW_REEVALUATE).	Fixed	-
R3	KYC due is information only and never blocks (BRRN.028).	Fixed	-

Notifications

- None; the bucket change of FR-RN-022 notifies.

Audit

- Every check run with trigger, time and the results per check.

Acceptance criteria

1. A candidate with an open endorsement request on the expiring invoice shows ENDORSEMENT_PENDING = FAIL on the Checks & Bucket tab.
2. When the endorsement is posted, the check turns PASS at the next event without user action.
3. The RNW-SANITATION report lists the failed checks of a date range with the candidate and detail.

FR-RN-021 Use a unique renewal reference as the matching key

BRD trace	BRRN.022 (p.4), BRD 1.003.4.1.1.2 (p.47)	Actor	System; Renewal user
Priority	Must have	Fit	NEW
Screens	Expiry List; record page; every upload	API	Number series RNW-yyyy; check REFERENCE_MATCH

Description

BIBS issues a renewal reference RNW-yyyy-nnnnnn at extraction and stores it with the expiring ARN and invoice number. The reference is mandatory on every upload (dispositioned file, insurer response, acceptance list) and is the primary key that links a renewal record to its expiring policy; the expiring invoice number is the alternate key.

The check REFERENCE_MATCH records the outcome per record (MATCHED, MISSING, INVALID, AMBIGUOUS). A record without a valid reference goes to exception handling and is never dropped.

Preconditions

- None.

Main flow

1. BIBS generates the reference when the candidate is created.
2. An upload row carries the reference; BIBS matches it to the candidate.
3. The match outcome is visible on the record and in the upload result.

Alternate and exception flows

- Missing or unknown reference. The row is kept as an exception line with the reason.

Business rules

Rule	Statement	Kind	Maintained in
R1	Reference format RNW-<yyyy>-<nnnnnn>, unique per company.	Configurable	Parameter RNW_REFERENCE_PREFIX (format RQ03)
R2	Uploads without a valid reference never update a candidate.	Fixed	-

Validations and messages

Check	Message shown	Code
Upload row without reference	Row <n> has no renewal reference	To be assigned at build
Reference not found	Row <n>: renewal reference <ref> does not exist	To be assigned at build

Notifications

- None.

Audit

- Match result and status per record.

Acceptance criteria

- Every candidate has a unique renewal reference.
- A dispositioned-file row with an unknown reference is listed as an exception and updates nothing.

FR-RN-022 Classify candidates into Clean, Review and Exception buckets

BRD trace	BRRN.023 (p.4-6)	Actor	System; authorised user (override)
Priority	Must have	Fit	NEW
Screens	Expiry List (Classification pill, Exceptions tab, Bucket filter); record page (Checks & Bucket tab, Override Bucket)	API	POST /api/v1/renewal/candidates/{ref}/bucket-override

Description

After each check run BIBS computes the bucket from the active bucket rule set. By default any check that fails with severity FAIL_EXCEPTION gives Exception; any FAIL_REVIEW or WARN gives Review; otherwise Clean. Records move between buckets when conditions change.

Users filter and export by bucket. A bucket is changed by hand only through a controlled override with mandatory remarks, and an override can never make a record with a failed check Clean (BRRN.023 negative scenario).

Preconditions

- A check run exists.

Main flow

- BIBS evaluates the bucket rules on the latest results and stores the bucket with the rule-set version.
- The Classification pill shows the bucket; the Checks & Bucket tab shows why.

Alternate and exception flows

- Override. A user with RNW_OVERRIDE clicks **Override Bucket**, chooses the bucket and writes remarks; BIBS records the override.

Business rules

Rule	Statement	Kind	Maintained in
R1	Default rule set: FAIL_EXCEPTION gives EXCEPTION; FAIL_REVIEW or WARN gives REVIEW; otherwise CLEAN.	Configurable	Bucket rule sets (versioned, maker-checker; content RQ01)
R2	A failed check never gives CLEAN, by rule or by override.	Fixed	-
R3	Every bucket change is logged with the rule-set version, rule, check run, cause and user.	Fixed	-

Validations and messages

Check	Message shown	Code
Override to Clean with a failed check	Renewal <ref> has failed checks and cannot be Clean	To be assigned at build
Override without remarks	Enter the remarks of the override	-

Screens and fields: Override Bucket

Field	Type	Mand.	Source / LOV	Validation
Bucket	List	Yes	Review, Exception (Clean only when no check fails)	-
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- The owners of the stage when a candidate enters Exception.

Audit

- Bucket history: from, to, rule-set version, rule, check run, cause (RULE or OVERRIDE), user, remarks.

Acceptance criteria

- A candidate with an open claim is Review, never Clean.
- When the claim closes, the candidate becomes Clean at the next re-evaluation and the bucket history shows both entries.
- An override to Clean on a record with a failed check is refused.

FR-RN-023 Apply the decision matrix and rule-based disposition

BRD trace	BRRN.031 (p.9-10), BRRN.034 (p.11)	Actor	System; Business Administrator (matrix); authorised user (override)
Priority	Must have	Fit	NEW
Screens	Renewal Setup (Decision Matrix); record page (disposition proposal); Renewal Reports (RNW-DECISIONS)	API	/api/v1/renewal/setup/decision-matrices; POST /api/v1/renewal/candidates/{ref}/disposition-override

Description

After initiation BIBS evaluates the active decision matrix on Clean and Review candidates. The first rule by priority gives a proposed disposition and an automation flag. A Clean candidate whose rule says AUTO receives a system disposition (source MATRIX) and proceeds without user action; otherwise the proposal is shown to the AO as the default.

Matrix rules refer to segment, line, product, mortgaged flag, bucket, claims, endorsements, payment status and days to expiry; outcomes are disposition options (BRRN.034 AC1-2). Candidates with claims, endorsements, a missing or invalid PN or unresolved payment go to manual review (BRRN.031 AC2).

The matrix is versioned; a version is activated by a checker other than its maker. Every system decision stores the matrix version and the rule id.

Preconditions

- An active matrix exists; without one, every candidate is manual.

Main flow

- The Business Administrator drafts a matrix version with its rules and submits it.
- A checker with MASTER_AUTHORIZE activates it from its effective date.
- On initiation BIBS evaluates the matrix and applies or proposes the disposition.

Alternate and exception flows

- Override of a system disposition. An authorised user chooses another disposition with mandatory remarks; the override is logged.
- TL review of automatic dispositions. With parameter RNW_STP_SKIP_TL_REVIEW = true (default), an AUTO disposition skips the TL review.

Business rules

Rule	Statement	Kind	Maintained in
R1	AUTO applies only to CLEAN candidates; any failed check means manual review.	Fixed	-
R2	Only one ACTIVE matrix version at a time; activation by a checker who is not the maker.	Fixed	-
R3	Matrix content is supplied by BDOI (RQ24); none ships with production.	Configurable	Decision matrix (Renewal Setup)
R4	The condition TOTAL_LOSS is inactive until Claims defines a total-loss indicator (CLQ28).	Fixed	-

Validations and messages

Check	Message shown	Code
Activation by the maker	A matrix version is activated by someone other than its maker	To be assigned at build
Override without remarks	Enter the remarks of the override	-
Rule without outcome	Select the disposition of the rule	-

Screens and fields: Decision rule

Field	Type	Mand.	Source / LOV	Validation
Priority	Number	Yes	-	Unique in the version
Segment / Line / Product	List	No	Masters	Blank = any
Mortgaged	Option	No	Yes / No / Any	-
Bucket	List	No	Clean, Review	-
Claims condition	List	No	None, Open, Paid (Total loss parked)	-
Endorsement condition	List	No	None, Posted in term, Pending	-
Payment condition	List	No	Paid, Outstanding, DP	-
Days to expiry from / to	Number	No	-	From <= to
Outcome disposition	List	Yes	LOV RNW_DISPOSITION	-
Automation	Option	Yes	AUTO / MANUAL	-
Letter hint	List	No	RA, NFR, NAL	-

Notifications

- The checkers when a matrix version is submitted.

Audit

- Matrix versions with maker, checker and dates; each decision with version, rule id and user or MATRIX.

Acceptance criteria

- A Clean CBG Motor candidate matching an AUTO rule receives disposition For Renewal with source MATRIX and moves on without user action.
- A candidate with an open claim is not disposed automatically and shows the proposal to the AO.
- The RNW-DECISIONS report shows, for each system disposition, the matrix version and rule.

FR-RN-024 Tag non-renewable risk codes and send the NFR

BRD trace	BRRN.009 (p.26-27), restating BRD 1.003.7.3, 1.003.7.3.1 (p.51)	Actor	System; Business Administrator (codes)
Priority	Must have	Fit	NEW
Screens	Renewal Setup (Non-renewable Risk Codes); Letters (NFR tab)	API	/api/v1/renewal/setup/non-renewable-risk-codes

Description

The Business Administrator maintains the risk codes that are not renewable, with line, reason and effective dates. Each change is authorised by a checker.

The check RISK_CODE_RENEWABLE tags a candidate on such a code Not for Renewal with reason "Non-renewable Accounts" and source SYSTEM, excludes it from the assignment list, and queues a Not for Renewal Letter (NFR) to the client. The delivery outcome is read from the e-mail log.

Preconditions

- The user has RNW_SETUP (codes).

Main flow

- The Business Administrator adds a risk code with reason and effective dates; a checker authorises it.
- At the next check run, candidates on that code are tagged and moved to LETTER_PENDING.
- BIBS generates the NFR from template RNW_NFR and sends it protected to the client's registered e-mail.

Alternate and exception flows

- The client later decides to renew. The AO re-dispositions the account (FR-RN-047); the NFR stays in the history with the flag "NFR sent".

Business rules

Rule	Statement	Kind	Maintained in
R1	Codes are never deleted; they are end-dated.	Fixed	-
R2	The NFR is queued on tagging without a human review step; BDOI confirms this under RQ07.	Fixed	-

Validations and messages

Check	Message shown	Code
Effective to before effective from	The effective-to date is before the effective-from date	LOV_EFFECTIVITY_INVALID

Check	Message shown	Code
Risk code not in the catalogue	Risk code <code> does not exist	To be assigned at build

Screens and fields: Non-renewable risk code

Field	Type	Mand.	Source / LOV	Validation
Risk code	List	Yes	Product catalogue	Active risk code
Product line	List	No	Product lines	-
Reason	Text	Yes	-	Up to 200 characters
Effective from / to	Date	Yes (from)	-	To on or after from

Notifications

- NFR to the client; confirmation of delivery on the Letters tab.

Audit

- Changes to codes (maker, checker, before and after) and every NFR action, including failures.

Acceptance criteria

1. A candidate on a non-renewable risk code is tagged Not for Renewal, does not appear in Unassigned Disposition, and an NFR is generated.
2. The Letters tab shows the NFR with its sent status.
3. A code change takes effect only after the checker authorises it.

FR-RN-025 Ingest LAMD reports and route paid-off and RMU accounts

BRD trace	BRRN.029 (p.8), BRRN.039 (p.14), BRRN.024 (p.6)	Actor	LAMD user (upload); System (matching)
Priority	Must have	Fit	NEW
Screens	LAMD Reports (upload, match results, routing)	API	Bulk handler RNW_LAMD_REPORT; GET /api/v1/renewal/lamd-reports

Description

The LAMD user uploads the paid-off and RMU loan reports. BIBS matches each line to the expiring candidates by PN, the primary matching key, and applies the routing. A paid-off loan tags the account Not for Renewal with reason "Loan fully paid"; an RMU loan tags it Not for Renewal with reason "RMU" or transfers it to the Corporate RMU unit.

For CBG Motor and Fire, PN matching is mandatory. A CBG candidate without a PN fails PN_PRESENT, and matched Clean candidates follow the straight-through path to the RA or the NFR without AO assignment (BRRN.039).

Preconditions

- The user has RNW_LAMD_UPLOAD.

Main flow

1. The LAMD user chooses the report type (Paid-off or RMU) and the period, and uploads the file.
2. BIBS validates the rows, matches them by PN and shows matched, unmatched and ambiguous lines.
3. BIBS applies the routing to matched candidates and re-runs their checks.

Alternate and exception flows

- Unmatched PN. The line is kept as unmatched and listed in RNW-LAMD-MATCH.
- Paid-off client wants to renew without a mortgage. The AO re-dispositions (FR-RN-047; RQ23).

Business rules

Rule	Statement	Kind	Maintained in
R1	PN is the primary matching key.	Fixed	-
R2	RMU routing: tag Not for Renewal, or transfer to the unit in RNW_RMU_UNIT when set.	Configurable	Parameter RNW_RMU_UNIT (RQ23)
R3	CBG lines on the STP path: Motor and Property.	Configurable	Parameter RNW_CBG_STP_LINES (RQ08)
R4	Report layout: column mapping of the upload handler.	Configurable	Bulk template RNW_LAMD_REPORT (RQ20)

Validations and messages

Check	Message shown	Code
File type not allowed	The file type is not allowed	BULK_FILE_TYPE
Row without PN	Row <n> has no PN number	To be assigned at build
PN matches several candidates	Row <n>: PN <pn> matches several renewals	To be assigned at build

Screens and fields: Upload LAMD report

Field	Type	Mand.	Source / LOV	Validation
Report type	Option	Yes	Paid-off, RMU	-
Period	Month	Yes	-	-
File	Attachment	Yes	Document type LAMD_REPORT	Platform file rules

Notifications

- The owning TL when an account is tagged or routed by LAMD.

Audit

- Upload, each match and routing with time and data source (BRRN.029 AC3).

Acceptance criteria

1. A paid-off PN matching an expiring candidate tags it Not for Renewal with reason Loan fully paid.
2. A CBG Motor candidate without a PN is Exception.
3. A LAMD user cannot see the RA or disposition actions.

FR-RN-026 Flag accounts due for KYC review

BRD trace	BRRN.028 (p.7-8)	Actor	System; any list user
Priority	Must have	Fit	CHANGE
Screens	Expiry List (flag chip KYC due); record page; Renewal Reports	API	Check KYC_DUE

Description

BIBS flags candidates whose client is due or upcoming for KYC review, using the client's KYC review date and the KYC due window. The flag shows as a chip in the lists and a column in the reports, with the date it was first identified. It is for visibility and reporting only and never blocks, stops or reroutes the renewal.

Preconditions

- None.

Main flow

1. The check KYC_DUE runs with the other checks.
2. When the client is due within the window, BIBS sets the flag and records when it was identified.

Business rules

Rule	Statement	Kind	Maintained in
R1	Severity INFO only; the flag is never an input of the bucket rules.	Fixed	-
R2	Segments in scope: all (default); list to confirm (bank / non-bank, CLG, BBG, Motor).	Configurable	Parameter RNW_KYC_SEGMENTS (RQ22)
R3	Due window from the client master.	Configurable	Parameter KYC_DUE_WINDOW_DAYS

Notifications

- None.

Audit

- The date and time the flag was set and cleared.

Acceptance criteria

1. A candidate whose client KYC review is due in 20 days shows the KYC due chip, and its bucket is unchanged.
2. The renewal status report shows the flag and the date it was identified.

FR-RN-027 Reflect endorsements on the mother policy before approval

BRD trace	BRRN.032 (p.10), BRD 1.008.1.4 (p.56)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Record page (Checks & Bucket, Account History); TL Review	API	Check ENDORSEMENT_PENDING

Description

Endorsements booked before or during the renewal update the expiring policy (the mother policy). The renewal account is built from the policy as of the last posted endorsement, so the renewal computation reflects the latest policy state.

While an endorsement request on the expiring invoice family is neither posted nor cancelled, the check ENDORSEMENT_PENDING fails and the renewal cannot be posted, have its RA generated or be accepted. BIBS records the link between each endorsement and the candidate.

Preconditions

- None.

Main flow

1. An endorsement request is opened on the expiring invoice family.
2. The check fails; the candidate moves to Review and shows the Endorsed flag.
3. The endorsement is posted; the check passes at the next re-evaluation and the link is recorded.

Business rules

Rule	Statement	Kind	Maintained in
R1	Post, RA generation and acceptance are refused while a blocking check is open, unless it is overridden with remarks.	Fixed	-

Validations and messages

Check	Message shown	Code
Post or RA with an open endorsement	Renewal <ref> has an endorsement in progress (<endorsement no.>)	To be assigned at build

Notifications

- The owner of the stage when the check fails.

Audit

- Endorsement-to-renewal link with the endorsement number, source and status at link time.

Acceptance criteria

1. The TL cannot post a candidate while an endorsement request on the expiring invoice is open.
2. After the endorsement is posted, the renewal account shows the endorsed sum insured.
3. The record lists the linked endorsement numbers.

4.4 Assignment and transfer (Marketing TL)**FR-RN-030 Assign and re-assign accounts to Marketing AOs**

BRD trace	BRD 1.005.1, 1.005.1.1, 1.005.1.1.1, 1.005.1.1.2, 1.005.1.2, 1.005.1.2.1-1.005.1.2.4 (p.53-54), BRD 1.005.2 (p.54)	Actor	Marketing TL
Priority	Must have	Fit	CHANGE
Screens	Expiry List (tab Unassigned Disposition; Assign Disposition, Re-assign Officer)	API	POST /api/v1/renewal/candidates/assign; POST /api/v1/renewal/candidates/reassign

Description

The TL selects accounts of the Unassigned Disposition tab (single, multiple, all except, all), searches the AO by name or ID or picks him from the list of his unit's officers, tags the accounts to the AO and pushes them. The accounts move to the AO's list (stage FOR_DISPOSITION).

The TL re-assigns accounts to another AO with **Re-assign Officer** until the RA locks the account. Assignment applies to non-CBG accounts only; CBG accounts follow the LAMD-driven path (BRRN.039).

Preconditions

- The candidates are UNASSIGNED or FOR_DISPOSITION; the user has RNW_ASSIGN.

Main flow

- The TL ticks the accounts and clicks **Assign Disposition**.
- The TL searches and selects the AO.
- The TL clicks **Assign and Push**. BIBS records the assignment and notifies the AO.

Alternate and exception flows

- Unselect. The TL clears the selection before pushing; nothing changes.
- Re-assign. The TL ticks assigned accounts, clicks **Re-assign Officer**, selects the new AO and, optionally, a reason.

Business rules

Rule	Statement	Kind	Maintained in
R1	The AO list is limited to the officers of the TL's sales unit.	Fixed	-
R2	CBG accounts are not assigned to AOs (definition of CBG to confirm, RQ08).	Fixed	-
R3	Re-assignment is allowed until the RA is generated (Marketing lock).	Fixed	-

Validations and messages

Check	Message shown	Code
No account selected	Select at least one account	-
AO outside the unit	<AO> is not an officer of your unit	To be assigned at build
Account locked by the RA	Renewal <ref> is locked since the Renewal Advice was generated	To be assigned at build

Screens and fields: Assign Disposition

Field	Type	Mand.	Source / LOV	Validation
Account Officer	Look-up (name or ID)	Yes	Sales officers of the TL's unit	Active officer
Reason (re-assign only)	List	No	LOV RNW_TRANSFER_REASON	-

Notifications

- RNW_ASSIGNED to the AO (in-app; e-mail per preference).

Audit

- Assignment and re-assignment with from, to, user and time.

Acceptance criteria

- Accounts assigned to an AO leave the Unassigned Disposition tab and appear in the AO's My Dispositions.
- A TL cannot assign an account to an officer of another unit.
- A CBG account never appears in Unassigned Disposition.

FR-RN-031 Transfer an account to another Marketing unit

BRD trace	BRD 1.006.1-1.006.5 (p.54-55), BRD 2.005.1, 2.005.2, 2.005.3, 2.005.3.1, 2.005.3.2, 2.005.4, 2.005.5 (p.84-85), BRD 2.004.4.8 (p.83)	Actor	Marketing TL; Marketing AO (request)
Priority	Must have	Fit	NEW
Screens	Expiry List and My Dispositions (Transfer); Transfers (Outgoing)	API	POST /api/v1/renewal/transfers

Description

The TL or the AO selects an account, views it, chooses the receiving Marketing unit, writes remarks and submits the transfer request. The account moves to TRANSFER_PENDING and leaves the sender's list; the receiving unit's TLs are notified.

The non-renewal reason "Transfer to Another Marketing Unit" (2.004.4.8) opens the same transfer.

Preconditions

- The account is UNASSIGNED or FOR_DISPOSITION and not locked by an RA.

Main flow

- The user selects the account and clicks **Transfer**.
- The user selects the receiving unit and writes the remarks.
- The user clicks **Submit and Push**.

Alternate and exception flows

- The sender cancels an open request before it is decided; the account returns to its stage.

Business rules

Rule	Statement	Kind	Maintained in
R1	One open transfer request per account.	Fixed	-
R2	The receiving unit must be another active Marketing unit.	Fixed	-

Validations and messages

Check	Message shown	Code
Unit not selected	Select the receiving unit	-
Remarks blank	Enter the remarks	-
Same unit	The receiving unit must be another unit	To be assigned at build
Transfer already open	Renewal <ref> already has a transfer request	To be assigned at build

Screens and fields: Transfer account

Field	Type	Mand.	Source / LOV	Validation
Receiving unit	List	Yes	Sales units	Active Marketing unit other than the account's
Reason	List	No	LOV RNW_TRANSFER_REASON	-
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- RNW_TRANSFER_REQUESTED to the TLs of the receiving unit.

Audit

- Request with from unit, to unit, remarks, user and time.

Acceptance criteria

1. A submitted transfer removes the account from the sender's list and shows it in the receiving TL's Transfers inbox.
2. A transfer to the same unit is refused.

FR-RN-032 Receive, accept or decline transferred accounts

BRD trace	BRD 1.007.1, 1.007.2, 1.007.3, 1.007.3.1, 1.007.4, 1.007.4.1, 1.007.4.2, 1.007.5 (p.55-56)	Actor	Marketing TL (receiving unit)
Priority	Must have	Fit	NEW
Screens	Transfers (Incoming)	API	POST /api/v1/renewal/transfers/{id}/accept decline

Description

The receiving TL is notified of the request and sees the transferred accounts flagged "Transferred". He accepts the account, which is added to his unit's assignment list (UNASSIGNED), or declines it with remarks, which returns it to the sending unit at its previous stage.

Preconditions

- The request is REQUESTED; the user is a TL of the receiving unit.

Main flow

1. The TL opens Transfers, tab Incoming, and views the account.
2. The TL clicks **Accept** and pushes; the account joins the unit's Unassigned Disposition tab with the Transferred chip.

Alternate and exception flows

- Decline. The TL clicks **Decline**, writes the remarks and pushes; the account returns to the sender with the remarks.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only a TL of the receiving unit decides the request.	Fixed	-

Validations and messages

Check	Message shown	Code
Decline without remarks	Enter the remarks of the decline	-
Request already decided	The transfer of <ref> is already decided	To be assigned at build

Screens and fields: Decide transfer

Field	Type	Mand.	Source / LOV	Validation
Decision	Option	Yes	Accept, Decline	-
Remarks	Text	Cond.	-	Required for Decline; up to 200 characters

Notifications

- RNW_TRANSFER_DECIDED to the requester and the sending TL.

Audit

- Decision, decided by, remarks and time.

Acceptance criteria

1. An accepted account appears in the receiving unit's Unassigned Disposition tab with the Transferred flag.
2. A declined account returns to the sender with the decline remarks visible.

4.5 Disposition (Marketing AO)**FR-RN-040 View all my accounts in one scrollable list**

BRD trace	BRRN.011 (p.28-29), restating BRD 2.003.1 (p.79), BRRN.012 (p.29), restating BRD 2.003.1.1 (p.79), BRRN.014 (p.30), restating BRD 2.003.1.3 (p.79), BRRN.015 (p.30), restating BRD 2.003.1.4 (p.80), BRRN.016 (p.30-31), restating BRD 2.003.1.5 (p.80), BRRN.017 (p.31), restating BRD 2.003.1.6 without the QPS / EBIX references (p.80)	Actor	Marketing AO
Priority	Must have	Fit	CHANGE
Screens	My Dispositions (quick filters Returned to me, Due in 30 days, NRNS)	API	GET /api/v1/renewal/candidates? assignee=me

Description

My Dispositions lists every account ever assigned to the AO in one scrollable view, whatever its status (active, expiring, expired, previous years). Filters are optional; the default is all statuses and years.

Policy fields are read from the current account and invoice, not copied, so endorsements and updates on the mother policy show at once.

The AO selects any row to view or edit it, filters and sorts on every column, searches like Ctrl+F, and searches an account by name or reference (renewal reference, ARN, expiring invoice or policy number, PN, client code).

Preconditions

- The user has RNW_DISPOSE.

Main flow

1. The AO opens My Dispositions.
2. The AO filters, sorts or searches.

3. The AO clicks a row; the record page opens (FR-RN-041).

Business rules

Rule	Statement	Kind	Maintained in
R1	Default view: all statuses and years, no pagination.	Fixed	-
R2	Search fields: renewal reference, ARN, expiring invoice no., expiring policy no., PN, client code and names.	Fixed	-

Screens and fields: My Dispositions (toolbar)

Field	Type	Mand.	Source / LOV	Validation
Search Renewal Ref / Proposal No. / Name	Text	No	-	-
Quick filter	Chips	No	Returned to me, Due in 30 days, NRNS	-

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

1. An AO sees his accounts of the current and previous years without choosing a filter.
2. Sorting by expiry date ascending and descending works on every column.
3. A search by the client's name returns the AO's accounts of that client.
4. An endorsement posted on the mother policy shows in the list without a new extraction.

FR-RN-041 View a renewal account and download its details

BRD trace	BRRN.013 (p.29-30), restating BRD 2.003.1.2 (p.79), BRD 1.004.1, 1.004.1.1, 1.004.1.2, 1.008.1.2, 1.008.1.3, 3.006.1.1, 3.006.1.2, 4.003.1.1, 4.003.1.2 (p.51-52, 56, 118-119, 149), BRD 1.004.1.3-1.004.1.5.2, 2.003.2, 2.003.3, 2.003.3.1, 2.003.3.2, 3.006.2, 3.006.3, 3.006.3.1, 3.006.3.2, 4.003.2, 4.003.3, 4.003.3.1, 4.003.3.2 (p.52-53, 80, 119-120, 150)	Actor	Marketing TL / AO; Processing TL / Officer
Priority	Must have	Fit	NEW
Screens	Record page /renewal/candidates/{ref} (tabs Details, Checks & Bucket, Account History, Computations, Insurer, Letters, Documents, Remarks & Follow-ups, History)	API	GET /api/v1/renewal/candidates/{ref}; GET .../details.pdf details.xlsx

Description

The record page shows the summary card (renewal reference, Classification pill, disposition, flag chips) and every renewal field of the account, read live from the expiring account and invoice, so any update is reflected.

The user downloads the account details as PDF or Excel, saves them, and prints them with a preview and print settings.

Preconditions

- The user has RNW_VIEW and the record is in scope.

Main flow

- The user opens a record from a list.
- The user reads the tabs.
- The user clicks **Download** (PDF or Excel) or **Print**.

Business rules

Rule	Statement	Kind	Maintained in
R1	The details are generated from template RNW_ACCOUNT_DETAILS.	Configurable	Document templates

Notifications

- None.

Audit

- Downloads are logged with user and time.

Acceptance criteria

- The Details tab shows every field of the expiring list for the account.
- The PDF and Excel downloads contain the same values as the Details tab.

FR-RN-042 View the full account history before the disposition

BRD trace	BRRN.027 (p.7)	Actor	Renewal user (Marketing, Processing)
Priority	Must have	Fit	CHANGE
Screens	Record page (Account History tab)	API	GET /api/v1/renewal/candidates/{ref}/account-history; GET .../account-history.pdf

Description

The Account History tab shows, read-only, the prior policies and renewals of the account (the chain of ARNs), the endorsements, the payment history and the claims. It is sourced from the mother policy in BIBS, not from the extraction file. The user extracts or prints it as the role allows.

The final disposition is refused until the user has opened the history (BRRN.027 AC4); BIBS records who opened it and when.

Preconditions

- The user has RNW_VIEW.

Main flow

- The user opens the Account History tab.
- BIBS records the view and shows the sections.
- The user disposes of the account (FR-RN-043).

Alternate and exception flows

- Claims not connected. Until the Claims module is built (wave CL1-B), the claims section shows "claims not connected" (decision D4).

Business rules

Rule	Statement	Kind	Maintained in
R1	The disposition is refused until the history was viewed by the user.	Fixed	-
R2	History before BIBS (legacy EBIX / QPS) is not shown (RQ13, RQ27).	Fixed	-

Validations and messages

Check	Message shown	Code
Disposition before the history was opened	Open the Account History before you give the disposition	To be assigned at build

Notifications

- None.

Audit

- History view with user, time and sections viewed.

Acceptance criteria

- The history of a renewed account lists the previous year's ARN, its endorsements, payments and claims.
- A disposition submitted without opening the history is refused with the message.
- Once opened, the disposition is accepted.

FR-RN-043 Give the disposition of an account

BRD trace	BRD 2.004.1, 2.004.2, 2.004.3, 2.004.3.1-2.004.3.5 (p.80-81), BRD 2.004.4, 2.004.4.1-2.004.4.10 (p.82-83), BRD 2.004.5, 2.004.5.1, 2.004.5.2, 2.004.5.3 (p.83-84)	Actor	Marketing AO
Priority	Must have	Fit	NEW
Screens	Record page (Disposition panel); My Dispositions	API	POST /api/v1/renewal/candidates/{ref}/disposition; POST .../push

Description

The AO selects the account, views its current renewal details and gives the disposition - For Renewal, Not for Renewal, For Quotation, For Proposal or Lost Business. The decision-matrix proposal, if any, is the default.

Not for Renewal needs a reason from the list of ten (RMU, With submitted policy, Loan fully paid, Direct to Insurer, Total Loss Claim, Unit Sold, Canceled Policy, Transfer to Another Marketing Unit, Non-renewable Accounts, Booked to New Invoice). "Transfer to Another Marketing Unit" opens the transfer (FR-RN-031); "Booked to New Invoice" asks for the new invoice number.

Mandatory fields are marked; BIBS lists every missing one and refuses the push until they are complete. The AO may save and push later. Pushing sends the account to TL review ("Review in progress").

Preconditions

- The account is FOR_DISPOSITION, assigned to the user, not locked, and its history has been viewed.

Main flow

- The AO opens the account and the Disposition panel.
- The AO selects the disposition and, for Not for Renewal, the reason.
- The AO completes the mandatory details and the remarks (FR-RN-044) and clicks **Save**.
- The AO clicks **Push**. BIBS checks completeness and moves the account to FOR_TL_REVIEW.

Alternate and exception flows

- Missing fields. BIBS names each missing field and keeps the account in FOR_DISPOSITION.
- For Quotation or For Proposal. After posting, the account takes the NB path (FR-RN-048).

Business rules

Rule	Statement	Kind	Maintained in
R1	Disposition codes are fixed; their labels are in LOV RNW_DISPOSITION.	Fixed	-
R2	Non-renewal reasons (ten values).	Configurable	LOV RNW_NONRENEWAL_REASON (attributes nal_eligible, requires_invoice_no)
R3	Mandatory fields per disposition, plus the product field rules when the renewal account is created.	Configurable	LOV attributes and product field rules
R4	Every disposition is a new row; earlier ones are kept (source USER, MATRIX, UPLOAD, INSURER, LAMD or SYSTEM_CHECK).	Fixed	-
R5	Total Loss Claim stays a manual reason until Claims defines a total-loss indicator (CLQ28).	Fixed	-

Validations and messages

Check	Message shown	Code
Disposition not selected	Select the disposition	-
Not for Renewal without reason	Select the reason for Not for Renewal	-
Booked to New Invoice without invoice no.	Enter the new invoice number	-
New invoice no. not found	Invoice <no.> does not exist	To be assigned at build
Mandatory fields missing on push	Complete the mandatory fields: <fields>	To be assigned at build
Account locked by the RA	Renewal <ref> is locked since the Renewal Advice was generated	To be assigned at build

Screens and fields: Disposition panel

Field	Type	Mand.	Source / LOV	Validation
Disposition	List	Yes	LOV RNW_DISPOSITION	-
Reason for Not for Renewal	List	Cond.	LOV RNW_NONRENEWAL_REASON	Required for Not for Renewal
New invoice no.	Text	Cond.	Operations ledger	Required for Booked to New Invoice; must exist
Receiving unit	List	Cond.	Sales units	Required for Transfer to Another Marketing Unit
Remarks	Text	No	-	Up to 200 characters

Notifications

- The TL queue when the account is pushed (RNW_POSTED on posting).

Audit

- Each disposition row with code, reason, remarks, source, user and time.

Acceptance criteria

- An AO disposes an account For Renewal and pushes it; it appears in the TL Review list with status Review in progress.
- Not for Renewal without a reason cannot be pushed.
- A push with missing mandatory fields names every missing field.

FR-RN-044 Add remarks to an account

BRD trace	BRD 2.004.6, 2.004.7, 2.004.8 (p.84), BRD 2.006.1.5, 2.006.1.5.1, 2.006.1.5.2, 2.006.1.6 (p.86-87)	Actor	Marketing AO; Marketing TL; Processing
Priority	Must have	Fit	NEW
Screens	Record page (Remarks & Follow-ups tab); Disposition panel	API	POST /api/v1/renewal/candidates/{ref}/remarks

Description

The user adds remarks of up to 200 characters. BIBS stamps each remark with the date, time and user ID and the stage, saves it and shows it on the Remarks tab and in the listing column "Remarks of Acct Officer".

Preconditions

- The user has RNW_DISPOSE, RNW_REVIEW or RNW_PROCESS.

Main flow

- The user types the remarks and clicks **Save**.
- The user pushes the account when the step is complete.

Business rules

Rule	Statement	Kind	Maintained in
R1	Remarks are at most 200 characters; saved remarks are not edited.	Fixed	-

Validations and messages

Check	Message shown	Code
Remarks longer than 200 characters	Remarks may have at most 200 characters	-

Screens and fields: Remarks

Field	Type	Mand.	Source / LOV	Validation
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- None.

Audit

- Remark with user, time and stage.

Acceptance criteria

1. A saved remark shows the user ID, date and time.
2. A 201-character remark cannot be saved.

FR-RN-045 List my dispositioned accounts with status, flags and lock

BRD trace	BRD 2.006.1, 2.006.1.1, 2.006.1.1.1, 2.006.1.1.2, 2.006.1.3, 2.006.1.4, 2.006.1.5.3 (p.85-87)	Actor	Marketing AO
Priority	Must have	Fit	NEW
Screens	My Dispositions (Dispositioned view)	API	GET /api/v1/renewal/candidates?assignee=me&disposed=true

Description

The AO lists his dispositioned accounts with their renewal status. Accounts with endorsements and with claims carry the flag chips Endorsed and Claims; the latest endorsement effective on the mother policy is shown. A padlock marks accounts that are closed or locked. The AO selects and views any of them.

Preconditions

- The user has RNW_DISPOSE.

Main flow

1. The AO opens My Dispositions and chooses the Dispositioned view.
2. BIBS lists the accounts with status, flags and padlock.

Business rules

Rule	Statement	Kind	Maintained in
R1	Flags are chips next to the reference, never inside the status pill (UX guidelines).	Fixed	-
R2	Claims flag from the Claims module; 'claims not connected' until it is built (decision D4).	Fixed	-

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

1. An account with a posted endorsement shows the Endorsed chip and the endorsement's effective date.
2. A closed account shows the padlock and cannot be edited.

FR-RN-046 Update returned accounts

BRD trace	BRD 2.007.1, 2.007.2, 2.007.3, 2.007.4, 2.007.4.2-2.007.4.7, 2.007.5 (p.87-89)	Actor	Marketing AO
Priority	Must have	Fit	CHANGE
Screens	My Dispositions (quick filter Returned to me); record page	API	POST /api/v1/renewal/candidates/{ref}/disposition; POST .../push

Description

The AO is notified when the TL or Processing returns an account. Returned accounts carry a red Returned flag. The AO reads the return remarks, searches, selects and edits the account, adds remarks, saves or cancels, and pushes it back to the TL.

Preconditions

- The account is FOR_DISPOSITION with the Returned flag.

Main flow

1. The AO opens the notification or the quick filter Returned to me.
2. The AO reads the reason and remarks of the return.
3. The AO corrects the disposition or details, adds remarks and pushes. The Returned flag clears.

Alternate and exception flows

- Cancel. The AO leaves without saving; the account stays returned.

Business rules

Rule	Statement	Kind	Maintained in
R1	The Returned flag stays until the AO pushes the account again.	Fixed	-

Validations and messages

Check	Message shown	Code
Push with missing fields	Complete the mandatory fields: <fields>	To be assigned at build

Notifications

- RNW_RETURNED to the AO when the account is returned.

Audit

- Return reason and remarks; the resubmission.

Acceptance criteria

1. A returned account shows the red Returned chip and the TL's remarks.
2. After the AO pushes it, the account is back in the TL Review list without the chip.

FR-RN-047 Re-open accounts tagged Not for Renewal

BRD trace	BRD 2.004.10 (p.84), BRD 3.004.5 (p.117)	Actor	Marketing AO; Processing TL
Priority	Must have	Fit	NEW
Screens	Record page (Re-open Disposition)	API	POST /api/v1/renewal/candidates/{ref}/reopen

Description

When a client decides to renew after the account was tagged Not for Renewal (by the AO, by the system or by the upload of 3.004.4), the AO or the Processing TL re-opens it and gives a new disposition. The new disposition row supersedes the old one. If an NFR was already sent, the history keeps it and the record shows the chip "NFR sent".

Preconditions

- The account is closed NOT_RENEWED or in LETTER_PENDING, and today is not later than the expiry date plus the reopen days.

Main flow

1. The user clicks **Re-open Disposition** and writes the reason.
2. BIBS moves the account back to FOR_DISPOSITION.
3. The AO disposes it again (FR-RN-043).

Business rules

Rule	Statement	Kind	Maintained in
R1	Re-opening is allowed until expiry plus 30 days (default).	Configurable	Parameter RNW_REOPEN_DAYS

Validations and messages

Check	Message shown	Code
Re-open after the limit	Renewal <ref> can no longer be re-opened (expired on <date>)	To be assigned at build
Reason blank	Enter the reason for re-opening	-

Notifications

- The assigned AO and TL.

Audit

- Re-open with user, reason and time; superseded disposition kept.

Acceptance criteria

- A Not for Renewal account re-opened ten days before expiry returns to FOR_DISPOSITION.
- The earlier disposition and the sent NFR stay in the history.

FR-RN-048 Route renewals with financial or structural changes to the New Business path

BRD trace	BRRN.033 (p.10), BRRN.038 (p.14)	Actor	Marketing AO; System
Priority	Must have	Fit	CHANGE
Screens	Record page (Start NB Path); Quotation; Proposal (PRF)	API	POST /api/v1/renewal/candidates/{ref}/nb-path

Description

A renewal takes the New Business path when the disposition is For Quotation or For Proposal, or when the financial-impact check finds a change in premium, sum insured, rate or charges beyond the tolerance (BRRN.038). The account is tagged "For Proposal / New Business Path" and the audit trail records the reason of the conversion.

Start NB Path creates a package quotation or a non-package PRF pre-filled from the expiring account and linked by the renewal reference. The accounts it produces have business type RENEWAL and point to the expiring ARN (shared change BT0, decision D1). The candidate follows the quotation or PRF and closes RENEWED on booking or LOST on decline.

When the financial-impact check fails, the acceptance of the client must be recorded with its method (e-mail, signed RA or payment), whichever path the renewal takes (BRRN.038 AC3).

Preconditions

- The candidate is posted with For Quotation or For Proposal, or FINANCIAL_IMPACT = FAIL.

Main flow

- The AO clicks **Start NB Path** and confirms the quotation or PRF type.
- BIBS creates the quotation or PRF with the renewal reference and opens it.
- The quotation or PRF follows the BRD-1 flow; its accounts are created as RENEWAL.

Alternate and exception flows

- The quotation or PRF is declined or voided. The candidate closes LOST.

Business rules

Rule	Statement	Kind	Maintained in
R1	Financial-impact tolerance 0.00 (any change) by default.	Configurable	Parameter RNW_FIN_IMPACT_TOLERANCE (RQ25)
R2	An NB-path renewal rates as New Business on the current package version.	Fixed	-

Rule	Statement	Kind	Maintained in
R3	One NB path per candidate; no second quotation for the same renewal.	Fixed	-

Validations and messages

Check	Message shown	Code
NB path already started	Renewal <ref> already has quotation <no.>	To be assigned at build

Notifications

- The AO when the quotation's accounts are booked or the quotation is declined.

Audit

- Conversion to the NB path with reason, user and time; link to the quotation or PRF.

Acceptance criteria

- A renewal with a 10% premium increase from the insurer is tagged For Proposal / New Business Path with the reason.
- The quotation created from the candidate carries the renewal reference, and its booked invoice has business type RENEWAL.
- The candidate closes RENEWED when the quotation's account is booked.

4.6 Team Leader review

FR-RN-050 Review, return and post dispositioned accounts

BRD trace	BRD 1.008.1, 1.008.1.1, 1.008.1.4 (p.56), BRD 1.008.2, 1.008.2.1-1.008.2.7 (p.57), BRD 1.008.3, 1.008.3.1-1.008.3.4 (p.57-58)	Actor	Marketing TL (non-CBG)
Priority	Must have	Fit	NEW
Screens	TL Review (Review in progress list; Return, Post)	API	POST /api/v1/renewal/candidates/return; POST /api/v1/renewal/candidates/post

Description

The TL sees every dispositioned account of the unit in one scrollable view with status "Review in progress" until it is posted. Endorsements are reflected on the mother policy (FR-RN-027).

The TL returns accounts (single, multiple, all except, all) to the assigned AO with a reason and remarks; BIBS sets status Returned and the red flag. Or the TL posts them after reviewing the details; each posted account moves on by its disposition.

Preconditions

- The accounts are FOR_TL_REVIEW; the user has RNW_REVIEW.

Main flow

- The TL opens TL Review and reviews the accounts.
- The TL selects accounts and clicks **Post**.
- BIBS routes each account - For Renewal to Processing, For Quotation and For Proposal to the NB path, Not for Renewal to the letter step, Lost Business to closure.

Alternate and exception flows

- Return. The TL selects accounts, clicks **Return**, chooses a reason and writes remarks, and pushes.
- Blocking check open. BIBS refuses to post the account and names the failing check.

Business rules

Rule	Statement	Kind	Maintained in
R1	An account cannot be posted while a blocking check fails, unless it is overridden with remarks.	Fixed	-
R2	Return reasons in LOV RNW_RETURN_REASON; the value DISAPPROVED counts as 'Disapproved' in the summary (RQ10).	Configurable	LOV RNW_RETURN_REASON

Validations and messages

Check	Message shown	Code
Return without reason	Select a reason for 'Return'	WORKFLOW_REASON_REQUIRED
Post with a failing check	Renewal <ref> cannot be posted: <check> failed	To be assigned at build

Screens and fields: Return accounts

Field	Type	Mand.	Source / LOV	Validation
Reason	List	Yes	LOV RNW_RETURN_REASON	-
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- RNW_RETURNED to the AO; RNW_POSTED to Processing for For Renewal accounts.

Audit

- Return and post with user, time, reason and remarks.

Acceptance criteria

1. A posted For Renewal account appears in the Processing Worklist, tab For Processing.
2. A returned account is back in the AO's list with the Returned flag and the TL's remarks.
3. An account with a failing outstanding-premium check cannot be posted until the TL overrides it.

FR-RN-051 Override the outstanding-balance flag and other controlled overrides

BRD trace	BRD 1.011.1, 1.011.1.1, 1.011.1.2, 1.011.1.3 (p.78), BRRN.023 AC5 (p.5), BRRN.031 AC4 (p.10), BRRN.035 negative scenario 2d (p.12)	Actor	Marketing TL (RNW_OVERRIDE)
Priority	Must have	Fit	NEW
Screens	TL Review (Override Outstanding Balance); record page (Override)	API	POST /api/v1/renewal/candidates/override

Description

The check OUTSTANDING_PREMIUM flags an account whose expiring invoice family has an open premium balance above the threshold, and routes it to Review. The TL sees the flag, selects one or several

flagged accounts and overrides it with mandatory remarks; the block clears for those accounts. This is the renewal override that BRD-1 deferred (OOS-1).

The same controlled override clears a bucket, a system disposition or an insurer-response mismatch, and cancels an RA to unlock an account. There is no approver step; every override is explicit, needs remarks and is logged.

Preconditions

- The account carries the flag or failing check; the user has RNW_OVERRIDE.

Main flow

- The TL filters the flagged accounts and selects them.
- The TL clicks **Override**, chooses the kind, a reason and writes remarks.
- BIBS records the override and re-evaluates the accounts.

Business rules

Rule	Statement	Kind	Maintained in
R1	Outstanding threshold 0.00 (default), on the expiring invoice family.	Configurable	Parameter RNW_OUTSTANDING_THRESH OLD (scope RQ09)
R2	Override kinds: outstanding balance, bucket, disposition, insurer mismatch, RA unlock.	Fixed	-
R3	An override never turns a failed check into Clean (FR-RN-022).	Fixed	-

Validations and messages

Check	Message shown	Code
Override without remarks	Enter the remarks of the override	-
Override reason missing	Select the reason of the override	-

Screens and fields: Override

Field	Type	Mand.	Source / LOV	Validation
Kind	List	Yes	Outstanding balance, Bucket, Disposition, Insurer mismatch, RA unlock	-
Reason	List	Yes	LOV RNW_OVERRIDE_REASON	-
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- None.

Audit

- Override log: kind, from, to, reason, remarks, user and time; RNW-DECISIONS report.

Acceptance criteria

- An account with an unpaid premium shows the Outstanding flag; after the TL's override it can be posted.

2. An override without remarks is refused.
3. The RNW-DECISIONS report lists the override with the TL and the remarks.

4.7 Processing

FR-RN-060 Upload dispositioned files

BRD trace	BRRN.018 (p.31), restating BRD 3.004.1, 3.004.1.1, 3.004.1.2, 4.004.1, 4.004.1.1, 4.004.1.2 (p.115-116, 150-151), BRD 3.004.2, 3.004.3, 3.004.3.1, 4.004.2, 4.004.3, 4.004.3.1 (p.116, 151), BRD 3.004.4 (p.116)	Actor	Processing TL; Processing Officer
Priority	Must have	Fit	CHANGE
Screens	Processing Worklist (Upload Dispositioned File); bulk upload wizard RNW_DISPOSITION_UPLOAD	API	Bulk handler RNW_DISPOSITION_UPLOAD

Description

When dispositioning is done outside the system, Processing selects one or more dispositioned files and uploads them. BIBS validates each row (renewal reference mandatory; disposition, reason, remarks and updated fields), updates the valid accounts in bulk, pushes them to the processing list and shows a confirmation with the errors per row.

When the user declares the file complete for an expiry range and unit, the candidates of that range and unit missing from the file are tagged Not for Renewal with reason "Non-renewable Accounts" by the system and kept out of processing (3.004.4). The tag can be reviewed and re-opened (FR-RN-047).

Preconditions

- The user has RNW_UPLOAD.

Main flow

1. The user clicks **Upload Dispositioned File**, selects the files and, optionally, ticks "Complete file for" with the range and unit.
2. BIBS validates the rows and shows valid and invalid counts.
3. The user confirms; BIBS updates the valid rows (disposition source UPLOAD) and pushes them to FOR_PROCESSING.

Alternate and exception flows

- Rows with errors. They are listed with the reason, can be downloaded, and do not update any account (partial commit).
- Several files. Each file is its own upload job with its own result.

Business rules

Rule	Statement	Kind	Maintained in
R1	The renewal reference is the key of every row (BRRN.022).	Fixed	-
R2	The 'not in file' tag applies only when the complete-file scope is declared on the upload.	Fixed	-

Rule	Statement	Kind	Maintained in
R3	Online and uploaded dispositions write the same disposition history with their source (RQ14).	Fixed	-

Validations and messages

Check	Message shown	Code
File type not allowed	The file type is not allowed	BULK_FILE_TYPE
File without header row	The file has no header row	BULK_FILE_EMPTY
Row without valid reference	Row <n> has no valid renewal reference	To be assigned at build
Disposition not in the list	Row <n>: disposition <value> is not valid	To be assigned at build
Account locked or closed	Row <n>: renewal <ref> cannot be updated in stage <stage>	To be assigned at build

Screens and fields: Upload Dispositioned File

Field	Type	Mand.	Source / LOV	Validation
Files	Attachment (several)	Yes	Template RNW_DISPOSITION_UPLOAD	Excel or CSV; platform file rules
Complete file for (range and unit)	Date range + List	No	Sales units	Required together when ticked

Notifications

- The uploader receives the job result; the Processing TL queue for pushed accounts.

Audit

- Upload job with file, scope, user, counts; each updated account and each system tag.

Acceptance criteria

- A file of 500 rows with 3 unknown references updates 497 accounts and lists the 3 errors.
- With "Complete file for March, unit X" ticked, a March account of unit X absent from the file is tagged Not for Renewal (Non-renewable Accounts).
- Without the complete-file tick, no account is tagged.

FR-RN-061 Assign accounts to Processing Officers

BRD trace	BRD 3.005.1, 3.005.1.1, 3.005.1.1.1, 3.005.1.1.2, 3.005.1.2, 3.005.1.2.1, 3.005.1.2.2, 3.005.1.3, 3.005.1.4, 3.005.1.5, 3.005.1.6 (p.117-118)	Actor	Processing TL
Priority	Must have	Fit	CHANGE
Screens	Processing Worklist (Assign PO, Assign to Me)	API	POST /api/v1/renewal/processing/assign

Description

The Processing TL selects accounts of the For Processing tab (single, multiple, all except, all), searches the Processing Officer by name or ID or assigns them to himself, and pushes them. He also re-assigns accounts to another PO.

Preconditions

- The accounts are FOR_PROCESSING or IN_PROCESSING; the user has RNW_PROCESS_ASSIGN.

Main flow

- The TL ticks accounts and clicks **Assign PO**, or **Assign to Me**.
- The TL selects the officer and pushes. The accounts move to IN_PROCESSING with the officer as assignee.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only Processing Officers (and the TL himself) are selectable.	Fixed	-

Validations and messages

Check	Message shown	Code
No account selected	Select at least one account	-
Officer not selected	Select the Processing Officer	-

Screens and fields: Assign PO

Field	Type	Mand.	Source / LOV	Validation
Processing Officer	Look-up (name or ID)	Yes	Users with PROCESSOR	Active user

Notifications

- RNW_ASSIGNED to the officer.

Audit

- Assignment with from, to, user and time.

Acceptance criteria

- Accounts assigned to an officer appear in his In Processing tab.
- Assign to Me makes the TL the assignee.

FR-RN-062 Work the processing list

BRD trace	BRD 3.006.1, 3.006.1.3, 3.006.1.4 (p.118-119), BRD 4.003.1, 4.003.1.3, 4.003.1.4 (p.149)	Actor	Processing TL; Processing Officer
Priority	Must have	Fit	CHANGE
Screens	Processing Worklist (tabs For Processing, In Processing, With Insurer, Insurer Responded, Returned)	API	GET /api/v1/renewal/candidates?stage=...&assignedPo=

Description

The Processing Worklist shows the accounts of the processing stages in one scrollable view with filter and sort on every column, the search of FR-RN-013 and the tabs by stage. An officer sees his own accounts; the TL sees the unit's.

Preconditions

- The user has RNW_PROCESS.

Main flow

- The user opens the worklist and a tab.
- The user filters, sorts or searches, and opens an account.

Business rules

Rule	Statement	Kind	Maintained in
R1	Same grid behaviour as the expiring list (FR-RN-013).	Fixed	-

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

- A Processing Officer sees only the accounts assigned to him in In Processing.
- Sorting and column filters work on every column.

FR-RN-063 Update data on the renewal account

BRD trace	BRD 3.007.1, 3.007.2, 3.007.3, 3.007.3.1-3.007.3.4 (p.120-121), BRD 4.005.1, 4.005.2, 4.005.3, 4.005.3.1-4.005.3.4 (p.151-152)	Actor	Processing TL; Processing Officer
Priority	Must have	Fit	CHANGE
Screens	Record page (Renewal Account); Account (BRD-1 draft edit)	API	PUT /api/v1/accounts/{arn} (draft of business type RENEWAL)

Description

When a For Renewal candidate reaches FOR_PROCESSING, BIBS creates the renewal account as a draft BRD-1 account of business type RENEWAL, with the same client, product, items, insurer, PN and mortgage, and contact as the expiring account, the next period (start = old end + 1 day, same term), and a link to the expiring ARN. A renew-as-is keeps the package version of the expiring account.

Processing updates the data of the renewal account. Mandatory fields are prompted and the push is refused while any are missing. Editing is disabled once placement is completed.

Preconditions

- The candidate is IN_PROCESSING; the user has RNW_PROCESS.

Main flow

- The officer opens the Renewal Account section of the record.
- The officer edits the fields and saves.
- BIBS checks the mandatory fields of the product and the rated premium.

Alternate and exception flows

- Missing fields. BIBS lists them; the officer completes them or saves the draft.

- Account already placed. BIBS refuses the edit.

Business rules

Rule	Statement	Kind	Maintained in
R1	The renewal account is built from the policy as of the last posted endorsement (BRRN.032).	Fixed	-
R2	Rating with purpose RENEWAL and the expiring account's package version (PQ11); an expired version is RQ30.	Fixed	-
R3	Edits after placement are refused by the account workflow.	Fixed	-

Validations and messages

Check	Message shown	Code
Mandatory fields missing	Complete the mandatory fields of <product>: <fields>	ACCOUNT_INCOMPLETE
Product not sellable for renewal	Product <code> is <status> and cannot be sold	PRODUCT_NOT_SELLABLE

Notifications

- None.

Audit

- Account changes are audited by the account module with before and after values.

Acceptance criteria

- The renewal account of a Motor policy has the next period and the same vehicle, insurer and PN as the expiring account.
- An update that leaves a mandatory field blank cannot be pushed.
- After placement the renewal account cannot be edited.

FR-RN-064 Review computations and the financial impact

BRD trace	BRD 3.008.1, 3.008.1.1 (p.121), BRD 4.006.1, 4.006.1.1 (p.152), BRRN.038 (p.14)	Actor	Processing TL; Processing Officer; System
Priority	Must have	Fit	CHANGE
Screens	Record page (Computations tab)	API	GET /api/v1/renewal/candidates/{ref}/computations

Description

The Computations tab shows every calculated field of the renewal account (premium breakdown by component, taxes, commission, total), rated with purpose RENEWAL, next to the expiring invoice (premium, sum insured, rate, commission and charges) with the difference.

The check FINANCIAL_IMPACT compares them. A difference beyond the tolerance fails the check, routes the account to Review and, by the matrix, to the NB path (FR-RN-048); the acceptance of the client must then be recorded with its method.

Preconditions

- The renewal account exists.

Main flow

1. The officer opens the Computations tab.
2. BIBS shows the breakdown and the comparison, and the result of the financial-impact check.

Business rules

Rule	Statement	Kind	Maintained in
R1	Financial-impact tolerance 0.00 (default).	Configurable	Parameter RNW_FIN_IMPACT_TOLERANCE (RQ25)
R2	The financial-impact check is mandatory; it runs on every change of the renewal account or insurer revision.	Fixed	-

Notifications

- The owner of the stage when the check fails.

Audit

- Check result with the compared values.

Acceptance criteria

1. The Computations tab shows the same premium components as the renewal account's premium breakdown.
2. A renewal premium different from the expiring premium fails FINANCIAL_IMPACT and shows the difference.

FR-RN-065 Return accounts to Marketing

BRD trace	BRD 3.008.2, 3.008.2.1-3.008.2.7 (p.121-122), BRD 4.006.2, 4.006.2.1-4.006.2.7 (p.152-153)	Actor	Processing TL; Processing Officer
Priority	Must have	Fit	CHANGE
Screens	Processing Worklist; record page (Return to Marketing)	API	POST /api/v1/renewal/candidates/return-to-marketing

Description

Processing returns accounts (single, multiple, all except, all) to the assigned Marketing AO (stage FOR_DISPOSITION) or to the Marketing TL (FOR_TL_REVIEW) with a reason and remarks. BIBS flags them Returned and pushes them.

Preconditions

- The accounts are FOR_PROCESSING or IN_PROCESSING; the user has RNW_PROCESS.

Main flow

1. The user selects accounts and clicks **Return to Marketing**.
2. The user chooses AO or TL, the reason and the remarks, and pushes.

Business rules

Rule	Statement	Kind	Maintained in
R1	The BRD title says 'Marketing TL' and the result 'Marketing AO or Marketing TL' (3.008.2.5); BIBS offers both.	Fixed	-

Validations and messages

Check	Message shown	Code
Return without reason	Select a reason for 'Return to Marketing'	WORKFLOW_REASON_REQUIRED
Remarks blank	Enter the remarks	-

Screens and fields: Return to Marketing

Field	Type	Mand.	Source / LOV	Validation
Return to	Option	Yes	Account Officer, Team Leader	-
Reason	List	Yes	LOV RNW_RETURN_REASON	-
Remarks	Text	Yes	-	Up to 200 characters

Notifications

- RNW_RETURNED to the AO or TL.

Audit

- Return with user, time, reason and remarks.

Acceptance criteria

1. An account returned to the AO appears in his Returned to me filter with the red flag.
2. A return without a reason is refused.

4.8 Insurer round-trip

FR-RN-070 Extract For Renewal accounts per insurer and send them

BRD trace	BRD 3.009.1, 3.009.1.1-3.009.1.4, 3.009.1.4.1-3.009.1.4.28 (p.122-126), BRD 4.007.1, 4.007.1.1-4.007.1.4, 4.007.1.4.1-4.007.1.4.28 (p.153-158), BRD 3.009.2-3.009.5.1, 4.007.2-4.007.5.1 (p.126-127, 158-159)	Actor	Processing TL; Processing Officer
Priority	Must have	Fit	NEW
Screens	Insurer Batches (build, preview, download, send)	API	POST /api/v1/renewal/insurer-batches; GET .../{no}.xlsx; POST .../{no}/send

Description

Processing selects the expiry range and the insurer from a searchable list. BIBS builds a batch (RIB-yyyy) of the For Renewal accounts of that insurer with the 28 columns of BRD 3.009.1.4 (section 6.4) and shows them in one scrollable view.

The user downloads the extract as .xlsx, saves and prints it with preview and settings, and sends it to the insurer's renewal (or placement) mailbox, encrypted and password-protected; the password goes in a separate e-mail.

Preconditions

- The accounts are IN_PROCESSING and For Renewal; the user has RNW_INSURER.

Main flow

1. The user clicks **New Batch**, selects the range and the insurer.

2. BIBS lists the accounts and the 28 columns.
3. The user clicks **Download** or **Send**. On send BIBS protects the file, e-mails it, records the send and moves the accounts to WITH_INSURER.

Alternate and exception flows

- Delivery failure. The batch shows the failed send; the user resends it.

Business rules

Rule	Statement	Kind	Maintained in
R1	One batch per insurer and range; an account is in one open batch at a time.	Fixed	-
R2	Files leave BIBS protected; the password is sent separately (convention Q07).	Fixed	-
R3	'Encoder Name' is the user who booked the expiring invoice.	Fixed	-
R4	Reply due date = send date + reply days; alert RNW_INSURER_OVERDUE after it.	Configurable	Insurer batch reply days (RQ15)

Validations and messages

Check	Message shown	Code
Insurer not selected	Select the insurer	-
No account in the batch	No For Renewal account of <insurer> expires in the range	To be assigned at build
Insurer without renewal or placement e-mail	<insurer> has no e-mail address for renewals	To be assigned at build

Screens and fields: New insurer batch

Field	Type	Mand.	Source / LOV	Validation
Expiry from / to	Date	Yes	-	To on or after from
Insurer	Searchable list	Yes	Insurer master	Active insurer

Notifications

- E-mail with the protected file to the insurer, and the password e-mail.

Audit

- Batch creation, download, send (recipient, time, file hash) and failures.

Acceptance criteria

1. A batch for insurer X and March lists every For Renewal account of X expiring in March with the 28 columns.
2. The insurer receives a password-protected Excel file and, separately, the password.
3. The accounts of a sent batch move to With Insurer.

FR-RN-071 Receive and apply insurer responses

BRD trace	BRD 3.009.6, 3.009.6.1, 3.009.6.2 (p.127), BRD 4.007.6, 4.007.6.1, 4.007.6.2 (p.159), BRRN.035 (p.11-12)	Actor	Processing TL; Processing Officer; System
Priority	Must have	Fit	NEW
Screens	Insurer Batches (Upload Response, Match Review); record page (Insurer tab)	API	Bulk handler RNW_INSURER_RESPONSE

Description

Processing uploads the insurer's dispositioned file and views it. Each row carries the renewal reference and the expiring policy number, the response (Renew As Is / Approve, Revise, Reject), the insurer reference and, for Revise, the revised premium, sum insured, rate or terms. The response is captured once and is the single source of truth of the renewal's progress.

A matched Renew As Is advances the account to RA_READY without re-keying and without changing terms, price or structure. Revise returns it to processing and runs the financial-impact check. Reject tags it Not for Renewal (reason insurer declined) or sends it back to Marketing to re-market.

Late, conflicting or revised responses block straight-through progress, RA and booking, and route the account to Review or Exception on the latest valid response. A mismatch (reference, policy number, ambiguous row) never progresses the account; only an explicit override with remarks does.

Preconditions

- The accounts are WITH_INSURER; the user has RNW_INSURER.

Main flow

- The user clicks **Upload Response** on the batch and selects the file.
- BIBS validates and matches each row and shows matched, mismatched and late rows.
- The user confirms. BIBS stores each response and applies it to the account.

Alternate and exception flows

- Manual response. For a single account the user records the response on the Insurer tab.
- Mismatch. The row is kept as an exception; the account stays WITH_INSURER in Exception until the file is corrected or an override is recorded (FR-RN-051).

Business rules

Rule	Statement	Kind	Maintained in
R1	Responses are append-only; the latest valid response drives the account.	Fixed	-
R2	Response codes: Renew As Is, Revise, Reject (layout and codes RQ15).	Configurable	LOV RNW_INSURER_RESPONSE; bulk template
R3	A response received after the reply due date is late and blocks STP.	Fixed	-

Validations and messages

Check	Message shown	Code
Reference or policy number do not match	Row <n>: <ref> does not match policy <no.>	To be assigned at build

Screens and fields: Insurer response (manual)

Field	Type	Mand.	Source / LOV	Validation
Response	List	Yes	LOV RNW_INSURER_RESPONSE	-
Insurer reference	Text	No	-	-
Revised premium / sum insured / rate	Amount / Number	Cond.	-	Required for Revise; >= 0
Received on	Date	Yes	-	Not in the future
Remarks	Text	No	-	Up to 200 characters

Notifications

- RNW_INSURER_RESPONDED to the assigned officer; alert RNW_INSURER_OVERDUE past the reply date.

Audit

- Each response with timestamp, response type, source (upload or manual), match outcome and the resulting status.

Acceptance criteria

1. A matched Renew As Is moves the account to RA Ready with unchanged premium and terms.
2. A row whose policy number differs from the candidate's is not applied and the account shows Exception.
3. A Revise with a higher premium returns the account to In Processing and fails FINANCIAL_IMPACT.

4.9 Letters, acceptance and follow-up**FR-RN-080 Generate the Renewal Advice**

BRD trace	BRRN.010 (p.27-28), restating BRD 1.010.1-1.010.7, 2.009.1-2.009.7.1, 3.011.1-3.011.7.1, 4.09.1-4.09.7 (p.76-78, 106-108, 146-148, 177-179), BRD 2.004.9 (p.84)	Actor	Marketing TL / AO; Processing TL / Officer (RNW_RA_GENERATE)
Priority	Must have	Fit	NEW
Screens	Letters (tabs RA Ready, RA Generated, RA Sent; Generate, Preview, Download ZIP)	API	POST /api/v1/renewal/letters/ra (job RNW_LETTER_BATCH); GET /api/v1/renewal/letters/{no}.pdf

Description

Authorised users select RA Ready accounts (single, multiple, all except, all) and generate the RA as **First Notice** or **Second Notice** from the latest approved template. The RA contains the policy details, the renewal terms, the premium and the BDOI contacts. Generation runs as a job with progress.

Generation locks the account on the Marketing side, so disposition and editing are disabled (2.004.9). Only an RA cancellation by a user with RNW_OVERRIDE unlocks it.

The user views, previews and closes each RA, and downloads it as PDF, one by one or as a batch (ZIP). Every RA is stored as document type RENEWAL_ADVICE linked to the renewal account, the client and the candidate (decision D3).

Preconditions

- The accounts are RA_READY with no failing blocking check; the user has RNW_RA_GENERATE.

Main flow

- The user opens Letters, tab RA Ready, and selects accounts.
- The user clicks **Generate RA** and chooses First or Second Notice.
- BIBS generates the RAs (RA-yyyy numbers), stores them and locks the accounts.
- The user previews or downloads them.

Alternate and exception flows

- Less than 30 days to expiry. BIBS warns that the RA is generated late; the user confirms to continue, and the confirmation is recorded.
- Second notice. Offered when a first notice was sent at least the second-notice days earlier without acceptance.

Business rules

Rule	Statement	Kind	Maintained in
R1	Templates RNW_RA_FIRST and RNW_RA_SECOND, latest approved version; drafts until BDOI provides the layouts (RQ26).	Configurable	Document templates
R2	Warning when the RA is generated less than 30 days before expiry.	Configurable	Parameter RNW_RA_MIN_NOTICE_DAYS
R3	Second notice after 15 days without acceptance (default).	Configurable	Parameter RNW_RA_SECOND_NOTICE_DAYS
R4	Only authorised roles generate RAs.	Fixed	-

Validations and messages

Check	Message shown	Code
User without the permission	You are not permitted to perform this action	ACCESS_DENIED
Account locked or already with an RA of that notice	Renewal <ref> already has a <notice> Renewal Advice	To be assigned at build
Blocking check open	Renewal <ref> cannot get a Renewal Advice: <check> failed	To be assigned at build
Late RA not confirmed	The Renewal Advice is less than <n> days before expiry; confirm to continue	-

Screens and fields: Generate RA

Field	Type	Mand.	Source / LOV	Validation
Notice	Option	Yes	First Notice, Second Notice	-
Confirm late notice	Check box	Cond.	-	Required when less than 30 days to expiry

Notifications

- None until sending.

Audit

- Generation with user, time, accounts, template code and version; failures logged (BRRN.010 AC).

Acceptance criteria

1. A Marketing AO generates First Notice RAs for 50 accounts; each has an RA number and a PDF on the Letters tab.
2. After generation the AO cannot change the disposition of those accounts.
3. An RA generated 20 days before expiry requires the user's confirmation.
4. A user without RNW_RA_GENERATE cannot generate an RA.

FR-RN-081 Send Renewal Advices in batch, encrypted and password-protected

BRD trace	BRRN.010 (p.27-28), restating BRD 1.010.6, 1.010.7, 2.009.6, 2.009.7, 2.009.7.1, 3.011.6, 3.011.7, 3.011.7.1, 4.09.6, 4.09.7 (p.77-78, 107-108, 147-148, 178-179)	Actor	Marketing TL / AO; Processing TL / Officer (RNW_RA_SEND)
Priority	Must have	Fit	NEW
Screens	Letters (tab RA Generated; Send in Batch, Extract Details)	API	POST /api/v1/renewal/letters/send (job RNW_LETTER_BATCH)

Description

The user extracts the details needed for sending (report RNW-RA-DISPATCH) and sends the generated RAs in batch. Each client receives one e-mail with the RA as an encrypted, password-protected PDF, and the password in a separate e-mail. The account status becomes RA Sent / Awaiting Response.

Every action, including failures, is logged with the user, the time and the accounts.

Preconditions

- The RAs are GENERATED; the user has RNW_RA_SEND.

Main flow

1. The user selects RAs and clicks **Send in Batch**.
2. BIBS checks each recipient, queues one protected e-mail per client and the password e-mail.
3. BIBS shows the send status per RA (Queued, Sent, Failed).

Alternate and exception flows

- Recipient refused by the recipient policy. The RA stays GENERATED with the reason.
- Delivery failure. The RA is FAILED; alert RNW_LETTER_FAILED; the user resends it.

Business rules

Rule	Statement	Kind	Maintained in
R1	RAs are sent only protected; protection cannot be switched off.	Fixed	-
R2	Recipient policy (approved domains, TLS) through a port with a permissive default until BDOI defines it (RQ16).	Configurable	RecipientPolicy (RQ16)
R3	Password convention per Q07; until then a generated password per e-mail.	Configurable	Messaging settings (Q07)

Validations and messages

Check	Message shown	Code
Client without e-mail	Client <name> has no registered e-mail address	To be assigned at build
Recipient refused	<address> is not an approved recipient domain	To be assigned at build

Notifications

- Protected RA and separate password e-mail to the client.

Audit

- Each send with recipient, time, subject, attachment hash and status; failures.

Acceptance criteria

- Sending 50 RAs produces 50 protected e-mails and 50 password e-mails, and the accounts show RA Sent / Awaiting Response.
- A failed send is listed with the error and can be resent.

FR-RN-082 Generate and send the No Advice Letter

BRD trace	BRRN.001 (p.22)	Actor	Marketing / Processing user (RNW_RA_GENERATE, RNW_RA_SEND)
Priority	Must have	Fit	NEW
Screens	Letters (NAL tab)	API	POST /api/v1/renewal/letters/nal

Description

For expiring policies that need neither an RA nor an NFR, the user selects one or several eligible accounts and generates the No Advice Letter (NAL) from its template. BIBS sends it to the client's registered e-mail, stores it, updates the account status to NAL Sent and shows a confirmation.

Preconditions

- The accounts are eligible - no RA or NFR on the candidate and a disposition or reason marked NAL-eligible.

Main flow

- The user opens the NAL tab, which lists eligible accounts.
- The user selects accounts and clicks **Generate and Send NAL**.
- BIBS generates, stores and sends the letters and confirms.

Business rules

Rule	Statement	Kind	Maintained in
R1	Eligibility from the reason attribute nal_eligible; definition to confirm (RQ17).	Configurable	LOV RNW_NONRENEWAL_REASON attribute
R2	No NAL for an account that already has an RA or NFR.	Fixed	-

Validations and messages

Check	Message shown	Code
Ineligible account selected	Renewal <ref> already has a <letter> and cannot receive a NAL	To be assigned at build

Notifications

- NAL to the client's registered e-mail.

Audit

- Generation and sending with user, time, account and recipient.

Acceptance criteria

- A NAL is sent to an eligible account and the account shows NAL Sent.
- An account with an RA cannot receive a NAL.

FR-RN-083 NRNS reminders and non-acceptance letters

BRD trace	BRRN.025 (p.6), BRRN.037 (p.13)	Actor	System (job RNW_NRNS_LETTERS, RNW_EXPIRY_SWEEP)
Priority	Must have	Fit	NEW
Screens	Letters (NRNS tab); Expiry List (NRNS chip)	API	Jobs RNW_NRNS_LETTERS, RNW_EXPIRY_SWEEP

Description

BIBS classifies as NRNS (No Renew / No Submit) the accounts that are not yet submitted at the checkpoint (no disposition, or For Renewal without RA acceptance). At the checkpoint (90 days before expiry by default) the daily job generates a reminder letter; policies already submitted or in progress are excluded.

At the non-acceptance point (expiry by default) BIBS sends the non-acceptance letter, closes the candidate as EXPIRED_UNRENEWED and notifies the owners.

Preconditions

- None.

Main flow

- The job runs daily at 06:00 PHT and sets the NRNS flag.
- BIBS generates reminder letters (template RNW_NRNS_REMINDER) once per candidate and checkpoint, and logs recipients.
- The expiry sweep sends the non-acceptance letters (RNW_NON_ACCEPTANCE) and closes the candidates.

Business rules

Rule	Statement	Kind	Maintained in
R1	Reminder checkpoint 90 days before expiry (the BRD also writes '+90 days'; RQ18).	Configurable	Parameter RNW_NRNS_REMINDER_DAYS
R2	Non-acceptance at expiry (0 days) by default.	Configurable	Parameter RNW_NON_ACCEPTANCE_DAYS

Rule	Statement	Kind	Maintained in
R3	One reminder per candidate and checkpoint.	Fixed	-

Notifications

- Reminder and non-acceptance letters to the client; owners notified of closures.

Audit

- Reminder generation and recipients; NRNS classification; closure.

Acceptance criteria

- A candidate without disposition 90 days before expiry gets one reminder letter and the NRNS chip.
- A candidate already disposed For Renewal and accepted gets no reminder.
- At expiry without acceptance the candidate closes EXPIRED_UNRENEWED with a non-acceptance letter.

FR-RN-084 Record client acceptance and proceed to placement and booking

BRD trace	BRRN.040 (p.14-15), BRRN.038 AC3 (p.14)	Actor	Marketing / Processing user (RNW_ACCEPT); System
Priority	Must have	Fit	CHANGE
Screens	Record page (Record Acceptance); bulk upload RNW_ACCEPTANCE	API	POST /api/v1/renewal/candidates/{ref}/acceptance

Description

The user records the client's acceptance of the RA with its method - e-mail (attachment RA_ACCEPTANCE), signed RA (attachment SIGNED_RA) or payment (the payment gate's evidence) - and the evidence. BIBS marks the renewal Accepted.

When there is no unresolved exception and the payment rules are satisfied, BIBS moves the renewal account through the account workflow without resubmission (system fast track), places it (slip generated and sent when automatic placement is on) and, on policy issuance, queues it for booking. The booked invoice carries business type RENEWAL and the candidate closes RENEWED. Standard placement, booking and issuance SLAs apply.

Preconditions

- The candidate is RA_SENT; the user has RNW_ACCEPT.

Main flow

- The user clicks **Record Acceptance**, chooses the method and attaches the evidence.
- BIBS sets ACCEPTED and runs the account completeness checks.
- BIBS moves the account to awaiting payment; the payment gate, placement, issuance and booking follow.
- On InvoiceBooked of the renewal account, the candidate closes RENEWED.

Alternate and exception flows

- Payment as acceptance. A payment on the renewal account records the acceptance with source SYSTEM.

- Account incomplete. The fast track fails with the account's message; the account stays in draft for Processing.
- Bulk acceptance by e-mail list through the upload RNW_ACCEPTANCE.

Business rules

Rule	Statement	Kind	Maintained in
R1	No duplicate proposal, resubmission or new initiation: the renewal account is the one created at processing.	Fixed	-
R2	Automatic placement on (default).	Configurable	Parameter RNW_AUTO_PLACEMENT
R3	Evidence is mandatory when FINANCIAL_IMPACT failed (BRRN.038).	Fixed	-
R4	Payment rules are the BRD-1 payment gate (RQ19).	Fixed	-

Validations and messages

Check	Message shown	Code
Method not selected	Select the acceptance method	-
Evidence missing	Attach the acceptance evidence	-
Blocking check open	Renewal <ref> cannot be accepted: <check> failed	To be assigned at build
Renewal account incomplete	Complete the mandatory fields of <product>: <fields>	ACCOUNT_INCOMPLETE

Screens and fields: Record Acceptance

Field	Type	Mand.	Source / LOV	Validation
Method	Option	Yes	E-mail, Signed RA, Payment	-
Evidence	Attachment	Cond.	Document types RA_ACCEPTANCE, SIGNED_RA	Required for e-mail and signed RA
Accepted on	Date	Yes	-	Not in the future

Notifications

- RNW_ACCEPTED to the assigned users; RNW_RENEWED when booked.

Audit

- Acceptance with method, evidence, user or SYSTEM and time; payment-rule outcome; every status change and its trigger.

Acceptance criteria

1. After the acceptance is recorded and the payment gate passes, the renewal account is placed and booked without re-keying.
2. The booked invoice shows business type RENEWAL and the candidate is RENEWED.
3. Acceptance of a renewal with a failed financial-impact check needs evidence.

FR-RN-085 Contact Center follow-up

BRD trace	BRRN.026 (p.6-7)	Actor	Contact Center user
Priority	Must have	Fit	CHANGE
Screens	Follow-ups (list); record page (Remarks & Follow-ups, Documents)	API	POST /api/v1/renewal/candidates/{ref}/followups; attachments

Description

Contact Center users view the renewal lists in a read-only projection and record follow-ups on an account - channel, outcome, remarks and next action date - to show the renewal status. They upload documents received from the client. Every change is logged with user and time; access is role-restricted.

Preconditions

- The user has RNW_FOLLOWUP.

Main flow

- The user opens Follow-ups and selects an account.
- The user records the follow-up and, if any, uploads the client's documents.

Business rules

Rule	Statement	Kind	Maintained in
R1	Follow-up outcomes in LOV RNW_FOLLOWUP_OUTCOME (codes RQ21).	Configurable	LOV RNW_FOLLOWUP_OUTCOME
R2	Contact Center cannot dispose, send letters or see premium columns.	Fixed	-

Validations and messages

Check	Message shown	Code
Outcome not selected	Select the outcome	-
File type not allowed	The file type is not allowed	-

Screens and fields: Follow-up

Field	Type	Mand.	Source / LOV	Validation
Channel	List	Yes	Call, E-mail, SMS	-
Outcome	List	Yes	LOV RNW_FOLLOWUP_OUTCOME	-
Remarks	Text	Yes	-	Up to 200 characters
Next action date	Date	No	-	Today or later
Client document	Attachment	No	Document types	Platform file rules

Notifications

- The assigned AO sees new follow-ups on the record.

Audit

- Each follow-up and upload with user and time.

Acceptance criteria

1. A Contact Center user records a call outcome and uploads a signed RA; the AO sees both on the record.
2. A Contact Center user cannot see the premium columns.

4.10 Submitted policies hand-off

FR-RN-090 Renew submitted policies handed over by Submitted Policies

BRD trace	Cross-BRD decision D2 (R6); BRD-12 BRIDSP-22, 23, 25, 26 (BRD-12 p.11), BRRN.021 (p.4), BRRN.010 (p.27-28)	Actor	System (RenewalHandOff); Marketing AO (Non-CBG Retail)
Priority	Must have	Fit	NEW
Screens	Record page (source Submitted Policy); Letters	API	Port RenewalHandOff (implemented by Renewal)

Description

Renewal owns the renewal of submitted policies from the hand-off on (decision D2). When the Submitted Policies expiry scan or the "Renew with BDOI" action hands a masterlist record over, Renewal creates a candidate with source SUBMITTED_POLICY and the SBM number, initiates it at once (the scan is the explicit initiation), runs the checks and the matrix, creates the renewal account (business type RENEWAL, renewal-of reference = SBM number, the assigned insurer), requests the 30-day hold cover and queues the letters - RA (generic or FFY template), reminder, SFU for mortgaged accounts, NRNS and NAL - in the one renewal letter engine. Print letters go through the Submitted Policies mail-house port.

Renewal answers the port's status query (open, or closed as renewed, not renewed, lost or expired unrenewed, with the reason) so the masterlist can close records whose renewal never books.

A Non-CBG Retail hand-off starts at UNASSIGNED for a manual disposition.

Preconditions

- The hand-off carries the SBM number, the policy and risk data, the RA template and the assigned insurer.

Main flow

1. Submitted Policies calls the port.
2. Renewal creates or finds the candidate (idempotent on the SBM number) and initiates it.
3. Renewal creates the renewal account, requests the hold cover and queues the letters.

Alternate and exception flows

- Hand-offs recorded as PENDING before this adapter is deployed are replayed once, idempotent on the SBM number.

Business rules

Rule	Statement	Kind	Maintained in
R1	One candidate per SBM number; one RA per client.	Fixed	-
R2	RA timing of submitted policies: 90 days before expiry (BRD-12 p.5).	Configurable	Hand-off parameters (V1017)

Rule	Statement	Kind	Maintained in
R3	Submitted policies are never found by RNW_EXTRACTION, so there is no double extraction.	Fixed	-

Validations and messages

Check	Message shown	Code
Hold cover already open	Account <arn> already has a hold cover requested or confirmed	HOLD_COVER_OPEN

Notifications

- As the letters and hold cover of this document.

Audit

- Hand-off receipt, candidate, account, hold cover and letters with the SBM number.

Acceptance criteria

- A submitted CBG Motor policy handed over creates one candidate, one renewal account with a hold cover request and one RA.
- A second hand-off of the same SBM number creates nothing new.
- When the renewal account is booked, the masterlist record shows BOOKED.

4.11 Monitoring and reports

FR-RN-100 Renewal home and officer dashboards

BRD trace	BRD 1.009.7 (p.75-76), BRD 3.010.7 (p.145)	Actor	Marketing TL; Processing TL; all Renewal users
Priority	Must have	Fit	NEW
Screens	Renewal Home	API	GET /api/v1/renewal/home

Description

The Renewal Home shows tiles by stage and bucket, accounts expiring in 30, 60, 90 and 140 days, renewals at risk, exceptions, insurer batches overdue and letters failed. The Marketing TL sees the accounts assigned per AO and the Processing TL per Processing Officer (open, overdue against expiry, returned), with the ageing to expiry. Each tile opens its filtered list, which can be exported.

Preconditions

- The user has RNW_VIEW.

Main flow

- The user opens Renewal Home.
- The user clicks a tile or an officer row; the filtered list opens.

Business rules

Rule	Statement	Kind	Maintained in
R1	Counts follow the user's data scope.	Fixed	-

Notifications

- None.

Audit

- Exports are logged.

Acceptance criteria

1. A Marketing TL sees, for each AO of his unit, the number of assigned open accounts.
2. Clicking "Expiring in 30 days" opens the list filtered to 30 days.

FR-RN-101 Renewal status report with summary

BRD trace	BRRN.019 (p.32-33), restating BRD 1.009.3.1.6, 2.008.3.1.6, 3.010.3.1.6, 4.008.3.1.6, BRD 1.009.1-1.009.6, 2.008.1-2.008.6, 3.010.1-3.010.6, 4.008.1-4.008.6 with their sub-IDs (p.58-75, 89-106, 128-145, 159-177)	Actor	All report users (RNW_REPORT_VIEW)
Priority	Must have	Fit	NEW
Screens	Renewal Reports (RNW-STATUS)	API	Report RNW-STATUS; GET /api/v1/reports/RNW-STATUS/export?format=

Description

The user selects and changes the expiry date range and the twenty criteria of section 6.1, each with single, multiple, all except and all selection and search in the drop-down. The report shows the overall renewal status per invoice, all rows in one scrollable view, with 37 columns for Marketing and 40 for Processing (section 6.3), and a summary of 34 counters (section 6.5).

The report exports to .xlsx and .pdf, is saved, printed with preview and settings, and can be saved as a variant. Data is limited to the user's scope; the report is generated within 20 seconds.

Preconditions

- The user has RNW_REPORT_VIEW.

Main flow

1. The user opens RNW-STATUS and sets the range and criteria.
2. BIBS runs the report and shows rows and summary.
3. The user exports, prints or saves the variant.

Business rules

Rule	Statement	Kind	Maintained in
R1	Column set by persona variant: MARKETING (37) or PROCESSING (40).	Fixed	-
R2	Counters are documented predicates on stage, disposition, reason and mortgage flag (section 6.5); four counters have no source in the BRD and show 0 with 'pending definition' until RQ10 is answered.	Configurable	Report definition (RQ10)
R3	Presets current, prior and next month.	Fixed	-

Validations and messages

Check	Message shown	Code
Range missing or end before start	The end date must be on or after the start date	-

Notifications

- None.

Audit

- Each run and export with user, parameters and time.

Acceptance criteria

1. RNW-STATUS for March with Risk Code "all except" MC01 lists the March invoices except MC01 and shows the 34 counters.
2. The Excel and PDF exports have the same rows as the screen.
3. The Processing variant shows the renewal processor, the assigned AO and the sum insured per cover.

FR-RN-102 Centralised renewal listings with escalation

BRD trace	BRRN.036 (p.12-13)	Actor	User (Marketing TL, Unit Head); System (escalation)
Priority	Must have	Fit	NEW
Screens	Renewal Reports (RNW-LISTING); Renewal Home (At risk tile)	API	Report RNW-LISTING; alert RNW_RENEWAL_AT_RISK

Description

Users generate renewal listings by unit and segment (for example UH, IBG, Leasing), by expiry window (current month, prior month, future or chosen months) and by status (Renewed, Unrenewed, Expired). The listings are live, viewed on screen and extracted, with the ageing to expiry.

For IBG and Leasing the listing supports escalation. Accounts not disposed or not accepted within the escalation days before expiry raise the alert RNW_RENEWAL_AT_RISK to the unit head and appear flagged as at risk.

Preconditions

- The user has RNW_REPORT_VIEW.

Main flow

1. The user chooses unit, segment, window and status, and runs the listing.
2. The daily alert check raises RNW_RENEWAL_AT_RISK for accounts inside the escalation days.

Business rules

Rule	Statement	Kind	Maintained in
R1	Escalation days IBG 60, Leasing 60, others 30 (default).	Configurable	Parameter RNW_ESCALATION_DAYS (RQ11)
R2	Status groups: Renewed = closed RENEWED; Unrenewed = open; Expired = past expiry and not renewed.	Fixed	-

Notifications

- RNW_RENEWAL_AT_RISK to the unit head of the account.

Audit

- Runs, exports and alerts.

Acceptance criteria

1. A listing of IBG for the next month shows each account with its status and days to expiry.
2. An IBG account not disposed 59 days before expiry raises the at-risk alert once.

FR-RN-103 Operational renewal reports

BRD trace	BRRN.020 (p.4), BRRN.023 (p.4-6), BRRN.029 (p.8), BRRN.031 (p.9-10), BRRN.034 (p.11), BRD 3.009.2-3.009.4.2, 4.007.2-4.007.4.2 (p.126-127, 158), BRRN.001, 010, 025, 037 (p.6, 13, 22, 27-28)	Actor	Report users (RNW_REPORT_VIEW)
Priority	Must have	Fit	NEW
Screens	Renewal Reports	API	Reports RNW-SANITATION, RNW-DECISIONS, RNW-LAMD-MATCH, RNW-INSURER-EXTRACT, RNW-RA-DISPATCH, RNW-WORKLOAD

Description

Beside the status report and listings, the Renewal report category holds the check results and bucket changes (RNW-SANITATION), the dispositions with matrix rule and version and the overrides with rationale (RNW-DECISIONS), the LAMD match and routing (RNW-LAMD-MATCH), the 28-column extract per insurer (RNW-INSURER-EXTRACT), the letter log with delivery status (RNW-RA-DISPATCH) and the accounts per AO and PO by stage (RNW-WORKLOAD). Section 6.1 lists them.

Preconditions

- The user has RNW_REPORT_VIEW.

Main flow

1. The user selects a report, sets the parameters, runs and exports it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every report exports to PDF, XLSX, ODS and CSV, supports saved variants and applies the user's scope.	Fixed	-

Notifications

- None.

Audit

- Each run and export.

Acceptance criteria

1. RNW-DECISIONS lists each system disposition with the matrix version and rule, and each override with user and remarks.
2. RNW-RA-DISPATCH lists every RA of a range with recipient and send status.

4.12 Administration

FR-RN-110 Maintain the renewal lists of values

BRD trace	BRD 5.003.1, 5.003.2, 5.003.3, 5.003.4, 5.003.5 (p.179-180), BRD 6.002.2.23 (p.185)	Actor	Business Administrator (LOV_MANAGE)
Priority	Must have	Fit	CONFIGURE
Screens	Lists of Values (Broking Setup)	API	/api/v1/lov

Description

The Business Administrator views, adds, edits and ends the values of the renewal lists (section 9.2) with an effective date; a change takes effect on its date. "Delete" end-dates a value, since records that used it must stay readable. Each change is authorised by a checker.

Preconditions

- The user has LOV_MANAGE.

Main flow

1. The user opens the list, adds or edits a value with its effective dates, and saves.
2. A checker authorises the change; it takes effect on the effective date.

Business rules

Rule	Statement	Kind	Maintained in
R1	Values are end-dated, never physically deleted.	Fixed	-
R2	Disposition codes are fixed; only their labels change.	Fixed	-

Validations and messages

Check	Message shown	Code
Effective to before effective from	The effective-to date is before the effective-from date	LOV_EFFECTIVITY_INVALID
List maintained by the system	The list <type> is maintained by the system	LOV_NOT_MAINTAINABLE

Screens and fields: List value

Field	Type	Mand.	Source / LOV	Validation
Code	Text	Yes	-	Unique in the list
Label	Text	Yes	-	Up to 120 characters
Effective from / to	Date	Yes (from)	-	To on or after from
Attributes	Per list	No	for example nal_eligible, requires_invoice_no	-

Notifications

- Checkers in My Approvals.

Audit

- Changes with maker, checker, before and after values.

Acceptance criteria

1. A new non-renewal reason effective next month is selectable from that date only.
2. An end-dated reason stays visible on the accounts that used it.

FR-RN-111 Update the Renewal Advice and letter templates

BRD trace	BRD 5.005.1 (p.180), BRD 6.002.2.25 (p.185)	Actor	Business Administrator (RNW_TEMPLATE_MAINTAIN)
Priority	Must have	Fit	CONFIGURE
Screens	Document Templates	API	/api/v1/docgen/templates

Description

The Business Administrator updates the RA template and the other renewal templates (section 6.6). A new template version is used for every document generated after its activation; documents already generated keep their version.

Preconditions

- The user has RNW_TEMPLATE_MAINTAIN.

Main flow

1. The user opens the template, edits it and saves a new version.
2. The user activates the version; later RAs use it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every generated letter records the template code and version.	Fixed	-

Validations and messages

Check	Message shown	Code
Unknown placeholder	The template uses an unknown field <name>	To be assigned at build

Notifications

- None.

Audit

- Template versions with user and time.

Acceptance criteria

1. An RA generated after the new version is activated shows the new layout and version.

FR-RN-112 Maintain renewal rules and parameters

BRD trace	BRRN.023 (p.4-6), BRRN.030 (p.8-9), BRRN.034 (p.11), BRRN.009 (p.26-27)	Actor	Business Administrator (RNW_SETUP); checker (MASTER_AUTHORIZE)
Priority	Must have	Fit	NEW
Screens	Renewal Setup (Check Settings, Bucket Rules, Decision Matrix, Non-renewable Risk Codes, Parameters)	API	/api/v1/renewal/setup/**

Description

The Renewal Setup screen holds the business rules that govern the renewal without IT - the severity and parameters of each check, the bucket rule sets, the decision matrix, the non-renewable risk codes and the renewal parameters (lead days, thresholds, notice days). Rule sets and matrices are versioned drafts until a checker activates them; parameters are changed through the platform parameter screen.

Preconditions

- The user has RNW_SETUP.

Main flow

1. The user drafts a new version of a rule set or matrix and submits it.
2. A checker compares it with the active version and activates it with an effective date.

Business rules

Rule	Statement	Kind	Maintained in
R1	Lead days must be configurable, never hard-coded (BRRN.030 AC2).	Fixed	-
R2	A bucket rule can never map a failed check to Clean (database and service guard).	Fixed	-

Validations and messages

Check	Message shown	Code
Rule maps a failure to Clean	A failed check cannot give the Clean bucket	To be assigned at build
Activation by the maker	A version is activated by someone other than its maker	To be assigned at build

Notifications

- Checkers when a version is submitted.

Audit

- Versions with maker, checker, dates and differences.

Acceptance criteria

1. Changing the lead days from 140 to 120 applies from the next extraction run.
2. A bucket rule that maps a failed check to Clean cannot be saved.

5 Workflow and status model

5.1 Stages

Figure 2 and Figure 3 show the workflow RNW_CASE, one work case per candidate. Solid arrows are the main path, dashed arrows are returns, system routes and optional paths, and dotted arrows close a case. The system routes from EVALUATING to FOR_PROCESSING (CBG straight-through) and to LETTER_PENDING (system Not for Renewal) are in Table 11. The SLA of a renewal is measured against the **expiry date**, not the age of the stage.




Figure 2: Workflow RNW_CASE part 1: extraction to posting




Figure 3: Workflow RNW_CASE part 2: processing to closure

Table 10: Stages of RNW_CASE

Stage	Owner (permission)	Business actions	Screen label
EXTRACTED	Marketing / Processing TL (RNW_EXTRACT)	Initiate	Extracted
EVALUATING	System	Checks, bucket, matrix; route	Evaluating
UNASSIGNED	Marketing TL (RNW_ASSIGN)	Assign, transfer	Unassigned Disposition
TRANSFER_PENDING	Receiving TL (RNW_ASSIGN)	Accept, decline	Transfer pending
FOR_DISPOSITION	Marketing AO (RNW_DISPOSE)	Dispose, remarks, push, transfer request, re-assign	For disposition / Returned
FOR_TL_REVIEW	Marketing TL (RNW_REVIEW)	Return, post, override	Review in progress
NB_PATH	Marketing (RNW_DISPOSE)	Start quotation or PRF; follow it	For Proposal / New Business Path

Stage	Owner (permission)	Business actions	Screen label
FOR_PROCESSING	Processing TL (RNW_PROCESS_ASSIGN)	Assign PO, upload, return	For processing
IN_PROCESSING	Processing Officer (RNW_PROCESS)	Update data, computations, return, send to insurer	In processing
WITH_INSURER	Processing (RNW_INSURER)	Upload response, override mismatch	With insurer
RA_READY	Marketing / Processing (RNW_RA_GENERATE)	Generate RA	RA ready
RA_GENERATED	Marketing / Processing (RNW_RA_SEND)	Send, cancel RA (override)	RA generated
RA_SENT	Marketing / Processing (RNW_ACCEPT)	Record acceptance, second notice	RA Sent / Awaiting Response
ACCEPTED	System	Fast track of the renewal account	Accepted
FOR_PLACEMENT_BOOKING	NB placement and booking users	BRD-1 payment gate, placement, issuance, booking	For Placement and Booking
LETTER_PENDING	Marketing / Processing (RNW_RA_GENERATE)	Send NFR or NAL; re-open	Letter pending
RENEWED	-	terminal	Renewed
CLOSED	-	terminal; closed as NOT_RENEWED, LOST, EXPIRED_UNRENEWED or BOOKED_OTHER_INVOICE	Closed

5.2 Transitions

Table 11: *Transitions of RNW_CASE*

From	Action	To	Permission	Condition / reason
EXTRACTED	initiate	EVALUATING	RNW_EXTRACT	Bulk only for the bulk segments
EVALUATING	route (system)	UNASSIGNED	-	Non-CBG, MANUAL or not Clean
EVALUATING	route (system)	FOR_TL_REVIEW or FOR_PROCESSING	-	Clean and AUTO; CBG STP
EVALUATING	route (system)	LETTER_PENDING	-	System Not for Renewal
UNASSIGNED	assign	FOR_DISPOSITION	RNW_ASSIGN	-
UNASSIGNED, FOR_DISPOSITION	transfer_request	TRANSFER_PENDING	RNW_ASSIGN	Remarks
TRANSFER_PENDING	accept / decline	UNASSIGNED (receiving unit) / previous stage	RNW_ASSIGN	Decline remarks
FOR_DISPOSITION	dispose + push	FOR_TL_REVIEW	RNW_DISPOSE	History viewed
FOR_TL_REVIEW	return	FOR_DISPOSITION	RNW_REVIEW	RNW_RETURN_REASON
FOR_TL_REVIEW	post	FOR_PROCESSING, NB_PATH, LETTER_PENDING or CLOSED	RNW_REVIEW	By disposition; no blocking check
FOR_PROCESSING	assign_po	IN_PROCESSING	RNW_PROCESS_ASSIGN	-
FOR_PROCESSING, IN_PROCESSING	return	FOR_DISPOSITION or FOR_TL_REVIEW	RNW_PROCESS	RNW_RETURN_REASON
IN_PROCESSING	send_to_insurer	WITH_INSURER	RNW_INSURER	Batch sent

From	Action	To	Permission	Condition / reason
WITH_INSURER	insurer_response	RA_READY / IN_PROCESSING / LETTER_PENDING or FOR_DISPOSITION	RNW_INSURER or system	Renew As Is matched / Revise / Reject
RA_READY	generate_ra	RA_GENERATED	RNW_RA_GENERATE	No blocking check
RA_GENERATED	send	RA_SENT	RNW_RA_SEND	-
RA_SENT	accept	ACCEPTED	RNW_ACCEPT or system (payment)	Evidence
ACCEPTED	fast track (system)	FOR_PLACEMENT_BOO KING	-	Account checks pass
FOR_PLACEMENT_BO OKING	booked (system)	RENEWED	-	InvoiceBooked of the renewal ARN
NB_PATH	booked / declined (system)	RENEWED / CLOSED (LOST)	-	Quotation or PRF outcome
LETTER_PENDING	send NFR / NAL	CLOSED (NOT_RENEWED)	RNW_RA_SEND	-
CLOSED (NOT_RENEWED)	reopen	FOR_DISPOSITION	RNW_DISPOSE	Until expiry + RNW_REOPEN_DAYS
RA_SENT, FOR_DISPOSITION, UNASSIGNED	expiry sweep (system)	CLOSED (EXPIRED_UNRENEWED)	-	Expiry + RNW_NON_ACCEPTA NCE_DAYS
any open stage	override	target of the override	RNW_OVERRIDE	Mandatory remarks

5.3 Checks, buckets and decision matrix

Figure 4 shows how a trigger runs the checks, how the bucket rule set turns the results into a bucket, and how the decision matrix decides between an automatic and a manual disposition.




Figure 4: Checks, buckets and decision matrix (BRRN.020, 023, 031, 034)

Table 12: Checks and default severities (list to confirm, RQ01)

Check	BRD	Source	Default severity
REFERENCE_MATCH	BRRN.022	Candidate against expiring invoice, ARN and policy	FAIL_EXCEPTION
PN_PRESENT	BRRN.029, 031, 039	PN on the account or invoice (mortgaged and CBG lines)	FAIL_EXCEPTION
RISK_CODE_RENEWABLE	BRRN.009	Non-renewable risk codes	System Not for Renewal
LAMD_STATUS	BRRN.029, 039	LAMD lines matched by PN	System Not for Renewal / RMU routing
CLAIMS	BRRN.031, 034	Claims module summary (INFO while not connected)	FAIL_REVIEW when claims are open
ENDORSEMENT_PENDING	BRRN.032	Open endorsement requests on the invoice family	FAIL_REVIEW
OUTSTANDING_PREMIUM	BRD 1.011; BRRN.031	Invoice family balance above the threshold	FAIL_REVIEW (TL override)
FINANCIAL_IMPACT	BRRN.038	Renewal account or insurer revision against the expiring invoice	FAIL_REVIEW; NB path by the matrix

Check	BRD	Source	Default severity
INSURER_RESPONSE_MATCH	BRRN.035	Latest valid response matched, not late or conflicting	FAIL_EXCEPTION
MANDATORY_FIELDS	BRD 2.004.5, 3.007.3	Disposition requirements and product field rules	FAIL_REVIEW
PRODUCT_RENEWABLE	PQ11	Package version sellable for renewal	FAIL_REVIEW (RQ30)
INSURER_USABLE	-	Insurer active and usable	FAIL_EXCEPTION
DUPLICATE_CANDIDATE	BRRN.005	Another open candidate or live renewal on the same risk	FAIL_EXCEPTION
KYC_DUE	BRRN.028	Client KYC review within the due window	INFO only, never blocks

5.4 Insurer batch and letter states




Figure 5: Insurer batch and letter states

Table 13: Letter types and numbers

Letter	Number	When
Renewal Advice (first, second notice)	RA-yyyy	RA_READY; second notice after RNW_RA_SECOND_NOTICE_DAYS without acceptance
No Advice Letter	NAL-yyyy	Eligible accounts that need neither RA nor NFR
Not for Renewal Letter	NFR-yyyy	System or user Not for Renewal (LETTER_PENDING)
NRNS reminder	RNL-yyyy	RNW_NRNS_REMINDER_DAYS before expiry, not yet submitted
Non-acceptance letter	NAC-yyyy	RNW_NON_ACCEPTANCE_DAYS after expiry without acceptance
SFU letter	-	Submitted mortgaged accounts (FR-RN-090)

5.5 SLA and escalation

- A renewal's urgency is its days to expiry. The at-risk alert RNW_RENEWAL_AT_RISK uses RNW_ESCALATION_DAYS per segment (FR-RN-102); alert RNW_EXCEPTION_AGEING flags exceptions that stay open.
- Insurer batches past their reply date raise RNW_INSURER_OVERDUE; failed letters raise RNW_LETTER_FAILED; failed extraction runs raise RNW_EXTRACTION_FAILED.
- After acceptance, the standard BRD-1 placement, booking and issuance SLAs apply (BRRN.040 AC5).
- The BRD gives no stage SLA in hours; none is configured until BDOI states one.

6 Reports and documents

6.1 Reports

Table 14: *Renewal reports (category Renewal)*

Code	Name	Purpose	BRD
RNW-EXPIRY-LIST	Expiring list	The grid as displayed, with its filters (section 6.2 columns)	BRRN.004, 007, 008
RNW-STATUS	Renewal status report	Per invoice, 37 or 40 columns, 34-line summary; variants MARKETING and PROCESSING	BRD 1.009, 2.008, 3.010, 4.008; BRRN.019
RNW-LISTING	Renewal listing	Unit, segment, window and status; ageing to expiry; escalation flag	BRRN.036
RNW-INSURER-EXTRACT	Extract per insurer	28 columns per insurer (section 6.4)	BRD 3.009, 4.007
RNW-RA-DISPATCH	Letter dispatch	Details for RA sending; RA, NAL, NFR and NRNS letters with recipient and status	BRD 1.010.6; BRRN.001, 010, 025, 037
RNW-SANITATION	Sanitation	Check results, bucket and changes	BRRN.020, 023
RNW-DECISIONS	Decision log	Dispositions, matrix rule and version, overrides with rationale	BRRN.031, 034; BRD 1.011
RNW-LAMD-MATCH	LAMD match	LAMD lines matched and unmatched, with the routing	BRRN.029
RNW-WORKLOAD	Workload	Accounts per AO and PO by stage	BRD 1.009.7, 3.010.7

Every report needs RNW_REPORT_VIEW, applies the user's scope, exports to PDF, XLSX, ODS and CSV, has print preview and saved variants, and answers within 20 seconds at 30,000 rows.

Report criteria (BRD 1.009.2.1-40, the same in 2.008.2, 3.010.2 and 4.008.2). Each criterion supports single, multiple, all except and all, and a search in the drop-down: Unit Head, Risk Code, Insurance Company, Insurance Group, Business Origin, Market Category, BDO Branch, BDO Area, Region, Bank Officer, Bank Unit, Product Code, Account Type, BDOI Branch, Location, Account Broker, Business Type, Customer Segment, Specific Client, Renewal Status.

6.2 Expiring list columns

Table 15: *Expiring list columns (BRD 1.003.4.1.1.1-24, p.47-50; 3.003.4.1.1-21, p.111-114)*

#	Column	Marketing	Processing	Content in BIBS
1	Expiring EBIX Invoice No.	OUT	OUT	Replaced by the BIBS expiring invoice number (p.34)
2	Renewal Reference No.	Y	Y	RNW-yyyy-nnnnnn
3	BDOIsys Reference No.	OUT	OUT	Replaced by the renewal reference and ARN (p.34)
4-5	Cover No.; Version No.	Y	Y	From the expiring invoice
6-9	Invoicing Branch; Department Code; Department Name; Unit Head	Y	Y	Sales organisation of the account

#	Column	Marketing	Processing	Content in BIBS
10-13	Client Name; Assured's Name; Business Origin; Account Officer	Y	Y	Account and client master
14-18	Expiring Policy No.; Insurance Company; Risk Code; Risk Name; Risk Description	Y	Y	Account, insurer and catalogue
19-21	Renewal Stage / Status; Renewal Disposition; Disposition Remarks	Y	Y	Candidate
22-23	Number of Claims; Status of Each Claim	Y	-	Claims module (decision D4)
24	Amount of Outstanding Premium	Y	-	Operations ledger, invoice family
+	Classification; flags (Returned, Transferred, Endorsed, Claims, Outstanding, KYC due, NRNS)	Y	Y	Workshop addendum

6.3 Renewal status report columns

Columns 1-37 are in every variant; 38-40 only in the Processing variant (BRD 1.009.3.1.1-37, 3.010.3.1.38-40).

Table 16: *RNW-STATUS columns*

#	Column	#	Column	#	Column
1	Unit Head	15	Basic Premium	29	Location
2	Account Broker	16	Gross Premium	30	Mortgaged To BDO
3	Business Origin	17	Premium Rate	31	Mortgagee Bank
4	Bank Officer	18	Commission Rate	32	PN Number
5	Renewal Reference	19	Total Sum Insured	33	Hold Cover (HC)
6	Expiring Invoice No. (BIBS; BRRN.019)	20	Risk Description	34	HC End Date
7	Assured	21	Location of Risk	35	Renewal Status
8	Type of Risk	22	Address	36	Reason for "Not for Renewal"
9	Expiring Invoice Inception Date	23	Contact No(s).	37	Remarks of Acct Officer
10	Expiring Invoice Expiry Date	24	Email Address	38	Name of Renewal Processor
11	Renewal Reference Inception Date	25	Region	39	Name of Assigned Marketing AO
12	Renewal Reference Expiry Date	26	Area	40	Sum Insured per Cover
13	Expiring Invoice Policy Number	27	Branch		
14	Account Type	28	Insurer		

Hold Cover and HC End Date are read from the hold cover of the renewal account. The Expiring Ebix Invoice No. of the BRD is the BIBS expiring invoice number (BRRN.019, p.34).

6.4 Insurer extract columns

Table 17: *RNW-INSURER-EXTRACT columns (BRD 3.009.1.4.1-28, p.122-126)*

#	Column	#	Column	#	Column
1	Insurance Company	11	Is Mortgaged (Yes / No)	21	Branch
2	Invoice No	12	Premium Rate (per cover)	22	Account Officer Name
3	Assured Name	13	Policy No	23	Remarks
4	Risk Code	14	Risk Description	24	BIPD for Motor
5	Inception Date	15	Encoder Name (user who booked)	25	Seating Capacity for Motor

#	Column	#	Column	#	Column
6	Expiry Date	16	Unit Head	26	Auto Personal Accident for Motor
7	Sum Insured	17	Business Origin	27	Sum Insured (per cover)
8	Premium Amount	18	Account Type	28	Packaged / Non-Packaged
9	Commission Rate	19	Region		
10	AR Client (Unpaid Balance)	20	Area		

6.5 Summary counters

The mapping below is the project's proposal; BDOI confirms each counter under RQ10. Counters marked "pending" have no disposition, reason or step in the BRD that produces them and show 0 until defined.

Table 18: *RNW-STATUS summary counters (BRD 1.009.3.2.1-34, p.70-74)*

#	Counter	Predicate in BIBS
1	Booked	Candidate closed RENEWED
2	Cancelled	Renewal account cancelled
3	Renewal - For Placement	Stage FOR_PLACEMENT_BOOKING
4	Renewal - For Proposal	NB_PATH with a PRF
5	Renewal - For ARF	NB_PATH with a quotation (ARF to define: pending)
6	RA Processed	RA_SENT or later
7	Renewal - For RA Processing	RA_READY or RA_GENERATED
8	Renew to TSU	NB path routed to TSU (pending)
9	Returned to Marketing	Returned flag set
10-13	Awaiting Marketing TL Approval (For Renewal, For Quotation, Not For Renewal, Lost Business)	FOR_TL_REVIEW by disposition
14	Disapproved Accounts	TL return with reason DISAPPROVED (pending)
15	Not For Renewal Accounts	Disposition Not for Renewal
16-23	Mortgaged: Lost Business; Unrenewed For Proposal; Transferred to Other Unit; Loan Fully Paid; Awaiting Confirmation; Booked under New Invoice; No Disposition; to Other Bank	Mortgaged = Yes, split by disposition, reason or stage; "Awaiting Confirmation" = RA_SENT; "to Other Bank" pending
24-31	Non-Mortgaged: the same eight counters	Mortgaged = No, same predicates
32	Non-Renewable Accounts	Reason Non-renewable Accounts
33	No Disposition	UNASSIGNED or FOR_DISPOSITION without disposition
34	Total No. of Accounts	All candidates in scope

6.6 Documents

Documents are generated from versioned templates. The layouts are drafts until BDOI provides its own (RQ26).

Table 19: *Renewal documents*

Template	Output	Content
RNW_RA_FIRST, RNW_RA_SECOND	PDF, protected e-mail	Client and policy details; renewal period; renewal terms and premium; payment instructions; BDOI contacts; notice (first or second)
RNW_RA_FFY, RNW_SFUF	PDF, e-mail or print	Submitted-policy variants (FFY RA; SFUF for mortgaged accounts)

Template	Output	Content
RNW_NAL	PDF, e-mail	No Advice Letter
RNW_NFR	PDF, e-mail	Not for Renewal Letter with the reason
RNW_NRNS_REMINDER	PDF, e-mail	Reminder that the renewal has not been submitted
RNW_NON_ACCEPTANCE	PDF, e-mail	Non-acceptance notice after expiry
RNW_INSURER_COVER	E-mail	Cover e-mail of the insurer extract
RNW_ACCOUNT_DETAILS	PDF, XLSX	Account details of the record page (BRD 1.004.1.3)

RAs are stored as document type RENEWAL_ADVICE; the other letters as RENEWAL_LETTER; both are linked to the candidate, the renewal account and the client (decision D3).

7 Interfaces and integration

Figure 6 shows the interfaces of Renewal. Renewal reads the expiring population from the Operations ledger and the account, and hands the renewal back to the BRD-1 modules as an account of business type RENEWAL.




Figure 6: Interfaces of Renewal (dashed = upload or parked)

Table 20: Interfaces

Interface	Direction	Content and trigger	BRD	Status
Operations ledger	In	Booked root invoices, balances, movements; InvoiceBooked, InvoiceMovementPosted events	BRRN.005, 030; BRD 1.011	BUILT
Account (BRD-1)	In / Out	Expiring policy data; renewal account (business type RENEWAL, BT0), fast track, status events	BRRN.033, 040	CHANGE
Quotation, PRF (BRD-1)	Out	NB path with the renewal reference	BRRN.033	CHANGE
Placement, issuance, booking (BRD-1)	Out	Slip, hold cover, booking queue source RENEWAL; InvoiceBooked back	BRRN.040	CHANGE
Product catalogue (BRD-3)	In	Rating purpose RENEWAL; package version of the expiring account	PQ11	BUILT
Adjustment	In	Open endorsement requests of the invoice family	BRRN.032	BUILT
Claims (BRD-7)	In	Claims summary per ARN and policy year (decision D4)	BRRN.027, 031, 034	NEW
Client master	In	KYC review date	BRRN.028	BUILT
Submitted Policies (BRD-12)	In	RenewalHandOff; status query back	Decision D2	NEW
E-mail outbox	Out	Protected RA, letters, insurer extract; send log	BRRN.010; BRD 3.009.5	BUILT
Insurers	In	Response file by upload; no insurer API or SFTP	BRD 3.009.6; BRRN.035	PARKED
LAMD	In	Paid-off and RMU reports by upload	BRRN.029	PARKED
Legacy EBIX / QPS	In	One-time load of expiring legacy policies (NB path only)	RQ27	PARKED

Interface	Direction	Content and trigger	BRD	Status
Directory sign-in	In	BDO EUA / Windows ID (decision D6)	BRD x.001	PARKED

Parked seams. Insurer channels, the LAMD feed, legacy policies, the recipient-domain policy and directory sign-in each have a port or an upload. The default is a manual upload or "not connected"; adding a channel is a new adapter with no change to the workflow.

8 Non-functional requirements

Table 21: Non-functional requirements (BRD p.186-188)

Topic	BRD value	BIBS target and approach	Status
Users	Marketing TL 75 (23 concurrent); AO / Account Broker 319 (50); Processing TL 50 (15) for lists, 9 (3) for assignment and upload; Processing Officer / Broker 73 (22); reports and RA 485 (145)	Within the BRD-1 sizing of 145 concurrent users; Renewal adds load, not users	FIT
Volumes	25,800 transactions a month per process, growth 20% a year	About 26,000 candidates a month; indexes on company, stage, expiry, assignee and bucket; no partitioning for 5 years	CONFIGURE
Response time	10 seconds online; 20 seconds for reports and RA generation	Grid served in chunks; RA generation and batch sending as jobs with progress; reports within 20 seconds at 30,000 rows	CONFIGURE
Peak	Month-end; 08:00-10:00 and 15:00-17:00 daily	Extraction, re-evaluation and letter jobs run at night	FIT
Devices	Same performance on mobile and desktop	Responsive screens	FIT
Availability	Use 07:00-22:00 Monday to Saturday; availability, downtime and maintenance "follow existing QPS set up"	BRD-1 window; QPS is out of scope, so BDOI gives the values (RQ28, XQ08)	OPEN
Recovery	"Follow existing QPS set up"	Platform backup and recovery; one BIBS-wide NFR set is being agreed (XQ08)	OPEN
Retention	"Follow existing QPS set up"	BRD-1 retention framework with record type RENEWAL_CANDIDATE; values to confirm (RQ28)	OPEN
Security	Encrypted, password-protected RA and insurer files; role-based access; approved domains and TLS	Protected e-mails; permissions and data scope; recipient policy port (RQ16)	CHANGE
Audit	Every action logged with user, time and source	Append-only history and audit (FR-RN-004)	FIT

9 Configuration items owned by the Business and System Administrators

The items below are changed in BIBS without a release. Changes are audited.

9.1 Parameters

Table 22: *Renewal parameters (category RENEWAL)*

Parameter	Default	Meaning
RNW_EXTRACTION_LEAD_DAYS	140	Days before expiry at which the job extracts a policy
RNW_EXTRACTION_LEAD_DAYS_BY_SEGMENT	empty	Lead days per segment (segment=days)
RNW_BULK_INITIATION_SEGMENTS	CLG	Segments initiated in bulk
RNW_CBG_STP_LINES	MOTOR, PROPERTY (CBG)	Lines of the CBG straight-through path
RNW_STP_SKIP_TL_REVIEW	true	AUTO dispositions skip the TL review
RNW_OUTSTANDING_THRESHOLD	0.00	Open premium above which the outstanding flag is raised
RNW_FIN_IMPACT_TOLERANCE	0.00	Difference above which a renewal has a financial impact
RNW_RA_MIN_NOTICE_DAYS	30	RA later than this before expiry needs a confirmation
RNW_RA_SECOND_NOTICE_DAYS	15	Days after the first notice before a second notice
RNW_NRNS_REMINDER_DAYS	90	Days before expiry of the NRNS reminder
RNW_NON_ACCEPTANCE_DAYS	0	Days after expiry of the non-acceptance letter and closure
RNW_REOPEN_DAYS	30	Days after expiry during which Not for Renewal can be re-opened
RNW_ESCALATION_DAYS	IBG=60, LEASING=60, *=30	Days to expiry of the at-risk alert per segment
RNW_KYC_SEGMENTS	empty (all)	Segments where the KYC flag applies
RNW_RMU_UNIT	empty	Unit that receives RMU accounts (empty = tag only)
RNW_AUTO_PLACEMENT	true	Slip generated and sent automatically after acceptance
RNW_REFERENCE_PREFIX	RNW-<yyyy>	Prefix of renewal references
RNW_EXCLUDED_LINES	HMO, GLI, GPA	Lines excluded from extraction (Employee Benefits)
Job schedules	01:00, 01:30, 06:00 PHT; sweep 00:15 PHT	RNW_EXTRACTION, RNW_REEVALUATE, RNW_NRNS_LETTERS, RNW_EXPIRY_SWEEP

9.2 Lists of values

Table 23: *Lists of values*

List	Values delivered
RNW_DISPOSITION	For Renewal; Not for Renewal; For Quotation; For Proposal; Lost Business (labels only; codes fixed)
RNW_NONRENEWAL_REASON	RMU; With submitted policy; Loan fully paid; Direct to Insurer; Total Loss Claim; Unit Sold; Canceled Policy; Transfer to Another Marketing Unit; Non-renewable Accounts; Booked to New Invoice (attributes NAL-eligible, requires invoice no.)

List	Values delivered
RNW_RETURN_REASON	Values to be supplied by BDOI; Disapproved is delivered for the summary counter 14 (RQ10)
RNW_TRANSFER_REASON	Values to be supplied by BDOI
RNW_FOLLOWUP_OUTCOME	To be supplied by BDOI (RQ21)
RNW_OVERRIDE_REASON	To be supplied by BDOI
RNW_INSURER_RESPONSE	Renew As Is; Revise; Reject
RNW_LAMD_STATUS	Paid-off; RMU
DOCUMENT_TYPE (Renewal values)	RA_ACCEPTANCE; SIGNED_RA; LAMD_REPORT; INSURER_RENEWAL_FILE; RENEWAL_LETTER; RENEWAL_ADVICE

9.3 Masters and rules maintained by the business

Table 24: *Masters and rules*

Item	Maintained by (authorised by)	FR
Non-renewable risk codes	Business Administrator (MASTER_AUTHORIZE)	FR-RN-024
Check settings (active, severity, parameters)	Business Administrator (MASTER_AUTHORIZE)	FR-RN-020, 112
Bucket rule sets	Business Administrator (MASTER_AUTHORIZE)	FR-RN-022, 112
Decision matrix	Business Administrator (MASTER_AUTHORIZE)	FR-RN-023, 112
Lists of values	Business Administrator (checker)	FR-RN-110
Renewal templates	Business Administrator	FR-RN-111
Upload templates (dispositioned file, insurer response, LAMD, acceptance)	System Administrator	FR-RN-060, 071, 025, 084
Roles and function grants	System Administrator via access request (approver)	FR-RN-003

10 Assumptions, dependencies and open questions

10.1 Assumptions

Table 25: Assumptions

ID	Assumption	Related
A-RN-01	The Workshop addendum (R1) is the latest layer; a BRRN of Addendum 1 governs the main-BRD IDs it restates; the main BRD governs the rest	R1-R3
A-RN-02	The expiring population is the booked root invoices in BIBS; one candidate per root invoice and policy year	BRRN.005, RQ06
A-RN-03	The "unique reference number" is the renewal reference generated by BIBS; the expiring invoice number is the alternate key	BRRN.022, RQ03
A-RN-04	Online disposition (main BRD) and dispositioned-file upload (BRRN.018) are both needed and write the same history	RQ14
A-RN-05	Straight-through processing starts only after explicit initiation and only for Clean candidates whose matrix rule says AUTO	BRRN.021, 031, RQ02
A-RN-06	CBG accounts skip AO assignment and TL review; non-CBG accounts follow the manual path	BRD 1.005, 1.008, RQ08
A-RN-07	The NRNS checkpoint is 90 days before expiry (the BRD also writes "+90 days")	BRRN.025, RQ18
A-RN-08	The renewal is a new BRD-1 account of business type RENEWAL; the expiring invoice is never endorsed to renew it	Decision D1
A-RN-09	The payment rules of BRRN.040 are the BRD-1 payment gate	RQ19
A-RN-10	"Approved domains" for RA e-mails is a recipient policy that BDOI will define; until then any well-formed address is accepted with protection	RQ16
A-RN-11	Renewal volume is 25,800 transactions a month per process, growing 20% a year	NFR p.186

10.2 Dependencies

Table 26: Dependencies

ID	Dependency	Needed for
D-RN-01	The shared account business-type change BT0 (V822) is merged before the Renewal foundation	FR-RN-048, 063, 084 (D1)
D-RN-02	The Claims module exposes the claims summary (wave CL1-B)	FR-RN-013, 020, 042 (D4)
D-RN-03	Submitted Policies declares RenewalHandoff and records hand-offs as pending until Renewal wave R3	FR-RN-090 (D2)
D-RN-04	BDOI provides the check list, bucket rules and decision matrix content	FR-RN-020, 022, 023 (RQ01, RQ24)
D-RN-05	BDOI provides the letter layouts, insurer and LAMD file layouts and the password convention	FR-RN-025, 071, 080-083 (RQ15, RQ20, RQ26, Q07)
D-RN-06	The e-mail relay of the BIBS environment is available for client and insurer e-mails	FR-RN-070, 081
D-RN-07	The Operations ledger carries the business type of booked invoices for ACSL (requested of the Operations owner)	Section 7

10.3 Open questions

Table 27: Open questions on BRD-6 (status from the cross-BRD decisions, R6)

ID	Question	Affects	Status
RQ01	List of sanitation, matching and eligibility checks and, for each, Review or Exception on failure	FR-RN-020, 022	OPEN
RQ02	Segments initiated in bulk and individually; who initiates; is CBG STP initiated automatically	FR-RN-015	OPEN
RQ03	Meaning of the "unique reference number"; key carried by insurer and LAMD files	FR-RN-021	OPEN
RQ04	Lead days per segment or line; daily or monthly extraction; on-demand ranges	FR-RN-010, 011	OPEN
RQ05	One scrollable view without pagination against the UX pager rule (UX-6)	FR-RN-013	OPEN
RQ06	Meaning of "unbooked" accounts in the expiring list	FR-RN-010	OPEN
RQ07	NFR sent automatically on the system tag; NFR after the "not in file" tag; NFR vs NRL	FR-RN-024, 060	OPEN
RQ08	Definition of CBG and non-CBG; does CBG skip assignment and review	FR-RN-025, 030	OPEN
RQ09	Threshold and scope of the outstanding-balance flag; who overrides	FR-RN-051	OPEN
RQ10	Definition of the 34 summary counters, including For ARF, Renew to TSU, Disapproved, to Other Bank	FR-RN-101	OPEN
RQ11	IBG and Leasing escalation thresholds, recipients and "high-risk renewals"	FR-RN-102	OPEN
RQ12	What unlocks an account after RA generation; may Processing still edit	FR-RN-080	OPEN
RQ13	Claims summary sufficiency; total-loss flag (CLQ28); legacy history	FR-RN-042, 043	OPEN
RQ14	Online vs offline disposition; file layout; scope of the "not in file" tag	FR-RN-060	OPEN
RQ15	Insurer response file layout, codes, late cut-off; Reject followed by re-marketing or Not for Renewal	FR-RN-070, 071	OPEN
RQ16	RA recipients and "approved domains"; TLS on the BDO relay	FR-RN-081	OPEN
RQ17	Which accounts are NAL-eligible	FR-RN-082	OPEN
RQ18	Definition of "not yet submitted"; checkpoint; timing and recipients of non-acceptance letters	FR-RN-083	OPEN
RQ19	Approved acceptance inputs; payment rules; renewal e-policy	FR-RN-084	OPEN
RQ20	LAMD organisation, log-in, report layouts and frequency (XQ01: one or two LAMD intakes)	FR-RN-025	OPEN
RQ21	Contact Center lists, statuses and outcome codes (XQ02)	FR-RN-085	OPEN
RQ22	Source of KYC data for bank clients	FR-RN-026	OPEN
RQ23	Paid-off loans: Not for Renewal or non-mortgaged renewal; RMU tag or routing	FR-RN-025	OPEN
RQ24	Initial decision-matrix content; who maintains and approves it	FR-RN-023	OPEN
RQ25	Financial-impact tolerance; NB path or explicit acceptance for revised premiums	FR-RN-048, 064	OPEN
RQ26	Layouts of the RA, NAL, NFR, reminder, non-acceptance and insurer cover letters	FR-RN-080-083, 111	OPEN
RQ27	One-time load of expiring legacy EBIX / QPS policies at go-live	Section 7	OPEN
RQ28	Availability, maintenance, DR, retention and backup values ("follow QPS")	Section 8	OPEN
RQ29	Late Renewal Requests Report (BRNB.018) as a listing variant (XQ09)	FR-RN-102	OPEN
RQ30	Renewal of an account whose package version is expired with no current version	FR-RN-063	OPEN

ID	Question	Affects	Status
SP SQ10	Renewal of submitted policies	FR-RN-090	ANSWERED
OOS-1	Renewal overrides deferred by BRD-1	FR-RN-051	ANSWERED

11 Traceability

Every BRD-6 requirement ID is met by at least one FR or is out of scope by the BRD itself. Section 11.1 traces the 40 BRRN IDs of the addenda; section 11.2 traces every one of the 1,032 line IDs of the main BRD with its page; section 11.3 lists the nine out-of-scope IDs.

Table 28: Traceability summary

Source	IDs	Traced to
Workshop addendum BRRN.020-040	21	Section 11.1
Addendum 1 BRRN.001-019	19 (with the main-BRD IDs they restate)	Section 11.1
Main BRD 1.001-6.002	1,032 line IDs, of which 9 out of scope	Section 11.2
Usage requirements (NFR) p.186-188	10 topics	Section 8

11.1 BRRN requirements

Table 29: BRRN ID to FR, screen and API

BRD ID	FR	Screen	API / job
BRRN.001 (p.22)	FR-RN-082	Letters (NAL)	/renewal/letters/nal
BRRN.002 (p.22-23)	FR-RN-011	Expiry List (Generate Expiry List)	/renewal/candidates?expiryFrom=&expiryTo=
BRRN.003 (p.23)	FR-RN-012	Expiry List (Filters)	/renewal/candidates (filters)
BRRN.004 (p.23-24)	FR-RN-013	Expiry List grid	/renewal/candidates
BRRN.005 (p.24-25)	FR-RN-010	Expiry List; Renewal Home	Job RNW_EXTRACTION
BRRN.006 (p.25)	FR-RN-013	Expiry List (column filters, search)	/renewal/candidates
BRRN.007 (p.25-26)	FR-RN-014	Expiry List (Export)	Report RNW-EXPIRY-LIST
BRRN.008 (p.26)	FR-RN-014	Expiry List (Print)	Report RNW-EXPIRY-LIST
BRRN.009 (p.26-27)	FR-RN-024	Renewal Setup; Letters (NFR)	/renewal/setup/non-renewable-risk-codes
BRRN.010 (p.27-28)	FR-RN-080, FR-RN-081	Letters	/renewal/letters/ra; /renewal/letters/send
BRRN.011 (p.28-29)	FR-RN-040	My Dispositions	/renewal/candidates?assignee=me
BRRN.012 (p.29)	FR-RN-040	My Dispositions	/renewal/candidates
BRRN.013 (p.29-30)	FR-RN-041	Record page	/renewal/candidates/{ref}

BRD ID	FR	Screen	API / job
BRRN.014 (p.30)	FR-RN-040	My Dispositions (column filters)	/renewal/candidates
BRRN.015 (p.30)	FR-RN-040	My Dispositions (sort)	/renewal/candidates
BRRN.016 (p.30-31)	FR-RN-040	My Dispositions (search)	/renewal/candidates
BRRN.017 (p.31)	FR-RN-040	My Dispositions (name / reference search)	/renewal/candidates
BRRN.018 (p.31)	FR-RN-060	Processing Worklist (upload)	Bulk RNW_DISPOSITION_UPLOAD
BRRN.019 (p.32-33)	FR-RN-101, FR-RN-103	Renewal Reports	Report RNW-STATUS
BRRN.020 (p.4)	FR-RN-020	Record page (Checks & Bucket)	Check engine; RNW-SANITATION
BRRN.021 (p.4)	FR-RN-015, FR-RN-004	Expiry List (Initiate)	/renewal/candidates/initiate
BRRN.022 (p.4)	FR-RN-021, FR-RN-020	Record page; uploads	Check REFERENCE_MATCH
BRRN.023 (p.4-6)	FR-RN-022, FR-RN-051, FR-RN-112	Expiry List (pill, Exceptions); record page	/renewal/candidates/{ref}/bucket-override
BRRN.024 (p.6)	FR-RN-002, FR-RN-025	LAMD Reports	Role LAMD
BRRN.025 (p.6)	FR-RN-083	Letters (NRNS)	Job RNW_NRNS_LETTERS
BRRN.026 (p.6-7)	FR-RN-085	Follow-ups	/renewal/candidates/{ref}/followups
BRRN.027 (p.7)	FR-RN-042	Record page (Account History)	/renewal/candidates/{ref}/account-history
BRRN.028 (p.7-8)	FR-RN-026	Expiry List (KYC chip)	Check KYC_DUE
BRRN.029 (p.8)	FR-RN-025	LAMD Reports	Bulk RNW_LAMD_REPORT
BRRN.030 (p.8-9)	FR-RN-010, FR-RN-112	Renewal Home; Renewal Setup	Job RNW_EXTRACTION
BRRN.031 (p.9-10)	FR-RN-023, FR-RN-051	Record page; Renewal Setup	Decision matrix
BRRN.032 (p.10)	FR-RN-027	Record page (Checks, Account History)	Check ENDORSEMENT_PENDING
BRRN.033 (p.10)	FR-RN-048	Record page (Start NB Path)	/renewal/candidates/{ref}/nb-path
BRRN.034 (p.11)	FR-RN-023, FR-RN-112	Renewal Setup (Decision Matrix)	/renewal/setup/decision-matrices
BRRN.035 (p.11-12)	FR-RN-071, FR-RN-051	Insurer Batches (responses)	Bulk RNW_INSURER_RESPONSE
BRRN.036 (p.12-13)	FR-RN-102	Renewal Reports (RNW-LISTING)	Alert RNW_RENEWAL_AT_RISK
BRRN.037 (p.13)	FR-RN-083	Letters (NRNS)	Jobs RNW_NRNS_LETTERS, RNW_EXPIRY_SWEEP
BRRN.038 (p.14)	FR-RN-048, FR-RN-064, FR-RN-084	Record page (Computations, Acceptance)	Check FINANCIAL_IMPACT

BRD ID	FR	Screen	API / job
BRRN.039 (p.14)	FR-RN-025, FR-RN-023	LAMD Reports	Check PN_PRESENT, LAMD_STATUS
BRRN.040 (p.14-15)	FR-RN-084	Record page (Record Acceptance)	/renewal/candidates/{ref}/acceptance

API paths start with /api/v1. They are the paths of the build design (R5) and are confirmed at build.

11.2 Main BRD line IDs

The table lists every line ID of the main BRD in page order, grouped by BRD function. Where a BRRN restates the ID, the FR is the one of that BRRN (section 11.1). The label numbers printed next to some IDs in the BRD are shifted (for example 1.003.4.1.1.21-24 all read "1.21", p.50); the table uses the IDs of the BR ID column.

Table 30: Main BRD line IDs to FR (every line ID of pages 44-185)

BRD function	Line IDs	Pages	FR
1.001 Log in	1.001.1, 1.001.1.1, 1.001.2.1, 1.001.3.1	p.44	FR-RN-001
1.002 Open in several tabs	1.002.1	p.44	FR-RN-001
1.003 Generate the list of expiring accounts	1.003.1, 1.003.1.1, 1.003.2	p.44-45	FR-RN-011
	1.003.3, 1.003.3.1, 1.003.3.1.2, 1.003.3.1.3, 1.003.3.1.4, 1.003.3.1.5, 1.003.3.1.6, 1.003.3.1.7, 1.003.3.1.8, 1.003.3.1.9, 1.003.3.1.10, 1.003.3.1.11, 1.003.3.1.12, 1.003.3.1.13	p.45-47	FR-RN-012
	1.003.4.1, 1.003.4.1.1	p.47	FR-RN-013
	1.003.4.1.1.1	p.47	OUT (p.34)
	1.003.4.1.1.2	p.47	FR-RN-013
	1.003.4.1.1.3	p.47	OUT (p.34)
	1.003.4.1.1.4, 1.003.4.1.1.5, 1.003.4.1.1.6, 1.003.4.1.1.7, 1.003.4.1.1.8, 1.003.4.1.1.9, 1.003.4.1.1.10, 1.003.4.1.1.11, 1.003.4.1.1.12, 1.003.4.1.1.13, 1.003.4.1.1.14, 1.003.4.1.1.15, 1.003.4.1.1.16, 1.003.4.1.1.17, 1.003.4.1.1.18, 1.003.4.1.1.19, 1.003.4.1.1.20, 1.003.4.1.1.21, 1.003.4.1.1.22, 1.003.4.1.1.23, 1.003.4.1.1.24	p.48-50	FR-RN-013
	1.003.4.1.2	p.50	FR-RN-010
	1.003.4.1.3, 1.003.4.1.4	p.50	FR-RN-013
	1.003.5, 1.003.6, 1.003.7, 1.003.7.1, 1.003.7.2	p.50-51	FR-RN-014
	1.003.7.3, 1.003.7.3.1	p.51	FR-RN-024
1.004 View account	1.004.1, 1.004.1.1, 1.004.1.2, 1.004.1.3, 1.004.1.4, 1.004.1.5, 1.004.1.5.1, 1.004.1.5.2	p.51-52	FR-RN-041
1.005 Assign accounts	1.005.1, 1.005.1.1, 1.005.1.1.1, 1.005.1.1.2, 1.005.1.2, 1.005.1.2.1, 1.005.1.2.2, 1.005.1.2.3, 1.005.1.2.4, 1.005.2	p.53-54	FR-RN-030
1.006 Transfer account to other units	1.006.1, 1.006.2, 1.006.3, 1.006.4, 1.006.5	p.54-55	FR-RN-031
1.007 Receive account transfer	1.007.1, 1.007.2, 1.007.3, 1.007.3.1, 1.007.4, 1.007.4.1, 1.007.4.2, 1.007.5	p.55-56	FR-RN-032
1.008 Review and post	1.008.1, 1.008.1.1	p.56	FR-RN-050
	1.008.1.2, 1.008.1.3	p.56	FR-RN-050, FR-RN-041
	1.008.1.4	p.56	FR-RN-050, FR-RN-027
	1.008.2, 1.008.2.1, 1.008.2.2, 1.008.2.3, 1.008.2.4, 1.008.2.5, 1.008.2.6, 1.008.2.7, 1.008.3, 1.008.3.1, 1.008.3.2, 1.008.3.3, 1.008.3.4	p.56-58	FR-RN-050

BRD function	Line IDs	Pages	FR
1.009 Generate report	1.009.1, 1.009.1.1, 1.009.1.2, 1.009.2, 1.009.2.1, 1.009.2.2, 1.009.2.3, 1.009.2.4, 1.009.2.5, 1.009.2.6, 1.009.2.7, 1.009.2.8, 1.009.2.9, 1.009.2.10, 1.009.2.11, 1.009.2.12, 1.009.2.13, 1.009.2.14, 1.009.2.15, 1.009.2.16, 1.009.2.17, 1.009.2.18, 1.009.2.19, 1.009.2.20, 1.009.2.21, 1.009.2.22, 1.009.2.23, 1.009.2.24, 1.009.2.25, 1.009.2.26, 1.009.2.27, 1.009.2.28, 1.009.2.29, 1.009.2.30, 1.009.2.31, 1.009.2.32, 1.009.2.33, 1.009.2.34, 1.009.2.35, 1.009.2.36, 1.009.2.37, 1.009.2.38, 1.009.2.39, 1.009.2.40, 1.009.3, 1.009.3.1, 1.009.3.1.1, 1.009.3.1.2, 1.009.3.1.3, 1.009.3.1.4, 1.009.3.1.5, 1.009.3.1.6, 1.009.3.1.7, 1.009.3.1.8, 1.009.3.1.9, 1.009.3.1.10, 1.009.3.1.11, 1.009.3.1.12, 1.009.3.1.13, 1.009.3.1.14, 1.009.3.1.15, 1.009.3.1.16, 1.009.3.1.17, 1.009.3.1.18, 1.009.3.1.19, 1.009.3.1.20, 1.009.3.1.21, 1.009.3.1.22, 1.009.3.1.23, 1.009.3.1.24, 1.009.3.1.25, 1.009.3.1.26, 1.009.3.1.27, 1.009.3.1.28, 1.009.3.1.29, 1.009.3.1.30, 1.009.3.1.31, 1.009.3.1.32, 1.009.3.1.33, 1.009.3.1.34, 1.009.3.1.35, 1.009.3.1.36, 1.009.3.1.37, 1.009.3.2, 1.009.3.2.1, 1.009.3.2.2, 1.009.3.2.3, 1.009.3.2.4, 1.009.3.2.5, 1.009.3.2.6, 1.009.3.2.7, 1.009.3.2.8, 1.009.3.2.9, 1.009.3.2.10, 1.009.3.2.11, 1.009.3.2.12, 1.009.3.2.13, 1.009.3.2.14, 1.009.3.2.15, 1.009.3.2.16, 1.009.3.2.17, 1.009.3.2.18, 1.009.3.2.19, 1.009.3.2.20, 1.009.3.2.21, 1.009.3.2.22, 1.009.3.2.23, 1.009.3.2.24, 1.009.3.2.25, 1.009.3.2.26, 1.009.3.2.27, 1.009.3.2.28, 1.009.3.2.29, 1.009.3.2.30, 1.009.3.2.31, 1.009.3.2.32, 1.009.3.2.33, 1.009.3.2.34, 1.009.4, 1.009.4.1, 1.009.4.2, 1.009.5, 1.009.5.1, 1.009.5.2, 1.009.6	p.58-75	FR-RN-101
	1.009.7	p.75	FR-RN-100
1.010 Generate Renewal Advice	1.010.1, 1.010.2, 1.010.2.1, 1.010.2.2, 1.010.3, 1.010.3.1, 1.010.3.2, 1.010.3.3, 1.010.4, 1.010.4.1, 1.010.4.2, 1.010.5, 1.010.5.1, 1.010.5.2	p.76-77	FR-RN-080
	1.010.6, 1.010.7	p.77	FR-RN-081
1.011 Override accounts	1.011.1, 1.011.1.1, 1.011.1.2, 1.011.1.3	p.78	FR-RN-051
2.001 Log in	2.001.1, 2.001.1.1, 2.001.1.2, 2.001.1.3	p.78-79	FR-RN-001
2.002 Open in several tabs	2.002.1	p.79	FR-RN-001
2.003 View accounts for disposition	2.003.1, 2.003.1.1	p.79	FR-RN-040
	2.003.1.2	p.79	FR-RN-040, FR-RN-041
	2.003.1.3, 2.003.1.4, 2.003.1.5	p.79-80	FR-RN-040
	2.003.1.6	p.80	OUT (p.34)
	2.003.2, 2.003.3, 2.003.3.1, 2.003.3.2	p.80	FR-RN-041
2.004 Provide disposition	2.004.1, 2.004.2, 2.004.3, 2.004.3.1, 2.004.3.2, 2.004.3.3, 2.004.3.4, 2.004.3.5, 2.004.4, 2.004.4.1, 2.004.4.2, 2.004.4.3, 2.004.4.4, 2.004.4.5, 2.004.4.6, 2.004.4.7	p.80-83	FR-RN-043
	2.004.4.8	p.83	FR-RN-043, FR-RN-031
	2.004.4.9, 2.004.4.10, 2.004.5, 2.004.5.1, 2.004.5.2, 2.004.5.3	p.83-84	FR-RN-043
	2.004.6, 2.004.7, 2.004.8	p.84	FR-RN-044
	2.004.9	p.84	FR-RN-080
	2.004.10	p.84	FR-RN-047
2.005 Transfer account to other units	2.005.1, 2.005.2, 2.005.3, 2.005.3.1, 2.005.3.2, 2.005.4, 2.005.5	p.84-85	FR-RN-031
2.006 View the list of dispositioned accounts	2.006.1, 2.006.1.1, 2.006.1.1.1, 2.006.1.1.2	p.85-86	FR-RN-045
	2.006.1.2	p.86	OUT (p.34)
	2.006.1.3, 2.006.1.4	p.86	FR-RN-045
	2.006.1.5, 2.006.1.5.1, 2.006.1.5.2, 2.006.1.5.3, 2.006.1.6	p.86-87	FR-RN-044
2.007 Update the returned accounts	2.007.1, 2.007.2, 2.007.3, 2.007.4	p.87	FR-RN-046

BRD function	Line IDs	Pages	FR
	2.007.4.1	p.88	OUT (p.34)
	2.007.4.2, 2.007.4.3, 2.007.4.4, 2.007.4.5, 2.007.4.6, 2.007.4.7, 2.007.5	p.88	FR-RN-046
2.008 Generate report	2.008.1, 2.008.1.1, 2.008.1.2, 2.008.2, 2.008.2.1, 2.008.2.2, 2.008.2.3, 2.008.2.4, 2.008.2.5, 2.008.2.6, 2.008.2.7, 2.008.2.8, 2.008.2.9, 2.008.2.10, 2.008.2.11, 2.008.2.12, 2.008.2.13, 2.008.2.14, 2.008.2.15, 2.008.2.16, 2.008.2.17, 2.008.2.18, 2.008.2.19, 2.008.2.20, 2.008.2.21, 2.008.2.22, 2.008.2.23, 2.008.2.24, 2.008.2.25, 2.008.2.26, 2.008.2.27, 2.008.2.28, 2.008.2.29, 2.008.2.30, 2.008.2.31, 2.008.2.32, 2.008.2.33, 2.008.2.34, 2.008.2.35, 2.008.2.36, 2.008.2.37, 2.008.2.38, 2.008.2.39, 2.008.2.40, 2.008.3, 2.008.3.1, 2.008.3.1.1, 2.008.3.1.2, 2.008.3.1.3, 2.008.3.1.4, 2.008.3.1.5, 2.008.3.1.6, 2.008.3.1.7, 2.008.3.1.8, 2.008.3.1.9, 2.008.3.1.10, 2.008.3.1.11, 2.008.3.1.12, 2.008.3.1.13, 2.008.3.1.14, 2.008.3.1.15, 2.008.3.1.16, 2.008.3.1.17, 2.008.3.1.18, 2.008.3.1.19, 2.008.3.1.20, 2.008.3.1.21, 2.008.3.1.22, 2.008.3.1.23, 2.008.3.1.24, 2.008.3.1.25, 2.008.3.1.26, 2.008.3.1.27, 2.008.3.1.28, 2.008.3.1.29, 2.008.3.1.30, 2.008.3.1.31, 2.008.3.1.32, 2.008.3.1.33, 2.008.3.1.34, 2.008.3.1.35, 2.008.3.1.36, 2.008.3.1.37, 2.008.3.2, 2.008.3.2.1, 2.008.3.2.2, 2.008.3.2.3, 2.008.3.2.4, 2.008.3.2.5, 2.008.3.2.6, 2.008.3.2.7, 2.008.3.2.8, 2.008.3.2.9, 2.008.3.2.10, 2.008.3.2.11, 2.008.3.2.12, 2.008.3.2.13, 2.008.3.2.14, 2.008.3.2.15, 2.008.3.2.16, 2.008.3.2.17, 2.008.3.2.18, 2.008.3.2.19, 2.008.3.2.20, 2.008.3.2.21, 2.008.3.2.22, 2.008.3.2.23, 2.008.3.2.24, 2.008.3.2.25, 2.008.3.2.26, 2.008.3.2.27, 2.008.3.2.28, 2.008.3.2.29, 2.008.3.2.30, 2.008.3.2.31, 2.008.3.2.32, 2.008.3.2.33, 2.008.3.2.34, 2.008.4, 2.008.4.1, 2.008.4.2, 2.008.5, 2.008.5.1, 2.008.5.2, 2.008.6	p.89-106	FR-RN-101
2.009 Generate Renewal Advice	2.009.1, 2.009.2, 2.009.2.1, 2.009.2.2, 2.009.3, 2.009.3.1, 2.009.3.2, 2.009.3.3, 2.009.4, 2.009.4.1, 2.009.4.2, 2.009.5, 2.009.5.1, 2.009.5.2	p.106-107	FR-RN-080
	2.009.6, 2.009.7, 2.009.7.1	p.108	FR-RN-081
3.001 Log in	3.001.1, 3.001.1.1, 3.001.1.2, 3.001.1.3	p.108	FR-RN-001
3.002 Open in several tabs	3.002.1	p.108	FR-RN-001
3.003 Generate list of accounts for processing	3.003.1, 3.003.1.1, 3.003.2	p.109	FR-RN-011
	3.003.3, 3.003.3.1, 3.003.3.2, 3.003.3.3, 3.003.3.4, 3.003.3.5, 3.003.3.6, 3.003.3.7, 3.003.3.8, 3.003.3.9, 3.003.3.10, 3.003.3.11, 3.003.3.12, 3.003.3.13	p.109-111	FR-RN-012
	3.003.4, 3.003.4.1	p.111	FR-RN-013
	3.003.4.1.1	p.111	OUT (p.34)
	3.003.4.1.2	p.112	FR-RN-013
	3.003.4.1.3	p.112	OUT (p.34)
	3.003.4.1.4, 3.003.4.1.5, 3.003.4.1.6, 3.003.4.1.7, 3.003.4.1.8, 3.003.4.1.9, 3.003.4.1.10, 3.003.4.1.11, 3.003.4.1.12, 3.003.4.1.13, 3.003.4.1.14, 3.003.4.1.15, 3.003.4.1.16, 3.003.4.1.17, 3.003.4.1.18, 3.003.4.1.19, 3.003.4.1.20, 3.003.4.1.21	p.112-114	FR-RN-013
	3.003.4.2	p.114	FR-RN-010
	3.003.4.3, 3.003.4.4	p.114	FR-RN-013
	3.003.4.5	p.115	OUT (p.34)
	3.003.5, 3.003.6, 3.003.7, 3.003.7.1, 3.003.7.2	p.115	FR-RN-014
3.004 Upload dispositioned file	3.004.1, 3.004.1.1, 3.004.1.2, 3.004.2, 3.004.3, 3.004.3.1, 3.004.4	p.115-116	FR-RN-060
	3.004.5	p.117	FR-RN-047
3.005 Assign accounts	3.005.1, 3.005.1.1, 3.005.1.1.1, 3.005.1.1.2, 3.005.1.2, 3.005.1.2.1, 3.005.1.2.2, 3.005.1.3, 3.005.1.4, 3.005.1.5, 3.005.1.6	p.117-118	FR-RN-061
3.006 View accounts for processing	3.006.1	p.118	FR-RN-062

BRD function	Line IDs	Pages	FR
	3.006.1.1, 3.006.1.2	p.118	FR-RN-062, FR-RN-041
	3.006.1.3, 3.006.1.4	p.119	FR-RN-062
	3.006.1.5	p.119	FR-RN-013
	3.006.1.6	p.119	FR-RN-062
	3.006.2, 3.006.3, 3.006.3.1, 3.006.3.2	p.119	FR-RN-041
3.007 Update data on an account	3.007.1, 3.007.2, 3.007.3, 3.007.3.1, 3.007.3.2, 3.007.3.3, 3.007.3.4	p.120	FR-RN-063
3.008 Review computations; return	3.008.1, 3.008.1.1	p.121	FR-RN-064
	3.008.2, 3.008.2.1, 3.008.2.2, 3.008.2.3, 3.008.2.4, 3.008.2.5, 3.008.2.6, 3.008.2.7	p.121-122	FR-RN-065
3.009 Extract accounts per insurer	3.009.1, 3.009.1.1, 3.009.1.2, 3.009.1.3, 3.009.1.4, 3.009.1.4.1, 3.009.1.4.2, 3.009.1.4.3, 3.009.1.4.4, 3.009.1.4.5, 3.009.1.4.6, 3.009.1.4.7, 3.009.1.4.8, 3.009.1.4.9, 3.009.1.4.10, 3.009.1.4.11, 3.009.1.4.12, 3.009.1.4.13, 3.009.1.4.14, 3.009.1.4.15, 3.009.1.4.16, 3.009.1.4.17, 3.009.1.4.18, 3.009.1.4.19, 3.009.1.4.20, 3.009.1.4.21, 3.009.1.4.22, 3.009.1.4.23, 3.009.1.4.24, 3.009.1.4.25, 3.009.1.4.26, 3.009.1.4.27, 3.009.1.4.28	p.122-126	FR-RN-070
	3.009.2, 3.009.3, 3.009.4, 3.009.4.1, 3.009.4.2	p.126-127	FR-RN-070, FR-RN-103
	3.009.5, 3.009.5.1	p.127	FR-RN-070
	3.009.6, 3.009.6.1, 3.009.6.2	p.127	FR-RN-071
3.010 Generate report	3.010.1, 3.010.1.1, 3.010.1.2, 3.010.2, 3.010.2.1, 3.010.2.2, 3.010.2.3, 3.010.2.4, 3.010.2.5, 3.010.2.6, 3.010.2.7, 3.010.2.8, 3.010.2.9, 3.010.2.10, 3.010.2.11, 3.010.2.12, 3.010.2.13, 3.010.2.14, 3.010.2.15, 3.010.2.16, 3.010.2.17, 3.010.2.18, 3.010.2.19, 3.010.2.20, 3.010.2.21, 3.010.2.22, 3.010.2.23, 3.010.2.24, 3.010.2.25, 3.010.2.26, 3.010.2.27, 3.010.2.28, 3.010.2.29, 3.010.2.30, 3.010.2.31, 3.010.2.32, 3.010.2.33, 3.010.2.34, 3.010.2.35, 3.010.2.36, 3.010.2.37, 3.010.2.38, 3.010.2.39, 3.010.2.40, 3.010.3, 3.010.3.1, 3.010.3.1.1, 3.010.3.1.2, 3.010.3.1.3, 3.010.3.1.4, 3.010.3.1.5, 3.010.3.1.6, 3.010.3.1.7, 3.010.3.1.8, 3.010.3.1.9, 3.010.3.1.10, 3.010.3.1.11, 3.010.3.1.12, 3.010.3.1.13, 3.010.3.1.14, 3.010.3.1.15, 3.010.3.1.16, 3.010.3.1.17, 3.010.3.1.18, 3.010.3.1.19, 3.010.3.1.20, 3.010.3.1.21, 3.010.3.1.22, 3.010.3.1.23, 3.010.3.1.24, 3.010.3.1.25, 3.010.3.1.26, 3.010.3.1.27, 3.010.3.1.28, 3.010.3.1.29, 3.010.3.1.30, 3.010.3.1.31, 3.010.3.1.32, 3.010.3.1.33, 3.010.3.1.34, 3.010.3.1.35, 3.010.3.1.36, 3.010.3.1.37, 3.010.3.1.38, 3.010.3.1.39, 3.010.3.1.40, 3.010.3.2, 3.010.3.2.1, 3.010.3.2.2, 3.010.3.2.3, 3.010.3.2.4, 3.010.3.2.5, 3.010.3.2.6, 3.010.3.2.7, 3.010.3.2.8, 3.010.3.2.9, 3.010.3.2.10, 3.010.3.2.11, 3.010.3.2.12, 3.010.3.2.13, 3.010.3.2.14, 3.010.3.2.15, 3.010.3.2.16, 3.010.3.2.17, 3.010.3.2.18, 3.010.3.2.19, 3.010.3.2.20, 3.010.3.2.21, 3.010.3.2.22, 3.010.3.2.23, 3.010.3.2.24, 3.010.3.2.25, 3.010.3.2.26, 3.010.3.2.27, 3.010.3.2.28, 3.010.3.2.29, 3.010.3.2.30, 3.010.3.2.31, 3.010.3.2.32, 3.010.3.2.33, 3.010.3.2.34, 3.010.4, 3.010.4.1, 3.010.4.2, 3.010.5, 3.010.5.1, 3.010.5.2, 3.010.6	p.127-145	FR-RN-101
	3.010.7	p.145	FR-RN-100
3.011 Generate Renewal Advice	3.011.1, 3.011.2, 3.011.2.1, 3.011.2.2, 3.011.3, 3.011.3.1, 3.011.3.2, 3.011.3.3, 3.011.4, 3.011.4.1, 3.011.4.2, 3.011.5, 3.011.5.1, 3.011.5.2	p.145-147	FR-RN-080
	3.011.6, 3.011.7, 3.011.7.1	p.147	FR-RN-081
4.001 Log in	4.001.1, 4.001.1.1, 4.001.1.2, 4.001.1.3	p.148	FR-RN-001
4.002 Open in several tabs	4.002.1	p.148	FR-RN-001
4.003 View accounts for processing	4.003.1	p.148	FR-RN-062
	4.003.1.1, 4.003.1.2	p.149	FR-RN-062, FR-RN-041
	4.003.1.3, 4.003.1.4	p.149	FR-RN-062

BRD function	Line IDs	Pages	FR
	4.003.1.5	p.149	FR-RN-013
	4.003.1.6	p.149	OUT (p.34)
	4.003.2, 4.003.3, 4.003.3.1, 4.003.3.2	p.150	FR-RN-041
4.004 Upload dispositioned file	4.004.1, 4.004.1.1, 4.004.1.2, 4.004.2, 4.004.3, 4.004.3.1	p.150-151	FR-RN-060
4.005 Update data on an account	4.005.1, 4.005.2, 4.005.3, 4.005.3.1, 4.005.3.2, 4.005.3.3, 4.005.3.4	p.151-152	FR-RN-063
4.006 Review computations; return	4.006.1, 4.006.1.1	p.152	FR-RN-064
	4.006.2, 4.006.2.1, 4.006.2.2, 4.006.2.3, 4.006.2.4, 4.006.2.5, 4.006.2.6, 4.006.2.7	p.152-153	FR-RN-065
4.007 Extract accounts per insurer	4.007.1, 4.007.1.1, 4.007.1.2, 4.007.1.3, 4.007.1.4, 4.007.1.4.1, 4.007.1.4.2, 4.007.1.4.3, 4.007.1.4.4, 4.007.1.4.5, 4.007.1.4.6, 4.007.1.4.7, 4.007.1.4.8, 4.007.1.4.9, 4.007.1.4.10, 4.007.1.4.11, 4.007.1.4.12, 4.007.1.4.13, 4.007.1.4.14, 4.007.1.4.15, 4.007.1.4.16, 4.007.1.4.17, 4.007.1.4.18, 4.007.1.4.19, 4.007.1.4.20, 4.007.1.4.21, 4.007.1.4.22, 4.007.1.4.23, 4.007.1.4.24, 4.007.1.4.25, 4.007.1.4.26, 4.007.1.4.27, 4.007.1.4.28	p.153-157	FR-RN-070
	4.007.2, 4.007.3, 4.007.4, 4.007.4.1, 4.007.4.2	p.158	FR-RN-070, FR-RN-103
	4.007.5, 4.007.5.1	p.158	FR-RN-070
	4.007.6, 4.007.6.1, 4.007.6.2	p.159	FR-RN-071
4.008 Generate report	4.008.1, 4.008.1.1, 4.008.1.2, 4.008.2, 4.008.2.1, 4.008.2.2, 4.008.2.3, 4.008.2.4, 4.008.2.5, 4.008.2.6, 4.008.2.7, 4.008.2.8, 4.008.2.9, 4.008.2.10, 4.008.2.11, 4.008.2.12, 4.008.2.13, 4.008.2.14, 4.008.2.15, 4.008.2.16, 4.008.2.17, 4.008.2.18, 4.008.2.19, 4.008.2.20, 4.008.2.21, 4.008.2.22, 4.008.2.23, 4.008.2.24, 4.008.2.25, 4.008.2.26, 4.008.2.27, 4.008.2.28, 4.008.2.29, 4.008.2.30, 4.008.2.31, 4.008.2.32, 4.008.2.33, 4.008.2.34, 4.008.2.35, 4.008.2.36, 4.008.2.37, 4.008.2.38, 4.008.2.39, 4.008.2.40, 4.008.3, 4.008.3.1, 4.008.3.1.1, 4.008.3.1.2, 4.008.3.1.3, 4.008.3.1.4, 4.008.3.1.5, 4.008.3.1.6, 4.008.3.1.7, 4.008.3.1.8, 4.008.3.1.9, 4.008.3.1.10, 4.008.3.1.11, 4.008.3.1.12, 4.008.3.1.13, 4.008.3.1.14, 4.008.3.1.15, 4.008.3.1.16, 4.008.3.1.17, 4.008.3.1.18, 4.008.3.1.19, 4.008.3.1.20, 4.008.3.1.21, 4.008.3.1.22, 4.008.3.1.23, 4.008.3.1.24, 4.008.3.1.25, 4.008.3.1.26, 4.008.3.1.27, 4.008.3.1.28, 4.008.3.1.29, 4.008.3.1.30, 4.008.3.1.31, 4.008.3.1.32, 4.008.3.1.33, 4.008.3.1.34, 4.008.3.1.35, 4.008.3.1.36, 4.008.3.1.37, 4.008.3.1.38, 4.008.3.1.39, 4.008.3.1.40, 4.008.3.2, 4.008.3.2.1, 4.008.3.2.2, 4.008.3.2.3, 4.008.3.2.4, 4.008.3.2.5, 4.008.3.2.6, 4.008.3.2.7, 4.008.3.2.8, 4.008.3.2.9, 4.008.3.2.10, 4.008.3.2.11, 4.008.3.2.12, 4.008.3.2.13, 4.008.3.2.14, 4.008.3.2.15, 4.008.3.2.16, 4.008.3.2.17, 4.008.3.2.18, 4.008.3.2.19, 4.008.3.2.20, 4.008.3.2.21, 4.008.3.2.22, 4.008.3.2.23, 4.008.3.2.24, 4.008.3.2.25, 4.008.3.2.26, 4.008.3.2.27, 4.008.3.2.28, 4.008.3.2.29, 4.008.3.2.30, 4.008.3.2.31, 4.008.3.2.32, 4.008.3.2.33, 4.008.3.2.34, 4.008.4, 4.008.4.1, 4.008.4.2, 4.008.5, 4.008.5.1, 4.008.5.2, 4.008.6	p.159-177	FR-RN-101
4.09 Generate Renewal Advice	4.09.1, 4.09.2, 4.09.2.1, 4.09.2.2, 4.09.2.3, 4.09.3, 4.09.3.1, 4.09.3.2, 4.09.4, 4.09.4.1, 4.09.4.2, 4.09.5, 4.09.5.1, 4.09.5.2	p.177-178	FR-RN-080
	4.09.6, 4.09.7	p.178-179	FR-RN-081
5.001 Log in	5.001.1, 5.001.1.1, 5.001.1.2, 5.001.1.3	p.179	FR-RN-001
5.002 Open in several tabs	5.002.1	p.179	FR-RN-001
5.003 Maintain lists of values	5.003.1, 5.003.2, 5.003.3, 5.003.4, 5.003.5	p.179-180	FR-RN-110
5.004 Maintain users	5.004.1	p.180	FR-RN-003
5.005 Update the RA template	5.005.1	p.180	FR-RN-111
6.001 Access the application	6.001.1, 6.001.1.1	p.180	FR-RN-001

BRD function	Line IDs	Pages	FR
6.002 Manage users, profiles and functions	6.002.1, 6.002.1.2, 6.002.1.3, 6.002.1.4, 6.002.1.5, 6.002.1.6, 6.002.2, 6.002.2.1, 6.002.2.2, 6.002.2.3, 6.002.2.4, 6.002.2.5, 6.002.2.6, 6.002.2.7, 6.002.2.8, 6.002.2.9, 6.002.2.10, 6.002.2.11, 6.002.2.12, 6.002.2.13, 6.002.2.14, 6.002.2.15, 6.002.2.16, 6.002.2.17, 6.002.2.18, 6.002.2.19, 6.002.2.20, 6.002.2.21, 6.002.2.22	p.180-185	FR-RN-003
	6.002.2.23	p.185	FR-RN-003, FR-RN-110
	6.002.2.24	p.185	FR-RN-003
	6.002.2.25	p.185	FR-RN-003, FR-RN-111

11.3 Out-of-scope IDs

Table 31: *IDs out of scope (Addendum 1, p.34)*

BRD ID	Requirement	Replaced by	Status
1.003.4.1.1.1 (p.47)	Expiring EBIX Invoice No. column	BIBS expiring invoice no. (FR-RN-013)	OUT
1.003.4.1.1.3 (p.47)	BDOIsys Reference No. column	Renewal reference and ARN (FR-RN-013)	OUT
2.003.1.6 (p.80)	Search via QPS / EBIX reference numbers	Name and BIBS reference search (FR-RN-040)	OUT
2.006.1.2 (p.86)	Search via QPS / EBIX reference numbers	As above	OUT
2.007.4.1 (p.88)	Search via QPS / EBIX reference numbers	As above	OUT
3.003.4.1.1 (p.111)	Expiring EBIX Invoice No. column	BIBS expiring invoice no. (FR-RN-013)	OUT
3.003.4.1.3 (p.112)	BDOIsys Reference No. column	Renewal reference and ARN (FR-RN-013)	OUT
3.003.4.5 (p.115)	Search via QPS / EBIX reference numbers	Name and BIBS reference search (FR-RN-013)	OUT
4.003.1.6 (p.150)	Search via QPS / EBIX reference numbers	Name and BIBS reference search (FR-RN-013)	OUT

12 Sign-off

By signing, BDOI confirms that this FRS describes the Renewal functions it expects in BIBS, and accepts the assumptions in section 10.1. Open questions in section 10.3 stay open; their answers are applied as configuration or through a change request.

Name	Role	Organisation	Signature	Date
	Product Owner, Renewal	BDOI		
	Unit Head, Combank and Corbank	BDOI		
	Head, Retail Marketing	BDOI		
	Head, Corporate and Retail Marketing	BDOI		
	Program Manager, Business Project Services	BDO Unibank ESG		
	Project Manager	iorta TechNXT		