

FUNCTIONAL REQUIREMENTS SPECIFICATION

Submitted Policies

BRD-12 BDOI Submitted Policies (with the Submitted Policies rows of the Report List of 27-Apr-2026)

BIBS – BDOI Broker System

Client	BDO Insurance and Reinsurance Brokers, Inc.
Document	BIBS-FRS-BRD-12
Version	1.0
Date	25 September 2026
Status	Issued for BDOI review
Classification	Confidential

Document Control

Version	Date	Author	Reviewer	Approver	Change
0.9	18 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Solution Architect		Internal draft from the BRD-12 baseline and the build design
1.0	25 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Project Manager	BDOI Product Owner (pending)	First issue for BDOI review; aligned with the cross-BRD decisions D1 and D2

Distribution List

Name / Unit	Role	Organisation	Purpose
Product Owner, Submitted Policies	Approver	BDOI	Review and sign-off
Unit Head, Combank and Corbank	Approver	BDOI	Review and sign-off
CBG Admin / Marketing (Submitted Handlers, Sanitation Handlers, Team Leads)	Business user	BDOI	Review of intake, processing and renewal hand-off
Non-CBG Corporate Policy Review Officers	Business user	BDOI	Review of policy review, IAAF and TOR
Admin Team (UPP handlers), NB Team Leads	Business user	BDOI	Review of the handling-fee tagging
Business Project Services	BRD owner	BDO Unibank ESG	Traceability check against the BRD
Project team	Delivery	iorta TechNXT	Build, test and UAT preparation

Contents

1 Introduction.....	5
1.1 Purpose.....	5
1.2 Scope.....	5
1.3 References.....	6
1.4 Definitions and acronyms.....	6
1.5 How to read the functional requirements.....	7
2 Business context and process overview.....	9
2.1 Business context.....	9
2.2 Process overview.....	9
2.3 Segments and business types.....	11
3 Personas and roles.....	12
3.1 Personas.....	12
3.2 Permissions.....	12
3.3 Permissions matrix.....	13
4 Functional requirements.....	14
4.1 Intake of submissions.....	14
FR-SP-001 Receive submitted policy details from the approved sources.....	14
FR-SP-002 Extract policy details from documents and save them after confirmation.....	15
FR-SP-003 Create or update a policy manually and tag its renewal opportunity.....	17
FR-SP-004 Migrate the existing Excel masterlists.....	18
4.2 Masterlist and access.....	19
FR-SP-010 Keep one Submitted Masterlist.....	19
FR-SP-011 View and extract the masterlist by role.....	20
FR-SP-012 Monitor handler, conversion status and remarks.....	21
4.3 Rules and processing.....	22
FR-SP-020 Define sanitation, matching, classification and disposition criteria.....	22
FR-SP-021 Run processing automatically after intake.....	24
FR-SP-022 Report fallout after processing.....	25
4.4 Classification and buckets.....	25
FR-SP-030 Classify policies as Inforced or Submitted.....	25
FR-SP-031 Group Submitted policies into qualification buckets.....	26
FR-SP-032 Choose the RA template from the LAMD loan.....	27
FR-SP-033 Assign policies to non-renewal buckets.....	28
FR-SP-034 Group Inforced policies and create RAs and proposals.....	29
4.5 Policy review and IAAF.....	29
FR-SP-040 Record policy reviews and generate one IAAF per policy.....	29
FR-SP-041 Route the IAAF for approval and signature.....	31
4.6 Limits and TOR.....	32
FR-SP-050 Detect accounts exceeding acceptance or coverage limits.....	32
FR-SP-051 Generate the Terms of Reference.....	33
FR-SP-052 Route the TOR for approval per the TSU Approval Matrix.....	34
FR-SP-053 Hand the approved TOR over to the Account Officer.....	35
4.7 Renewal hand-off.....	35
FR-SP-060 Detect expiring policies and hand them to Renewal.....	35

FR-SP-061 List the policies subject for renewal.....	37
FR-SP-062 Send letters and proposals when the criteria are met.....	37
FR-SP-063 Re-assign the insurer while a hold cover request is open.....	39
FR-SP-064 Process placement of the renewal account.....	40
FR-SP-065 Show the booked status in the masterlist.....	40
4.8 Handling fee.....	41
FR-SP-070 Tag handling-fee payments in the Unapplied Payment List.....	41
4.9 Monitoring, reports and notifications.....	43
FR-SP-080 Generate Submitted Policies reports.....	43
FR-SP-081 View, download and print reports in several formats.....	44
FR-SP-082 Send notifications and alerts for key events.....	44
5 Workflow and status model.....	46
5.1 Masterlist record (SBM_POLICY).....	46
5.2 Processing run.....	47
5.3 IAAF approval (SBM_IAAF).....	49
5.4 TOR approval (SBM_TOR).....	49
5.5 Handling-fee tagging.....	50
5.6 Notifications and alerts.....	50
6 Reports and documents.....	52
6.1 Reports.....	52
6.2 Sanitation report grouping.....	53
6.3 Documents.....	53
7 Interfaces and integration.....	54
8 Non-functional requirements.....	55
9 Configuration items owned by the business and the System Administrator.....	56
9.1 Parameters.....	56
9.2 Lists of values.....	56
9.3 Masters and rules maintained by the business.....	57
10 Assumptions, dependencies and open questions.....	58
10.1 Assumptions.....	58
10.2 Dependencies.....	58
10.3 Open questions.....	58
11 Traceability.....	60
12 Sign-off.....	62

1 Introduction

1.1 Purpose

This Functional Requirements Specification (FRS) states how BIBS (BDOI Broker System, on iNXT BrokerVerse) meets the Submitted Policies business requirements of BDO Insurance and Reinsurance Brokers, Inc. (BDOI). It turns each BRD requirement into functional requirements with actors, flows, rules, validations, screens, fields, notifications, audit and acceptance criteria.

BDOI uses this document to confirm that the system will behave as the business expects. The project team uses it to build the Submitted Policies module, to test it and to prepare user acceptance testing (UAT). Every functional requirement (FR) cites the BRD requirements it meets and their BRD pages.

Submitted Policies is **designed and not yet built**. The FRs describe the behaviour of the build design (R3). Screen names and API paths are those of the design and are confirmed at build. Error codes are assigned at build; this document gives the message text only, except where a check reuses a platform code that already exists (section 1.5).

1.2 Scope

A **submitted policy** is a policy that a bank borrower bought elsewhere and submitted to the bank to insure the collateral of an auto, housing, leasing or corporate loan. BDOI did not place it and earns nothing on it, but it has two interests in it (BRD p.2-5): the adequacy of the collateral cover, which a Policy Reviewer checks and certifies with an IAAF, and the renewal, which BDOI tries to win when the policy expires.

Table 1: Scope of this FRS

Area	In scope	Source
Intake	Submissions from the approved sources, document extraction with confirmation, manual entry and tagging, migration of the Excel masterlists	BRIDSP-01, 02, 03, 33
Masterlist and access	One Submitted Masterlist with history; role-based view and extract; handler, conversion status and remarks	BRIDSP-04, 28, 29
Rules and processing	Configurable sanitation, matching, classification and disposition criteria; automatic processing runs; fallout reports	BRIDSP-08, 09, 10
Classification	Inforced / Submitted; qualification, non-renewal and enforced buckets; RA template choice	BRIDSP-11 to 15
Policy review	IAAF per policy with reviews, approval matrix and signature	BRIDSP-05, 06, 07
Limits and TOR	Limit breaches, Terms of Reference, TSU approval, hand-over to the AO	BRIDSP-16 to 19
Renewal hand-off	Expiry detection, list of renewable policies, hand-off to Renewal, letters and proposals, hold cover re-assignment, placement and booking status	BRIDSP-22, 23, 25, 26, 27, 32
Handling fee	Tagging of handling-fee payments in the Unapplied Payment List	BRIDSP-31
Monitoring	Reports in several formats, notifications and alerts	BRIDSP-20, 21, 24, 30

Out of scope for this phase:

- The renewal process itself after the hand-off: renewal account, hold cover request, RA, NRNS, NAL and SFU letters. It belongs to BRD-6 Renewal, which implements the hand-off port (cross-BRD decision D2, R5). This document specifies what Submitted Policies does before and around the hand-off.
- Direct feeds from LFS, HLS, CIU, SPI and LAMD, OCR of scanned documents, a qualified electronic signature and the mail-house (COG) transport. They are built as ports whose default is an upload, manual entry, a stamped signature or a print batch.
- The ISYS reference and the ARF of the current process. The BIBS ARN replaces them (SP SQ20).

1.3 References

Table 2: Reference documents

Ref.	Document	Version / date	Location
R1	BDOI Submitted Policies BRD (16 pages; pages 1-12 scanned)	v1.3, 20-Apr-2026; e-signed 24 to 28-Apr-2026	docs/source-documents/BRD - Submitted Policies (with e-sig MCM 4.24.2026).pdf
R2	BDOI Report List (Submitted Policies rows #133-#164)	27-Apr-2026	docs/source-documents/Report List as of APR-27-2026.pdf
R3	Submitted Policies build design	current	docs/architecture/SUBMITTED_POLICIES_DESIGN.md
R4	BDOI Submitted Policies (BRD-12) requirements baseline and fit/gap	current	docs/requirements/BDOI_SP_BRD_SPEC.md
R5	Cross-BRD decisions and answered questions (BRD-6 to BRD-12)	current	docs/requirements/BDOI_CROSS_BRD_DECISIONS.md
R6	Renewal build design (implementation of RenewalHandOff) and FRS BRD-6 Renewal	current	docs/architecture/RENEWAL_DESIGN.md; BIBS-FRS-BRD-06
R7	BDO UX guidelines (brand, screen patterns)	current	docs/design/BDO_UX_GUIDELINES.md
R8	BRD-1 New Business requirements baseline (shared platform capabilities)	current	docs/requirements/BDOI_NB_BRD_SPEC.md

Page references in this document ("p.9") are pages of the BRD PDF (R1); "RL #nnn" is a row of the Report List (R2). The question prefix SQ is shared by two BRDs; this document writes the Submitted Policies questions as SP SQnn (cross-BRD question XQ07).

1.4 Definitions and acronyms

Term	Meaning
AO	Account Officer (Marketing); MAO in the BRD process pages
ARN	Account Reference Number of a BIBS account (BRD-1)
BRIDSP	Requirement ID prefix of this BRD (BRIDSP-01 to BRIDSP-33)
Bucket	Qualification group of a policy after classification, which decides its next action (BRIDSP-12, 14, 15)
CBG	Consumer Banking Group segment (CBG Motor, CBG Fire)
CIU	Source report of CBG Motor policy details (not expanded in the BRD, SP SQ19)
CLPC	Payment channel whose payments carry the PN number (BRIDSP-31)
COG	Unit that prints and mails letters today (mail house)

Term	Meaning
FFY	Free First Year promotion of auto loans
HLS	Home loan system; source of the daily insurance report (CBG Fire)
IAAF	Insurance Adequacy Assessment Form, issued to the bank counterpart after a policy review
Inforced	Policy whose PN does not match an active LAMD loan (BRIDSP-15; definition SP SQ04)
LAMD	Bank loan unit whose loan report is matched by PN (not expanded in the BRD)
LFS	Loan system of the auto loans; source of the insurance report (CBG Motor)
LOV	List of values maintained by the business administrator
NAL	No Advice Letter
No Touch	Submitted CBG Motor accounts that BDOI sends to the insurer for validation and billing (Report List row 164)
NRNS	No Renew / No Submit letter or notification
OTC	Over-the-counter payment channel; payments carry a location reference number
PN	Promissory note number of the bank loan; the key of LAMD matching
RA	Renewal Advice letter (generic or FFY template)
RMU	Remedial Management Unit
SBM	Prefix of masterlist numbers (SBM-yyyy-nnnnnn) and of the module's codes
SFU	Letter to mortgaged CBG accounts (not expanded in the BRD)
SP SQnn	Open question on BRD-12 raised by the project team (section 10.3)
SPI	Consolidated list of submitted policies (not expanded in the BRD)
Submitted	Policy whose PN matches an active LAMD loan and that BDOI did not place (BRIDSP-12)
TOR	Terms of Reference, prepared when an account exceeds acceptance or coverage limits (BRIDSP-17)
TSU	Technical Support Unit
UPP	Unapplied Payment List

1.5 How to read the functional requirements

Each FR in section 4 has the same parts:

- A header table with the **BRD trace** (requirement ID and page), the **actor** (the BRD persona and the BIBS role), the BRD **priority**, the **fit** class of the baseline (R4), and the **screens** and **API** of the build design (R3).
- **Description, preconditions, main flow and alternate and exception flows.**
- **Business rules.** *Configurable* rules are maintained by the business (rule sets, matrices, parameters, lists of values; section 9). *Fixed* rules are part of the system and change only through a change request.
- **Validations and messages:** the check, the message the user sees and its code. Codes of the Submitted Policies module are assigned at build ("To be assigned at build"). A code is quoted only where the check reuses a platform code that exists today. A "-" marks a screen check (for example a blank mandatory field).
- **Screens and fields, notifications, audit** and numbered **acceptance criteria**, the basis of the BRD-12 test plan.

The BRD writes its personas as "As a System", "As a Marketing User", "As an Account Officer", "As a Placement User", "As a Booking User" and "As a User". The FRs name the BIBS roles that act for them (section 3).

Note. Values marked "default" (lead days, acceptance days, thresholds, list entries) are placeholders that BDOI confirms through the open questions in section 10.3. They are configuration, so a changed answer does not need a new build.

Table 3: Fit classes (from the requirements baseline, R4)

Class	Meaning
FIT	Works today with the platform built for BRD-1
CONFIGURE	Needs set-up only (parameters, templates, rules)
CHANGE	Extends or re-purposes an existing capability
NEW	A capability that did not exist before BRD-12

2 Business context and process overview

2.1 Business context

Today submitted policies are tracked per segment in Excel masterlists on a shared drive, with e-mail and SharePoint (p.4-5). CBG Motor Team Leads extract policy details from LFS and CIU and the Submitted Handler consolidates them within 30 days; CBG Fire policies come from Home Loan AOs and are reviewed for adequacy; Non-CBG Corporate and Branch policies are reviewed by a Policy Reviewer who issues an IAAF; Non-CBG Retail policies come from the LAMD report. At renewal a Sanitation Handler matches the list against LAMD, excludes accounts that must not be renewed, assigns an insurer and sends a proposal with a 30-day hold cover request, and an RA text file goes to COG for mailing.

Table 4: Current and envisioned process (BRD p.4-7)

#	Current process (before)	Envisioned process in BIBS (after)
1	Policy details arrive as Excel reports and documents per segment	Each source is uploaded into BIBS; documents are extracted and confirmed by a user
2	Separate Excel masterlists per segment on Drive H:\	One Submitted Masterlist with history and role-based access
3	Sanitation and LAMD matching by hand	Configurable rules sanitise, match, classify and bucket every policy; fallout is reported
4	Policy reviews and IAAFs by e-mail and paper signature	Reviews, IAAF and approval matrix in BIBS, with stamped signatures
5	Limit breaches handled by e-mail with TSU	TOR generated, approved by the TSU matrix and handed over to the AO
6	Renewal proposals, hold covers and RA text files prepared by hand	The expiry scan hands renewable policies to the Renewal module, which creates the account, requests the hold cover and sends the letters
7	Handling-fee payments filtered from the UPP list on SharePoint	Handling-fee payments tagged automatically by PN or location reference
8	Status monitored in the masterlists	Reports, alerts and notifications from live data

2.2 Process overview

The table lists the steps and Figure 1 shows them by actor. The masterlist record follows the workflow SBM_POLICY (section 5.1).

Table 5: Process steps

#	Step	Owner	What happens in BIBS	BRD
1	Intake	Handlers; System	Source files uploaded and validated; one masterlist record per policy; migration of the Excel masterlists	BRIDSP-01, 33
2	Extraction and confirmation	Handler, Policy Reviewer	Fields proposed from the policy document; saved only after confirmation; manual entry	BRIDSP-02, 03
3	Masterlist	All	Record, history, handler, conversion status, remarks; role-based view and extract	BRIDSP-04, 28, 29
4	Processing run	System	Sanitation, matching against LAMD by PN, classification, disposition, limits	BRIDSP-08, 09

#	Step	Owner	What happens in BIBS	BRD
5	Classification and buckets	System	Inforced / Submitted; buckets; renewal tag; RA template	BRIDSP-11 to 15
6	Fallout	Sanitation Handler	Exceptions and failures listed with reason codes and resolved	BRIDSP-10
7	Policy review and IAAF	Policy Reviewer; approvers	Reviews recorded; IAAF generated, approved by the matrix and issued to the bank counterpart	BRIDSP-05, 06, 07
8	Limits and TOR	Marketing user; TSU	Limit breach flagged; TOR prepared, approved and handed over to the AO	BRIDSP-16 to 19
9	Expiry scan and hand-off	System; Marketing user	Renewable policies within the lead days are handed to Renewal with the assigned insurer	BRIDSP-23, 25
10	Renewal	Renewal module (BRD-6)	Renewal account, 30-day hold cover, RA and letters; insurer re-assignment when the insurer does not accept	BRIDSP-22, 26, 32
11	Placement and booking	Placement and Booking users (BRD-1)	Placement file to the insurer; booking; masterlist shows BOOKED	BRIDSP-26, 27
12	Monitoring	All	Reports, alerts and notifications	BRIDSP-20, 21, 24, 30
-	Handling fee	System; UPP handler	Handling-fee payments tagged in the Unapplied Payment List	BRIDSP-31




Figure 1: Submitted Policies process by actor (BRIDSP-01-33)

2.3 Segments and business types

Table 6: *Segments (BRD p.2, 4-5)*

Segment	New business intake	Renewal
CBG Motor	LFS and CIU reports; masterlist within 30 days of extraction	Match with LAMD; exclude FFY, BDO / SM Group employees and No Touch; insurer by vehicle type; hold cover; RA 90 days before expiry; NRNS list for call-out
CBG Fire	Home Loan AO sends the documents; adequacy review; IAAF to the Home Loan AO; HLS daily report	Match with LAMD; insurer different from the expiring one; hold cover; RA
Non-CBG Corporate and Branches	Policy Reviewer receives the documents from IBG / Leasing, reviews them and issues an IAAF	Same as new business; conversion opportunity monitored
Non-CBG Retail	Marketing AO encodes the policies of the LAMD report	AO asks an insurer to quote on the expiring terms; quotation, placement and booking; NRNS on decline

Each record carries its business type, New Business (NB) or Renewal Business (RB), as the BRD's process pages separate them (p.4-5).

3 Personas and roles

3.1 Personas

Table 7: Personas and BIBS roles

Persona (current process)	BIBS role	Responsibilities in Submitted Policies	BRD persona
Submitted Handler (CBG)	SBM_HANDLER	Uploads sources; confirms extractions; maintains records; prepares IAAF and TOR	System, Marketing User
Submitted Checker	SBM_CHECKER	Approves IAAFs (level 1)	System
Sanitation Handler	SBM_SANITATION	Uploads sources and LAMD; runs processing; resolves fallout; hand-off; sends letters	System, Marketing User
Team Lead	SBM_TL	All Submitted Policies functions except rule approval; assigns handlers	Marketing User
Policy Review Officer (Non-CBG Corporate)	SBM_POLICY_REVIEWER	Reviews policies; prepares IAAFs	Marketing User
Rule administrator	SBM_RULE_ADMIN	Maintains rule sets, limits, insurer and letter rules, matrices (maker)	Marketing User (BRIDSP-08)
Admin Team UPP handler	SBM_UPP_HANDLER	Handling-fee records and tagging results	System (BRIDSP-31)
Marketing AO / MAO	MKT_AO	Own records; manual entry; receives TORs; Renew with BDOI	Account Officer, Marketing User
NB Team Lead	MKT_TL	Views records; approves IAAFs (level 2) and rule sets	Marketing User
TSU	TSU	Approves TORs	System (TSU matrix)
Placement and Booking users	PROCESSOR and booking roles	Place and book the renewal accounts (BRD-1 screens)	Placement User, Booking User

The BRD does not give an access matrix; the roles above are the project's proposal until BDOI confirms them (SP SQ15, OQ48).

3.2 Permissions

Table 8: Submitted Policies permissions

Permission	Allows
SBM_VIEW	Masterlist, records, home page (within the user's scope)
SBM_MAINTAIN	Manual entry and edit, renewal tag, handler, remarks, document upload, confirm extraction
SBM_INTAKE	Source uploads, intake runs, LAMD snapshot upload
SBM_PROCESS	Processing runs, fallout resolution, manual disposition, renewal hand-off, insurer re-assignment
SBM_RULE_MAINTAIN, SBM_RULE_APPROVE	Rule sets, limit, insurer and letter rules, approval matrices (maker and checker)
IAAF_PREPARE, IAAF_APPROVE	Reviews and IAAF; IAAF approval levels

Permission	Allows
TOR_PREPARE, TOR_APPROVE	TOR; TSU approval levels
SBM_LETTER_SEND	Generate, send and print the letters of this module; print batches
SBM_HANDLING_FEE	Handling-fee records, tagger results, manual tag
SBM_MIGRATE	Migration upload
SBM_EXPORT	Masterlist extract
SBM_REPORT_VIEW, SBM_REPORT_EXPORT	Submitted Policies reports (view; export and archive)

3.3 Permissions matrix

Table 9: Role-to-permission matrix (proposal until SP SQ15 / OQ48)

Permission	SBM Hand.	SBM Check.	Sanit.	SBM TL	Pol. Rev.	Rule Admin	UPP	MKT AO	MKT TL	TSU
SBM_VIEW	Y	Y	Y	Y	Y		Y	Y (own)	Y	
SBM_MAINTAIN	Y		Y	Y	Y			Y		
SBM_INTAKE	Y		Y	Y						
SBM_PROCESS			Y	Y						
SBM_RULE_MAINTAIN				Y		Y				
SBM_RULE_APPROVE									Y	
IAAF_PREPARE	Y			Y	Y					
IAAF_APPROVE		L1		Y					L2	
TOR_PREPARE	Y			Y				Y		
TOR_APPROVE										Y
SBM_LETTER_SEND			Y	Y						
SBM_HANDLING_FEE				Y			Y			
SBM_MIGRATE				Y						
SBM_EXPORT	Y		Y	Y						
SBM_REPORT_VIEW	Y	Y	Y	Y	Y					
SBM_REPORT_EXPORT	Y		Y	Y						

"L1" and "L2" are IAAF approval levels of the demo matrix. Placement and Booking users also receive SBM_VIEW.

Data scope. Every query, report and export is limited to the user's scope: a list of segments, and for Marketing AOs only the records they handle or whose renewal account they own (BRIDSP-28).

Segregation of duties. A rule set is approved by someone other than its maker; an IAAF or TOR level is never approved by the preparer.

4 Functional requirements

4.1 Intake of submissions

FR-SP-001 Receive submitted policy details from the approved sources

BRD trace	BRIDSP-01 (p.8)	Actor	System; Submitted Handler, Sanitation Handler (SBM_INTAKE)
Priority	Must have	Fit	CHANGE
Screens	Upload & Intake (source uploads, intake runs)	API	Bulk handlers SBM_LFS_INSURANCE, SBM_HLS_INSURANCE, SBM_CIU, SBM_SPI, SBM_LOAN_BOOKING, SBM_LAMD, SBM_IA_MASTERLIST

Description

BIBS keeps a register of the approved sources (LFS insurance report, HLS daily insurance report, CIU report, SPI list, LAMD report, Loan Booking Report, IA masterlist, IBG / Leasing documents, manual entry, migration) with segment, format and upload template. Each source file is uploaded with its own template, validated row by row and recorded as an intake run.

Each valid row creates or updates one masterlist record on the natural key (segment, business type, PN or policy number, expiry date). New records get the number SBM-yyyy-nnnnnn and status RECEIVED. A file already uploaded (same content) is refused.

Transports from the bank systems are parked; the default is an upload.

Preconditions

- The user has SBM_INTAKE.

Main flow

- The user opens Upload & Intake and chooses the source.
- The user downloads the template if needed, and uploads the file.
- BIBS validates the rows and shows valid and invalid counts.
- The user confirms; BIBS creates or updates the records, records the run (SBI-yyyy-nnnnnn) and starts a processing run for them (FR-SP-021).

Alternate and exception flows

- Invalid rows. They are listed with the reason and can be downloaded; valid rows are committed.
- Duplicate file. BIBS refuses it and names the earlier run.

Business rules

Rule	Statement	Kind	Maintained in
R1	One upload template per source layout; layouts to be supplied by BDOI (SP SQ01, SQ02).	Configurable	Source register and bulk templates
R2	Natural key - segment, business type, PN or policy no., expiry date; a changed row writes the record history.	Fixed	-
R3	A file is identified by its SHA-256; the same file cannot be loaded twice.	Fixed	-

Validations and messages

Check	Message shown	Code
File type not allowed	The file type is not allowed	BULK_FILE_TYPE
File without header row	The file has no header row	BULK_FILE_EMPTY
Same file loaded before	This file was already loaded in run <run no.>	To be assigned at build
Mandatory column blank	Row <n>: <column> is required	To be assigned at build

Screens and fields: Source upload

Field	Type	Mand.	Source / LOV	Validation
Source	List	Yes	Source register	Active source
File	Attachment	Yes	Template of the source	Excel or CSV; platform file rules

Notifications

- SBM_NEW_SUBMISSION to the handlers of the segment; SBM_INTAKE_FAILED alert on failure.

Audit

- Intake run with source, file name, hash, counts (received, created, updated, duplicate, failed), user and time.

Acceptance criteria

1. An LFS insurance report of 300 rows creates 300 CBG Motor records with status RECEIVED.
2. Loading the same file a second time is refused.
3. A row updating an existing policy changes the record and writes the history.

FR-SP-002 Extract policy details from documents and save them after confirmation

BRD trace	BRIDSP-02 (p.8)	Actor	System; Submitted Handler, Policy Reviewer (SBM_MAINTAIN)
Priority	Must have	Fit	CHANGE
Screens	Extraction Review (proposal side by side with the record)	API	POST /api/v1/submitted/extractions; POST .../{id}/confirm reject

Description

The user uploads a policy document (policy copy, scanned or PDF) to a new or existing record. BIBS extracts the fields - assured, PN, policy number, insurer, period, sum insured, premium, vehicle or property details - and shows each proposed value with its confidence next to an editable field.

Nothing is saved to the masterlist before the user confirms. On **Confirm** the fields are written and the record becomes VALIDATED; on **Reject** the file is kept with a reason and the user enters the data by hand.

Preconditions

- The user has SBM_MAINTAIN.

Main flow

1. The user uploads the document on the record, or as a new record.
2. BIBS extracts the fields and opens Extraction Review.

3. The user checks and corrects the values and clicks **Confirm**.

Alternate and exception flows

- Scanned document without text. Extraction returns "not readable" (OCR is parked, SP SQ03); the user enters the fields by hand (FR-SP-003).
- Reject. The user rejects the proposal with a reason.

Business rules

Rule	Statement	Kind	Maintained in
R1	Extraction never writes to the masterlist without confirmation.	Fixed	-
R2	Extraction patterns per insurer are maintained as data.	Configurable	Extraction patterns (kind SUBMITTED_POLICY)

Validations and messages

Check	Message shown	Code
Confirm with a mandatory field blank	<Field> is required	-
Reject without reason	Enter the reason of the rejection	-

Screens and fields: Extraction Review

Field	Type	Mand.	Source / LOV	Validation
Assured / PN / Policy no. / Insurer	Text and list	Yes	Proposal and masters	-
Inception / Expiry	Date	Yes	Proposal	Expiry after inception
Sum insured / Premium	Amount	Yes	Proposal	>= 0
Risk details (unit, serial, motor no., plate / location, occupancy)	Text	Cond.	Proposal	By segment

Notifications

- SBM_MANUAL_VALIDATION to the handlers when a document waits for confirmation.

Audit

- Proposal, confirmation or rejection with user and time; the document is kept as an attachment.

Acceptance criteria

- A text PDF of a motor policy produces a proposal; after confirmation the record shows the confirmed values and status VALIDATED.
- Before confirmation the masterlist is unchanged.
- A scanned document without text leads to manual entry.

FR-SP-003 Create or update a policy manually and tag its renewal opportunity

BRD trace	BRIDSP-03 (p.8)	Actor	Marketing user (Submitted Handler, Policy Reviewer, Marketing AO; SBM_MAINTAIN)
Priority	Must have	Fit	NEW
Screens	Masterlist (New Policy); Policy record (Edit, Tag Renewable / Non-Renewable)	API	POST /api/v1/submitted/policies; PUT .../{id}; POST .../{id}/renewal-tag

Description

A Marketing user creates a policy record by hand when data is incomplete or cannot be extracted, or updates an existing one. Mandatory fields depend on the segment.

The user tags a record Renewable or Non-Renewable with a reason. The tag is saved with user and time, shown as a flag chip on the record and available in filters and reports. A manual tag overrides the rule result; the processing run records the rule result but keeps the manual tag.

Preconditions

- The user has SBM_MAINTAIN.

Main flow

- The user clicks **New Policy** (or **Edit** on a record) and enters the fields.
- The user saves; the record is VALIDATED.
- The user clicks **Tag Renewable** or **Tag Non-Renewable**, selects the reason and saves.

Business rules

Rule	Statement	Kind	Maintained in
R1	Mandatory fields per segment are those of the MANUAL source.	Configurable	Source register
R2	A manual tag overrides the rule tag until it is changed by hand.	Fixed	-
R3	Who may override a rule-set tag is to be confirmed (SP SQ17).	Configurable	Permissions

Validations and messages

Check	Message shown	Code
Mandatory field blank	<Field> is required	-
Non-Renewable without reason	Select the reason for Non-Renewable	-
Same policy already in the masterlist	Policy <no.> is already in the masterlist (<SBM no.>)	To be assigned at build

Screens and fields: Policy record (main fields)

Field	Type	Mand.	Source / LOV	Validation
Segment	List	Yes	LOV SBM_SEGMENT	-
Business type	Option	Yes	NB, RB	-
PN no. / Loan application no. / CIF	Text	Cond.	-	PN required for CBG

Field	Type	Mand.	Source / LOV	Validation
Borrower / Assured / Mailing address / Contacts	Text	Yes	-	Assured required
Insurer / Policy no.	List / Text	Yes	Insurer master	-
Inception / Expiry	Date	Yes	-	Expiry after inception
Amount insured / Total premium	Amount	Yes	-	>= 0
Risk details	Text	Cond.	-	Unit and serial for Motor; location for Fire
Renewal tag	Option	No	Renewable, Non-Renewable	-
Reason	List	Cond.	LOV SBM_NON_RENEWAL_REASO N	Required for Non-Renewable

Notifications

- None.

Audit

- Create, edit and tag with before and after values, user and time.

Acceptance criteria

1. A manually created Non-CBG Corporate policy is saved and appears in the masterlist.
2. A record tagged Non-Renewable shows the chip and appears in the Non-Renewal filter and report.
3. A later processing run does not change a manual tag.

FR-SP-004 Migrate the existing Excel masterlists

BRD trace	BRIDSP-33 (p.12)	Actor	System; Team Lead (SBM_MIGRATE)
Priority	Must have	Fit	CHANGE
Screens	Upload & Intake (Migration); Reports (SBM-MIGRATION-ERRORS)	API	Bulk handler SBM_MIGRATION

Description

The existing masterlists in Excel (NB Motor, RB Motor, Fire, Non-CBG) are read with a column mapping per legacy layout. Valid records are migrated completely, keep their original submission status (mapped to a BIBS status and bucket), submission date and reference ID, and are flagged Migrated. Invalid, incomplete or failed records are captured in an error log with reason codes.

The migration can be run again; it is idempotent on the legacy reference.

Preconditions

- The user has SBM_MIGRATE; the status map is set up.

Main flow

1. The user uploads a legacy file and chooses its layout.
2. BIBS validates, maps the statuses and shows the result.
3. The user confirms; BIBS creates the records and writes the errors to the log.

Business rules

Rule	Statement	Kind	Maintained in
R1	Legacy status to BIBS status and bucket through the status map.	Configurable	Status map
R2	Migrated records keep legacy reference and date received; flag Migrated.	Fixed	-

Validations and messages

Check	Message shown	Code
Status not in the map	Row <n>: status <value> has no mapping	To be assigned at build
Mandatory column blank	Row <n>: <column> is required	To be assigned at build

Screens and fields: Migration upload

Field	Type	Mand.	Source / LOV	Validation
Layout	List	Yes	NB Motor, RB Motor, Fire, Non-CBG	-
File	Attachment	Yes	-	.xlsx

Notifications

- None.

Audit

- Migration job with counts; error log rows with reason codes (report SBM-MIGRATION-ERRORS).

Acceptance criteria

1. A legacy file with 1,000 rows and 12 invalid rows migrates 988 records flagged Migrated and logs 12 errors with reason codes.
2. A migrated record shows its original date received and legacy reference.
3. Running the same file again creates no duplicates.

4.2 Masterlist and access

FR-SP-010 Keep one Submitted Masterlist

BRD trace	BRIDSP-04 (p.9)	Actor	System; all Submitted Policies users
Priority	Must have	Fit	NEW
Screens	Masterlist (tabs All, For Validation, Classified, For Renewal, Manual Disposition, Non-Renewal, Fallout); Policy record	API	GET /api/v1/submitted/policies; GET .../{id}

Description

All submitted policy details are held in one masterlist, one record per submitted or enforced policy, segment and business type - with loan data, risk details, insurer and policy, classification, bucket, renewal tag, handler, conversion status and the linked renewal ARN and booked invoice. When a record is saved or updated, the masterlist shows the latest data.

The Policy record page has the summary card with flag chips (Renewable, FFY, No Touch, Migrated, Insurer approval) and the tabs Details, Loan & Matching, Rule Results, Review & IAAF, TOR, Renewal, Letters, Documents and History.

Preconditions

- The user has SBM_VIEW.

Main flow

- The user opens the Masterlist, chooses a tab and filters by segment, business type, bucket, expiry month, insurer, handler, conversion status or Migrated.
- The user opens a record.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every change writes the record history and the audit trail.	Fixed	-

Notifications

- None.

Audit

- Record history per field with source (intake, extraction, manual, run, renewal, booking).

Acceptance criteria

- After a record is updated by an upload, the masterlist shows the new values at once.
- Filters by segment and expiry month return only the matching records.

FR-SP-011 View and extract the masterlist by role

BRD trace	BRIDSP-28 (p.12)	Actor	User (SBM_VIEW, SBM_EXPORT)
Priority	Must have	Fit	CHANGE
Screens	Masterlist (Export); Reports (SBM-MASTERLIST)	API	GET /api/v1/reports/SBM-MASTERLIST/export? format=

Description

Viewing and downloading the masterlist follow role-based access. Viewing needs SBM_VIEW and extracting needs SBM_EXPORT. Every record, list, report and extract is limited to the user's scope - the segments of the user, and for Marketing AOs only their own records.

The extract is the report SBM-MASTERLIST with the fields of Report List row 151 per segment, including migrated records, in XLSX, CSV or PDF, archived.

Preconditions

- The user has SBM_VIEW.

Main flow

- The user filters the masterlist and clicks **Export**.
- BIBS produces the extract within the user's scope and archives it.

Alternate and exception flows

- User without SBM_EXPORT. The Export button is not shown; a direct call is refused.

Business rules

Rule	Statement	Kind	Maintained in
R1	Scope by segment; own records only for AOs (user scope table).	Configurable	User scope (Setup)

Validations and messages

Check	Message shown	Code
Export without permission	You are not permitted to perform this action	ACCESS_DENIED

Notifications

- None.

Audit

- Every view of a record and every extract with user and time.

Acceptance criteria

- A CBG Motor handler does not see CBG Fire records.
- An AO sees only his records.
- A user without SBM_EXPORT cannot extract the masterlist.

FR-SP-012 Monitor handler, conversion status and remarks

BRD trace	BRIDSP-29 (p.12)	Actor	Marketing user (SBM_MAINTAIN)
Priority	Must have	Fit	NEW
Screens	Masterlist (Assign Handler; quick filter Changed since); Policy record (History)	API	PUT /api/v1/submitted/policies/{id} (handler, conversion status, remarks)

Description

The user updates the handler, the conversion status and the remarks of a record, one by one or in bulk (Assign Handler). The masterlist shows the latest values; the History tab shows every change per field; a "Changed since" quick filter lists the records changed after a date.

Preconditions

- The user has SBM_MAINTAIN.

Main flow

- The user edits the handler, conversion status or remarks and saves.
- BIBS records the change and shows it in the list.

Business rules

Rule	Statement	Kind	Maintained in
R1	Conversion statuses in LOV SBM_CONVERSION_STATUS (Renewed, Unrenewed, Process Placement per group; RL #163).	Configurable	LOV SBM_CONVERSION_STATUS

Validations and messages

Check	Message shown	Code
Handler not an active user	<user> is not an active user	To be assigned at build

Screens and fields: Policy record (tracking)

Field	Type	Mand.	Source / LOV	Validation
Handler	Look-up	No	Users with SBM_MAINTAIN	Active user
Conversion status	List	No	LOV SBM_CONVERSION_STATUS	-
Remarks	Text	No	-	-

Notifications

- The new handler is notified.

Audit

- Field change log with old and new value, user and time.

Acceptance criteria

- A handler change shows at once in the masterlist and in the record history.
- The quick filter Changed since yesterday lists the records updated today.

4.3 Rules and processing**FR-SP-020 Define sanitation, matching, classification and disposition criteria**

BRD trace	BRIDSP-08 (p.9)	Actor	Marketing user as rule administrator (SBM_RULE_MAINTAIN); approver (SBM_RULE_APPROVE)
Priority	Must have	Fit	NEW
Screens	Submitted Policies Setup (Rule Sets)	API	/api/v1/submitted/setup/rule-sets

Description

The criteria of each processing step are rule sets - per step (Sanitation, Matching, Classification, Disposition), segment and business type - with versions and effective dates. A rule has a priority, conditions (field, operator, value), an outcome (bucket, tag, classification, RA template, flag), a reason code and a stop flag.

A new or changed rule set is approved by someone other than its maker before it applies. Every run result stores the rule id and rule-set version, so the rules are applied consistently and explained.

The seeds are the BRD lists (section 9.2); rules whose meaning is disputed are seeded inactive until SP SQ05 is answered.

Preconditions

- The user has SBM_RULE_MAINTAIN.

Main flow

- The user creates a draft version of a rule set and edits its rules.

- The user submits it; an approver compares it with the active version and approves it with an effective date.

Alternate and exception flows

- The approver rejects the version with a reason; it stays a draft.
- Rules can be imported from a file (upload SBM_RULES).

Business rules

Rule	Statement	Kind	Maintained in
R1	The first matching rule with stop = true ends the step; a record with no matching rule is fallout (reason SBM_NO_RULE).	Fixed	-
R2	Maker-checker on every rule set.	Fixed	-

Validations and messages

Check	Message shown	Code
Approval by the maker	A rule set is approved by someone other than its maker	To be assigned at build
Rule without outcome	Select the outcome of the rule	-
Condition on an unknown field	Field <name> cannot be used in a rule	To be assigned at build

Screens and fields: Rule

Field	Type	Mand.	Source / LOV	Validation
Priority	Number	Yes	-	Unique in the version
Conditions	Table	Yes	Field / operator / value	At least one
Outcome	Composite	Yes	Bucket (LOV SBM_BUCKET), tag, classification, RA template, flag	-
Reason code	List	No	LOV SBM_REASON	-
Stop	Check box	No	-	-

Notifications

- Approvers see pending rule sets in My Approvals.

Audit

- Versions with maker, approver, dates and differences.

Acceptance criteria

- A new exclusion rule for SM Group employee accounts applies to the next run only after the approver approves it.
- Each run result shows the rule and version that produced it.

FR-SP-021 Run processing automatically after intake

BRD trace	BRIDSP-09 (p.9)	Actor	System (SbmProcessingService, job SBM_PROCESSING); Sanitation Handler (SBM_PROCESS)
Priority	Must have	Fit	NEW
Screens	Processing Runs (list, run detail); Masterlist (Run Processing)	API	POST /api/v1/submitted/runs; job SBM_PROCESSING

Description

When documents or files are uploaded and confirmed, BIBS runs the processing steps in order - sanitation, matching against LAMD, classification, disposition and limits - and triggers the workflow of each record by its result (renewal hand-off, manual disposition queue, non-renewal, policy review, TOR). Account tagging is applied as the criteria define.

A run also starts from the daily job at 21:30 PHT and on demand. Each run (SBR-yyyy-nnnnnn) records one result per record and step.

Preconditions

- Active rule sets exist for the steps.

Main flow

1. An intake commit, the job or a user starts the run for a scope.
2. BIBS runs the steps set-based and writes the results.
3. BIBS moves each record in SBM_POLICY and notifies the owners of the new bucket.

Business rules

Rule	Statement	Kind	Maintained in
R1	Step order - SANITATION, MATCHING, CLASSIFICATION, DISPOSITION, LIMITS.	Fixed	-
R2	Sanitation marks duplicates (same PN or same serial / motor number) For Review and incomplete records as fallout.	Configurable	Sanitation rule set
R3	Matching checks PN against the LAMD snapshot and PN against serial / motor number and assured name / address / contacts (RL #151).	Configurable	Matching rule set
R4	Job time 21:30 PHT.	Configurable	Job schedule

Notifications

- SBM_BUCKET_CHANGED to the handlers; SBM_FALLOUT alert when the run has fallout.

Audit

- Run with trigger, scope, counts per outcome and job run; result rows per record and step.

Acceptance criteria

1. Uploading an LFS file starts a run; each new record ends with a classification and a bucket or fallout.
2. A record matched to an active LAMD loan is moved to the right bucket and the handlers are notified.

FR-SP-022 Report fallout after processing

BRD trace	BRIDSP-10 (p.9)	Actor	System; Sanitation Handler
Priority	Must have	Fit	CHANGE
Screens	Processing Runs (Fallout tab); Masterlist (Fallout tab); Reports (SBM-DOC-FALLOUT, SBM-PROCESS-FALLOUT)	API	Reports SBM-DOC-FALLOUT, SBM-PROCESS-FALLOUT

Description

When document processing or a run ends with errors or exceptions, BIBS produces the fallout - intake and extraction failures (SBM-DOC-FALLOUT) and the records that no rule could place or that failed a step (SBM-PROCESS-FALLOUT), each with its reason code. The fallout of each run is archived and the handler resolves it on the record (correct and re-run, dispose by hand, or exclude).

Preconditions

- A run or intake has ended.

Main flow

1. The run ends; BIBS writes the fallout rows and raises SBM_FALLOUT when the count is above zero.
2. The handler opens the Fallout tab, corrects the records and re-runs them.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every fallout row has a reason code (LOV SBM_REASON).	Fixed	-

Notifications

- SBM_FALLOUT to the Sanitation Handlers.

Audit

- Fallout rows per run; resolution on the record history.

Acceptance criteria

1. A run with five records without PN produces a fallout report listing the five with their reason code.
2. A corrected record leaves the fallout after the next run.

4.4 Classification and buckets**FR-SP-030 Classify policies as Inforced or Submitted**

BRD trace	BRIDSP-11 (p.9)	Actor	System
Priority	Must have	Fit	NEW
Screens	Policy record (Loan & Matching, Rule Results); Reports (SBM-CLASSIFICATION)	API	Classification step

Description

When the policy details are evaluated, the classification step sets the record Submitted when its PN matches an active LAMD loan and BDOI did not place the policy, and Inforced otherwise, so the right renewal and disposition rules apply. The definition is rule data and is to be confirmed (SP SQ04).

Preconditions

- The matching step has run.

Main flow

- BIBS evaluates the classification rules on the matching result and stores the classification.

Business rules

Rule	Statement	Kind	Maintained in
R1	Default - PN matched to an active LAMD loan gives SUBMITTED; unmatched gives INFORCED.	Configurable	Classification rule set (SP SQ04)

Notifications

- None.

Audit

- Result row with rule and version.

Acceptance criteria

- A record whose PN matches an active LAMD loan is Submitted; a record whose PN is not in LAMD is Inforced.

FR-SP-031 Group Submitted policies into qualification buckets

BRD trace	BRIDSP-12 (p.9)	Actor	System
Priority	Must have	Fit	NEW
Screens	Masterlist (bucket tabs and filter); Policy record	API	Disposition step

Description

Submitted policies (PN matched against LAMD) are grouped into For Renewal, For Manual Disposition, Non-Renewal, No Touch, FFY, BDO / SM Group Employee Accounts or RMU. Entering a bucket triggers the next workflow - renewal hand-off at the lead days, the manual disposition queue, or exclusion with a fallout entry.

Preconditions

- The record is classified Submitted.

Main flow

- BIBS evaluates the disposition rules and stores the bucket, the renewal tag and the reason.
- BIBS moves the record to FOR_RENEWAL, FOR_MANUAL_DISPOSITION or EXCLUDED.

Alternate and exception flows

- Manual disposition. A Sanitation Handler disposes the record by hand with a reason (For Renewal or Exclude).

Business rules

Rule	Statement	Kind	Maintained in
R1	Buckets are a list with the attribute renewal_action (RENEW, MANUAL, EXCLUDE).	Configurable	LOV SBM_BUCKET

Rule	Statement	Kind	Maintained in
R2	Bucket precedence and the RMU / FFY conflicts are open (SP SQ05); the conflicting rules are seeded inactive.	Configurable	Disposition rule set

Validations and messages

Check	Message shown	Code
Manual disposition without reason	Select a reason for 'Dispose'	WORKFLOW_REASON_REQUIRED

Notifications

- SBM_BUCKET_CHANGED to the handlers of the segment.

Audit

- Bucket with rule and version; manual dispositions with user and reason.

Acceptance criteria

1. A Submitted CBG Motor policy of an active loan with no exclusion goes to For Renewal.
2. A policy on the employee list goes to BDO / SM Group Employee Accounts and is not handed to renewal.

FR-SP-032 Choose the RA template from the LAMD loan

BRD trace	BRIDSP-13 (p.10)	Actor	System
Priority	Must have	Fit	NEW
Screens	Upload & Intake (LAMD snapshot); Policy record (Loan & Matching)	API	Bulk handler SBM_LAMD; disposition step

Description

The LAMD snapshot holds per PN the loan status, the amortised flag and the maturity date. For an active loan that is not amortised, the disposition rules mark the record ready for the Generic RA or the FFY RA template, and the next workflow is triggered. The chosen template travels with the renewal hand-off; the RA itself is generated by the Renewal module.

Preconditions

- A LAMD snapshot is loaded.

Main flow

1. The Sanitation Handler uploads the LAMD snapshot.
2. The run reads the loan and sets the RA template on the record.

Business rules

Rule	Statement	Kind	Maintained in
R1	Rule for Generic vs FFY RA to be confirmed (SP SQ06).	Configurable	Disposition rule set

Validations and messages

Check	Message shown	Code
Snapshot row without PN	Row <n>: PN is required	To be assigned at build

Notifications

- None.

Audit

- Snapshot upload and the template decision per record.

Acceptance criteria

1. An FFY account with an active non-amortised loan gets the FFY RA template.

FR-SP-033 Assign policies to non-renewal buckets

BRD trace	BRIDSP-14 (p.10)	Actor	System
Priority	Must have	Fit	NEW
Screens	Masterlist (Non-Renewal tab); Reports (SBM-NON-RENEWAL)	API	Disposition step; report SBM-NON-RENEWAL

Description

Policies that meet the non-renewal criteria (Free First Year, SM Group Employee, No Touch, CARI, Bonds, RMU and the other exclusions of Report List row 156) are tagged Non-Renewal, excluded from renewal and recorded in the non-renewal report with the exclusion reason. A manual tag can override the result (FR-SP-003).

Preconditions

- The disposition step runs.

Main flow

1. BIBS applies the non-renewal rules and stores the tag and reason.
2. The record moves to EXCLUDED and appears in SBM-NON-RENEWAL.

Alternate and exception flows

- Reinstate. A handler reinstates an excluded record with a reason; it is classified again at the next run.

Business rules

Rule	Statement	Kind	Maintained in
R1	Exclusion reasons in LOV SBM_NON_RENEWAL_REASON.	Configurable	LOV SBM_NON_RENEWAL_REASON

Validations and messages

Check	Message shown	Code
Reinstate without reason	Select a reason for 'Reinstate'	WORKFLOW_REASON_REQUIRED

Notifications

- SBM_BUCKET_CHANGED.

Audit

- Tag and reason with rule and version.

Acceptance criteria

1. A No Touch account is tagged Non-Renewal and listed in the non-renewal report with reason No Touch.

2. An excluded record is never handed to renewal.

FR-SP-034 Group Inforced policies and create RAs and proposals

BRD trace	BRIDSP-15 (p.10)	Actor	System
Priority	Must have	Fit	NEW
Screens	Masterlist; Policy record (Renewal tab)	API	Disposition step; RenewalHandOff

Description

Inforced policies (PN not matched to LAMD) are grouped into Fully Paid Loan, OPM, BDOFC or Sold. For an eligible enforced policy, the RA and the renewal proposal are generated - by the Renewal module after the hand-off (decision D2), with the RA template of its bucket and the proposal template SBM_RENEWAL_PROPOSAL.

Preconditions

- The record is classified Inforced.

Main flow

- BIBS evaluates the enforced bucket rules and stores the bucket.
- For an eligible bucket, the record becomes For Renewal and is handed over at the lead days (FR-SP-060).

Business rules

Rule	Statement	Kind	Maintained in
R1	Inforced buckets Fully Paid Loan, OPM, BDOFC, Sold; eligibility per bucket (SP SQ05).	Configurable	Disposition rule set

Notifications

- SBM_BUCKET_CHANGED.

Audit

- Bucket and eligibility with rule and version.

Acceptance criteria

- An enforced Fully Paid Loan policy marked eligible reaches For Renewal and, after hand-off, has an RA and a proposal.

4.5 Policy review and IAAF

FR-SP-040 Record policy reviews and generate one IAAF per policy

BRD trace	BRIDSP-05 (p.9), BRIDSP-06 (p.9)	Actor	Marketing user (Policy Reviewer, Submitted Handler; IAAF_PREPARE)
Priority	Must have	Fit	NEW
Screens	Policy Reviews / IAAF (review queue, IAAF page); Policy record (Review & IAAF tab)	API	POST /api/v1/submitted/policies/{id}/reviews; POST .../iaaf

Description

Non-CBG Corporate and Branch records and CBG Fire records with documents enter the review queue. The reviewer records each review - review number, date, adequacy (Adequate or With findings), findings and remarks. With findings, the reviewer e-mails the bank counterpart from the record and a new review follows. The IAAF shows the review history and the review count.

When the policy is adequate, the reviewer generates the IAAF (IAAF-yyyy-nnnnnn). Only one IAAF exists per policy; it can be linked to related policies (for example the previous term or the same borrower) by their reference numbers.

Preconditions

- The record is IN_REVIEW; the user has IAAF_PREPARE.

Main flow

- The reviewer opens the record from the review queue and records the review.
- When adequate, the reviewer clicks **Generate IAAF** and links related policies.
- The reviewer submits the IAAF for approval (FR-SP-041).

Alternate and exception flows

- With findings. The reviewer sends the findings to the bank counterpart; the record stays IN_REVIEW.

Business rules

Rule	Statement	Kind	Maintained in
R1	One IAAF per policy; the BRD's current-process note that one IAAF may cover several policies is handled with links (SP SQ07).	Fixed	-
R2	Template SBM_IAAF; draft until BDOI provides the layout.	Configurable	Document templates

Validations and messages

Check	Message shown	Code
Second IAAF for the policy	Policy <SBM no.> already has IAAF <no.>	To be assigned at build
Adequacy not selected	Select the adequacy	-
IAAF with findings open	The last review has findings; record an adequate review first	To be assigned at build

Screens and fields: Review

Field	Type	Mand.	Source / LOV	Validation
Review date	Date	Yes	-	Not in the future
Adequacy	Option	Yes	Adequate, With findings	-
Findings	Multi-select	Cond.	LOV SBM_IAAF_FINDING	Required for With findings
Remarks	Text	No	-	-
Related policies	Look-up	No	Masterlist	By SBM number

Notifications

- The bank counterpart receives the findings by e-mail from the record.

Audit

- Each review and the IAAF generation with user and time.

Acceptance criteria

- A policy reviewed twice shows two reviews and a review count of 2 on its IAAF.
- A second IAAF for the same policy is refused.
- An IAAF linked to the previous term's record shows the link.

FR-SP-041 Route the IAAF for approval and signature

BRD trace	BRIDSP-07 (p.9)	Actor	System; approvers (IAAF_APPROVE)
Priority	Must have	Fit	CHANGE
Screens	My Approvals; IAAF page (approvals); Submitted Policies Setup (Approval Matrix)	API	Workflow SBM_IAAF; POST /api/v1/submitted/iaaf/{id}/approve return

Description

The IAAF Approval Matrix gives, for the document IAAF, the segment and the sum-insured band, the approval levels and the permission or named signatory of each level. When the IAAF is submitted, BIBS routes it to the first level; each approval moves it to the next level until the last one.

At the last approval BIBS stamps the signatures (name, position, time and hash of each approver), renders the PDF and sets the IAAF APPROVED. **Send to bank counterpart** e-mails it and sets ISSUED. The record then either waits for expiry as a conversion opportunity or receives a reminder letter (p.7).

Preconditions

- The IAAF is FOR_APPROVAL; the user holds the permission of the current level and did not prepare the IAAF.

Main flow

- The approver opens the IAAF from My Approvals and reviews it.
- The approver clicks **Approve**; BIBS moves it to the next level or to APPROVED.
- The reviewer sends the approved IAAF to the bank counterpart.

Alternate and exception flows

- Return. The approver returns the IAAF with a reason; it goes back to the reviewer.

Business rules

Rule	Statement	Kind	Maintained in
R1	Levels, criteria and signatories of the matrix are to be supplied by BDOI (SP SQ07).	Configurable	Approval matrix (document IAAF)
R2	The preparer never approves a level.	Fixed	-
R3	The signature is a stamped signature until a qualified e-signature is connected.	Fixed	-

Validations and messages

Check	Message shown	Code
Approver is the preparer	An IAAF is approved by someone other than its preparer	To be assigned at build

Check	Message shown	Code
Return without reason	Select a reason for 'Return'	WORKFLOW_REASON_REQUIRED
No matrix row for the IAAF	No approval level is defined for segment <segment> and sum insured <amount>	To be assigned at build

Notifications

- SBM_IAAF_PENDING to the approvers of each level; alert SBM_IAAF_SLA past the review SLA.

Audit

- Each level with approver, time, decision and signature hash.

Acceptance criteria

1. An IAAF of a Non-CBG Corporate policy goes to level 1 and, after approval, to level 2.
2. The preparer cannot approve it.
3. The issued IAAF PDF shows the stamped name, position and time of every approver.

4.6 Limits and TOR

FR-SP-050 Detect accounts exceeding acceptance or coverage limits

BRD trace	BRIDSP-16 (p.10)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Policy record (Rule Results, flag Insurer approval); Submitted Policies Setup (Limit Rules)	API	Limits step

Description

The limits step compares each record with the limit rules - per insurer and line or product, the maximum sum insured, the maximum vehicle age and other attribute limits - and with the package limit of the catalogue. A breach flags the record "Insurer approval required", records the breached limit and creates a TOR task for the handling Marketing user.

Preconditions

- Active limit rules exist.

Main flow

1. The run evaluates the limits and stores each check.
2. On a breach BIBS sets the flag and creates the TOR task.

Business rules

Rule	Statement	Kind	Maintained in
R1	Limit rules per insurer and product until Product Maintenance takes them over (SP SQ08).	Configurable	Limit rules (Setup)

Notifications

- The handling Marketing user receives the TOR task.

Audit

- Limit check rows (rule, attribute, limit, value, breached).

Acceptance criteria

- A motor policy whose vehicle is older than the insurer's maximum age is flagged Insurer approval required with the limit and value.

FR-SP-051 Generate the Terms of Reference

BRD trace	BRIDSP-17 (p.10)	Actor	Marketing user (TOR_PREPARE)
Priority	Must have	Fit	NEW
Screens	TOR (list, TOR page); Policy record (TOR tab)	API	POST /api/v1/submitted/tors

Description

For an account that exceeds the limits, the Marketing user generates a TOR (TOR-yyyy-nnnnnn) from template SBM_TOR. It lists the breached limits and the proposed terms. The TOR is created for the account (masterlist record or renewal ARN).

Preconditions

- The record carries the flag Insurer approval required; the user has TOR_PREPARE.

Main flow

- The user opens the TOR task and clicks **Generate TOR**.
- The user completes the proposed terms and saves the draft.
- The user submits it (FR-SP-052).

Business rules

Rule	Statement	Kind	Maintained in
R1	Template SBM_TOR; draft until BDOI provides the layout (SP SQ08).	Configurable	Document templates

Validations and messages

Check	Message shown	Code
Proposed terms blank	Enter the proposed terms	-
No breach on the account	Policy <SBM no.> exceeds no limit	To be assigned at build

Screens and fields: TOR

Field	Type	Mand.	Source / LOV	Validation
Breaches	Display	-	Limit checks	-
Proposed terms	Long text	Yes	-	-
Account Officer	Look-up	Yes	Sales officers	Active officer

Notifications

- None until submission.

Audit

- TOR creation and edits.

Acceptance criteria

1. A TOR generated for a flagged record lists its breached limits.

FR-SP-052 Route the TOR for approval per the TSU Approval Matrix

BRD trace	BRIDSP-18 (p.10)	Actor	System; TSU (TOR_APPROVE)
Priority	Must have	Fit	CHANGE
Screens	My Approvals; TOR page; Submitted Policies Setup (Approval Matrix)	API	Workflow SBM_TOR

Description

The submitted TOR is routed by the TSU Approval Matrix (document TOR, segment and sum-insured band) to the approvers of each level for signature. The last approval attaches the signed PDF and sets APPROVED.

Preconditions

- The TOR is FOR_APPROVAL.

Main flow

1. The TSU approver opens the TOR in My Approvals and approves it.
2. BIBS moves it to the next level or to APPROVED with the signed PDF.

Alternate and exception flows

- Return with a reason to the preparer.

Business rules

Rule	Statement	Kind	Maintained in
R1	TSU matrix levels and signatories to be supplied by BDOI (SP SQ08).	Configurable	Approval matrix (document TOR)
R2	The preparer never approves a level.	Fixed	-

Validations and messages

Check	Message shown	Code
Approver is the preparer	A TOR is approved by someone other than its preparer	To be assigned at build
Return without reason	Select a reason for 'Return'	WORKFLOW_REASON_REQUIRED

Notifications

- SBM_TOR_PENDING to the approvers; alert SBM_TOR_SLA.

Audit

- Each level with approver, time, decision and signature hash.

Acceptance criteria

1. A TOR reaches the TSU approver of its level and, after the last approval, carries the signed PDF.

FR-SP-053 Hand the approved TOR over to the Account Officer

BRD trace	BRIDSP-19 (p.10)	Actor	Account Officer
Priority	Must have	Fit	CHANGE
Screens	Notifications; TOR page (Download)	API	GET /api/v1/submitted/tors/{id}.pdf

Description

When the TOR is approved, BIBS stores the signed PDF as an attachment of type TOR and notifies the assigned AO, who views or downloads it to proceed with the renewal and the insurer. The TOR becomes RELEASED when the AO opens or downloads it.

Preconditions

- The TOR is APPROVED.

Main flow

- The AO opens the notification and the TOR.
- The AO downloads the PDF; BIBS sets RELEASED.

Business rules

Rule	Statement	Kind	Maintained in
R1	Meaning of Released to be confirmed (SP SQ08); default is the AO's first opening.	Fixed	-

Notifications

- SBM_TOR_RELEASED to the assigned AO.

Audit

- Opening and download with user and time.

Acceptance criteria

- The assigned AO is notified of the approved TOR and can download it; the TOR then shows Released.

4.7 Renewal hand-off**FR-SP-060 Detect expiring policies and hand them to Renewal**

BRD trace	BRIDSP-23 (p.11)	Actor	System (job SBM_EXPIRY_SCAN); Marketing AO (Renew with BDOI)
Priority	Must have	Fit	NEW
Screens	Renewal Work List (For Renewal, Hand-off Pending); Masterlist (Renew with BDOI)	API	Job SBM_EXPIRY_SCAN; port RenewalHandOff

Description

Every day the expiry scan selects For Renewal records whose expiry falls within the lead days of their segment (for example CBG Fire 150 days, CBG Motor 120 days), assigns the insurer with the insurer rules (by vehicle type for CBG Motor; different from the expiring insurer for CBG Fire), and hands each record to the Renewal module through the port RenewalHandOff with the policy and risk data, the RA template and the assigned insurer. The record moves to RENEWAL_IN_PROGRESS.

From the hand-off on, the Renewal module owns the renewal - renewal account, 30-day hold cover request and letters (decision D2; FRS BRD-6 FR-RN-090). For Non-CBG Retail, the AO starts the renewal by hand with **Renew with BDOI**, which calls the same port.

Preconditions

- The record is FOR_RENEWAL.

Main flow

- The job runs at 22:00 PHT and selects the records.
- BIBS assigns the insurer and calls the port; it records the hand-off (renewal reference returned by Renewal).

Alternate and exception flows

- Renewal module not yet deployed. The default adapter records the hand-off as PENDING and lists it on the Renewal Work List; it creates no account and sends no letter. The hand-offs are replayed when the Renewal adapter is deployed.
- No insurer rule applies. The record stays For Renewal and appears in the fallout with reason no insurer.

Business rules

Rule	Statement	Kind	Maintained in
R1	Lead days per segment - CBG Fire 150, CBG Motor 120 (defaults).	Configurable	Parameter SBM_RENEWAL_LEAD_DAYS
R2	Insurer rules by segment, vehicle type or occupancy; exclude the expiring insurer where set.	Configurable	Insurer rules (SP SQ11)
R3	One hand-off per record and term; the port is idempotent on the SBM number.	Fixed	-

Validations and messages

Check	Message shown	Code
Renew with BDOI on a record not For Renewal	Policy <SBM no.> is not For Renewal	To be assigned at build

Notifications

- SBM_EXPIRY_NEAR and SBM_RENEWAL_STARTED to the handler and AO.

Audit

- Hand-off with insurer assigned, renewal reference and time.

Acceptance criteria

- A For Renewal CBG Fire record 150 days before expiry is handed over with an insurer different from the expiring one.
- A second scan does not hand the same record over again.
- Before the Renewal adapter exists, the hand-off shows as pending and no letter is sent.

FR-SP-061 List the policies subject for renewal

BRD trace	BRIDSP-25 (p.11)	Actor	Marketing user
Priority	Must have	Fit	NEW
Screens	Renewal Work List (tabs For Renewal, Hand-off Pending, Hold Cover Pending, Insurer Not Accepted, Converted, Not Renewed); Reports (SBM-RENEWABLE)	API	GET /api/v1/submitted/renewals; report SBM-RENEWABLE

Description

When the renewal cycle starts, the Marketing user sees the complete list of renewable policies, by expiry month, bucket, AO and insurer, for call-out and placement. The user assigns or re-assigns the AO in bulk, exports the list (SBM-RENEWABLE) and opens the Renewal record of a handed-over policy for its letters and progress.

Preconditions

- The user has SBM_VIEW.

Main flow

- The user opens the Renewal Work List and filters by expiry month.
- The user assigns AOs and exports the list.

Business rules

Rule	Statement	Kind	Maintained in
R1	The list shows every record For Renewal or in progress within the user's scope.	Fixed	-

Notifications

- The assigned AO is notified.

Audit

- Assignments with user and time.

Acceptance criteria

- The For Renewal tab for March lists every renewable record expiring in March in the user's scope.
- The export has the same rows as the screen.

FR-SP-062 Send letters and proposals when the criteria are met

BRD trace	BRIDSP-22 (p.11)	Actor	System (job SBM_LETTER_DISPATCH; Renewal letter engine)
Priority	Must have	Fit	CHANGE
Screens	Letters & Print Batches; Policy record (Letters tab)	API	Job SBM_LETTER_DISPATCH; letter rules

Description

When policy evaluation meets the sending criteria of a letter rule (letter type, segment, bucket, days relative to expiry, channel), the letter is generated and sent automatically, by e-mail, through the bank counterpart, or printed in a batch for the mail house (COG).

Renewal letters of handed-over policies - RA (generic or FFY), NRNS, NAL, SFU and renewal reminders - are generated by the Renewal module's letter engine, one RA per client (decision D2); the RA is sent 90 days before expiry. Submitted Policies sends the letters that are not renewal letters, namely the policy-review reminder to the client c/o the bank counterpart, and the renewal notice and renewal proposal until their owner is confirmed (XQ03). Printed renewal letters use this module's mail-house port.

Preconditions

- Active letter rules exist.

Main flow

- The daily job (06:30 PHT) finds the records that meet a rule.
- BIBS generates the letters from their templates and sends them by the rule's channel.
- For the print channel BIBS builds a merged PDF batch with a control list for COG.

Alternate and exception flows

- Delivery failure. The letter is FAILED; alert SBM_LETTER_FAILED; the user resends it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Letter rules - type, segment, bucket, days relative to expiry, channel, template.	Configurable	Letter rules (Setup)
R2	RA, NRNS, NAL, SFU and renewal reminders are not letters of this module (decision D2).	Fixed	-
R3	Templates SBM_REMINDER, SBM_RENEWAL_NOTICE, SBM_RENEWAL_PROPOSAL; drafts until BDOI provides the layouts (SP SQ09).	Configurable	Document templates

Validations and messages

Check	Message shown	Code
Client without e-mail for an e-mail rule	Client <name> has no e-mail address	To be assigned at build

Notifications

- The letter to the client or bank counterpart.

Audit

- Each letter with number SBL-yyyy-nnnnnn, channel, status, template version; print batches with count and hand-over date.

Acceptance criteria

- A reviewed policy with a renewal opportunity gets the reminder letter by the rule's channel and date.
- A print batch contains one PDF with all letters of the day and a control list.
- No RA is produced by this module; the RA of a handed-over policy appears on its Renewal record.

FR-SP-063 Re-assign the insurer while a hold cover request is open

BRD trace	BRIDSP-32 (p.12)	Actor	Marketing user (SBM_PROCESS)
Priority	Must have	Fit	CHANGE
Screens	Renewal Work List (Insurer Not Accepted; Re-assign Insurer)	API	POST /api/v1/submitted/renewals/{id}/reassign-insurer (HoldCoverService.reassign)

Description

When the insurer has not accepted the hold cover within the acceptance days (3-5 days in the BRD), the watch job alerts the handler to follow up or re-assign. The user updates the assigned insurer even with a hold cover request open. BIBS closes the open request as Reassigned, updates the insurer of the renewal account, sends a new hold cover request to the new insurer and keeps both in the history.

Preconditions

- The renewal account has an open hold cover request.

Main flow

- The user selects the record and clicks **Re-assign Insurer**.
- The user selects the new insurer and the reason and saves.
- BIBS re-assigns and sends the new request.

Business rules

Rule	Statement	Kind	Maintained in
R1	Acceptance window 5 days (default).	Configurable	Parameter SBM_INSURER_ACCEPT_DAYS (SP SQ12)
R2	The new insurer must differ from the current one.	Fixed	-

Validations and messages

Check	Message shown	Code
Same insurer selected	Select an insurer other than the current one	To be assigned at build
Reason not selected	Select the reason	-

Screens and fields: Re-assign Insurer

Field	Type	Mand.	Source / LOV	Validation
New insurer	List	Yes	Insurer master	Active insurer
Reason	List	Yes	LOV SBM_DECLINE_REASON	-

Notifications

- Hold cover request e-mail to the new insurer; alert SBM_INSURER_NOT_ACCEPTED past the acceptance days.

Audit

- Both requests in the hold cover history; re-assign count on the record.

Acceptance criteria

1. After re-assignment the old request shows Reassigned and a new request is sent to the new insurer.
2. The renewal account shows the new insurer.

FR-SP-064 Process placement of the renewal account

BRD trace	BRIDSP-26 (p.11)	Actor	Placement user (BRD-1 placement roles)
Priority	Must have	Fit	CHANGE
Screens	BRD-1 Placement screens; Renewal Work List (Converted)	API	BRD-1 placement (payment gate, slip generation and sending)

Description

When the client confirms the renewal with BDOI, the renewal account created by the Renewal module follows the BRD-1 path - payment gate, placement slip, protected send to the insurer - and the placement file is transmitted to the insurer. The masterlist conversion status follows the account (Process Placement, Placed).

Preconditions

- The renewal account exists and the client has confirmed.

Main flow

1. The payment gate passes; the placement user generates and sends the slip (or the Renewal module does it automatically).
2. AccountStatusChanged updates the masterlist record to PLACED.

Business rules

Rule	Statement	Kind	Maintained in
R1	Placement files are the existing BRD-1 placement slips.	Fixed	-

Notifications

- SBM_PLACEMENT_READY and SBM_PLACEMENT_SENT to the handler.

Audit

- Placement events on the account; conversion status change on the record.

Acceptance criteria

1. After the client confirms and pays, the slip is sent to the insurer and the masterlist record shows Placed.

FR-SP-065 Show the booked status in the masterlist

BRD trace	BRIDSP-27 (p.11)	Actor	Booking user (BRD-1 booking roles); System
Priority	Must have	Fit	CHANGE
Screens	BRD-1 Booking; Masterlist; Policy record (Renewal tab)	API	InvoiceBooked event (business type RENEWAL)

Description

When the renewal account is booked, the booking carries business type RENEWAL and the origin Submitted Policy (shared change BT0, decision D1). The listener of this module sets the masterlist record

BOOKED with the invoice number and booking date. A renewal that never books is closed Not Renewed with the reason read from the Renewal module.

Preconditions

- Placement is successful.

Main flow

1. The booking user books the account.
2. BIBS publishes InvoiceBooked; the record becomes BOOKED.

Alternate and exception flows

- The renewal is declined, lost or expires. The record becomes NOT_RENEWED with the reason given by the port's status query.

Business rules

Rule	Statement	Kind	Maintained in
R1	Booking stays in the booking module; this module only follows it.	Fixed	-

Notifications

- None.

Audit

- Status change with invoice number and time.

Acceptance criteria

1. A booked renewal shows BOOKED, the invoice number and the booking date in the masterlist.
2. The booked invoice has business type RENEWAL.

4.8 Handling fee

FR-SP-070 Tag handling-fee payments in the Unapplied Payment List

BRD trace	BRIDSP-31 (p.12)	Actor	System (job SBM_HANDLING_FEE_TAGGER); UPP handler (SBM_HANDLING_FEE)
Priority	Must have	Fit	CHANGE
Screens	Handling Fees (records, tagger results, unmatched items); Collections unapplied view	API	Job SBM_HANDLING_FEE_TAGGER; UnappliedDispositionRequests (RECOGNIZE_INCOME)

Description

Handling-fee records exist for the CBG Motor submitted accounts that BDOI bills, with PN, location reference, amount and billing date. Every 30 minutes the tagger reads the open unapplied payments and matches CLPC payments on the PN and OTC payments on the location reference against billed records.

A match tags the payment Handling Fee - BIBS sends a disposition request (action RECOGNIZE_INCOME, income type HANDLING_FEE) to Cashiering, which applies it and issues the OR; the record becomes TAGGED then APPLIED, and the payment is available for reporting, audit and

application. Unmatched or ambiguous payments stay for the UPP handler, who can apply the Handling Fee disposition by hand.

Preconditions

- Billed handling-fee records exist.

Main flow

- The tagger runs and matches the payments.
- BIBS sends the disposition requests and updates the records.
- Cashiering applies them and issues the ORs.

Alternate and exception flows

- Several records match one payment. The payment is left untagged and listed as ambiguous.

Business rules

Rule	Statement	Kind	Maintained in
R1	Match key - PN for CLPC, location reference for OTC.	Fixed	-
R2	Amount, VAT, OR and GL account of the handling fee to be confirmed (SP SQ13).	Configurable	Cashiering disposition type and accounting rules

Validations and messages

Check	Message shown	Code
Manual tag of an already tagged payment	Payment <ref> is already tagged	To be assigned at build

Screens and fields: Handling-fee record

Field	Type	Mand.	Source / LOV	Validation
Policy	Look-up	Yes	Masterlist	CBG Motor
PN no. / Location reference	Text	Yes (one)	-	-
Amount	Amount	Yes	-	> 0
Billing date	Date	Yes	-	-

Notifications

- None; the Handling Fees screen shows the tagger results.

Audit

- Each match, request and application with time; report SBM-HANDLING-FEE.

Acceptance criteria

- A CLPC payment carrying the PN of a billed record is tagged Handling Fee and applied with an OR.
- An OTC payment with an unknown location reference stays in the unapplied list for the UPP handler.

4.9 Monitoring, reports and notifications

FR-SP-080 Generate Submitted Policies reports

BRD trace	BRIDSP-20 (p.10), BRIDSP-30 (p.12)	Actor	Marketing user (SBM_REPORT_VIEW)
Priority	Must have	Fit	NEW
Screens	Reports (category Submitted Policies); Submitted Policies home	API	Report service, codes of section 6.1

Description

The Marketing user generates the reports of section 6.1 to monitor sanitation, disposition, classification and the other results - including the fallout reports for exceptions. BRIDSP-30 repeats BRIDSP-20 word for word; both are met by this FR.

The Submitted Policies home shows tiles (received today, awaiting validation, fallout of the last run, for renewal this month, IAAF and TOR pending, insurer not accepted, hold cover unbooked, handling fees tagged today); each tile opens its filtered list.

Preconditions

- The user has SBM_REPORT_VIEW.

Main flow

- The user selects a report and sets its parameters.
- BIBS runs it within the user's scope.

Business rules

Rule	Statement	Kind	Maintained in
R1	Layouts without fields in the Report List are built with the obvious columns and flagged 'layout to confirm' (SP SQ25).	Configurable	Report definitions

Validations and messages

Check	Message shown	Code
Date range invalid	The end date must be on or after the start date	-

Notifications

- None.

Audit

- Each run with user, parameters and time.

Acceptance criteria

- The Sanitation Report of a month shows the counts per the grouping of Report List row 156.
- The process fallout report of a run lists every fallout record with its reason code.

FR-SP-081 View, download and print reports in several formats

BRD trace	BRIDSP-21 (p.10)	Actor	System; report users (SBM_REPORT_EXPORT)
Priority	Must have	Fit	FIT
Screens	Reports (Export, Print)	API	GET /api/v1/reports/{code}/export?format=PDF XLSX ODS CSV XML

Description

Every report is rendered in the chosen format - Excel, PDF, ODS, CSV or XML - with print preview, saved variants and an archive of the exported files. This is the report framework built for BRD-1.

Preconditions

- The user has SBM_REPORT_EXPORT.

Main flow

- The user runs a report and clicks Export with a format, or Print.

Business rules

Rule	Statement	Kind	Maintained in
R1	Exports are archived with user and parameters.	Fixed	-

Validations and messages

Check	Message shown	Code
Export without permission	You are not permitted to perform this action	ACCESS_DENIED

Notifications

- None.

Audit

- Every export.

Acceptance criteria

- SBM-MASTERLIST exported as Excel and as PDF has the same rows.

FR-SP-082 Send notifications and alerts for key events

BRD trace	BRIDSP-24 (p.11)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Notifications (bell); notification preferences; alerts	API	Notification events and alert codes of section 5.6

Description

BIBS evaluates the notification rules and thresholds on each lifecycle event and notifies the users concerned in the app and, per their preferences, by e-mail. The events are those of BRIDSP-24 (section 5.6) - new submission or manual validation, pending IAAF or TOR, bucket moves, exceptions and fallout, nearing expiry and renewal start, TOR hand-over, placement file ready or sent, and the alert for hold covers of unbooked accounts.

Client-facing items (RA, SFU, NAL, renewal notices, proposals, reminders, NRNS) are the letters of FR-SP-062 and of the Renewal module.

Preconditions

- None.

Main flow

1. An event occurs.
2. BIBS notifies the owners and raises the alert where a threshold is passed.

Business rules

Rule	Statement	Kind	Maintained in
R1	Hold cover of an unbooked account is alerted 5 days (default) before the hold cover ends.	Configurable	Parameter SBM_HOLD_COVER_UNBOOKE D_ALERT_DAYS
R2	Users choose in-app and e-mail per event type.	Configurable	Notification preferences

Notifications

- This FR is the notification service of the module.

Audit

- Notifications and alerts are logged.

Acceptance criteria

1. The approvers of level 1 are notified when an IAAF is submitted.
2. A confirmed hold cover whose account is not booked 5 days before it ends raises SBM_HOLD_COVER_UNBOOKED.

5 Workflow and status model

5.1 Masterlist record (SBM_POLICY)

Figure 2 shows the workflow of a masterlist record. System transitions are driven by the processing run and by the account and booking events; user transitions are dispose, exclude, reinstate, renew (Renew with BDOI) and close. The figure shows the main path; Table 10 lists every status and what sets it.




Figure 2: Workflow SBM_POLICY of a masterlist record

Table 10: Statuses of a masterlist record

Status	Set by	Meaning
RECEIVED	Intake	Row loaded from a source; not yet confirmed

Status	Set by	Meaning
VALIDATED	Extraction confirmation, manual entry	Data confirmed by a user
CLASSIFIED	Processing run	Classification and bucket set
FOR_RENEWAL	Run or manual disposition	Renewable; waits for the expiry scan
FOR_MANUAL_DISPOSITION	Run	A handler decides
IN_REVIEW	Run (documents to review)	Policy review and IAAF in progress
EXCLUDED	Run or handler	Non-renewal bucket or manual exclusion
RENEWAL_IN_PROGRESS	Expiry scan, Renew with BDOI	Handed to the Renewal module
PLACED	Account event	Placement slip sent
BOOKED	InvoiceBooked	Renewal booked; invoice no. and date on the record
NOT_RENEWED	Renewal status query	Declined, lost or expired unrenewed, with the reason
CLOSED	Handler or system	No further action

5.2 Processing run

Figure 3 shows the steps of a processing run. Each step writes one result per record (outcome, bucket, reason code, rule id and rule-set version).




Figure 3: Processing run steps (BRIDSP-08-16)

5.3 IAAF approval (SBM_IAAF)




Figure 4: Workflow SBM_IAAF

5.4 TOR approval (SBM_TOR)




Figure 5: Workflow SBM_TOR

5.5 Handling-fee tagging




Figure 6: Handling-fee tagging (BRIDSP-31)

Table 11: Handling-fee record statuses

Status	Meaning
BILLED	Record created from the billing list or a processing rule; waits for payment
TAGGED	A payment matched and the disposition request was sent to Cashiering
APPLIED	Cashiering applied the payment and issued the OR
CANCELLED	Record cancelled by the handler

5.6 Notifications and alerts

Table 12: Notification events and alerts (BRIDSP-24, p.7 and 11)

Event / alert	When	Recipients
SBM_NEW_SUBMISSION	New records from an intake run	Handlers of the segment
SBM_MANUAL_VALIDATION	A document waits for confirmation	Handlers of the segment
SBM_IAAF_PENDING, SBM_TOR_PENDING	An approval level is waiting	Approvers of the level
SBM_BUCKET_CHANGED	Move to renewal, manual or non-renewal buckets	Handlers
SBM_FALLOUT	A run ends with fallout	Sanitation Handlers
SBM_EXPIRY_NEAR, SBM_RENEWAL_STARTED	Policy within the lead days; hand-off made	Handler, AO
SBM_TOR_RELEASED	TOR approved and handed over	Assigned AO
SBM_PLACEMENT_READY, SBM_PLACEMENT_SENT	Placement file ready or transmitted	Handler
SBM_HOLD_COVER_UNBOOKED (alert)	Hold cover confirmed, account not booked n days before it ends	Handler, TL
SBM_INSURER_NOT_ACCEPTED (alert)	Insurer has not accepted within the acceptance days	Handler

Event / alert	When	Recipients
SBM_INTAKE_FAILED, SBM_LETTER_FAILED, SBM_IAAF_SLA, SBM_TOR_SLA (alerts)	Intake or letter failure; approval past its SLA	Job owners, approvers
Letters to clients (RA, SFU, NAL, renewal notices, proposals, reminders, NRNS)	Letter rules; Renewal letter engine	Client or bank counterpart

6 Reports and documents

6.1 Reports

Table 13: Submitted Policies reports (category Submitted Policies)

Code	Report	Content	BRD / Report List
SBM-MASTERLIST	Submitted Masterlist Report / Extract	Fields of RL #151 per segment; migrated records included	BRIDSP-04, 28; RL #151
SBM-DOC-FALLOUT	Document Processing Fallout	Intake and extraction failures	BRIDSP-10; RL #152
SBM-PROCESS-FALLOUT	Fallout: sanitation, matching, disposition, classification	Per run or period, with reason code	BRIDSP-10, 20; RL #153
SBM-NON-RENEWAL	Non-renewal Report	Exclusions with reason codes	BRIDSP-14; RL #154
SBM-MIGRATION-ERRORS	Migration Error Log	Rows of the migration jobs that failed	BRIDSP-33; RL #155
SBM-SANITATION	Sanitation Report (RMEL certification)	Counts per the RL #156 grouping	BRIDSP-20; RL #156
SBM-DISPOSITION	Disposition Report	Buckets and dispositions	BRIDSP-20; RL #157
SBM-CLASSIFICATION	Account Classification Report	Inforced / Submitted	BRIDSP-20; RL #158
SBM-RENEWABLE	Renewable Accounts / Policies	By bucket and expiry month	BRIDSP-25; RL #159
SBM-IAAF	IAAF Tracking / Review	Reviews, approvals, audit	BRIDSP-05-07; RL #160
SBM-TOR	TOR Status and Approval	Pending, Approved, Released; AO	BRIDSP-17-19; RL #161
SBM-HANDLING-FEE	Handling Fee Payment Classification	CLPC / OTC, status, OR	BRIDSP-31; RL #162
SBM-CONVERSION	Submitted Policies Conversion	Renewed, Unrenewed, Process Placement by group; persistency; accounts for review	BRIDSP-29; RL #163
SBM-NO-TOUCH	Submitted Policies No Touch	Billing list to insurers; re-upload builds the billing statement	BRIDSP-14; RL #164
SBM-PR-CONVERSION	Policy Review Conversion	Reviewed policies converted	RL #133
SBM-PR-MONITORING	Policy Review Monitoring	Ageing from bank request to endorsement (SP SQ24)	RL #134
SBM-PERSISTENCY	Renewal Persistency (submitted accounts)	Renewal rate of submitted accounts	RL #135
SBM-PENETRATION, SBM-HOLD-COVER-GAP	Penetration Report; Hold Cover with Gap	CBG Motor per channel; hold covers with gaps	RL #138
SBM-LETTERS	Letters register	Letters of this module and print batches	BRIDSP-22, 24

All reports need SBM_REPORT_VIEW (export SBM_REPORT_EXPORT), apply the user's scope, export to PDF, XLSX, ODS, CSV and XML, and support saved variants and the archive. Rows without fields in the

Report List are delivered with the obvious columns and marked "layout to confirm" (SP SQ25). The renewal letters of submitted policies are listed in the Renewal report RNW-RA-DISPATCH (source Submitted Policy).

6.2 Sanitation report grouping

Table 14: *SBM-SANITATION grouping (RL #156, Motor)*

Group	Lines
Expiring accounts	Inforce; Submitted; Pending from previous months
For renewal	Regular; RMU; Open Market; CTPL; Auto Promo (FFY)
Not for renewal	SM / BDO Employee; No Touch; Mortgaged; Fully Paid; Cancelled / Did Not Materialize; Branch Account; Total Loss; Endorsement; Duplicate; Incorrect Expiry / Encoding; No Record with LAMD
Other	Pending for disposition; RB Submitted

6.3 Documents

Table 15: *Submitted Policies documents*

Template	Output	Content
SBM_IAAF	PDF, e-mail to the bank counterpart	Policy and borrower; reviews with dates, adequacy and findings; review count; linked policies; approval levels with stamped signatures
SBM_TOR	PDF, attachment TOR	Account; breached limits with limit and value; proposed terms; approvals with stamped signatures
SBM_REMINDER	PDF, e-mail or print	Policy-review follow-up to the client c/o the bank counterpart
SBM_RENEWAL_NOTICE, SBM_RENEWAL_PROPOSAL	PDF, e-mail or print	Renewal notice and proposal (owner to confirm, XQ03)
SBM_NO_TOUCH_BILLING	XLSX, PDF	No Touch billing list and statement

All templates are drafts until BDOI supplies the layouts (SP SQ07-SQ09). The RA (generic and FFY), NRNS, NAL and SFU templates belong to the Renewal module (RNW_RA_FIRST, RNW_RA_FFY, RNW_NRNS_REMINDER, RNW_NAL, RNW_SFU).

7 Interfaces and integration

Figure 7 shows the interfaces. Sources arrive as uploads; the renewal leaves through the hand-off port to the Renewal module; handling-fee payments are applied by Cashiering through the Operations ports.




Figure 7: Interfaces of Submitted Policies (dashed = parked or upload)

Table 16: Interfaces

Interface	Direction	Content and trigger	BRD	Status
LFS, HLS, CIU, SPI, Loan Booking Report, IA masterlist	In	Excel uploads per source layout; feeds parked (SubmittedSourceFeed)	BRIDSP-01	PARKED
LAMD	In	Loan snapshot upload by PN	BRIDSP-13	PARKED
Policy documents	In	Extraction of text PDFs; OCR parked	BRIDSP-02	CHANGE
Excel masterlists	In	One-time migration	BRIDSP-33	NEW
Renewal (BRD-6)	Out / In	RenewalHandOff; status query of a hand-off	BRIDSP-22, 23, 25, 26	NEW
Placement (BRD-1)	Out	Hold cover re-assignment	BRIDSP-32	CHANGE
Account and booking (BRD-1)	In	AccountStatusChanged; InvoiceBooked with business type RENEWAL (BT0)	BRIDSP-26, 27	CHANGE
Cashiering and Collections	Out	Disposition request RECOGNIZE_INCOME for handling fees	BRIDSP-31	CHANGE
E-mail outbox	Out	IAAF, TOR, letters	BRIDSP-07, 22	BUILT
Mail house (COG)	Out	Print batches (merged PDF and control list)	BRIDSP-22	PARKED
E-signature	Out	Qualified e-signature of IAAF and TOR; stamped signature until then	BRIDSP-07, 18	PARKED
ISYS / ARF	-	Not fed; the ARN is the reference (SP SQ20)	p.5	OUT

8 Non-functional requirements

Table 17: Non-functional requirements (BRD p.13-14)

Topic	BRD value	BIBS target and approach	Status
Users	CBG Admin / Mktg 30 (15 concurrent) for log-in and sanitation; Non-CBG Corporate Policy Review officers 8 (6) for log-in and policy review	Within the BRD-1 sizing of 145 concurrent users	FIT
Volumes	Log-ins 22,000 a year (+5%); sanitation 63,000 a year (+25% a year); Non-CBG log-ins and policy reviews 2,000 a year each (+5%)	Processing runs set-based per step; about 154,000 sanitations in year 5	FIT
Response time	2 seconds for all listed transactions	Screens and single-record actions within 2 seconds; runs, exports and letters asynchronous with progress. Tighter than BRD-1 (10 s) and Operations (5 s) (SP SQ21)	CHANGE
Peak	End of month and year-end; 08:00-18:00 daily; no mobile vs desktop difference	Batch jobs at night (processing 21:30, expiry scan 22:00, letters 06:30 PHT)	FIT
Availability	99.9%; business hours; at most 45 minutes of planned downtime a month; maintenance 00:00-04:00	Platform deployment; one BIBS-wide NFR set is being agreed (XQ08)	FIT
Continuity	Critical services restored within 4 hours; full recovery within 24 hours	Platform backup and recovery	FIT
Retention	Transaction and submitted policy records 5 years online, 5 years archive; daily backup kept 5 years; no anonymisation	Retention rule SUBMITTED_POLICY; differs from BRD-1 (5 / 15 years) (SP SQ22)	CONFIGURE

9 Configuration items owned by the business and the System Administrator

The items below are changed in BIBS without a release. Changes are audited.

9.1 Parameters

Table 18: Submitted Policies parameters (category SUBMITTED)

Parameter	Default	Meaning
SBM_RENEWAL_LEAD_DAYS	CBG_FIRE=150, CBG_MOTOR=120	Days before expiry of the hand-off to Renewal, per segment
SBM_MASTERLIST_DAYS_FROM_EXTRACTION	30	Target days from extraction to masterlist (CBG Motor)
SBM_INSURER_ACCEPT_DAYS	5	Days for the insurer to accept the hold cover before the alert
SBM_HOLD_COVER_UNBOOKED_ALERT_DAYS	5	Days before the hold cover ends to alert an unbooked account
SBM_REVIEW_SLA_DAYS	to confirm	SLA of IAAF and TOR approval levels
RA timing of submitted policies	90 days before expiry	Hand-off parameter of the Renewal module (V1017), not of this module
Job schedules	21:30, 22:00, 06:30, 07:00 PHT; tagger every 30 minutes	SBM_PROCESSING, SBM_EXPIRY_SCAN, SBM_LETTER_DISPATCH, SBM_HOLD_COVER_WATCH, SBM_HANDLING_FEE_TAGGER

9.2 Lists of values

Table 19: Lists of values

List	Values delivered
SBM_SEGMENT	CBG Motor; CBG Fire; Non-CBG Corporate and Branches; Non-CBG Retail
SBM_BUCKET	For Renewal; For Manual Disposition; Non-Renewal; No Touch; FFY; BDO / SM Group Employee Accounts; RMU; For Review; Fully Paid Loan; OPM; BDOFC; Sold (attribute renewal_action)
SBM_NON_RENEWAL_REASON	Free First Year; SM Group Employee; No Touch; CARL; Bonds; RMU; and the RL #156 reasons
SBM_LOAN_STATUS	Active; Open Market; Fully Paid; Remedial (RMU)
SBM_CONVERSION_STATUS	Renewed; Unrenewed; Process Placement (each by Inforce, NB Submitted, RB Submitted, OPM, RMU); Issued SFU
SBM_REASON	Fallout and exclusion reason codes (for example SBM_NO_RULE)
SBM_LETTER_TYPE	Reminder; Renewal notice; Renewal proposal
SBM_DECLINE_REASON	Reasons of insurer re-assignment
SBM_IAAF_FINDING	Findings of a policy review (to be supplied by BDOI)

9.3 Masters and rules maintained by the business

Table 20: *Masters and rules*

Item	Maintained by (approved by)	FR
Source register and upload templates	System Administrator	FR-SP-001
Rule sets (sanitation, matching, classification, disposition)	Rule administrator (SBM_RULE_APPROVE)	FR-SP-020
Limit rules	Rule administrator (SBM_RULE_APPROVE)	FR-SP-050
Insurer rules	Rule administrator (SBM_RULE_APPROVE)	FR-SP-060
Letter rules	Rule administrator (SBM_RULE_APPROVE)	FR-SP-062
IAAF and TOR approval matrices	Rule administrator (SBM_RULE_APPROVE)	FR-SP-041, 052
Legacy status map	Team Lead	FR-SP-004
User scope (segments, own accounts)	System Administrator	FR-SP-011
Document templates	System Administrator	Section 6.3

10 Assumptions, dependencies and open questions

10.1 Assumptions

Table 21: Assumptions

ID	Assumption	Related
A-SP-01	A submitted policy is not an account; it becomes one only when the client renews with BDOI	Design principle 1
A-SP-02	Submitted = PN matched to an active LAMD loan and not BDOI-placed; Inforced = otherwise	SP SQ04
A-SP-03	One IAAF per policy, with links to related policies	SP SQ07
A-SP-04	The Renewal module owns the renewal of submitted policies from the hand-off on	Decision D2
A-SP-05	BRIDSP-20 and BRIDSP-30 are the same requirement and are met once	BRD p.10, 12
A-SP-06	The BIBS ARN replaces the ISYS reference and the ARF	SP SQ20
A-SP-07	Sources arrive as Excel files until BDOI names the feeds	SP SQ01

10.2 Dependencies

Table 22: Dependencies

ID	Dependency	Needed for
D-SP-01	The shared account business-type change BT0 (V822) is merged	FR-SP-065 (D1)
D-SP-02	The Renewal module implements RenewalHandOff (wave R3); until then hand-offs wait as pending	FR-SP-060, 062 (D2)
D-SP-03	Cashiering and Collections expose the unapplied-payment ports with the action RECOGNIZE_INCOME	FR-SP-070
D-SP-04	Placement adds the hold cover re-assignment	FR-SP-063
D-SP-05	BDOI supplies the source layouts, rule content, matrices, templates and the LAMD definition	FR-SP-001, 020, 041, 052, 062

10.3 Open questions

Table 23: Open questions on BRD-12 (status from the cross-BRD decisions, R5)

ID	Question	Affects	Status
SP SQ01	Definition, owner, layout, frequency and transport of each source	FR-SP-001	OPEN
SP SQ02	Prescribed submission formats per segment and business type	FR-SP-001	OPEN
SP SQ03	Document types, share of scanned documents, OCR, mandatory fields	FR-SP-002	OPEN
SP SQ04	Definitions of Inforced and Submitted	FR-SP-030	OPEN
SP SQ05	Complete bucket list and precedence (RMU, FFY, Fully Paid conflicts); CARI, Bonds, BDOFC, OPM, Sold	FR-SP-031, 033, 034	OPEN
SP SQ06	LAMD fields and frequency; Generic vs FFY RA rule (XQ01: one or two LAMD intakes)	FR-SP-032	OPEN
SP SQ07	IAAF approval matrix, signature method, template; one IAAF per policy	FR-SP-040, 041	OPEN
SP SQ08	TSU matrix; limits per insurer and product; TOR template; meaning of Released	FR-SP-050 to 053	OPEN
SP SQ09	Letter templates, triggers, lead days and channels; COG format (XQ03)	FR-SP-062	OPEN

ID	Question	Affects	Status
SP SQ10	Owner of the renewal of submitted policies	FR-SP-060	ANSWERED
SP SQ11	Insurer assignment rules	FR-SP-060	OPEN
SP SQ12	Acceptance window 3 or 5 days; outcome when no insurer accepts; alert lead days	FR-SP-063, 082	OPEN
SP SQ13	Handling fee amount, VAT, OR, GL account and record creation	FR-SP-070	OPEN
SP SQ14	No Touch service-fee basis and billing statement	Section 6.1	OPEN
SP SQ15	Access matrix and data scope of the personas	Section 3	OPEN
SP SQ16	Migration files, volumes, statuses and cut-over	FR-SP-004	OPEN
SP SQ17	Meaning of opportunity tag and conversion; who overrides a rule tag	FR-SP-003	OPEN
SP SQ18	Penetration report inputs and channel rule	Section 6.1	OPEN
SP SQ19	Expansion of the acronyms of the BRD	Section 1.4	OPEN
SP SQ20	BIBS ARN replaces the ISYS reference and ARF	Section 7	OPEN
SP SQ21	2-second response against 10 s (BRD-1) and 5 s (Operations)	Section 8	OPEN
SP SQ22	Retention 5 + 5 years against 5 + 15 years (BRD-1)	Section 8	OPEN
SP SQ23	Non-CBG Retail employee accounts: quotation and NRNS by e-mail	FR-SP-060	OPEN
SP SQ24	Start and end events of the policy-review ageing	Section 6.1	OPEN
SP SQ25	Final fields of the reports without layouts	FR-SP-080	OPEN

11 Traceability

Every BRD-12 requirement ID is met by at least one FR.

Table 24: BRD ID to FR, screen and API

BRD ID	FR	Screen	API / job
BRIDSP-01 (p.8)	FR-SP-001	Upload & Intake	Bulk handlers per source
BRIDSP-02 (p.8)	FR-SP-002	Extraction Review	/submitted/extractions
BRIDSP-03 (p.8)	FR-SP-003	Masterlist; Policy record	/submitted/policies; .../renewal-tag
BRIDSP-04 (p.9)	FR-SP-010	Masterlist; Policy record	/submitted/policies
BRIDSP-05 (p.9)	FR-SP-040	Policy Reviews / IAAF	.../iaaf
BRIDSP-06 (p.9)	FR-SP-040	Policy Reviews / IAAF	.../reviews
BRIDSP-07 (p.9)	FR-SP-041	My Approvals; IAAF page	Workflow SBM_IAAF
BRIDSP-08 (p.9)	FR-SP-020	Setup (Rule Sets)	/submitted/setup/rule-sets
BRIDSP-09 (p.9)	FR-SP-021	Processing Runs	/submitted/runs; job SBM_PROCESSING
BRIDSP-10 (p.9)	FR-SP-022	Processing Runs (Fallout)	Reports SBM-DOC-FALLOUT, SBM-PROCESS-FALLOUT
BRIDSP-11 (p.9)	FR-SP-030	Policy record (Loan & Matching)	Classification step
BRIDSP-12 (p.9)	FR-SP-031	Masterlist (buckets)	Disposition step
BRIDSP-13 (p.10)	FR-SP-032	Upload & Intake (LAMD)	Bulk SBM_LAMD
BRIDSP-14 (p.10)	FR-SP-033	Masterlist (Non-Renewal)	Report SBM-NON-RENEWAL
BRIDSP-15 (p.10)	FR-SP-034	Masterlist; Renewal tab	Disposition step; RenewalHandOff
BRIDSP-16 (p.10)	FR-SP-050	Policy record; Setup (Limit Rules)	Limits step
BRIDSP-17 (p.10)	FR-SP-051	TOR	/submitted/tors
BRIDSP-18 (p.10)	FR-SP-052	My Approvals; TOR page	Workflow SBM_TOR
BRIDSP-19 (p.10)	FR-SP-053	Notifications; TOR page	/submitted/tors/{id}.pdf
BRIDSP-20 (p.10)	FR-SP-080	Reports; home	Report service
BRIDSP-21 (p.10)	FR-SP-081	Reports (Export, Print)	/reports/{code}/export
BRIDSP-22 (p.11)	FR-SP-062	Letters & Print Batches	Job SBM_LETTER_DISPATCH

BRD ID	FR	Screen	API / job
BRIDSP-23 (p.11)	FR-SP-060	Renewal Work List	Job SBM_EXPIRY_SCAN; RenewalHandOff
BRIDSP-24 (p.11)	FR-SP-082	Notifications	Events and alerts SBM_*
BRIDSP-25 (p.11)	FR-SP-061	Renewal Work List	Report SBM-RENEWABLE
BRIDSP-26 (p.11)	FR-SP-064	BRD-1 Placement	Payment gate; placement slip
BRIDSP-27 (p.11)	FR-SP-065	BRD-1 Booking; Masterlist	InvoiceBooked
BRIDSP-28 (p.12)	FR-SP-011	Masterlist (Export)	Report SBM-MASTERLIST
BRIDSP-29 (p.12)	FR-SP-012	Masterlist; Policy record (History)	/submitted/policies/{id}
BRIDSP-30 (p.12)	FR-SP-080	Reports; home	Report service
BRIDSP-31 (p.12)	FR-SP-070	Handling Fees	Job SBM_HANDLING_FEE_TAGGER
BRIDSP-32 (p.12)	FR-SP-063	Renewal Work List	.../reassign-insurer
BRIDSP-33 (p.12)	FR-SP-004	Upload & Intake (Migration)	Bulk SBM_MIGRATION
Usage requirements (p.13-14)	Section 8	-	-

API paths start with /api/v1. They are the paths of the build design (R3) and are confirmed at build.

12 Sign-off

By signing, BDOI confirms that this FRS describes the Submitted Policies functions it expects in BIBS, and accepts the assumptions in section 10.1. Open questions in section 10.3 stay open; their answers are applied as configuration or through a change request.

Name	Role	Organisation	Signature	Date
	Product Owner	BDOI		
	Unit Head, Combank and Corbank	BDOI		
	Head, Retail Marketing	BDOI		
	Head, Corporate and Retail Marketing	BDOI		
	Program Manager, Business Project Services	BDO Unibank ESG		
	Project Manager	iorta TechNXT		