
FUNCTIONAL REQUIREMENTS SPECIFICATION

Sanction Screening and Risk Profiling

BRD-10 Sanction Screening and Risk Profiling

BIBS – BDOI Broker System

Client	BDO Insurance and Reinsurance Brokers, Inc.
Document	BIBS-FRS-BRD-10
Version	1.0
Date	25 September 2026
Status	Issued for BDOI review
Classification	Confidential

Document Control

Version	Date	Author	Reviewer	Approver	Change
0.9	18 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Solution Architect		Internal draft from the BRD-10 baseline and the build design
1.0	25 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Project Manager	BDOI Product Owner (pending)	First issue for BDOI review; specified from the BRD and the build design (not yet built); aligned with the cross-BRD decisions

Distribution List

Name / Unit	Role	Organisation	Purpose
Product Owner, Marketing Business System	Approver	BDOI	Review and sign-off
Chief Compliance Officer and Compliance unit	Business owner	BDOI	Review of all FRs
Unit Head, Claims and Risk Management	Approver	BDOI	Review of the risk-profiling and case steps
Combank, Corbank and Retail Marketing	Business user	BDOI	Review of the investigation and approval steps
Business Project Services	BRD owner	BDO Unibank ESG	Traceability check against the BRD
Project team	Delivery	iorta TechNXT	Build, test and UAT preparation

Contents

1 Introduction.....	6
1.1 Purpose.....	6
1.2 Scope.....	6
1.3 References.....	7
1.4 Definitions and acronyms.....	7
1.5 How to read the functional requirements.....	8
2 Business context and process overview.....	10
2.1 Business context.....	10
2.2 Process overview.....	10
2.3 Screening triggers and case types.....	12
3 Personas and roles.....	14
3.1 Personas.....	14
3.2 Permissions.....	14
3.3 Permissions matrix.....	15
4 Functional requirements.....	16
4.1 Access, security and audit.....	16
FR-SS-001 Restrict screening functions to authorised roles.....	16
4.2 Configuration.....	17
FR-SS-010 Maintain versioned screening configuration.....	17
FR-SS-011 Configure name-matching criteria.....	19
FR-SS-012 Define risk-profile categories and tagging rules.....	20
FR-SS-013 Maintain the approval and escalation matrix.....	22
FR-SS-014 Configure the case assignment matrix.....	23
FR-SS-015 Configure the SLA matrix per case stage.....	25
FR-SS-016 Maintain review templates.....	26
FR-SS-017 Maintain STR templates and the extraction layout.....	27
FR-SS-018 Configure dispositions per case stage.....	29
FR-SS-019 Approve or reject a configuration version.....	30
4.3 Sanctions and PEP list.....	31
FR-SS-020 Receive the sanctions and PEP lists on schedule.....	31
FR-SS-021 Report records that failed ingestion.....	33
FR-SS-022 Add or change sanctioned-name and PEP records manually.....	34
FR-SS-023 Approve or reject list changes.....	35
4.4 Matching, risk tagging and case creation.....	36
FR-SS-030 Trigger client matching.....	36
FR-SS-031 Match client names against the list.....	37
FR-SS-032 Review potential matches.....	39
FR-SS-033 Tag the client risk profile automatically.....	39
FR-SS-034 Create cases automatically.....	41
FR-SS-035 Update the risk-profile tag manually with justification.....	42
4.5 Case management.....	43
FR-SS-040 Control the case lifecycle.....	43
FR-SS-041 View the list of cases and open a case.....	44
FR-SS-042 Search cases.....	45

FR-SS-043 Re-assign a case or approval.....	46
FR-SS-044 Monitor SLA per stage, remind and escalate.....	47
FR-SS-045 Screening home and high-risk client list.....	48
4.6 Investigation.....	49
FR-SS-050 Complete the guided review template.....	49
FR-SS-051 Select a disposition and submit the case.....	50
FR-SS-052 Upload KYC and supporting documents.....	51
4.7 Validation, approval and escalation.....	52
FR-SS-060 Validate dispositioned cases before approval.....	52
FR-SS-061 Approve or disapprove the recommendation (Unit Head).....	54
FR-SS-062 Correct and resubmit a returned case.....	55
FR-SS-063 Review BU escalations (Compliance).....	56
FR-SS-064 Record the AML Committee decision.....	57
4.8 Suspicious Transaction Report.....	58
FR-SS-070 Prepare the STR from case data.....	58
FR-SS-071 Extract committee-approved STRs in the AMLC format.....	59
FR-SS-072 Record the AMLC filing reference.....	61
4.9 Notifications.....	62
FR-SS-080 Notify users of new and assigned cases.....	62
FR-SS-081 Send SLA and missing-document reminders.....	62
FR-SS-082 Notify Compliance of newly added sanctioned names.....	63
4.10 Reports and audit.....	64
FR-SS-090 Operational and compliance reports.....	64
FR-SS-091 Keep an immutable audit log.....	65
FR-SS-092 Audit log report.....	66
5 Workflow and status model.....	67
5.1 Stages.....	67
5.2 Transitions.....	68
5.3 Configuration versions and list changes.....	69
5.4 STR status.....	70
6 Reports and documents.....	71
6.1 Reports.....	71
6.1.1 High-risk Clients (SCR-HIGH-RISK-CLIENTS).....	71
6.1.2 Case Status Monitoring (SCR-CASE-STATUS).....	72
6.1.3 SLA Reminders and Breaches (SCR-SLA-BREACHES).....	72
6.1.4 List of Sanctioned Names (SCR-SANCTIONED-NAMES).....	72
6.1.5 List of Approved PEP Clients (SCR-PEP-CLIENTS).....	73
6.1.6 Unsuccessful Ingestion Records (SCR-INGEST-ERRORS).....	73
6.1.7 STR Register (SCR-STR-REGISTER).....	73
6.1.8 Screening Audit Log (SCR-AUDIT-LOG).....	74
6.2 Documents.....	74
7 Interfaces and integration.....	75
8 Non-functional requirements.....	77
9 Configuration items.....	78
9.1 Parameters and jobs.....	78
9.2 Lists of values.....	78
9.3 Configuration maintained by Compliance.....	79

10 Assumptions, dependencies and open questions.....80

10.1 Assumptions.....80

10.2 Dependencies.....80

10.3 Open questions.....80

11 Traceability.....82

12 Sign-off.....84

1 Introduction

1.1 Purpose

This Functional Requirements Specification (FRS) states how BIBS (BDOI Broker System, on iNXT BrokerVerse) meets the Sanction Screening and Risk Profiling business requirements of BDO Insurance and Reinsurance Brokers, Inc. (BDOI). It turns each BRD requirement into functional requirements with actors, flows, rules, validations, screens, fields, notifications, audit and acceptance criteria.

BDOI uses this document to confirm that the system will behave as Compliance expects. The project team uses it to build, test and prepare user acceptance testing (UAT). Every functional requirement (FR) cites the BRD requirement it meets and the BRD page.

Sanction screening is designed but not yet built. The FRs are specified from the BRD (R1), the requirements baseline (R2) and the build design (R3). Message codes are assigned at build; this document gives the message text only.

1.2 Scope

The scope is the screening of BDOI clients against sanctions and politically exposed person (PEP) lists, the tagging of the client risk profile, and the handling of the resulting cases up to the Suspicious Transaction Report (STR) for the Anti-Money Laundering Council (AMLC). The BRD calls the company BDOIR; this document uses BDOI, as the other BRDs do.

Table 1: *Scope of this FRS*

Area	In scope	Source
Configuration	Matching criteria, risk-profile categories and rules, approval, assignment and SLA matrices, review and STR templates, dispositions per stage, validation rules; all versioned and approved by a checker	SNSRP-101 to 109
Sanctions and PEP list	Scheduled list intake with a run log, alerts on failed records, manual additions and changes under maker-checker	SNSRP-201 to 204
Matching and risk tagging	Screening triggers, name matching, automatic risk tagging, automatic case creation, manual risk-tag update with evidence	SNSRP-301 to 304, 602
Case management	Case lifecycle, case list, search, re-assignment, SLA timer and escalation, high-risk client list	SNSRP-401 to 405; p.8
Investigation	Review templates, dispositions, KYC and supporting documents	SNSRP-501, 502, 601
Approval and escalation	Validation before approval, Unit Head approval, BU escalation review, AML Committee decision	SNSRP-701 to 704
STR	STR prefilled from the case, completeness check, extraction of committee-approved STRs in the AMLC format	SNSRP-705, 706
Notifications, reports and audit	Assignment, SLA and document notifications, compliance reports, immutable audit log and audit report	SNSRP-801, 802, 901 to 903

Out of scope for this phase:

- Filing the STR on the AMLC portal. The to-be diagram keeps "File STR to AMLC" in a "Via Portal" lane outside the in-system workflow (p.8). BIBS prepares, approves and extracts the STR and records the filing reference.
- Blocking quotations, account submission, placement or booking while a match is open. The BRD asks for tags, cases and notifications, not for a stop on business. A blocking gate is a proposal behind a parameter, off by default (SQ07, section 10.3).
- Screening of parties that BIBS does not hold today (beneficial owners, authorised signatories, beneficiaries). BDOI confirms the scope under SQ11.
- Direct connection to BDO's Negative List Database System (NLDS) and to external list providers by API. Lists come in as files until BDOI names the sources and transports (SQ01, section 7).
- Adverse-media screening. BSP M-2025-017 is cited in the objectives (p.3) but no requirement asks for it (SQ20).

1.3 References

Table 2: Reference documents

Ref.	Document	Version / date	Location
R1	Sanction Screening and Risk Profiling Business Requirements Document, 29 pages	Prepared 10-Apr-2026; approved 16 to 17-Apr-2026	docs/source-documents/Sanction Screening and Risk Profiling BRD.pdf
R2	BDOI Sanction Screening and Risk Profiling (BRD-10) requirements baseline and fit/gap	current	docs/requirements/BDOI_SANC_BRD_SPEC.md
R3	Sanction Screening and Risk Profiling build design	current (proposal for review)	docs/architecture/SANCTION_SCREENING_DESIGN.md
R4	Cross-BRD decisions and answered questions	current	docs/requirements/BDOI_CROSS_BRD_DECISIONS.md
R5	BDO UX guidelines (brand, screen patterns)	current	docs/design/BDO_UX_GUIDELINES.md
R6	BRD-1 New Business requirements baseline (client master, KYC review, shared platform)	current	docs/requirements/BDOI_NB_BRD_SPEC.md
R7	FRS BRD-11 User Access Maintenance (roles, sign-in, session policy)	v1.0	docs/deliverables/out/FRS/BIBS_FRS_BRD-11_User_Access_Maintenance_v1.0.pdf

Page references in this document ("p.14") are pages of the BRD-10 PDF (R1). The requirement table is printed as images on pp.10-21; it was read from the page images.

1.4 Definitions and acronyms

Term	Meaning
AML Committee	BDOI committee that decides escalated cases and approves STRs (five members, p.23)
AMLA	Anti-Money Laundering Act of 2001 (RA 9160) and its amendments
AMLC	Anti-Money Laundering Council, which receives STRs through its portal
Approver	The Unit Head who approves or disapproves the Investigator's recommendation (SNSRP-702)
BRD	Business Requirements Document
BSP	Bangko Sentral ng Pilipinas
BU	Business unit

Term	Meaning
Case	A screening case of one client, opened by a match, a risk tag or an account application; numbered SCR-yyyy-nnnnnn
CC	Compliance Officer (Checker); approves configuration and list changes
CO	Compliance Officer (maker); configures, maintains lists, reviews BU escalations and prepares STRs
Configuration version	One dated set of rules of one type (for example the matching criteria), approved by a checker and active from its effective date
Delta screening	Screening of the clients against the list entries changed since the last run
Disposition	The outcome a user selects at a case stage, from the list configured for that stage (SNSRP-107)
EDD	Enhanced Due Diligence
False positive	A potential match that the Investigator confirms is not the listed person
FR	Functional requirement of this document (FR-SS-nnn)
KYC	Know your customer
LOV	List of values maintained in BIBS
NLDS	BDO Negative List Database System, used today to validate PEP names (p.7)
PEP	Politically exposed person
Potential match	A client and list entry pair whose score meets the matching criteria, not yet decided
Risk category	A risk-profile tier (for example High-risk, PEP) with its client risk rating and tags (SNSRP-102)
SLA	Service level agreement; here the target hours of a case stage
SNSRP	Requirement ID prefix of the BRD (SNSRP-101 to SNSRP-903, 37 IDs)
SQnn	Open question on BRD-10 raised by the project team (section 10.3); cited elsewhere as "SANC SQnn" (R4, XQ07)
STR	Suspicious Transaction Report filed with the AMLC
UAT	User acceptance testing
UCC	Unit Compliance (User) Coordinator
Watchlist	The sanctions and PEP entries held in BIBS, by source

1.5 How to read the functional requirements

Each FR in section 4 has the same parts:

- A header table with the **BRD trace** (requirement ID and page), the **actor**, the BRD **priority** (every BRD-10 requirement is "Must have"), the **fit** class of the baseline (R2), the **screens** that implement it and the **service** or job of the design (R3).
- **Description, preconditions, main flow and alternate and exception flows.**
- **Business rules.** *Configurable* rules are maintained by Compliance or the System Administrator in BIBS (configuration version, parameter or list of values, section 9). *Fixed* rules are part of the system and change only through a change request.
- **Validations and messages:** the check and the message the user sees. The message codes are assigned when the module is built; the column shows "To be assigned at build". A "-" marks a screen check (for example a blank mandatory field), which has no business code.
- **Screens and fields:** label, type, whether mandatory ("Cond." = mandatory when the condition in the Validation column applies), the source list and the validation.

- **Notifications, audit** and numbered **acceptance criteria**. The acceptance criteria are the basis of the test cases of the BRD-10 test plan.

Note. Thresholds, SLA hours, template fields, dispositions and routing rules shown as "default" or "demo" are placeholders until BDOI answers the open questions in section 10.3. They are configuration entered by Compliance, so a changed answer does not need a new build.

Table 3: Fit classes (from the requirements baseline, R2)

Class	Meaning
FIT	Works today with the BIBS platform
CONFIGURE	Needs set-up only (parameters, lists, templates)
CHANGE	Extends an existing platform capability
NEW	A capability that does not exist in BIBS before BRD-10

The 37 BRD requirements split into 1 FIT, 2 CONFIGURE, 20 CHANGE and 14 NEW (R2, section 3).

2 Business context and process overview

2.1 Business context

BDOI screens clients by hand today (p.6-7). The AML unit sends sanctioned names by e-mail advisory. Compliance consolidates them and publishes them on SharePoint. Investigators match the names against new and existing clients, tag the client risk profile by hand, fill review templates, and route them by e-mail for review and approval. PEP lists are prepared every quarter by Marketing Account Officers and validated in NLDS, to which one person has access. There is no Enhanced Due Diligence process for PEPs.

The BRD asks for one in-system workflow with configurable criteria and matrices, a list that is updated regularly, automated matching, risk tagging and case creation, review templates, routing to approvers, escalation to Compliance and the AML Committee, STR preparation and extraction, notifications, reports and immutable audit logs (p.8-9). BDOI expects to free 64 hours a month for Compliance, save 10 minutes per case for name screening and cut the case cycle from 4 hours to 1 hour (p.4-5).

Table 4: Current and envisioned process (BRD p.6-8)

#	Current process (before)	Envisioned process in BIBS (after)
1	The risk-profile category is cascaded by memo	Compliance maintains risk categories and rules in BIBS; a checker approves each version
2	Sanctioned names arrive from the AML unit by e-mail advisory	List files are loaded on a schedule or uploaded; every run is logged and failed records are reported
3	Names are consolidated and published on SharePoint	The watchlist is held in BIBS by source; manual additions go through maker-checker
4	Investigators match names against BDOI systems by hand	BIBS matches every new client, every account application, every list change and the whole client base in a batch window
5	The client risk profile is tagged by hand	Risk rules set the client risk rating and the PEP / watchlist tags; the Investigator can override with evidence
6	Review templates are filled outside the system and e-mailed	The Investigator completes the review template on the case and uploads the KYC documents
7	Items are routed for review and approval by e-mail	BIBS validates the case and routes it by the approval matrix to the Unit Head, Compliance and the AML Committee
8	PEP lists are prepared quarterly by Marketing and validated in NLDS by one person	PEP entries are part of the watchlist; PEP clients get a case and, where required, an EDD review
9	The STR is prepared by hand and filed on the AMLC portal	BIBS prefills the STR from the case and extracts the committee-approved STRs in the AMLC format; filing on the portal stays manual

2.2 Process overview

The table lists the steps of the to-be process, and Figure 1 shows them by actor. Steps 5 to 12 are stages of the BIBS case workflow SCR_CASE (section 5).

Table 5: *Process steps*

#	Step	Owner	What happens in BIBS	BRD
1	Configure	Compliance Officer, Compliance Checker	Matching criteria, risk categories and rules, matrices, templates, dispositions and SLAs are drafted, approved and made active from a date	SNSRP-101 to 109
2	List intake	System; Compliance Officer	Sources are loaded on a schedule or by upload; manual entries are approved by the checker	SNSRP-201 to 204
3	Name matching	System	Clients are matched against the active list with exact, phonetic and fuzzy rules; each result is recorded	SNSRP-301, 602
4	Risk tagging	System; Investigator	Risk rules tag the client; the Investigator overrides a validated false positive with evidence	SNSRP-302, 304
5	Case creation	System	A case opens for a high-risk or PEP tag or an account application and is assigned by the assignment matrix	SNSRP-303, 106
6	Investigation	Investigator	Completes the review template, uploads documents, selects a disposition and submits	SNSRP-501, 502, 601
7	Validation and routing	System	Checks the case against the validation rules and routes it by the approval matrix	SNSRP-701, 103
8	Unit Head approval	Approver	Approves, or disapproves with a rationale and returns the case	SNSRP-702
9	BU escalation review	Compliance Officer	Records an outcome and routes by the escalation matrix, or returns for rework	SNSRP-703
10	AML Committee	AML Committee members	View the full case and record their decisions; the decision rule finalises the case	SNSRP-704
11	STR preparation	Compliance Officer	STR prefilled from the case; completeness check	SNSRP-705
12	STR extraction and filing	Compliance Officer	Committee-approved STRs extracted in the AMLC format and saved; the AMLC reference is recorded after portal filing	SNSRP-706




Figure 1: To-be screening process by actor (BRD p.8; SNSRP-101 to 706)

2.3 Screening triggers and case types

Screening runs on four triggers. Each run is logged (FR-SS-030).

Table 6: Screening triggers

Trigger	When	Clients screened	BRD
Client registered	A client or prospect is created, one at a time or by bulk upload	The new client only	SNSRP-602
Client identity changed	The name, birth date, nationality, TIN or ID of a client changes	That client	SNSRP-602
Account submitted	An account (policy application) of the client is submitted	That client	SNSRP-303
List change	A list entry is added, changed or delisted (file run or approved manual change)	All in-scope clients against the changed entries	SNSRP-201, 204
Batch window	The scheduled period starts (default 01:30 daily; full re-screen monthly)	All clients in scope of parameter SCR_SCREENING_SCOPE	SNSRP-602

A case has one of six types (LOV SCR_CASE_TYPE). The type comes from the risk category or the trigger.

Table 7: Case types

Type	Opened when
NAME_MATCH	A potential match reaches the case threshold of its matching rule
PEP	The client is tagged PEP by a risk rule
HIGH_RISK	The client is tagged High-risk by a risk rule
EDD	The risk category requires Enhanced Due Diligence and the client has an active policy

Type	Opened when
MONITOR	A high-risk or PEP client has no active policy; the UCC and the Investigator are notified (SNSRP-303)
ACCOUNT_APPLICATION	The client applies for an account and the screening result requires a review

3 Personas and roles

3.1 Personas

Table 8: *Personas and BIBS roles (design R3, section 6.2)*

Persona	BIBS role	Responsibilities in Sanction Screening	BRD
Compliance Officer	COMPLIANCE_OFFICER	Drafts configuration; maintains list entries and uploads list files; reviews BU escalations; prepares and extracts STRs; re-assigns cases; runs reports and the audit report	SNSRP-101 to 108, 203, 703, 705, 706, 901, 903
Compliance Officer (Checker)	COMPLIANCE_CHECKER	Approves or rejects configuration versions and list changes	SNSRP-109, 204
Unit Compliance (User) Coordinator	UNIT_COMPLIANCE_COORD	Monitors cases, re-assigns cases, receives notices for clients without an active policy and document reminders; runs reports	SNSRP-303, 402, 403, 802, 901
Investigator	SCR_INVESTIGATOR	Works the investigation stage: reviews, documents, dispositions; updates risk tags with evidence	SNSRP-304, 402 to 404, 501, 502, 601
Approver (Unit Head)	SCR_APPROVER	Approves or disapproves recommendations; re-assigns approvals	SNSRP-702, 801
AML Committee Member	AML_COMMITTEE	Views committee cases and records decisions	SNSRP-704
Operations Lead	Existing team-lead role named by BDOI (SQ19)	Monitors SLAs and escalations; runs compliance reports	p.23-24
Auditor	AUDITOR (exists)	Reads cases and runs the audit log report and case history	p.24
System Administrator	SYSADMIN (exists)	Read access; jobs and parameters; user access through BRD-11 (R7)	p.24
System	-	Ingestion, matching, tagging, case creation, validation, SLA monitoring, notifications	SNSRP-201, 301 to 303, 401, 405, 602, 701, 902

The 287 investigators of the usage table (p.22-23) may be existing Marketing Account Officers. If so, BDOI grants SCR_INVESTIGATOR in addition to their current role; a user may hold several roles (BRD-11, R4 decision D5). The roles above are the project's proposal until BDOI confirms them (SQ19, OQ48).

3.2 Permissions

Table 9: *Sanction Screening permissions and action classes (area SCREENING)*

Permission	Action class	Allows
SCR_VIEW	VIEW	Open the Sanction Screening screens, cases, the client Screening tab and the watchlist (read only)
SCR_CONFIG_MAINTAIN	CREATE / AMEND	Draft and submit configuration versions and templates
SCR_CONFIG_APPROVE	APPROVE	Approve or reject configuration versions
SCR_LIST_MAINTAIN	CREATE / AMEND	Add, change and deactivate list entries; upload list files; maintain list sources

Permission	Action class	Allows
SCR_LIST_APPROVE	APPROVE	Approve or reject list changes
SCR_INVESTIGATE	AMEND	Work the investigation stage: reviews, documents, dispositions
SCR_RISK_TAG	AMEND	Update a client's risk tag with justification and evidence
SCR_CASE_ASSIGN	AMEND	Re-assign cases and approvals
SCR_CASE_APPROVE	APPROVE	Unit Head approval stage
SCR_COMPLIANCE_REVIEW	APPROVE	BU escalation review and STR preparation
SCR_COMMITTEE	APPROVE	AML Committee decision
SCR_STR_EXTRACT	CREATE	STR extraction and filing reference
SCR_REPORT_VIEW	VIEW	Compliance reports and their export
SCR_AUDIT_VIEW	VIEW	Screening audit log report

3.3 Permissions matrix

The table below is the proposed role-to-action matrix ("Y" = granted). It is maintained through BRD-11 group-profile requests (R7) and shown on the User Access Matrix screen.

Table 10: Role-to-action matrix for Sanction Screening (proposal until SQ19 / OQ48)

Permission	Comp. Officer	Comp. Checker	UCC	Investigator	Approver	AML Comm.	Ops Lead	Auditor	Sys Admin
SCR_VIEW	Y	Y	Y	Y	Y	Y	Y	Y	Y
SCR_CONFIG_MAINTAIN	Y								
SCR_CONFIG_APPROVE		Y							
SCR_LIST_MAINTAIN	Y								
SCR_LIST_APPROVE		Y							
SCR_INVESTIGATE				Y					
SCR_RISK_TAG				Y					
SCR_CASE_ASSIGN	Y		Y		Y				
SCR_CASE_APPROVE					Y				
SCR_COMPLIANCE_REVIEW	Y								
SCR_COMMITTEE						Y			
SCR_STR_EXTRACT	Y								
SCR_REPORT_VIEW	Y	Y	Y				Y	Y	
SCR_AUDIT_VIEW	Y							Y	

Segregation of duties is enforced by the system, whatever the role grants: the maker of a configuration version or list change never approves it, the Investigator of a case never approves it, an AML Committee member votes once per case, and a re-assigned case can be acted on only by its new assignee.

4 Functional requirements

4.1 Access, security and audit

FR-SS-001 Restrict screening functions to authorised roles

BRD trace	SNSRP-101 (p.10), SNSRP-203 (p.13), SNSRP-403 (p.16)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	All Sanction Screening and Compliance Setup screens; User Access Matrix	API	Permission checks on every screening service (area SCREENING)

Description

The BRD grants each action to a persona ("given I have configuration permissions", "compliance maker permissions", "access permissions to view cases"). Every screening screen, button and service call requires one of the permissions of section 3.2. Menus show only the screens the user's roles allow, and buttons for actions the user may not perform are hidden.

Case data is scoped by role. An Investigator sees the cases assigned to him or her and to his or her team. The UCC, Compliance Officer, Auditor and AML Committee members see all cases; committee members act only on cases in the AML_COMMITTEE stage.

Preconditions

- The user is logged in (BRD-11, R7).

Main flow

- The user opens a screen or starts an action.
- BIBS checks the user's permissions and, for a case, the stage owner and the assignee.
- BIBS shows the screen or performs the action.

Alternate and exception flows

- No permission. The screen is not in the menu; a direct link returns "You do not have access to this page". A service call is refused and logged.
- Segregation of duties. An action refused by a four-eyes rule is refused with its message even when the role has the permission.

Business rules

Rule	Statement	Kind	Maintained in
R1	Permissions and their action classes are those of section 3.2; roles are granted as in section 3.3 until BDOI confirms the matrix.	Configurable	BRD-11 group-profile request
R2	Edit rights on a case come from the stage owner permission and the assignment; they end when the case leaves the stage.	Fixed	-
R3	Four-eyes rules cannot be switched off.	Fixed	-

Validations and messages

Check	Message shown	Code
Action without permission	You are not permitted to perform this action	ACCESS_DENIED
Action on a case not assigned to the user	Case <case no.> is assigned to <user>	To be assigned at build

Notifications

- None.

Audit

- Refused calls are logged with user, action and time.

Acceptance criteria

1. An Investigator sees Screening Home, Cases and Matches, and does not see Compliance Setup.
2. A Compliance Checker can approve a configuration version and cannot edit it.
3. A direct call to the committee decision by a user without SCR_COMMITTEE is refused and logged.

4.2 Configuration

FR-SS-010 Maintain versioned screening configuration

BRD trace	SNSRP-101 (p.10), SNSRP-102 (p.10), SNSRP-103 (p.10), SNSRP-104 (p.10-11), SNSRP-105 (p.11), SNSRP-106 (p.11), SNSRP-108 (p.12)	Actor	Compliance Officer (maker)
Priority	Must have	Fit	NEW
Screens	Compliance Setup > Configuration Versions (one tab per type)	API	Configuration version service (design R3, section 4.1)

Description

Every screening rule set is a configuration version of one type - MATCH_CRITERIA, RISK_RULES, APPROVAL_MATRIX, ASSIGNMENT_MATRIX, SLA_MATRIX, VALIDATION_RULES, TEMPLATE and STR_LAYOUT. A version holds its rules, an effective date and a status (DRAFT, PENDING, ACTIVE, SUPERSEDED, REJECTED, section 5.3).

The Compliance Officer changes a rule set by creating a draft from the active version, editing it and submitting it. BIBS keeps the user, time and the before / after difference against the active version (the "versioned with user, timestamp, and before/after values" of SNSRP-101 and 108). An active version is never edited.

A case keeps the versions that were active when it was created or when its review started, so a change applies to new work only (SNSRP-104, 105, 106).

Preconditions

- The user has SCR_CONFIG_MAINTAIN.

Main flow

1. The Compliance Officer opens the tab of the configuration type and clicks **New Draft**.
2. BIBS copies the active version into a draft.

3. The Compliance Officer edits the rules (FR-SS-011 to FR-SS-018) and sets the effective date.
4. The Compliance Officer opens **Changes** to see the difference against the active version.
5. The Compliance Officer clicks **Submit for Approval**. BIBS checks the version and moves it to PENDING.
6. The Compliance Checker decides it (FR-SS-019).

Alternate and exception flows

- The Compliance Officer discards a draft; it is kept as REJECTED with the reason "withdrawn by maker".
- A draft of the same type already exists. BIBS opens the existing draft instead of creating a second one.

Business rules

Rule	Statement	Kind	Maintained in
R1	At most one DRAFT or PENDING version per type, and one ACTIVE version per type for each effective date.	Fixed	-
R2	The effective date is today or later.	Fixed	-
R3	The difference is computed against the version active on the day of submission and stored with the version.	Fixed	-
R4	A case records the version of each type it used; later versions do not change it.	Fixed	-

Validations and messages

Check	Message shown	Code
Effective date in the past	The effective date cannot be before today	To be assigned at build
Draft has no rule	Add at least one rule before submitting	To be assigned at build
Draft identical to the active version	The draft does not change the active configuration	To be assigned at build

Screens and fields: Configuration Version (header)

Field	Type	Mand.	Source / LOV	Validation
Type	List	Yes	MATCH_CRITERIA, RISK_RULES, APPROVAL_MATRIX, ASSIGNMENT_MATRIX, SLA_MATRIX, VALIDATION_RULES, TEMPLATE, STR_LAYOUT	Fixed after creation
Version no.	Number	Yes	System	Next number of the type
Status	Text	Yes	System	Read only
Effective from	Date	Yes	-	Today or later
Change note	Text	Yes	-	Up to 1000 characters
Changes	Table	No	System	Rule, attribute, before, after

Notifications

- On submission, the holders of SCR_CONFIG_APPROVE are notified (event SCR_CONFIG_TO_APPROVE) and the version appears in My Approvals.

Audit

- Create, each save, submit and discard are recorded with user and time; the difference is kept with the version.

Acceptance criteria

1. A submitted matching-criteria draft shows the changed threshold with its before and after values.
2. An active version cannot be edited; a change needs a new draft.
3. A case opened before a new assignment matrix keeps its assignee when the new matrix becomes active.

FR-SS-011 Configure name-matching criteria

BRD trace	SNSRP-101 (p.10)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	NEW
Screens	Configuration Versions (tab Matching Criteria)	API	Configuration type MATCH_CRITERIA

Description

The matching criteria control screening quality. For each list type (SANCTION, PEP, INTERNAL, ADVERSE_MEDIA) and subject type (individual or entity) the Compliance Officer sets the algorithms used - exact, phonetic (Double Metaphone) and fuzzy (Jaro-Winkler) - their thresholds, the fields compared and the minimum score that opens a case.

The BRD gives no values. The build delivers demo thresholds; Compliance enters the production values before go-live (SQ02).

Preconditions

- The user has SCR_CONFIG_MAINTAIN; a draft of type MATCH_CRITERIA is open (FR-SS-010).

Main flow

1. The Compliance Officer adds or edits a matching rule for a list type and subject type.
2. The Compliance Officer selects the algorithm, the threshold, the fields compared and the case threshold.
3. The Compliance Officer saves the draft and submits it (FR-SS-010).

Business rules

Rule	Statement	Kind	Maintained in
R1	Algorithms - EXACT (normalised name), PHONETIC (Double Metaphone keys), FUZZY (Jaro-Winkler similarity).	Fixed	-
R2	Thresholds are between 0 and 1; a pair scoring at or above the threshold is a potential match.	Configurable	Configuration MATCH_CRITERIA
R3	A potential match at or above the case threshold opens or joins a case (FR-SS-034); below it, it waits on the Matches screen.	Configurable	Configuration MATCH_CRITERIA
R4	Names are normalised before scoring (case, accents, punctuation, honorifics, word order).	Fixed	-
R5	A hit on an alias counts as a hit on the entry (to confirm, SQ02).	Configurable	Configuration MATCH_CRITERIA

Validations and messages

Check	Message shown	Code
Threshold outside 0-1	Enter a threshold between 0 and 1	-
Case threshold below the matching threshold	The case threshold must be at least the matching threshold	To be assigned at build
No field selected	Select at least the name field	-

Screens and fields: Matching rule

Field	Type	Mand.	Source / LOV	Validation
List type	List	Yes	LOV SCR_LIST_TYPE	-
Subject type	List	Yes	Individual / Entity	-
Algorithm	List	Yes	Exact / Phonetic / Fuzzy	-
Threshold	Number	Yes	-	0 to 1, four decimals
Fields compared	Multi-select	Yes	Name, Alias, Birth date, Nationality, ID	Name always included
Minimum score for a case	Number	Yes	-	0 to 1; not below the threshold

Notifications

- As FR-SS-010.

Audit

- As FR-SS-010; the active version used is stored on each screening run.

Acceptance criteria

- After the checker approves a fuzzy threshold of 0.92 effective today, the next screening run uses 0.92 and records the version on the run.
- A threshold of 1.5 cannot be saved.

FR-SS-012 Define risk-profile categories and tagging rules

BRD trace	SNSRP-102 (p.10)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	CHANGE
Screens	Configuration Versions (tab Risk Rules)	API	Configuration type RISK_RULES

Description

Risk categories replace the memo on risk-profile categories (p.6). A category has a code, name and tier, the client risk rating it sets (list KYC_RISK_RATING - LOW, STANDARD, HIGH - of the client master), the client tags it adds (PEP, WATCHLIST_REVIEW), the case type it opens and whether it requires EDD.

Risk rules assign a category. A rule tests one attribute - match list type, match status, PEP, nationality, occupation, source of funds, client type or market segment - with an operator and values. Rules are evaluated by priority; the first rule that matches decides the category (FR-SS-033).

The client master already holds the risk rating and the tags and uses the rating for the KYC review cycle (BRD-1). Screening sets them through the client master; it does not add a second rating.

Preconditions

- The user has SCR_CONFIG_MAINTAIN; a draft of type RISK_RULES is open.

Main flow

- The Compliance Officer adds or edits the categories.
- The Compliance Officer adds or edits the rules with their priority.
- The Compliance Officer submits the draft (FR-SS-010).

Business rules

Rule	Statement	Kind	Maintained in
R1	The first matching rule by priority wins; its rule ID is kept on the client risk-profile history.	Fixed	-
R2	A category's rating must exist in KYC_RISK_RATING; a new rating value is added through the Lists of Values screen first.	Configurable	LOV KYC_RISK_RATING
R3	Categories that require EDD open an EDD case when the client has an active policy (FR-SS-034).	Configurable	Configuration RISK_RULES
R4	Whether High-risk equals the rating HIGH, and the category list itself, are confirmed by BDOI (SQ03).	Configurable	Configuration RISK_RULES

Validations and messages

Check	Message shown	Code
Rating not in the list	Risk rating <code> is not a value of KYC_RISK_RATING	To be assigned at build
Two rules with the same priority	Each rule needs its own priority	To be assigned at build
Rule points to an unknown category	Category <code> is not defined in this version	To be assigned at build

Screens and fields: Risk category / Risk rule

Field	Type	Mand.	Source / LOV	Validation
Category code / name	Text	Yes	-	Unique in the version
Tier	Number	Yes	-	1 = highest
Client risk rating	List	Yes	LOV KYC_RISK_RATING	-
Client tags	Multi-select	No	LOV CLIENT_TAG (PEP, WATCHLIST_REVIEW)	-
Case type	List	No	LOV SCR_CASE_TYPE	Blank = no case
Requires EDD	Check box	No	-	-
Rule priority	Number	Yes	-	Unique whole number
Attribute	List	Yes	Match list type, Match status, PEP, Nationality, Occupation, Source of funds, Client type, Market segment	-
Operator	List	Yes	Equals, In, Not in	-
Values	Multi-select	Yes	LOV of the attribute	At least one

Notifications

- As FR-SS-010.

Audit

- As FR-SS-010. Each tagging records the rule and version that caused it (FR-SS-033).

Acceptance criteria

- With an active rule "match list type = SANCTION and status = TRUE_MATCH gives High-risk", a confirmed sanction match sets the client rating to the category's rating and writes an audit record.
- A category with a rating that is not in KYC_RISK_RATING cannot be submitted.

FR-SS-013 Maintain the approval and escalation matrix

BRD trace	SNSRP-103 (p.10), SNSRP-703 (p.18)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	CHANGE
Screens	Configuration Versions (tab Approval Matrix)	API	Configuration type APPROVAL_MATRIX; case router

Description

The approval matrix decides where a submitted case goes. A route has a from-stage, conditions (case type, risk category, marketing unit, disposition), a to-stage and the approver - the Unit Head of the client's marketing unit, a role or a named user - with an order.

Routes from COMPLIANCE_REVIEW form the escalation matrix of SNSRP-703 (for example to the AML Committee, to STR preparation or to closure).

Every routing decision is written to the case timeline with the route used.

Preconditions

- The user has SCR_CONFIG_MAINTAIN; a draft of type APPROVAL_MATRIX is open.

Main flow

- The Compliance Officer adds or edits routes.
- The Compliance Officer submits the draft (FR-SS-010).
- When a case is submitted, BIBS takes the first route whose conditions match, in order, and sets the next stage and approver.

Alternate and exception flows

- No route matches. BIBS sends the case to UNIT_HEAD_APPROVAL with the Unit Head of the client's marketing unit (default route) and records "default route".
- The Unit Head cannot be resolved (unit without a head). BIBS assigns the case to the SCR_APPROVER queue of the marketing unit and alerts Compliance.

Business rules

Rule	Statement	Kind	Maintained in
R1	Routes are evaluated in order; blank conditions match any value.	Fixed	-
R2	The approver of a case is never its Investigator.	Fixed	-

Rule	Statement	Kind	Maintained in
R3	Who the Approver is (Unit Head of the client's unit) and the matrix dimensions are confirmed by BDOI (SQ04).	Configurable	Configuration APPROVAL_MATRIX

Validations and messages

Check	Message shown	Code
Route without to-stage	Select the next stage	-
Approver kind USER without a user	Select the approving user	-
Route to a stage that cannot follow the from-stage	Stage <to> cannot follow <from>	To be assigned at build

Screens and fields: Approval route

Field	Type	Mand.	Source / LOV	Validation
Order	Number	Yes	-	Unique whole number
From stage	List	Yes	Stages of SCR_CASE (INVESTIGATION, UNIT_HEAD_APPROVAL, COMPLIANCE_REVIEW)	-
Case type / Risk category / Marketing unit / Disposition	List	No	LOV SCR_CASE_TYPE; risk categories; marketing units; LOV SCR_DISPOSITION	Blank = any
To stage	List	Yes	Stages of SCR_CASE	Allowed transition (section 5.2)
Approver kind	List	Cond.	Unit Head, Role, User	Required for an approval stage
Approver	List	Cond.	Roles / users	Required for Role or User

Notifications

- As FR-SS-010.

Audit

- As FR-SS-010; every routing event is logged on the case timeline with route, stage and approver (SNSRP-103).

Acceptance criteria

- With a published matrix, a submitted HIGH_RISK case of the Corbank unit goes to the approver the route names, and the timeline shows the route.
- A COMPLIANCE_REVIEW outcome "Escalate to Committee" routes the case to AML_COMMITTEE.

FR-SS-014 Configure the case assignment matrix

BRD trace	SNSRP-106 (p.11)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	CHANGE
Screens	Configuration Versions (tab Assignment Matrix)	API	Configuration type ASSIGNMENT_MATRIX

Description

The assignment matrix routes a new case to a team or a user by scenario. A scenario combines case type, trigger, risk category, marketing unit and client type. The target is a team role, with ROUND_ROBIN or LEAST_OPEN balancing, or a named user.

The matrix is applied only when a case is created. A new matrix does not move cases that are already assigned (SNSRP-106 AC2).

Preconditions

- The user has SCR_CONFIG_MAINTAIN; a draft of type ASSIGNMENT_MATRIX is open.

Main flow

- The Compliance Officer adds or edits the scenarios and their targets.
- The Compliance Officer submits the draft (FR-SS-010).
- When a case is created, BIBS takes the first scenario that matches and assigns the case.

Alternate and exception flows

- No scenario matches. The case goes to the SCR_INVESTIGATOR team queue, unassigned, and the UCC is notified.

Business rules

Rule	Statement	Kind	Maintained in
R1	Balancing - ROUND_ROBIN (next user in turn), LEAST_OPEN (user with the fewest open cases), NONE (team queue).	Fixed	-
R2	The client's own account officer is never assigned as Investigator (conflict of interest).	Fixed	-
R3	Only users holding SCR_INVESTIGATE and enabled are assigned.	Fixed	-

Validations and messages

Check	Message shown	Code
Target neither role nor user	Select a team role or a user	-
User without SCR_INVESTIGATE	User <user> cannot investigate cases	To be assigned at build

Screens and fields: Assignment rule

Field	Type	Mand.	Source / LOV	Validation
Order	Number	Yes	-	Unique whole number
Case type / Trigger / Risk category / Marketing unit / Client type	List	No	LOVs and masters	Blank = any
Team role	List	Cond.	Roles with SCR_INVESTIGATE	Required when no user
User	Look-up	Cond.	Users with SCR_INVESTIGATE	Required when no team role
Balancing	List	Yes	Round robin, Least open, None	-

Notifications

- As FR-SS-010; the assignee is notified of each new case (FR-SS-080).

Audit

- As FR-SS-010; the case timeline records the assignment and the scenario used.

Acceptance criteria

- A new PEP case of the Retail unit is assigned by the matching scenario when it is created.
- After a new matrix becomes active, existing cases keep their assignees and new cases follow the new rules.

FR-SS-015 Configure the SLA matrix per case stage

BRD trace	SNSRP-108 (p.12)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	CHANGE
Screens	Configuration Versions (tab SLA Matrix)	API	Configuration type SLA_MATRIX; job SCR_SLA_MONITOR

Description

The SLA matrix sets, per case stage, case type and risk category, the SLA hours, the reminder lead time, the escalation target role and whether hours are calendar or working hours. It overrides the default stage hours of the workflow (section 5.1).

When a case enters a stage, BIBS sets its due time from the matrix active on that date. The SLA monitor (FR-SS-044) sends reminders, flags breaches and escalates.

Preconditions

- The user has SCR_CONFIG_MAINTAIN; a draft of type SLA_MATRIX is open.

Main flow

- The Compliance Officer sets the SLA rows.
- The Compliance Officer submits the draft (FR-SS-010).
- When the version becomes active, cases entering a stage get due times from it.

Business rules

Rule	Statement	Kind	Maintained in
R1	The most specific row (stage + case type + risk category) applies; blank conditions match any value.	Fixed	-
R2	Working hours use the BIBS holiday calendar and office hours 08:00-18:00 Monday to Friday (to confirm, SQ08).	Configurable	Configuration SLA_MATRIX; holiday calendar
R3	A changed SLA applies to stage entries from its effective date; running due times do not move.	Fixed	-

Validations and messages

Check	Message shown	Code
SLA hours not positive	Enter the SLA in hours (greater than 0)	-
Reminder lead not below the SLA	The reminder must fall before the SLA ends	To be assigned at build

Screens and fields: SLA rule

Field	Type	Mand.	Source / LOV	Validation
Stage	List	Yes	Stages of SCR_CASE	-
Case type / Risk category	List	No	LOV SCR_CASE_TYPE; risk categories	Blank = any
SLA hours	Number	Yes	-	> 0
Reminder lead hours	Number	Yes	-	>= 0 and below the SLA hours
Escalate to role	List	Yes	Roles	-
Calendar	List	Yes	Calendar hours, Working hours	-

Notifications

- As FR-SS-010.

Audit

- As FR-SS-010 (thresholds, escalation and effective date with before / after values).

Acceptance criteria

1. A case entering INVESTIGATION after a 48-hour SLA becomes active is due 48 hours later (calendar) and is flagged when the time passes.
2. The SLA change shows its before and after values in the version history.

FR-SS-016 Maintain review templates

BRD trace	SNSRP-104 (p.10-11)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	NEW
Screens	Compliance Setup > Templates	API	Configuration type TEMPLATE (template types KYC_REVIEW, TRANSACTION_REVIEW, EDD)

Description

Review templates give every reviewer the same format. A template has a code, a type (KYC review, transaction review, EDD), sections and fields. Each field has a label, data type (text, long text, number, amount, date, list, check box, attachment), mandatory flag, list type, help text and order.

The Compliance Officer designs the fields on the template designer and previews the form. A new template version is approved like any configuration and applies to reviews started after its effective date; a review in progress keeps the version it started with (SNSRP-104 AC2).

The field lists of the three templates are supplied by BDOI (SQ05). The build delivers demo templates.

Preconditions

- The user has SCR_CONFIG_MAINTAIN.

Main flow

1. The Compliance Officer opens Templates and creates a draft of a template.
2. The Compliance Officer adds sections and fields and previews the form.
3. The Compliance Officer submits the template version; the checker approves it (FR-SS-019).

Business rules

Rule	Statement	Kind	Maintained in
R1	Template types - KYC_REVIEW, TRANSACTION_REVIEW, EDD, STR (STR in FR-SS-017).	Fixed	-
R2	A review stores the template version it was started with.	Fixed	-
R3	A field code is unique in the template and never re-used for another meaning.	Fixed	-

Validations and messages

Check	Message shown	Code
Field without label	Enter the field label	-
List field without list type	Select the list of values of the field	-
Template without a mandatory field	A review template needs at least one mandatory field	To be assigned at build

Screens and fields: Template field

Field	Type	Mand.	Source / LOV	Validation
Section	Text	Yes	-	Up to 100 characters
Code	Text	Yes	-	Unique; letters, digits, underscore
Label	Text	Yes	-	Up to 200 characters
Data type	List	Yes	Text, Long text, Number, Amount, Date, List, Check box, Attachment	-
List type	List	Cond.	LOV types	Required for List
Mandatory	Check box	Yes	-	-
Help text	Text	No	-	Up to 500 characters
Order	Number	Yes	-	Whole number

Notifications

- As FR-SS-010.

Audit

- Template versions are saved with version, user and time (SNSRP-104 AC1).

Acceptance criteria

- A new KYC review template version, once approved, is used by reviews started after its effective date.
- A review started on version 1 still shows version 1 after version 2 becomes active.

FR-SS-017 Maintain STR templates and the extraction layout

BRD trace	SNSRP-105 (p.11)	Actor	Compliance Officer (maker); Compliance Checker
Priority	Must have	Fit	NEW
Screens	Compliance Setup > Templates (STR); Configuration Versions (tab STR Layout)	API	Configuration types TEMPLATE (type STR) and STR_LAYOUT

Description

The STR template holds the fields of the STR form and, for each field, the case data that prefills it (client, case review, account and invoice data). The STR layout defines the extraction file - format (CSV, fixed width, XLSX or XML), delimiter, encoding and the columns with their order, header, length, padding and code mapping.

Both are versioned. An update applies to new STRs only and does not change STRs already submitted (SNSRP-105 AC2).

The AMLC prescribed format is not in the BRD (SQ09). The build delivers a placeholder layout with the case fields; the AMLC layout is entered as a new version when BDOI supplies it.

Preconditions

- The user has SCR_CONFIG_MAINTAIN.

Main flow

1. The Compliance Officer creates a draft of the STR template or of the STR layout.
2. The Compliance Officer maintains the fields and their prefill sources, or the file columns.
3. The Compliance Officer submits the version; the checker approves it.

Business rules

Rule	Statement	Kind	Maintained in
R1	An STR records the template version it was created with; the extraction records the layout version.	Fixed	-
R2	Every layout column maps to an STR field or a fixed value.	Fixed	-

Validations and messages

Check	Message shown	Code
Column without source	Column <n> needs an STR field or a fixed value	To be assigned at build
Fixed-width column without length	Enter the column length	-

Screens and fields: STR layout column

Field	Type	Mand.	Source / LOV	Validation
Order	Number	Yes	-	Whole number
STR field / fixed value	List / Text	Yes	Fields of the STR template	One of the two
Header	Text	No	-	-
Length / padding	Number / List	Cond.	Left, Right	Required for fixed width
Code mapping	Table	No	-	BIBS code to AMLC code

Notifications

- As FR-SS-010.

Audit

- Saved with version, user and time (SNSRP-105 AC1).

Acceptance criteria

1. An STR created after a new STR template version uses the new fields; an STR already submitted keeps its fields.
2. The extraction file follows the column order of the active layout.

FR-SS-018 Configure dispositions per case stage

BRD trace	SNSRP-107 (p.11-12)	Actor	Compliance Officer; Business Administrator (Lists of Values)
Priority	Must have	Fit	CONFIGURE
Screens	Lists of Values (type SCR_DISPOSITION)	API	LOV SCR_DISPOSITION (parent code = case stage)

Description

Dispositions are values of the list SCR_DISPOSITION, each with the case stage as its parent. The case screen offers only the dispositions of the current stage, so a user cannot pick an option that does not belong to the stage.

The list uses the existing Lists of Values screen, with maker-checker and effective dates. The delivered values are placeholders until BDOI confirms them (SQ06).

Preconditions

- The user has LOV_MANAGE (maker) or LOV approval rights (checker).

Main flow

1. The user opens Lists of Values, type SCR_DISPOSITION.
2. The user adds or end-dates a disposition and selects its stage.
3. A second user approves the change; it is available from its effective date.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only dispositions whose parent is the current stage are offered.	Fixed	-
R2	Each disposition maps to a workflow action (for example FALSE_POSITIVE with submit).	Configurable	LOV SCR_DISPOSITION

Validations and messages

Check	Message shown	Code
Disposition without stage	Select the case stage of the disposition	-

Screens and fields: List value (SCR_DISPOSITION)

Field	Type	Mand.	Source / LOV	Validation
Code	Text	Yes	-	Unique
Label	Text	Yes	-	-
Parent (stage)	List	Yes	INVESTIGATION, UNIT_HEAD_APPROVAL, COMPLIANCE_REVIEW, AML_COMMITTEE	-

Field	Type	Mand.	Source / LOV	Validation
Effective from / to	Date	Yes / No	-	To on or after from

Notifications

- Pending list changes appear in My Approvals.

Audit

- List changes audited with before and after values.

Acceptance criteria

- In UNIT_HEAD_APPROVAL the disposition list shows only CONCUR and NOT_CONCUR (delivered values).
- An end-dated disposition is no longer offered and stays on the cases that used it.

FR-SS-019 Approve or reject a configuration version

BRD trace	SNSRP-109 (p.12)	Actor	Compliance Officer (Checker)
Priority	Must have	Fit	CHANGE
Screens	My Approvals; Configuration Versions (Pending)	API	Configuration version service (approve, reject); approval inbox source

Description

The checker reviews a pending version with its changes and approves or rejects it. Approval makes the version ACTIVE from its effective date and supersedes the previous version on that date. Rejection records the reason and leaves the active version in force. The maker cannot approve his or her own version.

Preconditions

- The version is PENDING; the user has SCR_CONFIG_APPROVE and is not its maker.

Main flow

- The checker opens the version from My Approvals.
- The checker reviews the rules and the before / after changes.
- The checker clicks **Approve**.
- BIBS sets the version ACTIVE from its effective date; on that date the previous version becomes SUPERSEDED.

Alternate and exception flows

- Reject. The checker clicks **Reject** and enters the reason; the version becomes REJECTED and the maker is notified.

Business rules

Rule	Statement	Kind	Maintained in
R1	The maker never approves.	Fixed	-
R2	A rejection needs a reason.	Fixed	-
R3	If no ACTIVE matching version exists when a trigger fires, the run stops and alert SCR_NO_ACTIVE_CONFIG is raised.	Fixed	-

Validations and messages

Check	Message shown	Code
Checker is the maker	A configuration change is approved by someone other than its maker	To be assigned at build
Reject without reason	Enter the reason for the rejection	-

Notifications

- The maker is notified of approval or rejection.

Audit

- Decision recorded with checker, time and reason.

Acceptance criteria

- A draft approved by the checker is ACTIVE from its effective date.
- A rejected draft keeps its reason and the active version is unchanged.
- The maker of a version cannot approve it, even with SCR_CONFIG_APPROVE.

4.3 Sanctions and PEP list

FR-SS-020 Receive the sanctions and PEP lists on schedule

BRD trace	SNSRP-201 (p.12)	Actor	System; Compliance Officer (upload)
Priority	Must have	Fit	NEW
Screens	Compliance Setup > List Sources and Runs	API	Job SCR_WATCHLIST_INGEST; bulk handler SCR_WATCHLIST; port WatchlistFeed

Description

Each list source has a code, name, list type (SANCTION, PEP, INTERNAL, ADVERSE_MEDIA), transport (file, API, manual), schedule and file layout. The delivered sources are AML_ADVISORY (sanctions, file), NLDS_PEP (PEP, file) and INTERNAL (manual).

The ingestion job reads each active source on its schedule; the Compliance Officer can also upload a file with **Upload List File**. Each run adds new entries, updates changed entries and delists removed ones, and writes a run log - source, trigger, records received, added, updated, delisted and failed, status and reason for failure (SNSRP-201 AC).

Entries loaded from a source file are active at once, as the file is the official list; manual changes go through maker-checker (FR-SS-022). Real-time or API sources are parked until BDOI names them (SQ01).

Preconditions

- The source is active; for an upload the user has SCR_LIST_MAINTAIN.

Main flow

- At the scheduled time (default 01:00 daily) the job reads the file of each file source.
- BIBS validates each record against the source layout.
- BIBS adds, updates or delists the entries and rebuilds their name keys.
- BIBS writes the run log and starts delta screening of the changed entries (FR-SS-030).

Alternate and exception flows

- Some records fail. BIBS loads the valid records, logs each failed record with its line and reason, and marks the run PARTIAL (FR-SS-021).
- The file is missing or unreadable. The run is FAILED with the reason; alert SCR_INGEST_FAILED is raised.
- Manual upload. The Compliance Officer selects the source and the file; the run is logged with trigger MANUAL_UPLOAD.

Business rules

Rule	Statement	Kind	Maintained in
R1	An entry is identified by source and external reference; a record already loaded is updated, not duplicated.	Fixed	-
R2	An entry missing from a full-file source is delisted (status INACTIVE, delisting date set), never deleted.	Fixed	-
R3	Schedules run outside 08:00-17:00 by default (peak hours, p.24).	Configurable	Source schedule; job cron
R4	List sources, formats, frequency and transport are confirmed by BDOI (SQ01).	Configurable	List sources

Validations and messages

Check	Message shown	Code
Record without name	Line <n>: name is missing	To be assigned at build
Invalid date	Line <n>: <field> is not a valid date	To be assigned at build
File type not allowed	The file type is not allowed for source <code>	To be assigned at build

Screens and fields: List source / Upload list file

Field	Type	Mand.	Source / LOV	Validation
Code / Name	Text	Yes	-	Unique code
List type	List	Yes	LOV SCR_LIST_TYPE	-
Transport	List	Yes	File, API, Manual	API parked
Schedule	Text	Cond.	-	Required for File and API
File layout	List	Cond.	CSV / XLSX template	Required for File
Active	Check box	Yes	-	-
File (upload)	Attachment	Yes	-	CSV or XLSX, up to the platform size limit

Notifications

- Compliance recipients are notified of each run with new entries (p.8, notifications on newly added sanctioned names, FR-SS-082).

Audit

- Every run logged with counts, status and reason; the source file is kept as an attachment of the run.

Acceptance criteria

1. A scheduled run of a file with 3 new and 1 changed entry logs received 4, added 3, updated 1 and status SUCCESS.
2. A run that cannot read its file is logged FAILED with the reason and raises SCR_INGEST_FAILED.
3. Uploading the same file twice adds no duplicate entries.

FR-SS-021 Report records that failed ingestion

BRD trace	SNSRP-202 (p.13)	Actor	System; Compliance Officer (recipient)
Priority	Must have	Fit	NEW
Screens	List Sources and Runs (run detail); Reports (SCR-INGEST-ERRORS)	API	Job SCR_INGEST_ERROR_DIGEST; alert SCR_INGEST_FAILED

Description

Every record that fails ingestion is kept with its source, run, line, raw record and reason. On the agreed schedule (default 07:00 Monday to Friday) BIBS e-mails the list of failed records since the last digest, with where they came from, to the recipients in parameter SCR_INGEST_ALERT_RECIPIENTS. The same list is the report SCR-INGEST-ERRORS. A FAILED or PARTIAL run also raises the in-app alert SCR_INGEST_FAILED.

Preconditions

- At least one run with failed records since the last digest.

Main flow

1. The digest job collects the failed records since the last digest.
2. BIBS builds the report and e-mails it to the recipients.
3. The Compliance Officer opens the run detail, corrects the source file and uploads it again.

Alternate and exception flows

- No failed records. No e-mail is sent.
- No recipient configured. The digest is skipped and the alert shows "no recipients".

Business rules

Rule	Statement	Kind	Maintained in
R1	Recipients and schedule are those BDOI agrees (SQ01).	Configurable	Parameter SCR_INGEST_ALERT_RECIPIENTS; job cron

Validations and messages

Check	Message shown	Code
Invalid e-mail in the recipient list	<address> is not a valid e-mail address	-

Notifications

- E-mail digest to the recipients; in-app alert SCR_INGEST_FAILED to Compliance Officers.

Audit

- Each digest logged with recipients and record count.

Acceptance criteria

1. A run with 2 failed lines produces a digest listing both lines with source, run and reason.
2. The report SCR-INGEST-ERRORS shows the same records for the run date.

FR-SS-022 Add or change sanctioned-name and PEP records manually

BRD trace	SNSRP-203 (p.13)	Actor	Compliance Officer (maker)
Priority	Must have	Fit	NEW
Screens	Compliance Setup > Watchlist	API	Watchlist entry and change (maker-checker)

Description

Compliance captures regulatory updates, internal findings or urgent risk actions by adding, changing or deactivating a list entry. An entry holds the source, list type, entity type, primary name, first and last name, aliases, birth date, nationality, ID numbers, listing and delisting dates and remarks.

A manual change is saved as a change record in PENDING with the before and after values, the maker and the remarks. It does not affect screening until the checker approves it (FR-SS-023).

Preconditions

- The user has SCR_LIST_MAINTAIN.

Main flow

1. The Compliance Officer opens Watchlist and clicks **Add Entry**, or opens an entry and clicks **Change** or **Deactivate**.
2. The Compliance Officer enters the data and the remarks.
3. BIBS validates the mandatory fields and saves the change as PENDING.

Alternate and exception flows

- A pending change already exists for the entry. BIBS refuses a second change until the first is decided.

Business rules

Rule	Statement	Kind	Maintained in
R1	Screening reads ACTIVE entries only; DRAFT and PENDING changes have no effect.	Fixed	-
R2	Manual entries use source INTERNAL unless the change corrects an entry of another source.	Fixed	-
R3	Entries are never deleted; they are deactivated.	Fixed	-

Validations and messages

Check	Message shown	Code
Primary name blank	Enter the name of the listed person or entity	-
List type not selected	Select the list type	-
Remarks blank	Enter the reason for the change	-
Pending change exists	Entry <ref> already has a change waiting for approval	To be assigned at build

Screens and fields: Watchlist entry

Field	Type	Mand.	Source / LOV	Validation
Source	List	Yes	List sources	-
List type	List	Yes	LOV SCR_LIST_TYPE	-
Entity type	List	Yes	Individual, Entity	-
Primary name	Text	Yes	-	Up to 300 characters
First / last name	Text	No	-	For individuals
Aliases	Table	No	AKA, FKA, spelling	-
Birth date	Date	No	-	Not in the future
Nationality	List	No	Countries	-
ID numbers	Text	No	-	-
Listed on / Delisted on	Date	No	-	Delisted on or after listed
Remarks	Long text	Yes	-	Up to 2000 characters

Notifications

- The holders of SCR_LIST_APPROVE are notified (event SCR_LIST_CHANGE_TO_APPROVE); the change appears in My Approvals.

Audit

- Before and after values, maker, time and remarks are kept on the change record (SNSRP-203).

Acceptance criteria

- A new manual entry is PENDING and is not used by screening until approved.
- Saving without a name or remarks is refused and names the missing field.

FR-SS-023 Approve or reject list changes

BRD trace	SNSRP-204 (p.13)	Actor	Compliance Officer (Checker)
Priority	Must have	Fit	CHANGE
Screens	My Approvals; Watchlist (Pending Changes)	API	Watchlist change approval; delta screening

Description

The checker sees the full entry, the before and after values and the maker's remarks. Approval applies the change - the entry becomes ACTIVE (or INACTIVE for a deactivation) with its effective date - and starts delta screening of the entry. Rejection leaves the entry unchanged and logs the checker's remarks. The checker's user ID and time are recorded in both cases.

Preconditions

- The change is PENDING; the user has SCR_LIST_APPROVE and is not its maker.

Main flow

- The checker opens the change from My Approvals.
- The checker compares the before and after values and reads the remarks.
- The checker clicks **Approve**.
- BIBS applies the change, sets the entry's effective date and screens all in-scope clients against it.

Alternate and exception flows

- Reject. The checker enters the remarks and clicks **Reject**; the entry is unchanged.

Business rules

Rule	Statement	Kind	Maintained in
R1	The maker never approves.	Fixed	-
R2	A decided change is read-only.	Fixed	-

Validations and messages

Check	Message shown	Code
Checker is the maker	A list change is approved by someone other than its maker	To be assigned at build
Reject without remarks	Enter the remarks for the rejection	-

Notifications

- The maker is notified of the decision.

Audit

- Decision, checker and time recorded on the change record (insert-only).

Acceptance criteria

- An approved new entry is ACTIVE and the next delta screening matches clients against it.
- A rejected change leaves the entry as it was and shows the checker's remarks.

4.4 Matching, risk tagging and case creation

FR-SS-030 Trigger client matching

BRD trace	SNSRP-602 (p.14-15), SNSRP-303 (p.14)	Actor	System
Priority	Must have	Fit	NEW
Screens	Screening Home (last runs); client page (Screening tab)	API	Events client registered, client identity changed, account submitted; job SCR_PERIODIC_SCREENING

Description

Matching starts without user action. When a client is created, BIBS screens the new client only, with the active matching criteria and the active list. When a client's identity data changes or the client applies for an account, BIBS screens that client. When the batch window starts, BIBS screens every eligible client in scope against the entries changed since the last run, and once a month against the full list.

Eligible clients are those whose status is in parameter SCR_SCREENING_SCOPE (default prospects and confirmed clients); inactive clients are excluded (SNSRP-602 AC2).

Every run is logged - trigger, scope, configuration version, clients and entries screened, matches, cases opened, status, start and end time.

Preconditions

- An ACTIVE matching-criteria version exists.

Main flow

1. A trigger fires (client created, identity changed, account submitted, list change or batch window).
2. BIBS starts a screening run with the active configuration.
3. BIBS matches the clients in scope (FR-SS-031) and applies the risk rules (FR-SS-033).
4. BIBS writes the run log.

Alternate and exception flows

- No active matching version. The run is not started; alert SCR_NO_ACTIVE_CONFIG is raised.
- A client created in bulk. Each created client is screened; the runs are grouped under the bulk job.

Business rules

Rule	Statement	Kind	Maintained in
R1	Re-running the same client, entry version and configuration version produces no second match (idempotent).	Fixed	-
R2	Client statuses in scope of the batch window.	Configurable	Parameter SCR_SCREENING_SCOPE (SQ11)
R3	Batch window default 01:30 daily; full re-screen on day SCR_FULL_RESCREEN_DAY of the month.	Configurable	Job cron; parameter SCR_FULL_RESCREEN_DAY
R4	Screening runs after the client or account transaction is saved and never delays it.	Fixed	-

Notifications

- None for the run itself; matches and cases notify as in FR-SS-034 and FR-SS-080.

Audit

- Each run is logged with its counts; each match with its run (SNSRP-602 'all activities are logged and traceable').

Acceptance criteria

1. Creating a new client starts a run for that client only, with no user action.
2. The batch run processes all prospects and confirmed clients and no inactive client.
3. The run log shows trigger, configuration version and counts.

FR-SS-031 Match client names against the list

BRD trace	SNSRP-301 (p.14)	Actor	System
Priority	Must have	Fit	NEW
Screens	Matches; Case (Matches tab); client page (Screening tab)	API	Matching engine (name normaliser, name keys, scorer)

Description

BIBS normalises the client's name and the entry's names and aliases, finds candidate pairs through blocking keys (name tokens and phonetic keys) and scores each pair with the algorithms of the active criteria. When a pair meets the criteria, BIBS records a match - client, entry and entry version, score, algorithm, matched fields and status POTENTIAL.

Birth date, nationality and ID numbers, where held on both sides and selected in the criteria, raise or lower the score. A pair suppressed as a false positive for the same entry version is skipped (FR-SS-035).

Preconditions

- A screening run is in progress (FR-SS-030).

Main flow

- BIBS builds the candidate pairs of the clients in scope.
- BIBS scores each pair.
- BIBS records a match for each pair that meets the threshold.
- BIBS passes the matches to the risk rules (FR-SS-033) and case creation (FR-SS-034).

Business rules

Rule	Statement	Kind	Maintained in
R1	Match statuses - POTENTIAL, TRUE_MATCH, FALSE_POSITIVE.	Fixed	-
R2	One match per client, entry, entry version and configuration version.	Fixed	-
R3	A changed entry (new entry version) is matched again, even after an earlier false positive.	Fixed	-

Screens and fields: Matches (list)

Field	Type	Mand.	Source / LOV	Validation
Client	Text	-	Client master	Name and code
List entry	Text	-	Watchlist	Name, source, list type
Score / algorithm	Number / Text	-	-	Score 0 to 1
Matched fields	Text	-	-	For example name, birth date
Status	Text	-	-	POTENTIAL, TRUE_MATCH, FALSE_POSITIVE
Case	Link	-	-	Case number when cased

Notifications

- None.

Audit

- Each match is stored with run, score and fields; status changes are audited.

Acceptance criteria

- A client named "Juan Dela Cruz" matches a list entry "Juan de la Cruz" by the phonetic rule and a match is recorded with its score.
- A pair below the threshold records no match.
- A second run with the same versions records no duplicate match.

FR-SS-032 Review potential matches

BRD trace	SNSRP-301 (p.14), SNSRP-304 (p.14)	Actor	Investigator; Compliance Officer
Priority	Must have	Fit	NEW
Screens	Matches	API	Match decision (open case, false positive)

Description

Potential matches below the case threshold are listed on the Matches screen with their score and matched fields. The Investigator opens a case for a match, or marks it a false positive with justification and evidence (FR-SS-035). This keeps weak matches on common names from opening cases while leaving them visible.

Preconditions

- The user has SCR_INVESTIGATE.

Main flow

- The Investigator opens Matches and filters by score, list type or client.
- The Investigator compares the client and the entry side by side.
- The Investigator clicks **Open Case** or **Mark False Positive**.

Alternate and exception flows

- The client already has an open case of the same type. **Open Case** adds the match to that case.

Business rules

Rule	Statement	Kind	Maintained in
R1	One open case per client and case type.	Fixed	-

Validations and messages

Check	Message shown	Code
False positive without justification	Enter the justification and attach the evidence	-

Notifications

- A case opened from the screen notifies its assignee (FR-SS-080).

Audit

- Decision on each match recorded with user and time.

Acceptance criteria

- A potential match marked as false positive leaves the list and is not raised again for the same entry version.
- Opening a case from a match for a client with an open case adds the match to that case.

FR-SS-033 Tag the client risk profile automatically

BRD trace	SNSRP-302 (p.14)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Client page (Screening tab, risk-profile history); client banner	API	Risk rule evaluator; client risk service of the client master

Description

After each match or run, BIBS evaluates the active risk rules for the client. When a rule qualifies, BIBS sets the client's risk rating and adds the category's tags (PEP, WATCHLIST_REVIEW) in the client master, with the source "screening", the rule and the match as reference.

The client master then re-schedules the KYC review when the rating goes up (BRD-1 KYC review cycle). The client banner shows the tags, as today; it warns and does not block (SQ07).

Each change is written to the client risk-profile history (category, rating, tags, source RULE, rule, match, time).

Preconditions

- An ACTIVE risk-rules version exists.

Main flow

1. A match is recorded or a run ends.
2. BIBS evaluates the rules by priority for each client concerned.
3. BIBS applies the category's rating and tags to the client and writes the history.
4. BIBS passes the result to case creation (FR-SS-034).

Alternate and exception flows

- No rule qualifies. The client profile is unchanged.
- The client already has the same rating and tags. No change is written.

Business rules

Rule	Statement	Kind	Maintained in
R1	Screening changes the rating and tags only through the client master service; it never writes client records directly.	Fixed	-
R2	A rule never lowers a rating set manually with evidence (FR-SS-035) for the same entry version.	Fixed	-
R3	Blocking business on a tag is off (parameter SCR_BLOCK_ON_OPEN_MATCH = false, SQ07).	Configurable	Parameter SCR_BLOCK_ON_OPEN_MATC H

Notifications

- None for the tag; the case notifies (FR-SS-080).

Audit

- Client audit - 'Risk rating X to Y (screening, rule, match)'; risk-profile history row (insert-only).

Acceptance criteria

1. A confirmed sanction match under an active High-risk rule sets the client rating and the WATCHLIST_REVIEW tag automatically.
2. The client's Screening tab shows the rule and match that caused the change.
3. The KYC review date of the client moves to the date of the higher rating.

FR-SS-034 Create cases automatically

BRD trace	SNSRP-303 (p.14)	Actor	System
Priority	Must have	Fit	NEW
Screens	Cases; Case	API	Case service (open); port ActivePolicyQuery

Description

A case opens when a client is tagged High-risk or PEP, when a match reaches the case threshold, and when a client applies for an account and screening requires a review. The case gets a number SCR-yyyy-nnnnnn, the client, trigger, case type, risk category, active-policy flag, marketing unit and Unit Head, and is assigned by the assignment matrix (FR-SS-014).

Only clients with an active policy require a KYC review or EDD. For a client without an active policy, the case type is MONITOR and the UCC and the Investigator are notified (SNSRP-303 AC2).

The active policy of a client is read through a port. The default reads the client's accounts in status POLICY_ISSUED or BOOKED; BDOI confirms the definition (SQ10).

Preconditions

- Risk tagging or matching produced a result that requires a case.

Main flow

1. BIBS checks for an open case of the same client and type.
2. BIBS determines the active-policy flag and the case type.
3. BIBS creates the case in stage NEW and routes it to INVESTIGATION with the assignee of the assignment matrix.
4. BIBS notifies the assignee.

Alternate and exception flows

- An open case of the same client and type exists. The new match is added to it and the timeline records it.
- No active policy. Case type MONITOR; notice SCR_NO_POLICY_HIT to the UCC and the Investigator.

Business rules

Rule	Statement	Kind	Maintained in
R1	One open case per client and case type.	Fixed	-
R2	Case numbers are SCR-<yyyy>-<nnnnnn>.	Configurable	Parameter SCR_CASE_SEQUENCE_PREFI X
R3	Active policy - accounts in POLICY_ISSUED or BOOKED (default until SQ10).	Configurable	ActivePolicyQuery adapter
R4	The case records the configuration versions in force at creation.	Fixed	-

Notifications

- SCR_CASE_ASSIGNED to the assignee; SCR_NO_POLICY_HIT to the UCC and the Investigator for a client without an active policy.

Audit

- Case creation, assignment and scenario recorded on the case timeline.

Acceptance criteria

- A High-risk tag on a client with a booked account opens a case assigned by the routing rules.
- For a client without an active policy, a MONITOR case opens and the UCC and the Investigator are notified.
- Submitting an account of a listed client opens an ACCOUNT_APPLICATION case automatically.

FR-SS-035 Update the risk-profile tag manually with justification

BRD trace	SNSRP-304 (p.14)	Actor	Investigator
Priority	Must have	Fit	CHANGE
Screens	Case (action Update Risk Tag); Matches (Mark False Positive)	API	Client risk service (source MANUAL)

Description

For a validated false positive, the Investigator updates the client's risk rating and tags, enters a justification and attaches at least one evidence document. The change takes effect at once in the client master and is written to the risk-profile history with source MANUAL.

The match becomes FALSE_POSITIVE and the client is not matched again against that entry until the entry changes (suppression by entry version; SQ12).

Preconditions

- The user has SCR_RISK_TAG; the match or case is open.

Main flow

- The Investigator clicks **Update Risk Tag** on the case or **Mark False Positive** on the match.
- The Investigator selects the new rating and tags and enters the justification.
- The Investigator attaches the evidence.
- BIBS saves the change, updates the client and suppresses the pair.

Alternate and exception flows

- The entry changes later. The suppression lapses and the next run matches the client again.

Business rules

Rule	Statement	Kind	Maintained in
R1	Justification and at least one evidence document are mandatory.	Fixed	-
R2	Suppression is per client, entry and entry version (default until SQ12).	Fixed	-

Validations and messages

Check	Message shown	Code
Justification blank	Enter the justification of the change	-
No evidence attached	Attach at least one evidence document	To be assigned at build
Rating not in the list	Select a valid risk rating	-

Screens and fields: Update Risk Tag dialog

Field	Type	Mand.	Source / LOV	Validation
New risk rating	List	Yes	LOV KYC_RISK_RATING	-
Tags to add / remove	Multi-select	No	LOV CLIENT_TAG	-
Justification	Long text	Yes	-	Up to 2000 characters
Evidence	Attachment	Yes	-	At least one file; naming as FR-SS-052

Notifications

- None.

Audit

- Client audit and risk-profile history with user, time, justification and evidence reference.

Acceptance criteria

1. The updated tag shows on the client immediately after saving.
2. The change cannot be saved without evidence.
3. The same entry version does not raise the client again in the next run.

4.5 Case management**FR-SS-040 Control the case lifecycle**

BRD trace	SNSRP-401 (p.15)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Case (workflow panel, Timeline tab)	API	Workflow SCR_CASE

Description

Cases follow the workflow SCR_CASE (section 5). When a user submits, the case moves to the next stage of the workflow and the previous assignee's edit rights end. Every transition is written to the case timeline with user, time, disposition, reason and remarks.

Edit rights come only from the stage owner permission and the assignment, so a case is read-only to everyone else.

Preconditions

- The case exists.

Main flow

1. The user starts an action from the workflow panel.
2. BIBS checks the permission, the assignment and the data of the action.
3. BIBS performs the transition, records it and notifies the next owner.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only the transitions of section 5.2 are possible.	Fixed	-

Rule	Statement	Kind	Maintained in
R2	A closed case is re-opened only by SCR_COMPLIANCE_REVIEW with a reason.	Fixed	-

Validations and messages

Check	Message shown	Code
Action not allowed in the stage	The action <action> is not allowed in stage <stage>	To be assigned at build
Edit by the previous assignee	Case <case no.> is no longer assigned to you	To be assigned at build

Notifications

- Stage entry to the next owner (FR-SS-080).

Audit

- Every transition logged on the insert-only case timeline.

Acceptance criteria

1. After the Investigator submits, the case is read-only to the Investigator.
2. The Timeline tab lists every transition with user and time.

FR-SS-041 View the list of cases and open a case

BRD trace	SNSRP-402 (p.15-16)	Actor	Investigator; UCC; Compliance Officer
Priority	Must have	Fit	CHANGE
Screens	Cases; Case	API	GET /api/v1/screening/cases

Description

The Cases screen lists the cases the user may see, with tabs My Cases, Team, For Approval, Committee, STR and Closed. Filters are date created, marketing unit, Unit Head, case type, risk category, stage, disposition, assignee and SLA state. The list follows the filters and can be exported to Excel.

A row opens the case page - summary (case number, client, status, risk flags, SLA badge) and the tabs Matches, Review, Documents, Decisions, STR and Timeline.

Preconditions

- The user has SCR_VIEW.

Main flow

1. The user opens Cases and chooses a tab.
2. The user applies filters.
3. The user opens a case.

Business rules

Rule	Statement	Kind	Maintained in
R1	Investigators see their own and their team's cases; UCC, Compliance Officer, Auditor and AML Committee see all.	Fixed	-
R2	Filters stay in the address so a filtered list can be shared.	Fixed	-

Validations and messages

Check	Message shown	Code
Date-to before date-from	The end date must be on or after the start date	-

Screens and fields: Cases (columns)

Field	Type	Mand.	Source / LOV	Validation
Case no.	Link	-	-	SCR-yyyy-nnnnnn
Client	Text	-	Client master	Name and code
Case type / Risk category	Text	-	-	-
Marketing unit / Unit Head	Text	-	Sales organisation	-
Stage / Assignee	Text	-	-	-
Created / Due	Date-time	-	-	-
SLA	Badge	-	-	On time, Due soon, Breached

Notifications

- None.

Audit

- Exports audited.

Acceptance criteria

1. Filtering by marketing unit and date created shows only the cases of that unit created in the period.
2. An Investigator does not see cases of another team.

FR-SS-042 Search cases

BRD trace	SNSRP-403 (p.16)	Actor	Investigator; UCC; Compliance Officer
Priority	Must have	Fit	CHANGE
Screens	Cases (search toolbar)	API	GET /api/v1/screening/cases (search parameters)

Description

A user with view rights searches by case number, client name or code, status, date range or assigned user, sees the matching cases, refines the criteria and opens a case from the results.

Preconditions

- The user has SCR_VIEW.

Main flow

1. The user enters one or more criteria in the search toolbar.
2. BIBS lists the matching cases within the user's scope.
3. The user refines the criteria or opens a case.

Business rules

Rule	Statement	Kind	Maintained in
R1	Client names are matched ignoring case and accents; partial text is allowed from 3 characters.	Fixed	-

Validations and messages

Check	Message shown	Code
Search text shorter than 3 characters	Enter at least 3 characters	-

Notifications

- None.

Audit

- None (read only).

Acceptance criteria

1. Searching a case number returns that case only.
2. Searching a client name fragment with a date range returns the matching cases created in the range.

FR-SS-043 Re-assign a case or approval

BRD trace	SNSRP-404 (p.16)	Actor	Investigator, UCC, Compliance Officer or Approver with SCR_CASE_ASSIGN
Priority	Must have	Fit	CHANGE
Screens	Case (action Re-assign); Cases (bulk re-assign)	API	Workflow assignment with reason

Description

A case in a review or approval stage can be re-assigned for workload, absence or conflict of interest. Only eligible users - holders of the stage permission, enabled, and not the client's own account officer - can be selected. Ownership changes without changing the submitted data or the status history.

The reason, previous and new assignee, user and time are written to the timeline and the audit log. Only the new assignee can act on the case afterwards.

The BRD gives this right to the Investigator persona; whether Investigators may re-assign their own cases or only coordinators may is SQ13. The role matrix grants SCR_CASE_ASSIGN to the UCC, Compliance Officer and Approver until BDOI answers.

Preconditions

- The case is in INVESTIGATION, RETURNED, UNIT_HEAD_APPROVAL or COMPLIANCE_REVIEW; the user has SCR_CASE_ASSIGN.

Main flow

1. The user clicks **Re-assign**.
2. BIBS lists the eligible users.
3. The user selects the new assignee and the reason and enters a comment.
4. BIBS changes the assignee and notifies both users.

Business rules

Rule	Statement	Kind	Maintained in
R1	Reasons - WORKLOAD, ABSENCE, CONFLICT_OF_INTEREST, OTHERS (comment required for OTHERS).	Configurable	LOV SCR_REASSIGN_REASON
R2	The case data, stage and history are not changed by a re-assignment.	Fixed	-

Validations and messages

Check	Message shown	Code
Reason not selected	Select the reason for the re-assignment	-
User not eligible	<user> cannot take cases in stage <stage>	To be assigned at build
OTHERS without comment	Enter a comment for reason Others	-

Screens and fields: Re-assign dialog

Field	Type	Mand.	Source / LOV	Validation
New assignee	List	Yes	Eligible users	Not the current assignee
Reason	List	Yes	LOV SCR_REASSIGN_REASON	-
Comment	Text	Cond.	-	Required for OTHERS

Notifications

- SCR_CASE_ASSIGNED to the new assignee; the previous assignee is informed.

Audit

- Reason, previous and new assignee, user and time in the timeline and the audit log.

Acceptance criteria

1. The client's own account officer is not offered as the new assignee.
2. After re-assignment, the previous assignee cannot act on the case.
3. The timeline shows the reason and both users.

FR-SS-044 Monitor SLA per stage, remind and escalate

BRD trace	SNSRP-405 (p.17), SNSRP-108 (p.12)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Screening Home (SLA tiles); Cases (SLA badge)	API	Job SCR_SLA_MONITOR (hourly); alert SCR_SLA_BREACH

Description

Every hour BIBS checks the due time of each open case. At the due time minus the reminder lead hours it sends a reminder to the assignee. When the SLA is breached it flags the case, sends an escalation notice to the role of the SLA matrix and raises alert SCR_SLA_BREACH.

The SLA badge shows on lists and on the case - on time, due soon (inside the reminder lead) and breached.

Preconditions

- The case is open and has a due time.

Main flow

- The SLA monitor runs.
- For cases inside the reminder lead, BIBS sends one reminder.
- For breached cases, BIBS sets the breach flag, notifies the escalation role and raises the alert.

Business rules

Rule	Statement	Kind	Maintained in
R1	One reminder and one escalation per case and stage entry.	Fixed	-
R2	Hours per stage from the active SLA matrix (FR-SS-015); defaults in section 5.1.	Configurable	Configuration SLA_MATRIX

Notifications

- SCR_SLA_REMINDER to the assignee; SCR_SLA_ESCALATION to the escalation role.

Audit

- Reminder and breach recorded on the case timeline (events REMINDER, BREACH).

Acceptance criteria

- A case 2 hours before its due time with a 4-hour lead receives one reminder.
- A breached case is flagged, escalated and counted in the breached tile.

FR-SS-045 Screening home and high-risk client list

BRD trace	SNSRP-402 (p.15-16), SNSRP-405 (p.17); p.8 capability 4 and report "Extract list of High-risk Clients"	Actor	Compliance Officer; UCC; Operations Lead; Investigator
Priority	Must have	Fit	CHANGE
Screens	Screening Home; High-risk Clients	API	Report SCR-HIGH-RISK-CLIENTS

Description

Screening Home shows tiles - open cases per stage, SLA due today and breached, potential matches not yet cased and the status of the last list run. Each tile opens its filtered list.

High-risk Clients lists the clients with a high-risk category, PEP or watchlist tag, with rating, tags, open case and marketing unit, and exports the list (capability 4, "view / extract the list of high-risk clients' details and cases created").

Preconditions

- The user has SCR_VIEW.

Main flow

- The user opens Screening Home and clicks a tile.
- The user opens High-risk Clients, filters and exports.

Business rules

Rule	Statement	Kind	Maintained in
R1	Counts follow the user's case scope (FR-SS-041).	Fixed	-

Notifications

- None.

Audit

- Exports audited.

Acceptance criteria

1. The breached tile opens the case list filtered to breached cases.
2. The high-risk list exports to Excel with the same rows as on screen.

4.6 Investigation**FR-SS-050 Complete the guided review template**

BRD trace	SNSRP-501 (p.17)	Actor	Investigator
Priority	Must have	Fit	NEW
Screens	Case (Review tab)	API	Case review and answers

Description

The Review tab renders the template of the case type (KYC review, transaction review or EDD) in the version active when the review started. Mandatory fields are marked. The Investigator can save a draft at any time.

On submission, an incomplete review is refused and each missing or invalid field is flagged next to the field.

Preconditions

- The case is in INVESTIGATION or RETURNED and assigned to the user; the user has SCR_INVESTIGATE.

Main flow

1. The Investigator opens the Review tab; BIBS starts the review on the active template version.
2. The Investigator completes the fields and clicks **Save Draft** as needed.
3. The Investigator submits with the disposition (FR-SS-051).

Alternate and exception flows

- Incomplete. BIBS keeps the case in the stage and flags each missing field.

Business rules

Rule	Statement	Kind	Maintained in
R1	The template of the case type is used; EDD when the risk category requires EDD and the client has an active policy.	Fixed	-
R2	Validation runs on the server; the form shows the result per field.	Fixed	-

Validations and messages

Check	Message shown	Code
Mandatory field blank	<Field> is required	-
Value of the wrong type	<Field> must be a <type>	-

Notifications

- None.

Audit

- Review saves and submission recorded with user and time; answers kept with the template version.

Acceptance criteria

1. When the review opens, mandatory fields are marked.
2. Submission with a blank mandatory field is refused and the field is flagged.

FR-SS-051 Select a disposition and submit the case

BRD trace	SNSRP-502 (p.17)	Actor	Investigator
Priority	Must have	Fit	CHANGE
Screens	Case (workflow panel)	API	Workflow SCR_CASE action submit

Description

With all required fields complete, the Investigator selects a disposition from the list of the stage (FR-SS-018), writes the recommendation and clicks **Submit**. BIBS validates the case (FR-SS-060), routes it by the approval matrix (FR-SS-013) and makes it read-only to the Investigator.

Preconditions

- The review is complete; the case is assigned to the user.

Main flow

1. The Investigator selects the disposition and writes the recommendation.
2. The Investigator clicks **Submit**.
3. BIBS validates the case, routes it and notifies the approver.

Alternate and exception flows

- Validation fails. The case stays in INVESTIGATION and the messages are shown (FR-SS-060).
- Disposition NEED_MORE_INFO. The case stays with the Investigator; the timeline records the request for information.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only dispositions of the current stage can be selected.	Fixed	-
R2	The recommendation is mandatory.	Fixed	-

Validations and messages

Check	Message shown	Code
Disposition not selected	Select the disposition	-

Check	Message shown	Code
Recommendation blank	Write the recommendation	-

Screens and fields: Submit dialog

Field	Type	Mand.	Source / LOV	Validation
Disposition	List	Yes	LOV SCR_DISPOSITION (parent INVESTIGATION)	-
Recommendation	Long text	Yes	-	Up to 4000 characters
STR required	Check box	No	-	Consistent with the disposition (FR-SS-060)

Notifications

- SCR_CASE_FOR_APPROVAL to the approver.

Audit

- Submission with disposition, recommendation, route and approver on the timeline.

Acceptance criteria

1. A submitted case goes to the approver of the matching route and is read-only to the Investigator.
2. Only INVESTIGATION dispositions are offered.

FR-SS-052 Upload KYC and supporting documents

BRD trace	SNSRP-601 (p.17)	Actor	Investigator
Priority	Must have	Fit	CHANGE
Screens	Case (Documents tab)	API	Attachments of entity type ScreeningCase; naming pattern SCREENING

Description

The Investigator uploads KYC and other supporting documents with their metadata - form type, document type, date received and source. BIBS stores the file with a checksum, shows it on the case timeline and names it by the BRD convention "<Form Type>_<Client Name>_<Date Received>_<Document Type>_<sequence number>".

KYC-type documents are also registered on the client's KYC documents, so the client master shows them.

Preconditions

- The user has SCR_INVESTIGATE (and attachment rights); the case is open.

Main flow

1. The Investigator clicks **Upload** on the Documents tab.
2. The Investigator selects the file and enters the metadata.
3. BIBS stores the file, names it and adds it to the timeline.

Business rules

Rule	Statement	Kind	Maintained in
R1	Name - <Form Type>_<Client Name>_<Date Received yyyyMMdd>_<Document Type>_<n>.	Configurable	Naming pattern SCREENING

Rule	Statement	Kind	Maintained in
R2	Form type from LOV SCR_FORM_TYPE (KYC_REVIEW, TRANSACTION_REVIEW, EDD, STR) until BDOI defines 'Form Type' (SQ14).	Configurable	LOV SCR_FORM_TYPE
R3	File types and size follow the platform attachment rules.	Configurable	Allowed file types
R4	Documents are never deleted from a submitted case.	Fixed	-

Validations and messages

Check	Message shown	Code
Metadata missing	Enter the <field> of the document	-
Date received in the future	The date received cannot be in the future	-
File type not allowed	The file type is not allowed	-

Screens and fields: Upload document dialog

Field	Type	Mand.	Source / LOV	Validation
File	Attachment	Yes	-	Allowed types and size
Form type	List	Yes	LOV SCR_FORM_TYPE	-
Document type	List	Yes	LOV SCR_DOCUMENT_TYPE	-
Date received	Date	Yes	-	Not in the future
Source	Text	Yes	-	For example client, branch, Marketing

Notifications

- None.

Audit

- Upload recorded on the timeline (DOCUMENT_ADDED) and in the audit trail with the file hash.

Acceptance criteria

1. An uploaded KYC form received 12-May-2026 for client "ABC Trading" is named KYC_REVIEW_ABC Trading_20260512_<type>_1 and shows on the timeline.
2. A document without date received cannot be uploaded.

4.7 Validation, approval and escalation

FR-SS-060 Validate dispositioned cases before approval

BRD trace	SNSRP-701 (p.17)	Actor	System
Priority	Must have	Fit	NEW
Screens	Case (validation messages; Timeline)	API	Configuration type VALIDATION_RULES; case validator

Description

When a dispositioned case is submitted, BIBS checks it against the active validation rules of its stage and type - template complete, required document types present, disposition allowed at the stage, recommendation present, STR flag consistent with the disposition. A blocking rule stops the submission; a non-blocking rule gives a warning.

Every validation result, passed or failed, is written to the timeline (VALIDATED or VALIDATION_FAILED with the messages).

The validation rules are a configuration type maintained like the others (FR-SS-010). The criteria come from BDOI (SQ06).

Preconditions

- A case is submitted (FR-SS-051, FR-SS-061, FR-SS-063).

Main flow

- BIBS evaluates the rules of the stage and type.
- All blocking rules pass. BIBS logs VALIDATED, updates the status and routes the case.

Alternate and exception flows

- A blocking rule fails. BIBS logs VALIDATION_FAILED and shows the messages; the case stays.

Business rules

Rule	Statement	Kind	Maintained in
R1	Rule types - TEMPLATE_COMPLETE, DOCUMENT_TYPES_PRESENT, DISPOSITION_ALLOWED, RECOMMENDATION_PRESENT, STR_FLAG_CONSISTENT.	Fixed	-
R2	Rules, their parameters and blocking flag per stage and case type.	Configurable	Configuration VALIDATION_RULES

Validations and messages

Check	Message shown	Code
Required document missing	Upload the <document type> before submitting	To be assigned at build
STR flag inconsistent	Disposition <disposition> requires the STR flag	To be assigned at build

Screens and fields: Validation rule

Field	Type	Mand.	Source / LOV	Validation
Stage	List	Yes	Stages of SCR_CASE	-
Case type	List	No	LOV SCR_CASE_TYPE	Blank = any
Rule	List	Yes	Rule types (R1)	-
Parameters	Text	Cond.	-	For example required document types
Blocking	Check box	Yes	-	-

Notifications

- None.

Audit

- Every validation outcome logged on the timeline (SNSRP-701).

Acceptance criteria

- A case without the required KYC document cannot be submitted and the timeline records VALIDATION_FAILED.

2. A valid case is logged VALIDATED and routed to the approver.

FR-SS-061 Approve or disapprove the recommendation (Unit Head)

BRD trace	SNSRP-702 (p.18)	Actor	Approver (Unit Head)
Priority	Must have	Fit	CHANGE
Screens	Cases (For Approval); Case; My Approvals	API	Workflow SCR_CASE actions approve, disapprove

Description

The Approver reviews the case, the review, the documents and the recommendation. **Approve** (disposition CONCUR) moves the case to the next step of the approval matrix. **Disapprove** (NOT_CONCUR) needs a rationale; the case returns to the Investigator as RETURNED, and the Investigator can correct and resubmit it (FR-SS-062).

Preconditions

- The case is in UNIT_HEAD_APPROVAL and assigned to the user; the user has SCR_CASE_APPROVE and is not the Investigator.

Main flow

- The Approver opens the case from For Approval or My Approvals.
- The Approver reviews it and enters a comment.
- The Approver clicks **Approve**; BIBS routes the case (COMPLIANCE_REVIEW or CLOSED by the matrix).

Alternate and exception flows

- Disapprove. The Approver selects a return reason and writes the rationale; the case goes to RETURNED and the Investigator is notified.

Business rules

Rule	Statement	Kind	Maintained in
R1	The Approver is never the Investigator of the case.	Fixed	-
R2	SLA 24 hours (default).	Configurable	Configuration SLA_MATRIX

Validations and messages

Check	Message shown	Code
Disapprove without rationale	Write the rationale for disapproving	-
Approver is the Investigator	A case is approved by someone other than its Investigator	To be assigned at build

Screens and fields: Decision dialog

Field	Type	Mand.	Source / LOV	Validation
Decision	List	Yes	LOV SCR_DISPOSITION (parent UNIT_HEAD_APPROVAL)	-
Return reason	List	Cond.	LOV RETURN_REASON	Required to disapprove
Rationale / comment	Long text	Cond.	-	Required to disapprove

Notifications

- SCR_CASE_RETURNED to the Investigator on disapproval; stage entry to Compliance on approval.

Audit

- Decision, rationale, user and time on the timeline.

Acceptance criteria

1. An approved case moves to the next workflow step.
2. A disapproved case is RETURNED with the rationale visible to the Investigator.

FR-SS-062 Correct and resubmit a returned case

BRD trace	SNSRP-702 (p.18), SNSRP-703 (p.18)	Actor	Investigator
Priority	Must have	Fit	CHANGE
Screens	Cases (My Cases); Case	API	Workflow SCR_CASE action resubmit

Description

A returned case shows the return reason and remarks. The Investigator corrects the review, documents or recommendation and resubmits. The case goes back to the stage that returned it - UNIT_HEAD_APPROVAL or COMPLIANCE_REVIEW - after the validation of FR-SS-060.

Preconditions

- The case is RETURNED and assigned to the user.

Main flow

1. The Investigator opens the returned case and reads the reason.
2. The Investigator corrects the case and writes a response.
3. The Investigator clicks **Resubmit**.

Business rules

Rule	Statement	Kind	Maintained in
R1	Each return and resubmission is a new round on the timeline; earlier rounds stay readable.	Fixed	-

Validations and messages

Check	Message shown	Code
Response blank	Write your response to the return	-

Notifications

- Stage entry to the stage that returned the case.

Audit

- Resubmission with response recorded.

Acceptance criteria

1. A case returned by Compliance goes back to COMPLIANCE_REVIEW on resubmission.

FR-SS-063 Review BU escalations (Compliance)

BRD trace	SNSRP-703 (p.18)	Actor	Compliance Officer
Priority	Must have	Fit	CHANGE
Screens	Cases (Compliance Review); Case	API	Workflow SCR_CASE actions escalate_committee, prepare_str, close, return_for_rework

Description

The Compliance Officer reviews an escalated case and records an outcome from the COMPLIANCE_REVIEW dispositions - close with no action, escalate to the AML Committee, for STR, or return. The case routes by the escalation matrix (FR-SS-013). If items need correction, the Compliance Officer adds remarks and returns the case to the Investigator; the status becomes RETURNED with the reasons captured.

Preconditions

- The case is in COMPLIANCE_REVIEW; the user has SCR_COMPLIANCE_REVIEW.

Main flow

- The Compliance Officer opens the case.
- The Compliance Officer selects the outcome and writes remarks.
- BIBS routes the case by the escalation matrix and records outcome, user, time and remarks.

Alternate and exception flows

- Return for rework. The Compliance Officer selects the reason and writes the remarks; the case goes to RETURNED.

Business rules

Rule	Statement	Kind	Maintained in
R1	Outcomes from LOV SCR_DISPOSITION parent COMPLIANCE_REVIEW (delivered - CLOSE_NO_ACTION, ESCALATE_COMMITTEE, FOR_STR, RETURN).	Configurable	LOV SCR_DISPOSITION
R2	Remarks are mandatory for a return.	Fixed	-

Validations and messages

Check	Message shown	Code
Outcome not selected	Select the outcome	-
Return without remarks	Enter the items to correct	-

Notifications

- SCR_COMMITTEE_REVIEW to the committee members on escalation; SCR_CASE_RETURNED to the Investigator on return.

Audit

- Outcome, user, time and remarks on the timeline (SNSRP-703).

Acceptance criteria

- An outcome "Escalate to Committee" routes the case to AML_COMMITTEE.

2. A return sets the case to RETURNED with the remarks and logs the action.

FR-SS-064 Record the AML Committee decision

BRD trace	SNSRP-704 (p.18-19)	Actor	AML Committee Member
Priority	Must have	Fit	NEW
Screens	Cases (Committee); Case (Decisions tab)	API	Committee vote; workflow SCR_CASE system action finalise

Description

A committee member views the complete case - details, investigation findings, documents and prior comments - and records a decision online - approve STR, no STR, or return - with remarks.

When the decision is final under the committee rule, BIBS routes the case - to STR_PREPARATION (approve STR), CLOSED (no STR) or COMPLIANCE_REVIEW (return) - and updates its status. The rule is parameter SCR_COMMITTEE_RULE - ANY, MAJORITY or ALL of SCR_COMMITTEE_SIZE members (default MAJORITY of 5; SQ15).

Preconditions

- The case is in AML_COMMITTEE; the user has SCR_COMMITTEE and has not voted on it.

Main flow

- The member opens the case from the Committee tab.
- The member reviews the case and clicks **Record Decision**.
- The member selects the decision and writes remarks.
- BIBS records the vote and checks the rule; when it is met, BIBS finalises the case.

Alternate and exception flows

- The rule is not yet met. The case stays in AML_COMMITTEE; the Decisions tab shows the votes so far.
- Tie under MAJORITY with all members voted. The case returns to COMPLIANCE_REVIEW with the note "no majority".

Business rules

Rule	Statement	Kind	Maintained in
R1	One vote per member per case round; a vote cannot be changed after submission.	Fixed	-
R2	Decision rule and committee size.	Configurable	Parameters SCR_COMMITTEE_RULE and SCR_COMMITTEE_SIZE

Validations and messages

Check	Message shown	Code
Decision not selected	Select your decision	-
Member already voted	You have already recorded your decision on this case	To be assigned at build

Screens and fields: Record Decision dialog

Field	Type	Mand.	Source / LOV	Validation
Decision	List	Yes	LOV SCR_DISPOSITION (parent AML_COMMITTEE) - APPROVE_STR, NO_STR, RETURN	-
Remarks	Long text	Yes	-	Up to 4000 characters

Notifications

- The Compliance Officer is notified when the decision is final.

Audit

- Each member's decision, remarks, user ID, date and time on the timeline (SNSRP-704).

Acceptance criteria

- A member sees the case details, findings, documents and prior comments before deciding.
- With rule MAJORITY of 5, the third APPROVE_STR vote moves the case to STR_PREPARATION.
- Each vote is recorded with user, date and time.

4.8 Suspicious Transaction Report**FR-SS-070 Prepare the STR from case data**

BRD trace	SNSRP-705 (p.19)	Actor	Compliance Officer
Priority	Must have	Fit	NEW
Screens	Case (STR tab); STR	API	STR service (prefill, completeness)

Description

For a case that requires an STR, opening the STR tab creates the STR with number, template version and status DRAFT. BIBS prefills the subject party from the client, the narrative from the case review and recommendation, the transactions from the client's accounts, invoices and receipts, and lists the case documents as attachments. Every field stays editable.

The completeness check lists the gaps against the STR template. When it passes, **Mark Ready** moves the case to STR_EXTRACTION and the STR to FOR_APPROVAL; the STR becomes APPROVED when it belongs to a case whose committee decision was APPROVE_STR.

Preconditions

- The case is in STR_PREPARATION; the user has SCR_COMPLIANCE_REVIEW.

Main flow

- The Compliance Officer opens the STR tab; BIBS prefills the STR.
- The Compliance Officer edits the party details, transactions and narrative and selects the reason codes.
- The Compliance Officer clicks **Check Completeness**; BIBS highlights the gaps.
- The Compliance Officer clicks **Mark Ready**.

Alternate and exception flows

- Gaps remain. **Mark Ready** is refused and the gaps are listed.

Business rules

Rule	Statement	Kind	Maintained in
R1	The prefilled subject is a snapshot; later client changes do not alter a submitted STR.	Fixed	-
R2	Fields, reason codes and prefill sources follow the STR template (FR-SS-017); the AMLC field list is SQ09.	Configurable	Configuration TEMPLATE (STR)

Validations and messages

Check	Message shown	Code
Mandatory STR field blank	<Field> is required for the STR	-
No transaction listed	Add at least one transaction	To be assigned at build
Transaction amount not positive	The amount must be greater than 0	-

Screens and fields: STR

Field	Type	Mand.	Source / LOV	Validation
STR no.	Text	Yes	System	-
Subject party	Section	Yes	Client master (snapshot)	Editable
Transactions	Table	Yes	Accounts, invoices, receipts	Reference, date, amount, currency, type, description
Reason codes	Multi-select	Yes	LOV SCR_STR_REASON	At least one
Narrative	Long text	Yes	Case review and recommendation	Editable
Attachments	List	No	Case documents	-

Notifications

- None.

Audit

- STR creation, each save and status change recorded; the template version is kept.

Acceptance criteria

1. Opening the STR of a case prefills the client's details, the narrative and the case documents.
2. The completeness check highlights each missing mandatory field.

FR-SS-071 Extract committee-approved STRs in the AMLC format

BRD trace	SNSRP-706 (p.19-20)	Actor	Compliance Officer
Priority	Must have	Fit	NEW
Screens	STR (Extract Approved STRs)	API	STR extraction; port StrFileSink (default report archive)

Description

The Compliance Officer starts the extraction for a period. BIBS selects only the STRs approved by the AML Committee and not yet extracted, builds the file with the active STR layout (FR-SS-017) and saves it to the

designated location. The extraction is recorded (batch, period, count, file, user, time) and the STRs become EXTRACTED.

Until BDOI names the designated folder (SQ16), the file is saved in the BIBS report archive and downloaded from the STR screen. A shared-folder or SFTP destination is a later adapter with no change to this function.

Preconditions

- The user has SCR_STR_EXTRACT; at least one APPROVED STR exists in the period.

Main flow

- The Compliance Officer clicks **Extract Approved STRs** and enters the period.
- BIBS lists the STRs that will be extracted.
- The Compliance Officer confirms.
- BIBS generates the file, saves it and records the extraction.

Alternate and exception flows

- No approved STR in the period. BIBS shows "No committee-approved STR to extract" and creates no file.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only STRs with an AML Committee APPROVE_STR decision are extracted.	Fixed	-
R2	An STR is extracted once; a re-extraction needs a reason and is recorded as such.	Fixed	-
R3	File format per the active STR layout; the AMLC format is SQ09.	Configurable	Configuration STR_LAYOUT

Validations and messages

Check	Message shown	Code
Period end before start	The end date must be on or after the start date	-
Nothing to extract	No committee-approved STR to extract	To be assigned at build

Screens and fields: Extract Approved STRs dialog

Field	Type	Mand.	Source / LOV	Validation
Period from / to	Date	Yes	-	To on or after from
STRs	List	-	System	Committee-approved, not extracted

Notifications

- None.

Audit

- Extraction recorded with batch, period, count, file hash, user and time (SNSRP-706).

Acceptance criteria

- An extraction for a month includes only the committee-approved STRs of that month.

- The file is saved and downloadable, and the extraction appears in the audit trail.
- An STR not approved by the committee is never in the file.

FR-SS-072 Record the AMLC filing reference

BRD trace	SNSRP-706 (p.19-20); p.8 "File STR to AMLC - Via Portal"	Actor	Compliance Officer
Priority	Must have	Fit	NEW
Screens	STR register; Case (STR tab)	API	STR service (filed)

Description

Filing on the AMLC portal stays manual (p.8). After filing, the Compliance Officer records the AMLC reference and the filing date on the STR. The STR becomes FILED and the case closes (action filed).

Preconditions

- The STR is EXTRACTED; the user has SCR_STR_EXTRACT.

Main flow

- The Compliance Officer opens the STR and clicks **Record Filing**.
- The Compliance Officer enters the AMLC reference and the filing date.
- BIBS sets the STR to FILED and closes the case.

Business rules

Rule	Statement	Kind	Maintained in
R1	The AMLC reference is unique.	Fixed	-

Validations and messages

Check	Message shown	Code
Reference blank	Enter the AMLC reference	-
Filing date before extraction	The filing date cannot be before the extraction date	To be assigned at build

Notifications

- None.

Audit

- Filing reference, date, user and time recorded.

Acceptance criteria

- Recording the reference closes the case and shows FILED in the STR register.

4.9 Notifications

FR-SS-080 Notify users of new and assigned cases

BRD trace	SNSRP-801 (p.20)	Actor	System (recipients - Investigator, UCC, Compliance Officer, Approver)
Priority	Must have	Fit	CONFIGURE
Screens	Notifications (bell); e-mail	API	Notification events SCR_CASE_ASSIGNED, SCR_CASE_FOR_APPROVAL, SCR_CASE_RETURNED, SCR_COMMITTEE_REVIEW

Description

When a case is created or assigned, the assignee receives a notification that opens the case directly (link to the case page). Approvers, returned-case owners and committee members receive the matching events. Each notification event is logged with recipient, type, date and time.

Preconditions

- None.

Main flow

1. A case is created, assigned, submitted for approval, returned or escalated to the committee.
2. BIBS sends the notification in the app and, where set in the user's preferences, by e-mail.
3. The user clicks the notification and the case opens.

Business rules

Rule	Statement	Kind	Maintained in
R1	Users choose in-app or e-mail per event type.	Configurable	Notification preferences

Notifications

- This FR is the notification set.

Audit

- Notification events logged with recipient, type, date and time (SNSRP-801).

Acceptance criteria

1. The assignee of a new case receives a notification and opens the case from it.
2. The notification log shows recipient, type and time.

FR-SS-081 Send SLA and missing-document reminders

BRD trace	SNSRP-802 (p.20)	Actor	System (recipients - UCC, Investigator)
Priority	Must have	Fit	CHANGE
Screens	Notifications; Case (Timeline)	API	Job SCR_SLA_MONITOR; event SCR_DOCUMENT_REMINDER

Description

With each SLA check (FR-SS-044), BIBS also runs the document rules of FR-SS-060 in advisory mode. When required documents are missing and the case is inside its reminder lead or past its SLA, BIBS sends a reminder listing the missing documents to the assignee and the UCC.

Preconditions

- The case is open and a document rule applies to it.

Main flow

- The SLA monitor runs.
- BIBS finds cases with missing documents inside the reminder lead or breached.
- BIBS sends one reminder per case and stage entry.

Business rules

Rule	Statement	Kind	Maintained in
R1	At most one document reminder per case per day.	Fixed	-

Notifications

- SCR_DOCUMENT_REMINDER to the assignee and the UCC.

Audit

- Reminder recorded on the timeline.

Acceptance criteria

- A case missing its KYC form one day before the SLA ends sends a reminder that names the KYC form.

FR-SS-082 Notify Compliance of newly added sanctioned names

BRD trace	p.8 "Notifications received - notifications on newly added sanctioned names"; SNSRP-201 (p.12)	Actor	System (recipients - Compliance Officers)
Priority	Must have	Fit	CHANGE
Screens	Notifications; List Sources and Runs	API	Ingestion run completion

Description

The to-be process lists "notifications on newly added sanctioned names" among the notifications to be received (p.8). When a run or an approved manual change adds entries, BIBS notifies the Compliance Officers with the source, the number of entries added and a link to the run.

Preconditions

- A run or approved change added at least one entry.

Main flow

- The run ends or the change is approved.
- BIBS sends the notification with the counts and the link.

Business rules

Rule	Statement	Kind	Maintained in
R1	One notification per run.	Fixed	-

Notifications

- This FR is the notification.

Audit

- Notification logged.

Acceptance criteria

- A run that adds 5 entries notifies the Compliance Officers with the count and the link to the run.

4.10 Reports and audit**FR-SS-090 Operational and compliance reports**

BRD trace	SNSRP-901 (p.20); p.6-8 reports produced	Actor	Compliance Officer; UCC; Operations Lead; Auditor
Priority	Must have	Fit	CHANGE
Screens	Reports (category Compliance)	API	Report codes SCR-HIGH-RISK-CLIENTS, SCR-CASE-STATUS, SCR-SLA-BREACHES, SCR-SANCTIONED-NAMES, SCR-PEP-CLIENTS, SCR-INGEST-ERRORS, SCR-STR-REGISTER

Description

Seven reports cover high-risk clients, case status, SLA breaches, sanctioned names, PEP clients, ingestion errors and the STR register (layouts in section 6). The common filters are date, marketing unit / Unit Head, disposition and case status. Every report exports to CSV, XLSX and PDF.

Preconditions

- The user has SCR_REPORT_VIEW.

Main flow

- The user selects the report and sets the filters.
- BIBS generates the report.
- The user exports it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Report columns are the project's proposal until BDOI confirms them (SQ17).	Configurable	Report definition

Validations and messages

Check	Message shown	Code
Date range invalid	The end date must be on or after the start date	-

Notifications

- None.

Audit

- Each run and export logged with user, parameters and time.

Acceptance criteria

1. The case status report filtered by marketing unit and case status lists only those cases.
2. Each report exports to CSV, XLSX and PDF with the same rows.
3. A user without SCR_REPORT_VIEW cannot run the reports.

FR-SS-091 Keep an immutable audit log

BRD trace	SNSRP-902 (p.21)	Actor	System
Priority	Must have	Fit	FIT
Screens	Case (Timeline); Audit Trail	API	Audit trail service; insert-only case timeline, configuration differences and list changes

Description

Every system and user action writes an audit entry that no user can alter or delete. The platform audit log is insert-only in the database. Screening adds structured, insert-only records - the case timeline, the configuration version differences and the list change records - which keep the before and after values. Records are retained 5 years online and 5 years in archive (p.25).

Preconditions

- None.

Main flow

1. A user or the system performs an action.
2. BIBS writes the audit entry in the same transaction.

Business rules

Rule	Statement	Kind	Maintained in
R1	Audit rows, timeline events and list change records are append-only; no user, including the System Administrator, can change or delete them.	Fixed	-
R2	Retention - 5 years online and 5 years archive for cases, documents and list entries (retention rules SCREENING_CASE and WATCHLIST_ENTRY); longer AMLA retention is SQ18.	Configurable	Retention rules

Notifications

- None.

Audit

- This FR is the audit.

Acceptance criteria

1. No screen or service allows an audit row or timeline event to be edited or deleted.

2. A database update of a timeline row is refused.

FR-SS-092 Audit log report

BRD trace	SNSRP-903 (p.21); p.8 "Audit Reports"	Actor	Compliance Officer; Auditor
Priority	Must have	Fit	CHANGE
Screens	Reports (SCR-AUDIT-LOG)	API	Report code SCR-AUDIT-LOG

Description

The audit log report lists screening, configuration, list and case events with date, event, case or entry, from and to values, user and remarks. It has the case filters - date, marketing unit / Unit Head, disposition, status - and a user filter, updates when the filters change, and exports to CSV, XLSX and PDF.

Preconditions

- The user has SCR_AUDIT_VIEW.

Main flow

- The user opens the report and sets the filters.
- BIBS generates the report.
- The user exports it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Sources - case timeline, configuration differences, list changes and the platform audit log for screening entity types.	Fixed	-

Validations and messages

Check	Message shown	Code
Date range invalid	The end date must be on or after the start date	-

Notifications

- None.

Audit

- Report runs logged.

Acceptance criteria

- Filtering by a disposition lists only the events of cases with that disposition.
- The report exports to PDF and XLSX with the same rows.

5 Workflow and status model

5.1 Stages

Figure 2 shows the case workflow SCR_CASE. Solid arrows are the main path, dashed arrows are returns, and dotted arrows close a case without an STR.




Figure 2: Workflow SCR_CASE: stages and actions

Table 11: *Stages, owners and SLA*

Stage	Owner (permission)	SLA hours (default)	Business actions
NEW	System	-	Route to INVESTIGATION with the assignee of the assignment matrix
INVESTIGATION	Investigator (SCR_INVESTIGATE)	72	Review, documents, risk tag, disposition, submit; request information
RETURNED	Investigator (SCR_INVESTIGATE)	24	Correct and resubmit
UNIT_HEAD_APPROVAL	Approver (SCR_CASE_APPROVE)	24	Approve, disapprove
COMPLIANCE_REVIEW	Compliance Officer (SCR_COMPLIANCE_REVIEW)	24	Escalate to committee, prepare STR, close, return for rework
AML_COMMITTEE	Committee members (SCR_COMMITTEE)	72	Record decisions; finalised by the committee rule
STR_PREPARATION	Compliance Officer (SCR_COMPLIANCE_REVIEW)	48	Prepare STR, check completeness, mark ready
STR_EXTRACTION	Compliance Officer (SCR_STR_EXTRACT)	120	Extract, record filing reference
CLOSED	-	terminal	Re-open with a reason

The SLA hours are the workflow defaults. The SLA matrix (FR-SS-015) overrides them per stage, case type and risk category; BDOI supplies the values (SQ08).

5.2 Transitions

Table 12: *Transitions of SCR_CASE*

From	Action	To	Permission	Reason list
NEW	route (system)	INVESTIGATION	-	-
INVESTIGATION	submit	UNIT_HEAD_APPROVAL , or CLOSED when a route says so	SCR_INVESTIGATE	-
INVESTIGATION	request_info	INVESTIGATION	SCR_INVESTIGATE	-
RETURNED	resubmit	the stage that returned the case	SCR_INVESTIGATE	-
UNIT_HEAD_APPROVAL	approve	COMPLIANCE_REVIEW or CLOSED (by route)	SCR_CASE_APPROVE	-
UNIT_HEAD_APPROVAL	disapprove	RETURNED	SCR_CASE_APPROVE	RETURN_REASON
COMPLIANCE_REVIEW	escalate_committee	AML_COMMITTEE	SCR_COMPLIANCE_REVIEW	-
COMPLIANCE_REVIEW	prepare_str	STR_PREPARATION	SCR_COMPLIANCE_REVIEW	-
COMPLIANCE_REVIEW	close	CLOSED	SCR_COMPLIANCE_REVIEW	-
COMPLIANCE_REVIEW	return_for_rework	RETURNED	SCR_COMPLIANCE_REVIEW	RETURN_REASON
AML_COMMITTEE	finalise (system)	STR_PREPARATION / CLOSED / COMPLIANCE_REVIEW	SCR_COMMITTEE (votes)	-
STR_PREPARATION	str_ready	STR_EXTRACTION	SCR_COMPLIANCE_REVIEW	-
STR_EXTRACTION	filed	CLOSED	SCR_STR_EXTRACT	-

From	Action	To	Permission	Reason list
CLOSED	reopen	INVESTIGATION	SCR_COMPLIANCE_REVIEW	RETURN_REASON
Any open stage	re-assign	same stage	SCR_CASE_ASSIGN	SCR_REASSIGN_REASON

5.3 Configuration versions and list changes

Configuration versions and list changes do not use the case workflow. They follow maker-checker states (Figure 3) and appear in My Approvals.




Figure 3: Maker-checker states of configuration versions and list changes (SNSRP-101 to 109, 203, 204)

Table 13: Configuration version states

State	Meaning	Used by screening
DRAFT	Being edited by the maker	No
PENDING	Submitted; waiting for the checker	No
ACTIVE	Approved; in force from its effective date	Yes, for new runs, cases and reviews
SUPERSEDED	Replaced by a newer active version	Only by cases and reviews started on it
REJECTED	Rejected with a reason, or withdrawn by the maker	No

5.4 STR status




Figure 4: STR status (SNSRP-705, 706)

Table 14: STR statuses

Status	Meaning
DRAFT	Prefilled from the case; editable by the Compliance Officer
FOR_APPROVAL	Complete; marked ready
APPROVED	The case has an AML Committee APPROVE_STR decision; eligible for extraction
EXTRACTED	Included in an AMLC extraction file
FILED	Filed on the AMLC portal; AMLC reference and filing date recorded

6 Reports and documents

6.1 Reports

Table 15: *Sanction Screening reports (category Compliance)*

Code	Name	Purpose	BRD
SCR-HIGH-RISK-CLIENTS	High-risk Clients	High-risk, PEP and watchlist-tagged clients with their open cases	p.8; capability 4
SCR-CASE-STATUS	Case Status Monitoring	Cases by stage, assignee, age and SLA state	p.8; SNSRP-901
SCR-SLA-BREACHES	SLA Reminders and Breaches	Reminders, breaches and escalations	SNSRP-405, 108
SCR-SANCTIONED-NAMES	List of Sanctioned Names	Active entries by source and list type; added and delisted in the period	p.6
SCR-PEP-CLIENTS	List of Approved PEP Clients	Clients tagged PEP after review	p.7
SCR-INGEST-ERRORS	Unsuccessful Ingestion Records	Failed records by run and source	SNSRP-202
SCR-STR-REGISTER	STR Register	STRs drafted, approved, extracted and filed, with AMLC reference	SNSRP-705, 706
SCR-AUDIT-LOG	Screening Audit Log	Screening, configuration, list and case events	p.8; SNSRP-902, 903

All reports need SCR_REPORT_VIEW (SCR-AUDIT-LOG needs SCR_AUDIT_VIEW), export to CSV, XLSX and PDF, and print the parameters, the user and the time generated in the header. The columns below are the project's proposal until BDOI confirms the layouts (SQ17).

6.1.1 High-risk Clients (SCR-HIGH-RISK-CLIENTS)

Parameters: As-of Date; Risk Category; Marketing Unit; Unit Head; Client Type. Layout: landscape, sorted by risk tier then client name.

Table 16: *SCR-HIGH-RISK-CLIENTS columns*

Column	Format	Content
Client Code / Name	Text	Client master
Client Type	Text	Individual or corporate
Risk Category	Text	Category of the last tagging
Risk Rating	Text	KYC_RISK_RATING value
Tags	Text	PEP, WATCHLIST_REVIEW
Tagged On / Source	Date / Text	Date and source (rule or manual) of the last change
Open Case	Text	Case number and stage, or "None"
Active Policy	Text	Yes / No
Marketing Unit / Unit Head	Text	Sales organisation of the client

6.1.2 Case Status Monitoring (SCR-CASE-STATUS)

Parameters: Date Range (created); Marketing Unit / Unit Head; Disposition; Case Status; Case Type.

Layout: landscape, grouped by stage.

Table 17: SCR-CASE-STATUS columns

Column	Format	Content
Case No.	Text	SCR-yyyy-nnnnnn
Client	Text	Name and code
Case Type / Risk Category	Text	-
Stage	Text	Current stage
Assignee	Text	Current assignee
Created	Date	Case creation date
Days in Stage	Number	Days since stage entry
Due	Date-time	Stage due time
SLA State	Text	On time, due soon, breached
Disposition	Text	Last disposition
Marketing Unit / Unit Head	Text	-

6.1.3 SLA Reminders and Breaches (SCR-SLA-BREACHES)

Parameters: Date Range; Stage; Team. Layout: portrait, sorted by date.

Table 18: SCR-SLA-BREACHES columns

Column	Format	Content
Date / Time	Date-time	Time of the reminder, breach or escalation
Event	Text	Reminder, breach, escalation
Case No.	Text	-
Stage	Text	Stage at the event
Assignee	Text	-
SLA Hours / Due	Number / Date-time	From the SLA matrix
Escalated To	Text	Role or user notified

6.1.4 List of Sanctioned Names (SCR-SANCTIONED-NAMES)

Parameters: Source; List Type; Status; Date Range (listed or delisted). Layout: landscape, sorted by name.

Table 19: SCR-SANCTIONED-NAMES columns

Column	Format	Content
Source / List Type	Text	-
External Reference	Text	Reference in the source list
Name	Text	Primary name
Aliases	Text	All aliases
Entity Type	Text	Individual or entity
Birth Date / Nationality	Date / Text	-

Column	Format	Content
Listed On / Delisted On	Date	-
Status	Text	ACTIVE, INACTIVE
Last Change	Text	Run or manual change, with date

6.1.5 List of Approved PEP Clients (SCR-PEP-CLIENTS)

Parameters: As-of Date; Marketing Unit. Layout: portrait, sorted by client name.

Table 20: SCR-PEP-CLIENTS columns

Column	Format	Content
Client Code / Name	Text	-
PEP Since	Date	Date the PEP tag was set
Matched Entry	Text	PEP list entry and source
Case No. / Outcome	Text	Case that confirmed the PEP status
EDD Required / Last EDD	Text / Date	From the risk category and the last EDD review
Marketing Unit / Account Officer	Text	-

6.1.6 Unsuccessful Ingestion Records (SCR-INGEST-ERRORS)

Parameters: Run; Source; Date Range. Layout: landscape, sorted by run and line.

Table 21: SCR-INGEST-ERRORS columns

Column	Format	Content
Run Date / Run No.	Date / Text	-
Source	Text	Source code and name
File	Text	File name
Line	Number	Line in the file
Record	Text	Raw record (truncated to 200 characters)
Reason	Text	Validation failure

6.1.7 STR Register (SCR-STR-REGISTER)

Parameters: Date Range; Status. Layout: landscape, sorted by STR number.

Table 22: SCR-STR-REGISTER columns

Column	Format	Content
STR No. / Case No.	Text	-
Subject	Text	Client name
Status	Text	DRAFT to FILED
Committee Decision / Date	Text / Date	APPROVE_STR and date
Extraction Batch / Date	Text / Date	-
AMLC Reference / Filed On	Text / Date	-
Prepared By	Text	-

6.1.8 Screening Audit Log (SCR-AUDIT-LOG)

Parameters: Date Range; Marketing Unit / Unit Head; Disposition; Status; User. Layout: landscape, sorted by date and time.

Table 23: SCR-AUDIT-LOG columns

Column	Format	Content
Date / Time	Date-time	-
Area	Text	Case, configuration, watchlist, screening run
Reference	Text	Case no., version no., entry reference or run no.
Event	Text	For example ASSIGNED, APPROVED, ACTIVATED
From / To	Text	Before and after values
Reason / Remarks	Text	-
User	Text	User ID

6.2 Documents

Screening produces two outputs in addition to the reports. Both come from versioned configuration.

Table 24: Sanction Screening outputs

Output	Format	Content
STR (on screen and PDF)	PDF	STR number; subject party; transactions; reason codes; narrative; attachments list; committee decision; prepared by and date; template version
AMLC extraction file	Per STR layout (CSV, fixed width, XLSX or XML)	One row per committee-approved STR, columns and codes of the active STR layout; placeholder layout until SQ09

7 Interfaces and integration

Figure 5 shows the interfaces of Sanction Screening. Screening reads the client master and accounts and writes the client risk rating and tags only through the client master's service.




Figure 5: Interfaces of Sanction Screening (dashed = parked)

Table 25: Interfaces

Interface	Direction	Content and trigger	BRD	Status
List files (AML advisory, NLDS-PEP)	In	CSV / XLSX by upload or file drop, on schedule	SNSRP-201	DESIGNED
List feeds by API; direct NLDS query	In	Real-time or scheduled feed from list providers or BDO NLDS	SNSRP-201	PARKED

Interface	Direction	Content and trigger	BRD	Status
Client master	In / Out	In - client registered and identity changed events, client data. Out - risk rating, PEP and watchlist tags, KYC review date	SNSRP-302, 304, 602	DESIGNED
Accounts (BRD-1)	In	Account submitted event; active policy (accounts POLICY_ISSUED / BOOKED)	SNSRP-303	DESIGNED
Attachments and client KYC documents	Out	Case documents, KYC documents registered on the client	SNSRP-601	DESIGNED
Notifications, e-mail and alerts	Out	Case, SLA, document, ingestion and list notices	SNSRP-202, 801, 802	DESIGNED
Report archive	Out	STR extraction file for download	SNSRP-706	DESIGNED
Designated STR folder (shared drive / SFTP)	Out	Automatic saving of the extraction file	SNSRP-706	PARKED
AMLC portal	Out	STR filing; manual, outside BIBS	p.8	OUT

Parked seams. The list transports (SQ01), the designated STR folder (SQ16), the AMLC file format (SQ09) and the definition of an active policy (SQ10) are not in the BRD. BIBS builds each as a replaceable adapter with a working default - file upload, report archive, placeholder layout and booked accounts. Adding the final transport or format is configuration or a new adapter, with no change to the screening workflow.

8 Non-functional requirements

Table 26: Non-functional requirements (BRD p.22-25)

Topic	BRD value	BIBS target and approach	Status
Users	Compliance Officer 2 / 2; Checker 1 / 1; Investigator 287 / 287 (risk tags, uploads) and 120 / 120 (case review); Operations Lead 1 / 1; Unit Head 8 / 8; CO BU escalation and STR 2 / 2; AML Committee 5 / 5; reports 3 / 3; Auditor 2 / 2; System Admin 3 / 1	Under 300 named users, within the BIBS sizing. 287 "concurrent" investigators is read as the named population (SQ19)	CONFIGURE
Volumes	Configuration and approvals 10 a month; list intake and matching 10 to 300 a day; cases, reviews, uploads, approvals, escalations 1 to 15 a week; STR 1 to 5 a week; reports 10 a month; audit reports 20 a year; 20% growth a year	Delta screening per list change; full re-screen monthly in the batch window	FIT
Response time	3 to 5 seconds per screen; not applicable to system jobs	Online p95 under 3 seconds; matching, ingestion and extraction run asynchronously	FIT
Peak	End of month and year-end; 08:00-17:00 daily	Jobs run from 01:00, outside the peak	FIT
Devices	Same speed on mobile and desktop	Responsive screens	FIT
Availability	99.9%; use 08:00-18:00 Monday to Friday; downtime at most 45 minutes a month, planned only; maintenance 00:00-04:00; BCP threshold under 3 days	Same deployment as the rest of BIBS; the service-hours variants are consolidated in one BIBS-wide NFR set (XQ08)	CONFIGURE
Retention	Transaction records, KYC and supporting documents - 5 years online, 5 years archive, daily backup, daily accessibility, 5-year backup retention	Retention rules SCREENING_CASE and WATCHLIST_ENTRY (5 / 5); archive and purge follow the BIBS retention decision (Q39)	CHANGE
Anonymisation	None	None	FIT
Security	Maker-checker, immutable audit (SNSRP-109, 204, 902)	Role-based access, four-eyes rules, insert-only audit (FR-SS-001, 019, 023, 091)	FIT
Regulatory	RA 9160 AMLA, BSP Circular 1182 (2023), BSP CL-2023-030, BSP M-2025-017, IC CL 2019-65	Controls above; adverse-media screening not in scope (SQ20)	FIT

9 Configuration items

The items below are changed in BIBS without a release. Screening rules are maintained by Compliance as configuration versions; parameters and lists by the System Administrator or the Business Administrator. All changes are audited.

9.1 Parameters and jobs

Table 27: Sanction Screening parameters and jobs

Parameter / job	Default	Meaning
SCR_SCREENING_SCOPE	PROSPECT, CONFIRMED	Client statuses screened in the batch window (SQ11)
SCR_FULL_RESCREEN_DAY	1	Day of the month of the full re-screen
SCR_BLOCK_ON_OPEN_MATCH	false	Optional block on account submission and placement while a match is open (SQ07)
SCR_COMMITTEE_RULE	MAJORITY	AML Committee decision rule - ANY, MAJORITY, ALL (SQ15)
SCR_COMMITTEE_SIZE	5	Committee members counted by MAJORITY and ALL
SCR_INGEST_ALERT_RECIPIENTS	empty	E-mail recipients of the failed-records digest (SQ01)
SCR_CASE_SEQUENCE_PREFIX	SCR	Prefix of case numbers (SCR-yyyy-nnnnnn)
Job SCR_WATCHLIST_INGEST	01:00 daily	Reads the list sources
Job SCR_PERIODIC_SCREENING	01:30 daily	Delta screening; full re-screen on SCR_FULL_RESCREEN_DAY
Job SCR_SLA_MONITOR	hourly	Reminders, breaches, escalations, document reminders
Job SCR_INGEST_ERROR_DIGEST	07:00 Monday to Friday	E-mail of failed ingestion records

9.2 Lists of values

Table 28: Lists of values (delivered values to be confirmed, SQ06)

List	Values delivered
SCR_DISPOSITION (parent = stage)	INVESTIGATION - False positive; True match, for review; Possible match, EDD; Need more information. UNIT_HEAD_APPROVAL - Concur; Not concur. COMPLIANCE_REVIEW - Close, no action; Escalate to committee; For STR; Return. AML_COMMITTEE - Approve STR; No STR; Return
SCR_CASE_TYPE	Name match; PEP; High-risk; EDD; Monitor (no active policy); Account application
SCR_LIST_TYPE	Sanction; PEP; Internal; Adverse media (manual only)
SCR_REASSIGN_REASON	Workload; Absence; Conflict of interest; Others
SCR_STR_REASON	Empty until BDOI supplies the AMLC reason codes (SQ09)
SCR_FORM_TYPE	KYC review; Transaction review; EDD; STR
SCR_DOCUMENT_TYPE	Screening document types under the platform DOCUMENT_TYPE list
KYC_RISK_RATING, CLIENT_TAG (client master)	LOW, STANDARD, HIGH; PEP, WATCHLIST_REVIEW (existing)

9.3 Configuration maintained by Compliance

Table 29: Configuration and masters

Item	Maintained by (approved by)	FR
Matching criteria	Compliance Officer (Compliance Checker)	FR-SS-011
Risk categories and rules	Compliance Officer (Compliance Checker)	FR-SS-012
Approval and escalation matrix	Compliance Officer (Compliance Checker)	FR-SS-013
Assignment matrix	Compliance Officer (Compliance Checker)	FR-SS-014
SLA matrix	Compliance Officer (Compliance Checker)	FR-SS-015
Review templates (KYC, transaction, EDD)	Compliance Officer (Compliance Checker)	FR-SS-016
STR template and extraction layout	Compliance Officer (Compliance Checker)	FR-SS-017
Validation rules	Compliance Officer (Compliance Checker)	FR-SS-060
Dispositions per stage	Business Administrator (LOV approver)	FR-SS-018
List sources and entries	Compliance Officer (Compliance Checker for entries)	FR-SS-020, 022, 023
Roles and permissions	Business Administrator via BRD-11 group-profile request	FR-SS-001

10 Assumptions, dependencies and open questions

10.1 Assumptions

Table 30: Assumptions

ID	Assumption	Related
A-SS-01	The BRD approved on 16 to 17-Apr-2026 (29 pages) is the baseline	R1
A-SS-02	Filing on the AMLC portal stays outside BIBS; BIBS extracts the file and records the reference	p.8
A-SS-03	Screening informs and does not block business; a block is built only if BDOI asks	SQ07
A-SS-04	EDD is a review template type used by risk categories that require it	p.4-5; SNSRP-303
A-SS-05	SNSRP-602, printed under capability 6, is the matching trigger of capability 3	R2 section 11
A-SS-06	The Approver is the Unit Head of the client's marketing unit	SQ04
A-SS-07	The AML Committee decides by majority of five members until BDOI states the rule	SQ15
A-SS-08	A client with an active policy is a client with an account in POLICY_ISSUED or BOOKED	SQ10
A-SS-09	BDOIR in the BRD and BDOI in the other BRDs are the same company	R2 section 11

10.2 Dependencies

Table 31: Dependencies

ID	Dependency	Needed for
D-SS-01	BDOI supplies the list sources, file layouts and transport	FR-SS-020, 021 (SQ01)
D-SS-02	Compliance supplies thresholds, risk categories, matrices, SLAs and dispositions before go-live	FR-SS-011 to 018 (SQ02 to SQ08)
D-SS-03	BDOI supplies the template field lists and the AMLC STR format	FR-SS-016, 017, 070, 071 (SQ05, SQ09)
D-SS-04	The client master publishes the client registered and identity changed events and offers the risk-profile service	FR-SS-030, 033
D-SS-05	The unit-head look-up of the sales organisation is available	FR-SS-013
D-SS-06	User access and the new roles are granted through BRD-11	FR-SS-001 (R7)

10.3 Open questions

Table 32: Open questions on BRD-10 (R2 section 10; status from R4)

ID	Question	Affects	Status
SQ01	Which lists are screened (AML advisory source, NLDS-PEP, UN / AMLC, OFAC); format, frequency, transport; who may upload; recipients and schedule of the failed-record alert	FR-SS-020, 021	OPEN
SQ02	Initial thresholds per method; fields compared; alias hits; corporate names	FR-SS-011, 031	OPEN
SQ03	Risk-profile categories, criteria and ratings; which require EDD; High-risk equals rating HIGH	FR-SS-012, 033	OPEN
SQ04	Dimensions of the approval and assignment matrices; who the Approver is	FR-SS-013, 014	OPEN
SQ05	Field lists of the KYC review, transaction review, EDD and STR templates	FR-SS-016, 050, 070	OPEN

ID	Question	Affects	Status
SQ06	Dispositions per stage and validation criteria before approval	FR-SS-018, 060	OPEN
SQ07	Block or warn on quotation, account submission, placement or booking while a match is open	FR-SS-033	OPEN
SQ08	SLA hours per stage, reminder lead, escalation targets, working or calendar hours	FR-SS-015, 044	OPEN
SQ09	AMLC STR format; covered transactions in scope; who approves the STR	FR-SS-017, 070, 071	OPEN
SQ10	Definition of a client with an active policy	FR-SS-034	OPEN
SQ11	Clients in scope of the periodic run; batch window; other parties	FR-SS-030	OPEN
SQ12	False-positive suppression until the entry changes, or re-screen each run	FR-SS-035	OPEN
SQ13	Who may re-assign cases	FR-SS-043	OPEN
SQ14	Meaning of "Form Type" in the naming convention	FR-SS-052	OPEN
SQ15	AML Committee decision rule and voting	FR-SS-064	OPEN
SQ16	Designated folder for the STR file	FR-SS-071	OPEN
SQ17	Columns of the status monitoring, high-risk and audit reports	FR-SS-090, 092	OPEN
SQ18	Audit retention - 5 + 5 years or AMLA record keeping	FR-SS-091	OPEN
SQ19	Who the 287 investigators are; existing roles; load target	Section 3, 8	OPEN
SQ20	Adverse-media screening in scope	Section 1.2	OPEN

BRD-10 also answers questions raised on other BRDs, in part: Q18 (tags trigger reviews, not blocks), Q21 (risk categories in the system; KYC review or EDD for high-risk and PEP clients with an active policy), Q23 (naming syntax for screening documents) and Q39 (screening retention 5 + 5 years) (R4).

11 Traceability

Every BRD-10 requirement is met by at least one FR. The screen column names the main entry point.

Table 33: BRD ID to FR and screen

BRD ID	Page	FR	Screen	Fit
SNSRP-101	p.10	FR-SS-010, FR-SS-011	Configuration Versions (Matching Criteria)	NEW
SNSRP-102	p.10	FR-SS-010, FR-SS-012	Configuration Versions (Risk Rules)	CHANGE
SNSRP-103	p.10	FR-SS-010, FR-SS-013	Configuration Versions (Approval Matrix)	CHANGE
SNSRP-104	p.10-11	FR-SS-010, FR-SS-016	Templates	NEW
SNSRP-105	p.11	FR-SS-010, FR-SS-017	Templates (STR); STR Layout	NEW
SNSRP-106	p.11	FR-SS-010, FR-SS-014	Configuration Versions (Assignment Matrix)	CHANGE
SNSRP-107	p.11-12	FR-SS-018	Lists of Values (SCR_DISPOSITION)	CONFIGURE
SNSRP-108	p.12	FR-SS-010, FR-SS-015, FR-SS-044	Configuration Versions (SLA Matrix)	CHANGE
SNSRP-109	p.12	FR-SS-019	My Approvals; Configuration Versions	CHANGE
SNSRP-201	p.12	FR-SS-020, FR-SS-082	List Sources and Runs	NEW
SNSRP-202	p.13	FR-SS-021	List Sources and Runs; Reports	NEW
SNSRP-203	p.13	FR-SS-022, FR-SS-001	Watchlist	NEW
SNSRP-204	p.13	FR-SS-023	My Approvals; Watchlist	CHANGE
SNSRP-301	p.14	FR-SS-031, FR-SS-032	Matches	NEW
SNSRP-302	p.14	FR-SS-033	Client page (Screening tab)	CHANGE
SNSRP-303	p.14	FR-SS-034, FR-SS-030	Cases	NEW
SNSRP-304	p.14	FR-SS-035, FR-SS-032	Case; Matches	CHANGE
SNSRP-401	p.15	FR-SS-040	Case (workflow panel, Timeline)	CHANGE
SNSRP-402	p.15-16	FR-SS-041, FR-SS-045	Cases; Case; Screening Home	CHANGE
SNSRP-403	p.16	FR-SS-042, FR-SS-001	Cases (search)	CHANGE
SNSRP-404	p.16	FR-SS-043	Case (Re-assign)	CHANGE
SNSRP-405	p.17	FR-SS-044, FR-SS-045	Screening Home; Cases	CHANGE
SNSRP-501	p.17	FR-SS-050	Case (Review)	NEW
SNSRP-502	p.17	FR-SS-051	Case (workflow panel)	CHANGE
SNSRP-601	p.17	FR-SS-052	Case (Documents)	CHANGE
SNSRP-602	p.14-15	FR-SS-030	Screening Home (runs); client page	NEW
SNSRP-701	p.17	FR-SS-060	Case (validation messages)	NEW
SNSRP-702	p.18	FR-SS-061, FR-SS-062	Cases (For Approval); Case	CHANGE
SNSRP-703	p.18	FR-SS-063, FR-SS-013, FR-SS-062	Cases (Compliance Review); Case	CHANGE
SNSRP-704	p.18-19	FR-SS-064	Cases (Committee); Case (Decisions)	NEW
SNSRP-705	p.19	FR-SS-070	Case (STR)	NEW
SNSRP-706	p.19-20	FR-SS-071, FR-SS-072	STR	NEW
SNSRP-801	p.20	FR-SS-080	Notifications	CONFIGURE
SNSRP-802	p.20	FR-SS-081	Notifications	CHANGE
SNSRP-901	p.20	FR-SS-090	Reports	CHANGE

BRD ID	Page	FR	Screen	Fit
SNSRP-902	p.21	FR-SS-091	Case (Timeline); Audit Trail	FIT
SNSRP-903	p.21	FR-SS-092	Reports (SCR-AUDIT-LOG)	CHANGE

The BRD's process sections add three items without a requirement ID, also covered: the high-risk client list (p.8, FR-SS-045), notifications on newly added sanctioned names (p.8, FR-SS-082) and the manual AMLC filing (p.8, FR-SS-072). The non-functional requirements of pp.22-25 are in section 8.

12 Sign-off

By signing, BDOI confirms that this FRS describes the Sanction Screening and Risk Profiling functions it expects in BIBS, and accepts the assumptions in section 10.1. Open questions in section 10.3 stay open; their answers are applied as configuration or through a change request.

Name	Role	Organisation	Signature	Date
	Product Owner, Marketing Business System	BDOI		
	Chief Compliance Officer	BDOI		
	Unit Head, Claims and Risk Management	BDOI		
	Head, Retail Marketing	BDOI		
	Program Manager, Business Project Services	BDO Unibank ESG		
	Project Manager	iorta TechNXT		