

FUNCTIONAL REQUIREMENTS SPECIFICATION

Product Maintenance

BRD-3 Product Maintenance (Package) and Workshop Addendum

BIBS – BDOI Broker System

Client	BDO Insurance and Reinsurance Brokers, Inc.
Document	BIBS-FRS-BRD-03
Version	1.0
Date	25 September 2026
Status	Issued for BDOI review
Classification	Confidential

Document Control

Version	Date	Author	Reviewer	Approver	Change
0.9	18 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Solution Architect		Internal draft from the BRD-3 baseline and the build design
1.0	25 Sep 2026	iorta TechNXT Business Analysis	iorta TechNXT Project Manager	BDOI Product Owner (pending)	First issue for BDOI review; aligned with the as-built screens and the cross-BRD decisions

Distribution List

Name / Unit	Role	Organisation	Purpose
Product Owner, Marketing Business System	Approver	BDOI	Review and sign-off
Marketing Business Services and System Support (MBS)	Business owner	BDOI	Review of all FRs
Technical Support Unit (TSU)	Business user	BDOI	Review of the negotiation and validation steps
Retail, Corporate and Commercial Marketing	Business user	BDOI	Review of the request and approval steps
Business Project Services	BRD owner	BDO Unibank ESG	Traceability check against the BRD
Project team	Delivery	iorta TechNXT	Build, test and UAT preparation

Contents

1 Introduction.....	5
1.1 Purpose.....	5
1.2 Scope.....	5
1.3 References.....	6
1.4 Definitions and acronyms.....	6
1.5 How to read the functional requirements.....	7
2 Business context and process overview.....	8
2.1 Business context.....	8
2.2 Process overview.....	8
2.3 Request types.....	9
3 Personas and roles.....	11
3.1 Personas.....	11
3.2 Permissions.....	11
3.3 Permissions matrix.....	12
4 Functional requirements.....	13
4.1 Access, security and audit.....	13
FR-PM-001 Log in to BIBS.....	13
FR-PM-002 Restrict each action to authorised roles.....	14
FR-PM-003 Change role permissions through an approved request.....	15
FR-PM-004 Protect documents that leave BIBS.....	16
FR-PM-005 Keep a complete audit trail and history.....	17
4.2 Product structure and master data.....	18
FR-PM-010 Maintain the product hierarchy.....	18
FR-PM-011 Maintain the clause library.....	20
FR-PM-012 Capture and validate product-specific fields.....	21
FR-PM-013 Use shared document templates with product-specific fields.....	22
FR-PM-014 Maintain insurer-specific package terms.....	23
4.3 Package request and approvals.....	25
FR-PM-020 Create and submit a Package Request Form.....	25
FR-PM-021 Approve a package request (Marketing).....	27
FR-PM-022 Review and recommend a package request (TSU TL).....	29
FR-PM-023 Approve a package request (TSU Head).....	30
FR-PM-024 Receive, view and track package requests.....	31
4.4 Negotiation and comparative tables.....	32
FR-PM-030 Prepare, approve and send the quotation slip.....	32
FR-PM-031 Record insurer responses and outcomes.....	33
FR-PM-032 Run further negotiation rounds.....	35
FR-PM-033 Make the negotiated terms final.....	36
FR-PM-034 Compile one comparative master per package request.....	37
FR-PM-035 Generate a client-tailored comparative view.....	38
FR-PM-036 Review negotiated terms (TSU Head and Marketing).....	39
4.5 Sign-off, set-up and release.....	41
FR-PM-040 Prepare and submit the requirements pack.....	41
FR-PM-041 Sign off package requirements (ManCom).....	42

FR-PM-042 Set up the package (MBS).....	43
FR-PM-043 Validate and release a package version.....	45
FR-PM-044 Draft and send package advisories.....	46
FR-PM-045 Retire a package.....	48
4.6 Versions and rate schemes.....	49
FR-PM-050 Keep package terms as versions.....	49
FR-PM-051 Price new business on the latest approved rate scheme.....	50
FR-PM-052 Archive expired packages.....	52
4.7 Expiry and renewal.....	53
FR-PM-060 Monitor package expiry and anniversary dates.....	53
FR-PM-061 Generate renewal requests.....	54
4.8 Monitoring, reports and notifications.....	55
FR-PM-070 Product Maintenance home and dashboard.....	55
FR-PM-071 Package reports.....	55
FR-PM-072 Notify users and publish product master changes.....	56
FR-PM-073 Enforce validations, approvals and SLAs.....	57
4.9 Incentive criteria.....	58
FR-PM-080 Maintain incentive criteria on the products matrix.....	58
FR-PM-081 Apply incentive criteria and review them when products end.....	60
5 Workflow and status model.....	62
5.1 Stages.....	62
5.2 Transitions.....	63
5.3 Package version states.....	64
5.4 SLA and escalation.....	65
6 Reports and documents.....	66
6.1 Reports.....	66
6.1.1 Package Status Update Report (PM-PKG-STATUS).....	66
6.1.2 Package Expiry Report (PM-PKG-EXPIRY).....	66
6.1.3 Package Version History (PM-VERSION-HISTORY).....	67
6.2 Documents.....	67
7 Interfaces and integration.....	69
8 Non-functional requirements.....	70
9 Configuration items owned by the System Administrator.....	71
9.1 Parameters.....	71
9.2 Lists of values.....	71
9.3 Masters and rules maintained by the business.....	72
10 Assumptions, dependencies and open questions.....	73
10.1 Assumptions.....	73
10.2 Dependencies.....	73
10.3 Open questions.....	73
11 Traceability.....	75
12 Sign-off.....	77

1 Introduction

1.1 Purpose

This Functional Requirements Specification (FRS) states how BIBS (BDOI Broker System, on iNXT BrokerVerse) meets the Product Maintenance business requirements of BDO Insurance and Reinsurance Brokers, Inc. (BDOI). It turns each BRD requirement into functional requirements with actors, flows, rules, validations, screens, fields, notifications, audit and acceptance criteria.

BDOI uses this document to confirm that the system behaves as the business expects. The project team uses it to build, test and prepare user acceptance testing (UAT). Every functional requirement (FR) cites the BRD requirement it meets and the BRD page.

1.2 Scope

The scope is the maintenance of **package products**: pre-arranged insurance programmes whose terms, rates and conditions BDOI negotiates with one or more insurers and then offers to clients through Marketing. It covers the whole package lifecycle, from the Package Request Form to release, advisory, expiry and renewal, and the product master data that quotations, accounts and booking read.

Table 1: *Scope of this FRS*

Area	In scope	Source
Access and audit	Log-in, role-to-action matrix, document protection, audit trail	BRPM.001, 002, 020, 024; PMADD05
Product structure	Hierarchy (line, cover type, subtype, coverage / peril), clause library, product-specific field rules, shared templates, insurer-specific terms	BRPM.003-005; PMADD01, PMADD02
Package request	Request form, Marketing approval, TSU TL review, TSU Head approval, work lists	BRPM.008, 009, 011, 021
Negotiation	Quotation slip, insurer responses and exception outcomes, revision rounds, comparative master and client views, Marketing review	BRPM.010, 012-014; PMADD03, PMADD04
Sign-off and set-up	Requirements pack, ManCom sign-off, MBS set-up, post-set-up validation, release, advisories, retirement	BRPM.015, 016; PMADD06
Versions and rate schemes	Package versions, latest approved scheme for new business, rate-scheme exceptions, archive of expired packages	BRPM.006, 007
Expiry and renewal	Expiry monitor, alerts, renewal requests	BRPM.017
Monitoring	Product Maintenance home, package reports, notifications	BRPM.018, 019, 022
Incentive criteria	Criteria (for example CPC2) on the products matrix	PMADD07, PMADD08

Out of scope for this phase:

- Maintenance of non-package products. The BRD revision log of 27-Oct-2025 (p.11) moved it to an addendum, and the April 2026 addendum does not add it (PQ19).
- Renewal of client policies (accounts). This is BRD-6 Renewal. BRD-3 covers the renewal of the *package* only.
- Computation and payout of incentives. PMADD07 and PMADD08 cover the criteria only (Q33).

- Transport of product master changes to other BDOI systems. The seam is built and parked (PQ16, section 7).

1.3 References

Table 2: Reference documents

Ref.	Document	Version / date	Location
R1	Product Maintenance (Package) BRD, pages 10-35 of the BRD-3 pack	v1.0, 24-Nov-2025; approved Nov-2025 to Jan-2026	docs/source-documents/Product Maintenance.pdf
R2	Product Maintenance Addendum (Workshop), pages 1-9 of the BRD-3 pack	v1.1, 10-Apr-2026; signed 12 to 17-Apr-2026	same file
R3	Earlier signed version of the main BRD (BRQID numbering), pages 36-61; used only to trace changes	16-Nov-2025	same file
R4	BDOI Product Maintenance (BRD-3) requirements baseline and fit/gap	current	docs/requirements/BDOI_PM_BRD_SPEC.md
R5	Product Maintenance build design, including the as-built notes of sections 15-17	current	docs/architecture/PRODUCT_MAINTENANCE_DESIGN.md
R6	Cross-BRD decisions and answered questions	current	docs/requirements/BDOI_CROSS_BRD_DECISIONS.md
R7	BDO UX guidelines (brand, screen patterns)	current	docs/design/BDO_UX_GUIDELINES.md
R8	BRD-1 New Business requirements baseline (shared platform capabilities)	current	docs/requirements/BDOI_NB_BRD_SPEC.md

Page references in this document ("p.18") are pages of the BRD-3 PDF (R1, R2).

1.4 Definitions and acronyms

Term	Meaning
AO	Account Officer (Marketing)
BRD	Business Requirements Document
BRPM	Requirement ID prefix of the main Product Maintenance BRD (BRPM.001-BRPM.024; there is no BRPM.023)
Client view	A comparative output derived from the current master with selected fields and insurers, for a client presentation (PMADD03)
Comparative master	The one current comparative table of a package request, compiled from the insurer responses of the latest round (BRPM.014)
CPC2	An incentive criterion named in PMADD08 as an example; its definition is not in the BRD (PQ04)
FR	Functional requirement of this document (FR-PM- <i>nnn</i>)
LOB	Line of business; in BIBS the product line (for example Motor, Fire)
LOV	List of values maintained by the System Administrator
ManCom	Management Committee, which signs off package requirements (BRPM.015)
MBS	Marketing Business Services and System Support; sets up packages in the system
Package	A catalogue product flagged as packaged, with pre-negotiated terms, rates and insurers; generic for a segment or client-specific

Term	Meaning
Package version	One effective-dated set of package terms (rate scheme, coverages, insurers, dates); changed only through a new version
PKR	Prefix of package request numbers (PKR-yyyy-n)
PMADD	Requirement ID prefix of the Product Maintenance Addendum (PMADD01-PMADD08)
PQnn	Open question on BRD-3 raised by the project team (section 10.3)
PQS	Prefix of package quotation slip numbers (PQS-yyyy-n)
QS	Quotation Slip sent to insurers
Rate scheme	The package rate, minimum premium, commission and TSI limit of a package version
SLA	Service level agreement; here the target hours of a workflow stage
TH	Team Head
TL	Team Lead
TSI	Total sum insured
TSU	Technical Support Unit
UAT	User acceptance testing
UH	Unit Head (Marketing)

1.5 How to read the functional requirements

Each FR in section 4 has the same parts:

- A header table with the **BRD trace** (requirement ID and page), the **actor**, the BRD **priority**, the **fit** class of the baseline (R4), and the **screens** and **API** that implement it.
- **Description, preconditions, main flow and alternate and exception flows.**
- **Business rules.** *Configurable* rules are maintained by the System Administrator or the business owner in BIBS (parameter, list of values or master record, section 9). *Fixed* rules are part of the system and change only through a change request.
- **Validations and messages:** the check, the message the user sees and its code. The code is the one BIBS returns for a business rule. A "-" marks a screen or platform check (for example a blank mandatory field); its message follows the same wording but has no business code.
- **Screens and fields:** label, type, whether mandatory ("Cond." = mandatory when the condition in the Validation column applies), the source list and the validation.
- **Notifications, audit and numbered acceptance criteria.** The acceptance criteria are the basis of the test cases of the BRD-3 test plan.

Note. Values marked "default" (SLA hours, notice days, list entries) are placeholders that BDOI confirms through the open questions in section 10.3. They are configuration, so a changed answer does not need a new build.

Table 3: Fit classes (from the requirements baseline, R4)

Class	Meaning
FIT	Works today with the platform built for BRD-1
CONFIGURE	Needs set-up only (parameters, templates, rules)
CHANGE	Extends or re-purposes an existing capability
NEW	A capability that did not exist before BRD-3

2 Business context and process overview

2.1 Business context

BDOI sets up package products today through e-mail, Excel comparative tables, manual sign-off and spreadsheets for expiry monitoring (p.12-13). The BRD asks for one maintenance module in which MBS / Admin and TSU manage package products without IT, with automatic audit, enforced approvals, secure document sharing and monitoring of expiring packages (p.12).

Table 4: *Current and envisioned process (BRD p.12-13)*

#	Current process (before)	Envisioned process in BIBS (after)
1	Marketing requests placements by e-mail using a TSU request form	Marketing logs the Package Request Form in BIBS; the system numbers it (PKR-yyyy-n) and tracks it
2	TSU prepares and e-mails quotation slips to insurers	TSU prepares the QS in BIBS; it is approved and e-mailed per insurer, protected and logged
3	Insurers reply by e-mail with signed slips or approved terms	TSU keys in each response with its outcome; every change is kept
4	Comparative tables are compiled in Excel and shared by e-mail	BIBS compiles one comparative master per package and derives client views from it
5	Sign-off and advisories are manual	ManCom signs off in BIBS; the advisory is drafted on release and sent with its documents
6	Shared documents have no password protection	Documents leave BIBS password protected; the password goes in a separate e-mail
7	Package expiry is monitored in spreadsheets or calendars	A daily job raises expiry alerts and can draft the renewal request
8	Changes, approvals and documents are tracked in e-mail threads and files	Every action is in the request history and the audit trail

2.2 Process overview

The table lists the steps of the package lifecycle, and Figure 1 shows them by actor. Each step is a stage of the BIBS workflow PM_PACKAGE_REQUEST (section 5).

Table 5: *Process steps*

#	Step	Owner	What happens in BIBS	BRD
1	Package Request Form	Marketing AO or TSU	Enters client or programme, line, cover type, requested terms and target insurers; submits	BRPM.008
2	Marketing approval	Marketing TL, TH or UH	Approves or returns; never the maker	BRPM.008, 021
3	TSU review and approval	TSU TL, then TSU TH	TL recommends with a written recommendation; TH approves; a round 1 opens	BRPM.009
4	Negotiation	TSU Officer / TL	QS approved and sent per insurer; responses and outcomes keyed in; further rounds as needed	BRPM.010, 012, 013; PMADD04
5	Comparative tables	TSU	One current master per request; client views derived from it	BRPM.014; PMADD03

#	Step	Owner	What happens in BIBS	BRD
6	Marketing review	Marketing	Client-specific packages only: accept terms or request changes	BRPM.013
7	Requirements pack	TSU	Scheme rate, dates, computation basis, insurers, signed package slip	BRPM.015
8	ManCom sign-off	ManCom	Signs off or returns; the quotation slips lock	BRPM.015
9	Package set-up	MBS	Creates the draft package version from the signed-off terms, or returns the pack as incomplete	BRPM.015
10	Validation and release	TSU Head or Business Administrator	Confirms the checklist and releases the version, or returns it	PMADD06
11	Advisory	TSU / Operations	Advisory drafted on release; sent only with the signed package slip and ManCom sign-off	BRPM.016
12	Monitoring and renewal	TSU Officer, MBS	Expiry alerts; a renewal request pre-filled from the current version	BRPM.017, 006




Figure 1: Package lifecycle by actor (BRPM.008-017, PMADD03/04/06)

2.3 Request types

A package request has one of six types (list PKG_REQUEST_TYPE). The type decides whether negotiation takes place and what the MBS step does.

Table 6: Request types

Type	Label	Negotiation	Result
NEW	New package	Always	A new packaged product and its version 1
AMEND	Amend package terms	Always	A new version of an existing package
UPDATE	Update package details	Chosen on the form	A new version of an existing package
RENEW	Renew package	Chosen on the form	A new version with the next term dates
REACTIVATE	Reactivate expired package	Chosen on the form	A new version of an expired package; the product becomes active again

Type	Label	Negotiation	Result
RETIRE	Retire package	Never	The product is retired; no version is released (the BRD "deletion", BRPM.011)

3 Personas and roles

3.1 Personas

Table 7: *Personas and BIBS roles*

Persona	BIBS role	Responsibilities in Product Maintenance	BRD
Marketing AO	MKT_AO	Creates and submits package requests; views packages	BRPM.008
Marketing TL / TH / UH	MKT_TL	Approves package requests; reviews terms of client-specific packages; views reports	BRPM.008, 013, 021
TSU Officer	TSU	Creates requests; prepares quotation slips; keys in insurer responses; prepares requirements and advisories; monitors expiry	BRPM.010-013, 016, 017
TSU Team Lead	TSU_TL	Reviews and recommends requests; approves quotation slips (or a co-officer); negotiates	BRPM.009, 012
TSU Team Head / Head	TSU_HEAD	Approves requests; releases terms to Marketing; validates package versions	BRPM.009, 013; PMADD06
MBS	MBS	Sets up package versions; maintains incentive criteria and product masters; views archived packages	BRPM.015; PMADD07, 08
ManCom	MANCOM	Signs off package requirements	BRPM.015
Business Administrator	BUSINESS_ADMIN	Validates package versions; authorises product masters, incentive criteria and rate exceptions	PMADD05, 06
System Administrator	SYSADMIN	Maintains parameters, lists of values and roles (section 9); read access to Product Maintenance	PMADD05
Auditor	AUDITOR	Read access to packages, archive and reports	BRPM.024

The addendum states that user roles "will be further defined in succeeding documentations" (p.4, footnote 2). The roles above are the project's proposal until BDOI confirms the matrix (PQ17, OQ48).

3.2 Permissions

Table 8: *Product Maintenance permissions and action classes (PMADD05)*

Permission	Action class	Allows
PRODUCT_VIEW	VIEW	Open the Product Maintenance screens and the catalogue (read only)
PRODUCT_ARCHIVE_VIEW	VIEW	See expired and retired packages and their history (BRPM.006)
PKG_REPORT_VIEW	VIEW	Package reports and the Product Maintenance home
PKG_REQUEST	CREATE / AMEND	Create, edit and submit package requests; Marketing review of terms
PKG_REQUEST_APPROVE	APPROVE	Marketing approval of a package request
PKG_TSU_RECOMMEND	APPROVE	TSU TL review and recommendation
PKG_TSU_APPROVE	APPROVE	TSU TH approval; release of terms to Marketing
PKG_NEGOTIATE	CREATE / AMEND	Quotation slips, insurer responses, rounds, comparative outputs, requirements pack
PKG_QS_APPROVE	APPROVE	Approval of a quotation slip (not by its preparer)

Permission	Action class	Allows
PKG_MANCOM_SIGNOFF	APPROVE	ManCom sign-off
PKG_ADVISORY	CREATE	Draft and send advisories
PRODUCT_MAINTAIN	CREATE / AMEND	Package set-up (draft versions), coverages, clauses
PRODUCT_VALIDATE	APPROVE	Validation and release of package versions (PMADD06)
PRODUCT_AUTHORIZE	APPROVE	Authorisation of product masters, incentive criteria and rate-scheme exceptions
INCENTIVE_CRITERIA_MAINTAIN	CREATE / AMEND	Incentive criteria (PMADD07, 08)

3.3 Permissions matrix

The table below is the role-to-action matrix delivered with the build ("Y" = granted). The System Administrator maintains it through role-permission change requests (FR-PM-003). The User Access Matrix screen shows it by permission and by action class and exports it to Excel.

Table 9: Role-to-action matrix for Product Maintenance (proposal until PQ17 / OQ48)

Permission	MKT AO	MKT TL	TSU	TSU TL	TSU Head	MBS	Man Com	Bus. Admin	NB Appr.	Auditor
PRODUCT_VIEW	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PRODUCT_ARCHIVE_VIEW					Y	Y		Y		Y
PKG_REPORT_VIEW		Y		Y	Y	Y		Y		Y
PKG_REQUEST	Y	Y	Y							
PKG_REQUEST_APPROVE		Y								
PKG_TSU_RECOMMEND				Y						
PKG_TSU_APPROVE					Y					
PKG_NEGOTIATE			Y	Y						
PKG_QS_APPROVE				Y						
PKG_MANCOM_SIGNOFF							Y			
PKG_ADVISORY			Y	Y						
PRODUCT_MAINTAIN						Y				
PRODUCT_VALIDATE					Y			Y		
PRODUCT_AUTHORIZE								Y	Y	
INCENTIVE_CRITERIA_MAINTAIN						Y				

Segregation of duties is enforced by the system, whatever the role grants: a request is never approved by its maker, the TSU Head approval is never given by the recommender, a quotation slip is never approved by its preparer, ManCom never signs off requirements it submitted, and a package version is never validated by its maker or submitter.

4 Functional requirements

4.1 Access, security and audit

FR-PM-001 Log in to BIBS

BRD trace	BRPM.001 (p.15)	Actor	MBS, TSU, Marketing
Priority	Must have	Fit	FIT
Screens	Login	API	POST /api/v1/auth/login

Description

Users of MBS, TSU and Marketing log in with their BIBS user ID and password. Product Maintenance uses the platform log-in built for BRD-1; it adds no screen of its own.

Preconditions

- The user has an active BIBS account with at least one Product Maintenance role.

Main flow

- The user enters the user ID and password on the Login screen.
- BIBS checks the credentials and the account status.
- BIBS opens the home page with the menu of the user's roles (Product Maintenance section).

Alternate and exception flows

- Wrong credentials. BIBS refuses the log-in and counts the failed attempt.
- Locked account. After the configured number of failed attempts the account locks; the System Administrator unlocks it.
- Idle session. The session ends after the configured idle time; the user logs in again.

Business rules

Rule	Statement	Kind	Maintained in
R1	Log-in, lock-out and session rules follow the session policy of BRD-1 (BRNB.040).	Configurable	Session policy (System Administrator)
R2	BDO single sign-on / Active Directory is not part of this phase (Q42).	Fixed	-

Validations and messages

Check	Message shown	Code
User ID or password wrong	Invalid user ID or password	-
Account locked	Your account is locked. Contact the System Administrator	-

Notifications

- None.

Audit

- Every successful and failed log-in is recorded with user, time and source address.

Acceptance criteria

1. A user with valid credentials and a Product Maintenance role logs in and sees the Product Maintenance menu section.
2. A user with wrong credentials is refused and no session is created.
3. The account locks after the configured number of failed attempts.

FR-PM-002 Restrict each action to authorised roles

BRD trace	BRPM.002 (p.15), PMADD05 (p.5)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	All Product Maintenance screens; User Access Matrix	API	Every endpoint checks its permission; GET /api/v1/nbadmin/access-matrix/by-action

Description

Every Product Maintenance screen, button and API call requires a permission (section 3.2). Permissions carry an action class (VIEW, CREATE, AMEND, APPROVE), so the matrix answers the addendum's question "who may create, amend, approve or only view" per area.

Menus show only the screens that the user's roles allow. Buttons for actions the user may not perform are hidden.

Preconditions

- The user is logged in.

Main flow

1. The user opens a screen or starts an action.
2. BIBS checks the user's permissions for that screen or action.
3. BIBS shows the screen or performs the action.

Alternate and exception flows

- No permission. The screen is not in the menu; a direct link returns "You do not have access to this page". An API call is refused (HTTP 403) and logged.
- Segregation of duties. An action refused by a four-eyes rule (for example approving one's own request) is refused with its message even when the role has the permission.

Business rules

Rule	Statement	Kind	Maintained in
R1	Each permission has an action class: VIEW, CREATE, AMEND or APPROVE (table sec_permission_action).	Configurable	Role-permission change request (FR-PM-003)
R2	Roles are granted permissions as in section 3.3 until BDOI confirms the matrix (PQ17 / OQ48).	Configurable	Role-permission change request
R3	Four-eyes rules (maker never approves) cannot be switched off.	Fixed	-

Validations and messages

Check	Message shown	Code
Action without permission	You are not permitted to perform this action	ACCESS_DENIED

Screens and fields: User Access Matrix

Field	Type	Mand.	Source / LOV	Validation
View	Toggle	Yes	By Permission / By Action	-
Area	List	No	Areas of sec_permission_action (for example PRODUCT_MAINTENANCE, PACKAGE_REQUEST, INCENTIVES)	-

Notifications

- None.

Audit

- Refused API calls are logged with user, endpoint and time.
- The Excel export of the matrix is audited.

Acceptance criteria

1. A Marketing AO sees Product Maintenance Home, Package Requests and the catalogue screens, and does not see the Validation Queue or TSU Workbench.
2. A direct call to an approval endpoint by a user without the approval permission is refused and logged.
3. The User Access Matrix shows, for each role, which Product Maintenance areas it may view, create, amend and approve, and exports both views to Excel.

FR-PM-003 Change role permissions through an approved request

BRD trace	PMADD05 (p.5)	Actor	Business Administrator (requester), access approver, System Administrator
Priority	Must have	Fit	CHANGE
Screens	Access Requests; User Access Matrix	API	POST /api/v1/nbadmin/access-requests (type MODIFY_ROLE_PERMISSIONS)

Description

Changes to the permissions of a role are requested, approved by someone other than the requester and then applied. This meets PMADD05 AC2 (changes auditable and traceable) and AC3 (Admin maintains roles and permissions). BRD-11 User Access Maintenance confirmed that group-profile changes are approved before the System Administrator implements them (PQ17, R6).

Preconditions

- The requester has the access-request permission.

Main flow

1. The requester opens Access Requests and chooses the type "Modify role permissions".
2. The requester selects the role, the permissions to add and to remove, and writes the justification.
3. The approver reviews and approves the request.
4. BIBS applies the change to the role as it is at approval and records the effective change.

Alternate and exception flows

- The approver rejects the request with a reason; the role does not change.

- Emergency change. The direct role edit of the System Administrator stays available only through the audited emergency parameter UAM_DIRECT_ROLE_EDIT (BRD-11).

Business rules

Rule	Statement	Kind	Maintained in
R1	The approver is never the requester.	Fixed	-
R2	The change applied is the difference between the role at approval and the request, so concurrent changes are not lost.	Fixed	-

Validations and messages

Check	Message shown	Code
No permission added or removed	Select at least one permission to add or remove	-
Approver is the requester	An access request is approved by someone other than the requester	ACCESS_FOUR_EYES

Screens and fields: Access Request (Modify role permissions)

Field	Type	Mand.	Source / LOV	Validation
Role	List	Yes	Roles	Active role
Permissions to add	Multi-select	No	Permissions	Not already granted
Permissions to remove	Multi-select	No	Permissions of the role	Granted to the role
Justification	Text	Yes	-	Up to 1000 characters

Notifications

- The approvers are notified when the request is submitted; the requester when it is decided.

Audit

- Request, decision and the applied change are recorded with users and times.

Acceptance criteria

- A role change requested by the Business Administrator takes effect only after another user approves it.
- The history of the role shows who requested, approved and applied each change.

FR-PM-004 Protect documents that leave BIBS

BRD trace	BRPM.020 (p.29-30)	Actor	System
Priority	Must have	Fit	FIT
Screens	Package Request page (E-mails, Documents tabs)	API	Messaging outbox (internal)

Description

The quotation slips to insurers, comparative outputs, package slip and advisories are e-mailed as password-protected PDF (AES) or protected XLSX, with the password in a separate e-mail. Inside BIBS, package documents open only for users with PRODUCT_VIEW or the Product Maintenance permissions of the request.

Preconditions

- A document is generated or attached on a package request.

Main flow

- A user sends a document from a package request (QS, comparative, advisory).
- BIBS protects the file and sends it; it sends the password in a second e-mail.
- BIBS logs both e-mails in the request's E-mails tab.

Alternate and exception flows

- Delivery failure. The e-mail shows the failed status in the E-mails tab; the user resends it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every Product Maintenance document e-mailed outside BIBS is protected; protection cannot be switched off per e-mail.	Fixed	-
R2	The password convention is the one BDOI confirms under Q07; until then BIBS generates a password per e-mail.	Configurable	Messaging settings (parked Q07 / PQ21)

Validations and messages

Check	Message shown	Code
User without permission opens a document	You are not permitted to perform this action	ACCESS_DENIED

Notifications

- The recipient receives the protected document and, separately, its password.

Audit

- Each e-mail is logged with recipient, time, subject, attachment name and SHA-256 hash of the attachment.

Acceptance criteria

- A QS e-mailed to an insurer arrives as a protected PDF, and the password arrives in a separate e-mail.
- A user without Product Maintenance permissions cannot open the request's documents.

FR-PM-005 Keep a complete audit trail and history

BRD trace	BRPM.024 (p.31-32)	Actor	System; any user with PRODUCT_VIEW (read)
Priority	Must have	Fit	FIT
Screens	Package Request page (History tab); Product page (History); Package Version page	API	GET /api/v1/product-maintenance/requests/{id} (history); audit service

Description

BIBS records every creation, edit, approval, return, sending and generation for package requests, package versions, masters and incentive criteria. Users review the complete trail of a request or document on its History tab.

Preconditions

- None.

Main flow

1. A user performs an action on a request, version or master.
2. BIBS writes an audit row (who, when, what, before and after values where applicable) in the same transaction.
3. The History tab shows the workflow history and the audit rows in time order.

Business rules

Rule	Statement	Kind	Maintained in
R1	Audit rows are append-only; no user, including the System Administrator, can change or delete them.	Fixed	-
R2	Retention follows the BRD-1 rule (5 years online, 15 years archive) until BDOI states a Product Maintenance retention (PQ18).	Configurable	Retention parameters

Notifications

- None.

Audit

- This FR is the audit.

Acceptance criteria

1. For a released package, the History tab lists every step from submission to release with user and time.
2. A changed insurer response shows its earlier values in the response history.
3. No screen or API allows audit rows to be edited or deleted.

4.2 Product structure and master data**FR-PM-010 Maintain the product hierarchy**

BRD trace	PMADD01 (p.4)	Actor	MBS (maintain), Business Administrator (authorise)
Priority	Must have	Fit	CHANGE
Screens	Products; Product page; Coverages & Clauses	API	/api/v1/catalog/lines, /cover-types, /coverages, /products

Description

BIBS holds one product hierarchy for all packages. Level 1 is the product line (LOB, for example Motor, Fire). Level 2 is the cover type, with an optional subtype under it (depth at most 2). Level 3 is the product (risk code). Level 4 is the coverage / peril of the line, used in each package version.

A packaged product cannot be saved without its cover type, and a package version cannot be submitted without at least one basic coverage. New risk codes must follow the naming convention of their line when BDOI has stated it.

Preconditions

- The user has PRODUCT_MAINTAIN.

Main flow

1. MBS creates or edits a line, cover type or subtype, coverage or product.
2. BIBS checks the hierarchy and the naming convention.
3. The record is saved as pending authorisation.
4. A PRODUCT_AUTHORIZE holder other than the maker authorises it; it becomes usable.

Alternate and exception flows

- The authoriser rejects the record with a reason; it stays unusable and the maker can correct it.
- A subtype is created under a subtype. BIBS refuses it (depth at most 2).

Business rules

Rule	Statement	Kind	Maintained in
R1	Hierarchy levels: line > cover type > subtype (optional) > product; coverages / perils per line.	Fixed	-
R2	A packaged product needs a cover type.	Fixed	-
R3	Risk codes follow the pattern of their line (for example ^MTR\d{2}\$) when the line has one.	Configurable	Product line, Code Pattern (values PQ02)
R4	Coverage kinds: Section, Coverage, Peril, Extension.	Configurable	LOV COVERAGE_KIND
R5	Every hierarchy record is maker-checker.	Fixed	-

Validations and messages

Check	Message shown	Code
Packaged product without cover type	A package needs its cover type (PMADD01)	PACKAGE_HIERARCHY_INCOMPLETE
Risk code does not match the line pattern	Risk code <code> does not follow the naming convention of <line>	PRODUCT_CODE_PATTERN

Screens and fields: Coverage (Coverages & Clauses)

Field	Type	Mand.	Source / LOV	Validation
Product line	List	Yes	Product lines	Active line
Code	Text	Yes	-	Unique within the line; letters, digits, hyphen
Name	Text	Yes	-	Up to 120 characters
Kind	List	Yes	LOV COVERAGE_KIND	-
Basic coverage	Check box	No	-	-
Display order	Number	No	-	Whole number

Notifications

- The authorisers see pending records in My Approvals.

Audit

- Create, edit, authorise, reject and deactivate are audited with before and after values.

Acceptance criteria

1. A packaged product without a cover type cannot be saved.

2. A risk code that does not follow its line's pattern is refused with PRODUCT_CODE_PATTERN.
3. A new coverage is usable in package versions only after another user authorises it.

FR-PM-011 Maintain the clause library

BRD trace	PMADD02 (p.4)	Actor	MBS / TSU with PRODUCT_MAINTAIN; Business Administrator (authorise)
Priority	Must have	Fit	NEW
Screens	Coverages & Clauses (Clauses)	API	/api/v1/catalog/clauses

Description

Warranties, clauses, exclusions and deductible wordings are held once in a clause library with their wording and effective dates. Package versions refer to clauses by code for each insurer and coverage (FR-PM-014).

Preconditions

- The user has PRODUCT_MAINTAIN.

Main flow

1. The user adds a clause with its kind, line (or all lines), title, wording and effective dates.
2. The clause is saved as pending authorisation.
3. Another user with PRODUCT_AUTHORIZE authorises it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Clause kinds: Warranty, Clause, Exclusion, Deductible wording.	Configurable	LOV CLAUSE_KIND
R2	A clause is never deleted; it is end-dated or deactivated.	Fixed	-

Validations and messages

Check	Message shown	Code
Wording blank	Enter the wording	-
Effective to before effective from	The end date must be on or after the start date	-

Screens and fields: Clause

Field	Type	Mand.	Source / LOV	Validation
Code	Text	Yes	-	Unique
Kind	List	Yes	LOV CLAUSE_KIND	-
Product line	List	No	Product lines	Blank = all lines
Title	Text	Yes	-	Up to 200 characters
Effective from	Date	Yes	-	-
Effective to	Date	No	-	On or after effective from
Wording	Long text	Yes	-	-

Notifications

- Pending clauses appear in My Approvals.

Audit

- All changes audited with before and after values.

Acceptance criteria

1. A clause is selectable in insurer terms only after authorisation and within its effective dates.
2. An end-dated clause stays readable on the versions that used it.

FR-PM-012 Capture and validate product-specific fields

BRD trace	BRPM.003 (p.16), BRPM.004 (p.16)	Actor	MBS (rules); System (checks)
Priority	BRPM.003: not stated in the BRD; BRPM.004: Must have	Fit	CONFIGURE (BRPM.003), CHANGE (BRPM.004)
Screens	Product page (Field Rules & Documents tab)	API	/api/v1/catalog/field-rules

Description

MBS maintains, per line or per product, which fields a quotation or account must capture (presence) and how their values are checked (list, range, pattern). BIBS applies the rules of the product's type when a quotation or account is submitted, so each product line gets its own validation without IT.

Preconditions

- The user has PRODUCT_MAINTAIN.

Main flow

1. MBS adds a field rule with its scope (all products, line or product), target (account or item), field and check type.
2. The rule is authorised by another user.
3. When a quotation or account of that product is submitted, BIBS checks all rules in scope and lists every violation against its field.

Alternate and exception flows

- A pattern that cannot be evaluated safely (back-references, look-around) is refused when the rule is saved.

Business rules

Rule	Statement	Kind	Maintained in
R1	Check types: Presence, List (LOV), Range (minimum / maximum), Pattern.	Configurable	Field rules
R2	The most specific scope applies in addition to the wider ones (product + line + all).	Fixed	-
R3	Patterns are evaluated in linear time; unsafe patterns are refused.	Fixed	-

Validations and messages

Check	Message shown	Code
Mandatory field blank on submission	<Field> is required for <product>	-
Value outside the range or list	<Field> must be between <min> and <max> / <Field> is not a valid value	-
Invalid pattern entered on a rule	The pattern is not a valid expression	-

Screens and fields: Field rule

Field	Type	Mand.	Source / LOV	Validation
Scope	List	Yes	All / Line / Product	-
Line or product	List	Cond.	Product lines / products	Required for Line or Product scope
Target	List	Yes	Account / Item	-
Field	List	Yes	Field catalogue	-
Check type	List	Yes	Presence / List / Range / Pattern	-
List type	List	Cond.	LOV types	Required for List
Minimum / Maximum	Number	Cond.	-	Required for Range; minimum <= maximum
Pattern	Text	Cond.	-	Required for Pattern; safe expression

Notifications

- None.

Audit

- Rule changes audited; violations are returned to the user and not stored.

Acceptance criteria

1. A Motor product rule "plate number required" stops submission of a Motor account without a plate number and names the field.
2. A range rule refuses a value outside the range and accepts the limits.
3. The field list per line is set up by MBS as each package is set up (content Q02).

FR-PM-013 Use shared document templates with product-specific fields

BRD trace	BRPM.005 (p.16-17)	Actor	System; MBS (templates)
Priority	Must have	Fit	CONFIGURE
Screens	Package Request page (form.pdf, QS, comparative, package slip, advisory downloads)	API	GET ../requests/{id}/form.pdf, ../quotation-slip.pdf, ../package-slip.pdf, ../comparatives/{oid}.pdf

Description

Product Maintenance documents are generated from versioned templates with placeholders. The templates include line-specific sections, so one template serves Motor, Fire, CGL, Equipment Floater, Marine Cargo and other lines. Each generated document records the template version used.

Preconditions

- The templates PKG_REQUEST_FORM, PKG_QUOTATION_SLIP, PKG_COMPARATIVE, PKG_SLIP, PKG_ADVISORY and PKG_RENEWAL_ADVISORY exist.

Main flow

- A user generates a document from a package request.
- BIBS merges the request, terms and insurer data into the current template version.
- BIBS stores the document with the template version and makes it available for download or sending.

Business rules

Rule	Statement	Kind	Maintained in
R1	Template layouts are drafts until BDOI provides its layouts (Q03).	Configurable	Document templates
R2	A document is always generated from stored values, so a regenerated file shows the same content.	Fixed	-

Validations and messages

Check	Message shown	Code
No active template of the type	The template <code> is not available	-

Notifications

- None.

Audit

- Document generation is audited with template code and version.

Acceptance criteria

- A QS for a Motor package shows the Motor coverages and deductibles; a QS for a Fire package shows the Fire coverages.
- Each generated document shows the template version in its record.

FR-PM-014 Maintain insurer-specific package terms

BRD trace	PMADD02 (p.4)	Actor	MBS (on a draft version); TSU (through negotiated terms)
Priority	Must have	Fit	NEW
Screens	Package Version (Insurers, Insurer Terms sections); Product page (Versions)	API	PUT /api/v1/catalog/products/{code}/versions/{n}

Description

Each package version lists its insurers with role (Lead, Participant or Panel), share (co-insurance), rate and minimum premium. For each insurer and coverage, the version holds whether the coverage is included, the limit, sub-limit, deductible (amount, percent or wording) and the clauses that apply.

Terms are maintained on a draft version only. They reach new business after validation and release (FR-PM-043), so a change never alters a package already on sale.

Preconditions

- A draft version exists (from the MBS set-up or "New Version").

Main flow

1. MBS opens the draft version.
2. MBS adds or edits insurers and the insurer x coverage terms.
3. MBS saves; BIBS checks the shares and the completeness of the terms.
4. MBS submits the version for validation (FR-PM-043).

Alternate and exception flows

- An insurer without its own terms receives the package's included coverages when the version is set up from a request, so every panel insurer has a term per included coverage.

Business rules

Rule	Statement	Kind	Maintained in
R1	Insurer roles: Lead, Participant, Panel.	Fixed	-
R2	When shares are used, they total 100%.	Fixed	-
R3	Every insurer has a term for every included coverage before submission.	Fixed	-
R4	Clauses come from the authorised clause library.	Fixed	-
R5	A new-business transaction with an insurer outside a package's panel is refused.	Fixed	-

Validations and messages

Check	Message shown	Code
Shares do not total 100	The co-insurance shares must add up to 100%	PACKAGE_SHARES_INVALID
Insurer lacks a term for an included coverage	Insurer <code> has no terms for coverage <coverage>	PACKAGE_INSURER_TERMS_MISSING
Non-panel insurer on a quotation	Insurer <code> is not on the panel of <package>	INSURER_NOT_ON_PACKAGE
Direct edit of a versioned field on the product	The rate, minimum premium, commission and TSI limit of package <code> change through a new version (Versions tab)	PRODUCT_FIELD_VERSIONED

Screens and fields: Package Version, Insurer Terms

Field	Type	Mand.	Source / LOV	Validation
Insurer	List	Yes	Insurer master	Active insurer
Role	List	Yes	Lead / Participant / Panel	-
Share %	Number	No	-	0-100; total 100 when used
Rate %	Number	Cond.	-	Required when no package rate
Minimum premium	Amount	No	-	>= 0
Coverage	List	Yes	Coverages of the line	Authorised coverage
Included	Check box	Yes	-	-
Limit / Sub-limit	Amount	No	-	>= 0
Deductible amount / % / wording	Amount / Number / Text	No	-	>= 0
Clauses	Multi-select	No	Clause library	Effective on the version date

Notifications

- None until submission.

Audit

- Every change to insurers and terms on a draft is audited; released versions are read-only.

Acceptance criteria

1. MBS maintains different deductibles for two insurers on the same coverage without IT.
2. A version whose insurer has no term for an included coverage cannot be submitted.
3. A quotation on the package with an insurer outside the panel is refused.

4.3 Package request and approvals**FR-PM-020 Create and submit a Package Request Form**

BRD trace	BRPM.008 (p.18-19), BRPM.011 (p.21)	Actor	Marketing AO; TSU Officer
Priority	Must have	Fit	NEW
Screens	Package Requests; New Package Request; Edit Package Request	API	POST /api/v1/product-maintenance/requests; PUT ../requests/{id}; POST ../requests/{id}/submit; GET ../prefill

Description

The requester enters the request type and scope, the client (client-specific packages) or programme name, the product line, cover type or existing package, the reason, the requested terms (sections, coverages with limits and deductibles, requested rate and dates) and the target insurers, and attaches documents.

For AMEND, UPDATE, RENEW and REACTIVATE requests, BIBS pre-fills the terms from the package's current version, so nothing is keyed in twice (BRPM.011 AC3-4).

The request is saved as a draft with a number PKR-yyyy-n and submitted for Marketing approval when complete.

Preconditions

- The user has PKG_REQUEST.

Main flow

1. The requester clicks **New Package Request**.
2. The requester selects the request type and scope and completes the header fields.
3. For a request on an existing package, BIBS loads the current terms of the package.
4. The requester enters or changes the requested terms and target insurers, and attaches documents.
5. The requester saves the draft. BIBS assigns the request number.
6. The requester clicks **Submit for Approval**. BIBS checks completeness and moves the request to FOR_MKT_APPROVAL.

Alternate and exception flows

- Incomplete request. BIBS lists what is missing and keeps the request in DRAFT.
- The requester voids a draft with a reason (list VOID_REASON); the request closes as VOIDED.

- A returned request (FR-PM-021 to FR-PM-023) comes back to DRAFT with the reason; the requester corrects and resubmits it.

Business rules

Rule	Statement	Kind	Maintained in
R1	Request numbers are PKR-<yyyy>-<n>.	Configurable	Parameter PKG_REQUEST_PREFIX
R2	A NEW request names the cover type; other types name the existing package.	Fixed	-
R3	A client-specific request names the client; a generic programme does not need one (PQ14).	Fixed	-
R4	NEW and AMEND requests always negotiate; RETIRE never; UPDATE, RENEW and REACTIVATE choose on the form.	Fixed	-
R5	Before submission, a request other than RETIRE has requested terms, a package end date and, when negotiated, at least one target insurer.	Fixed	-
R6	The type of a saved request cannot change.	Fixed	-

Validations and messages

Check	Message shown	Code
Package or programme name blank	Enter the package or programme name	PKG_REQUEST_INCOMPLETE
Line not selected	Select the product line	PKG_REQUEST_INCOMPLETE
Reason not selected	Select the reason	PKG_REQUEST_INCOMPLETE
NEW request without cover type	Select the cover type	PKG_REQUEST_INCOMPLETE
Other type without package	Select the package product of the <type> request	PKG_REQUEST_INCOMPLETE
Client-specific without client	Select the client of the client-specific package (PQ14)	PKG_REQUEST_INCOMPLETE
End date not after start date	The package end date must be after its start date	PKG_DATES_INVALID
Negative rate or amount	Rates and amounts cannot be negative	PKG_AMOUNT_NEGATIVE
Missing items on submit	Complete the request: <items>	PKG_REQUEST_INCOMPLETE
Type changed on a saved request	The type of a request cannot change	PKG_TYPE_FIXED

Screens and fields: New Package Request

Field	Type	Mand.	Source / LOV	Validation
Request type	List	Yes	LOV PKG_REQUEST_TYPE	Fixed after first save
Scope	Option	Yes	Generic programme / Client-specific package	-
Package / programme name	Text	Yes	-	Up to 200 characters
Client or prospect	Look-up	Cond.	Client master (CRM)	Required for client-specific
Product line	List	Yes	Product lines	Active line

Field	Type	Mand.	Source / LOV	Validation
Cover type / subtype	List	Cond.	Cover types of the line	Required for NEW
Package product	List	Cond.	Packaged products of the line	Required except for NEW
Market segments	Multi-select	No	Market segments	-
Reason	List	Yes	LOV PKG_REQUEST_REASON	-
Comment on the reason	Text	Cond.	-	Required when the reason is Others
Negotiation required	Check box	Cond.	-	Shown for UPDATE, RENEW and REACTIVATE
Requested terms	Sections	Cond.	Heading and details per section	Required on submission except RETIRE
Coverages	Table	No	Coverages of the line	Code, included, limit, deductible per line
Requested rate % / Minimum premium / Commission % / Package TSI limit	Number / Amount	No	-	>= 0
Effective from / Package start / Package end / Anniversary	Date	Cond.	-	Package end required on submission; end after start
Target insurers	Multi-select	Cond.	Insurer master	At least one when negotiated
Documents	Attachment	No	Document type PKG_REQUEST_FORM and others	Allowed file types and size of the platform

Notifications

- On submission, the holders of PKG_REQUEST_APPROVE are notified in BIBS (stage entry).

Audit

- Create, each save, submit and void are recorded in the request history.

Acceptance criteria

- A Marketing AO submits a complete NEW request; it receives a PKR number and moves to FOR_MKT_APPROVAL.
- Submission with missing mandatory fields is refused and each missing item is named.
- An AMEND request opens with the current version's terms pre-filled.
- A client-specific request without a client cannot be saved.

FR-PM-021 Approve a package request (Marketing)

BRD trace	BRPM.008 (p.18-19), BRPM.021 (p.30-31)	Actor	Marketing TL, TH or UH
Priority	Must have	Fit	NEW
Screens	Package Requests (tab For Approval); Package Request page	API	POST /api/v1/product-maintenance/requests/{id}/approve; workflow action return

Description

A Marketing approver reviews the submitted request and approves it, which sends it to the TSU TL, or returns it to the requester with a reason. The BRD allows the TL, TH or UH to approve; BIBS accepts any one of them (PQ08).

Preconditions

- The request is in FOR_MKT_APPROVAL.
- The user has PKG_REQUEST_APPROVE and is not the maker or submitter.

Main flow

1. The approver opens the request from the For Approval tab.
2. The approver reviews the form, terms and documents.
3. The approver clicks **Approve and Send to TSU**, optionally with a comment.
4. BIBS moves the request to FOR_TSU_REVIEW and notifies the TSU TL queue.

Alternate and exception flows

- Return. The approver clicks **Return to Requester** and selects a reason (list RETURN_REASON); the request goes back to DRAFT.
- Void. The requester or approver voids the request with a reason; it closes as VOIDED.

Business rules

Rule	Statement	Kind	Maintained in
R1	The approver is never the maker or submitter of the request.	Fixed	-
R2	One approval by TL, TH or UH is enough (a chain by segment or amount waits for PQ08).	Configurable	Workflow stage owner
R3	SLA 24 hours (default).	Configurable	Parameter PKG_SLA_MKT_APPROVAL

Validations and messages

Check	Message shown	Code
Approver is the maker	A package request is approved by someone other than its maker	PKG_FOUR_EYES
Return without reason	Select a reason for '<action>'	WORKFLOW_REASON_REQUIRED

Notifications

- The TSU TL queue on approval; the requester on return or void.
- SLA alert to the stage owners when the SLA passes.

Audit

- Approval, return and void recorded with user, time, comment and reason.

Acceptance criteria

1. The requester cannot approve their own request.
2. An approved request appears in the TSU Review tab.
3. A returned request is back in DRAFT with the reason visible on the request.

FR-PM-022 Review and recommend a package request (TSU TL)

BRD trace	BRPM.009 (p.19-20)	Actor	TSU Team Lead
Priority	Must have	Fit	NEW
Screens	TSU Workbench; Package Request page	API	POST ../requests/{id}/recommend; PUT ../requests/{id} (edit in FOR_TSU_REVIEW)

Description

The TSU TL checks the request for completeness, accuracy and compliance, may correct it, and writes a recommendation for the TSU Head. The recommendation is stored on the request and shown to the TSU Head.

Preconditions

- The request is in FOR_TSU_REVIEW; the user has PKG_TSU_RECOMMEND.

Main flow

- The TSU TL opens the request from the TSU Workbench.
- The TSU TL reviews the form and, where needed, edits it.
- The TSU TL clicks **Recommend for Approval** and writes the recommendation.
- BIBS stores the recommendation and moves the request to FOR_TSU_APPROVAL.

Alternate and exception flows

- Return. The TSU TL returns the request to the requester with a reason; it goes back to DRAFT.

Business rules

Rule	Statement	Kind	Maintained in
R1	A recommendation text is mandatory.	Fixed	-
R2	SLA 24 hours (default).	Configurable	Parameter PKG_SLA_TSU_REVIEW

Validations and messages

Check	Message shown	Code
Recommendation blank	Write the recommendation for the TSU Head	PKG_RECOMMENDATION_REQUIRED

Screens and fields: Recommend dialog

Field	Type	Mand.	Source / LOV	Validation
Recommendation	Long text	Yes	-	Up to 4000 characters

Notifications

- TSU Head queue on recommendation; requester on return.

Audit

- Edit, recommendation and return recorded with user and time.

Acceptance criteria

- The request cannot reach the TSU Head without a recommendation.
- The TSU Head sees the recommendation text on the request.

FR-PM-023 Approve a package request (TSU Head)

BRD trace	BRPM.009 (p.19-20)	Actor	TSU Team Head / Head
Priority	Must have	Fit	NEW
Screens	TSU Workbench; Package Request page	API	POST .../requests/{id}/tsu-approve

Description

The TSU Head approves the recommended request. For a negotiated request, BIBS opens negotiation round 1 with the target insurers. For a request without negotiation (RETIRE, or UPDATE / RENEW / REACTIVATE without negotiation) the requested terms become the proposed terms and the request goes to ManCom.

Preconditions

- The request is in FOR_TSU_APPROVAL; the user has PKG_TSU_APPROVE and did not recommend the request.

Main flow

- The TSU Head reads the request and the TSU TL's recommendation.
- The TSU Head clicks **Approve**.
- BIBS moves the request to NEGOTIATION and opens round 1, or to FOR_MANCOM for a request without negotiation.

Alternate and exception flows

- Return to the requester with a reason (DRAFT).

Business rules

Rule	Statement	Kind	Maintained in
R1	The TSU Head approval is never given by the recommender.	Fixed	-
R2	The request cannot proceed without this approval (BRPM.009 AC4).	Fixed	-
R3	SLA 24 hours (default).	Configurable	Parameter PKG_SLA_TSU_APPROVAL

Validations and messages

Check	Message shown	Code
Approver is the recommender	The TSU Head approval is given by someone other than the recommender	PKG_FOUR_EYES

Notifications

- TSU negotiation queue (or ManCom) on approval; requester on return.

Audit

- Approval and return recorded with user, time and comment.

Acceptance criteria

- The recommender cannot give the TSU Head approval.
- After approval of a NEW request, round 1 exists with the target insurers.
- A RETIRE request goes to FOR_MANCOM without a negotiation round.

FR-PM-024 Receive, view and track package requests

BRD trace	BRPM.011 (p.21)	Actor	TSU; Marketing; MBS
Priority	Must have	Fit	CHANGE
Screens	Package Requests; TSU Workbench; Package Request page	API	GET /api/v1/product-maintenance/requests; GET ../counts

Description

All requests are listed with request number, type, scope, client or programme, line, product, stage, days in stage and assignee. Tabs group them by stage (Drafts, For Approval, TSU Review, Negotiation, ManCom, With MBS, For Validation, Released, Closed). The TSU Workbench shows the TSU queues as tiles.

The responsible users are notified when a request enters their stage. A TL or Head assigns requests to officers (bulk Assign), and an officer can claim a request.

Preconditions

- The user has PRODUCT_VIEW or PKG_REPORT_VIEW.

Main flow

- The user opens Package Requests and selects a tab.
- The user searches by request number or filters by type, or shows only their own requests.
- The user opens a request to view its details, terms, negotiation, documents and history.

Alternate and exception flows

- A TL selects several requests and assigns them to an officer.

Business rules

Rule	Statement	Kind	Maintained in
R1	Stage owners are notified on stage entry.	Fixed	-
R2	"Deletion" of a product is a RETIRE request; nothing is physically deleted.	Fixed	-

Screens and fields: Package Requests (filters)

Field	Type	Mand.	Source / LOV	Validation
Search Request No.	Text	No	-	-
Type	List	No	LOV PKG_REQUEST_TYPE	-
Mine only	Check box	No	-	-

Notifications

- Stage-entry notification to the owners of the new stage.

Audit

- Assignment and claim recorded on the work case.

Acceptance criteria

- A request submitted by Marketing appears in the TSU Review tab with its type, client, line and reason.
- The TSU TL receives a notification when a request enters FOR_TSU_REVIEW.
- A request assigned to an officer shows the officer as assignee.

4.4 Negotiation and comparative tables

FR-PM-030 Prepare, approve and send the quotation slip

BRD trace	BRPM.012 (p.22)	Actor	TSU Officer (prepare); TSU TL or co-officer (approve)
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Negotiation tab)	API	PUT ../rounds/{n}; POST ../rounds/{n}/quotation-slip/submit approve; GET ../quotation-slip.pdf; POST ../rounds/{n}/insurers/{code}/resend

Description

The QS of each round is generated from the request, so the Marketing details flow into it; TSU edits the insurers and notes of the round. The preparer submits the QS, which gets a number PQS-yyyy-n and a reply due date. A TL or co-officer approves it, and BIBS then sends one protected e-mail per insurer and opens a pending response for each.

The slips stay editable by TSU until the ManCom sign-off, when they lock.

Preconditions

- The request is in NEGOTIATION; a round is open.

Main flow

- The TSU Officer opens the round and selects the insurers.
- The officer submits the QS. BIBS numbers it and sets the reply due date.
- The TSU TL (or a co-officer) reviews the QS PDF and clicks **Approve and Send**.
- BIBS e-mails the protected QS to each insurer and shows the send status per insurer.

Alternate and exception flows

- Resend. The officer resends the QS to one insurer from the round (for example after a bounce); the resend is logged.
- Locked. After the ManCom sign-off any edit or resend is refused.

Business rules

Rule	Statement	Kind	Maintained in
R1	QS numbers are PQS-<yyyy>-<n>.	Configurable	Parameter PKG_QS_PREFIX
R2	Reply due date = send date + 5 days (default).	Configurable	Parameter PKG_QS_REPLY_DAYS
R3	The QS is approved by someone other than its preparer.	Fixed	-
R4	One protected e-mail per insurer; the password is sent separately.	Fixed	-
R5	Slips lock at the ManCom sign-off.	Fixed	-

Validations and messages

Check	Message shown	Code
No insurer selected	Select at least one insurer for the quotation slip	QS_NO_INSURER

Check	Message shown	Code
Approver is the preparer	The quotation slip is approved by a TL or a co-officer	QS_FOUR_EYES
Edit after sign-off	The slips are locked since the ManCom sign-off	QS_LOCKED
Round already sent	Round <n> is already sent	QS_ALREADY_SENT
Resend of a closed round	Only the slip of an open, sent round can be resent	QS_NOT_RESENDABLE

Screens and fields: Negotiation tab, round

Field	Type	Mand.	Source / LOV	Validation
Insurers	Multi-select	Yes	Insurer master	Active insurers
What changes in this round	Long text	No	-	Shown on rounds 2 and later
QS number	Display	-	System	PQS-yyyy-n
Reply due	Display	-	System	Send date + PKG_QS_REPLY_DAYS

Notifications

- The QS approvers are notified when a QS is submitted.
- The preparer sees the per-insurer send confirmation (BRPM.012 AC5).

Audit

- Submit, approve, send, resend: user, time, recipient, subject and attachment hash.

Acceptance criteria

1. The preparer cannot approve their own QS.
2. An approved QS is e-mailed to each insurer of the round as a protected PDF, and the E-mails tab lists each send.
3. The officer can view the sent history and resend to one insurer.
4. After ManCom sign-off the QS cannot be edited or resent.

FR-PM-031 Record insurer responses and outcomes

BRD trace	BRPM.013 (p.23), PMADD04 (p.5)	Actor	TSU Officer / TL
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Negotiation tab, response dialog)	API	PUT .../responses/{rid}; POST .../responses/{rid}/document; GET .../responses/history

Description

TSU keys in each insurer's reply per round, with the outcome, the offered rate and minimum premium, the terms per coverage (included, limit, deductible, clauses), conditions and warranties, validity and remarks, and attaches the insurer's reply. The outcome list contains the exception states the addendum asks for, so a decline or a counter-proposal is a recorded outcome and not an e-mail.

Preconditions

- The QS of the round has been sent to the insurer.

Main flow

1. The officer opens the insurer's response in the round.
2. The officer selects the outcome and enters the offered terms.
3. The officer attaches the insurer's reply document.
4. The officer saves. BIBS keeps the previous values in the response history.

Alternate and exception flows

- No response by the due date. The officer records "No response".
- Correction. The officer edits a saved response; the history shows both values.

Business rules

Rule	Statement	Kind	Maintained in
R1	Outcomes: Pending, Accepted as requested, Approved with changes, Counter-proposal, Declined, No response (list to confirm, PQ05).	Configurable	LOV PKG_RESPONSE_OUTCOME
R2	An offer (accepted, approved with changes, counter-proposal) needs a rate.	Fixed	-
R3	Every change to a response is kept in its history.	Fixed	-

Validations and messages

Check	Message shown	Code
Offer without rate	Enter the rate offered by <insurer> (<outcome>)	PKG_RESPONSE_RATE_REQUIRED
Negative rate or premium	Rates and amounts cannot be negative	PKG_AMOUNT_NEGATIVE

Screens and fields: Insurer response

Field	Type	Mand.	Source / LOV	Validation
Outcome	List	Yes	LOV PKG_RESPONSE_OUTCOME	-
Rate %	Number	Cond.	-	Required for an offer; >= 0
Minimum premium	Amount	No	-	>= 0
Valid until	Date	No	-	-
Coverage terms	Table	No	Coverages of the request	Included, limit, deductible, clauses per coverage
Conditions and warranties	Long text	No	-	-
Remarks	Text	No	-	-
Response document	Attachment	No	Document type PKG_INSURER_RESPONSE	Platform file rules

Notifications

- None; the round's status updates on the Negotiation tab and the dashboard.

Audit

- Each save creates a history row with the previous values, user and time.

Acceptance criteria

1. TSU records "Approved with changes" with a rate and changed deductibles for one insurer and "Declined" for another.
2. A counter-proposal without a rate is refused.
3. The response history shows every earlier value with user and time.

FR-PM-032 Run further negotiation rounds

BRD trace	PMADD04 (p.5), BRPM.010 (p.20)	Actor	TSU Officer / TL
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Negotiation tab)	API	POST ../requests/{id}/rounds (revise QS)

Description

When terms need another round, TSU clicks **Revise Quotation Slip**. BIBS closes the sent round and opens round n+1, by default with the insurers that did not decline, and the new QS goes through the same approval and sending (FR-PM-030). All rounds and their responses stay on the request.

Preconditions

- The request is in NEGOTIATION and the latest round has been sent.

Main flow

1. The officer clicks **Revise Quotation Slip** and states what changes in this round.
2. BIBS closes the current round and opens the next one with the proposed insurers.
3. The officer adjusts the insurers and submits the new QS.

Alternate and exception flows

- Marketing requests changes to the terms (FR-PM-036). The request returns to NEGOTIATION with the round still open, and TSU revises or makes the terms final again.
- Not proceeded. TSU or the TSU Head closes the request with a reason from PKG_NOT_PROCEEDED_REASON (for example "Declined by the insurers").

Business rules

Rule	Statement	Kind	Maintained in
R1	Round n+1 proposes the insurers of round n that did not decline.	Fixed	-
R2	There is no maximum number of rounds until BDOI states one (PQ05).	Configurable	-
R3	Not-proceeded reasons: declined by the insurers, terms not accepted, client withdrew, business decision, others.	Configurable	LOV PKG_NOT_PROCEEDED_REASON

Validations and messages

Check	Message shown	Code
Revise before the current QS is sent	Send the slip of round <n> first	QS_NOT_SENT
Not proceeded without reason	Select a reason for '<action>'	WORKFLOW_REASON_REQUIRED

Notifications

- QS approvers on each new QS; the requester when a request is not proceeded.

Audit

- Opening and closing of each round and the not-proceeded decision are recorded.

Acceptance criteria

1. A request negotiated in two rounds shows both rounds, their QS numbers and the responses of each.
2. Round 2 opens by default without the insurers that declined in round 1.
3. A request closed as not proceeded shows the reason and cannot be reopened.

FR-PM-033 Make the negotiated terms final

BRD trace	BRPM.010 (p.20)	Actor	TSU Officer / TL
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Negotiation tab, Terms Final dialog)	API	POST .../requests/{id}/terms-final

Description

When negotiation is complete, TSU chooses the insurer or insurers whose terms the package takes, with their roles and shares, and makes the terms final. BIBS refuses this while any insurer of the latest round has no outcome, so a package cannot be presented or encoded before negotiation is documented. The chosen terms become the proposed package terms and BIBS compiles the comparative master (FR-PM-034).

Preconditions

- The request is in NEGOTIATION.

Main flow

1. The officer clicks **Terms Final**.
2. The officer selects the chosen insurers and sets role and share for each.
3. BIBS checks the round and the choice, stores the proposed terms and compiles the comparative master.
4. The request moves to TERMS_REVIEW.

Business rules

Rule	Statement	Kind	Maintained in
R1	Every insurer of the latest round has an outcome other than Pending.	Fixed	-
R2	Only insurers that offered terms can be chosen.	Fixed	-
R3	Shares, when used, total 100%.	Fixed	-
R4	SLA of NEGOTIATION 120 hours (default).	Configurable	Parameter PKG_SLA_NEGOTIATION

Validations and messages

Check	Message shown	Code
An insurer still pending	Every insurer of round <n> needs an outcome before the terms are final (<insurers>)	NEGOTIATION_INCOMPLETE
No insurer chosen	Choose the insurer(s) whose terms the package takes	NEGOTIATION_INCOMPLETE
Chosen insurer did not offer	<insurer> did not offer terms in this round	PKG_INSURER_NOT_OFFERED
Shares do not total 100	The co-insurance shares must add up to 100%	PKG_SHARES_INVALID

Screens and fields: Terms Final dialog

Field	Type	Mand.	Source / LOV	Validation
Chosen insurer	Check box per insurer	Yes	Insurers that offered terms	At least one
Role	List	Yes	Panel / Lead / Participant	-
Share %	Number	No	-	Total 100 when used

Notifications

- The TSU Head queue (TERMS_REVIEW).

Audit

- Terms final recorded with the chosen insurers and the proposed terms.

Acceptance criteria

- Terms Final is refused while one insurer of the round is Pending.
- After Terms Final, the request shows the proposed terms and a current comparative master.

FR-PM-034 Compile one comparative master per package request

BRD trace	BRPM.014 (p.24-25), BRPM.013 (p.23)	Actor	System; TSU
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Comparative tab)	API	GET ../comparatives; POST ../comparatives/master; GET ../comparatives/{oid}.pdf .xlsx

Description

BIBS compiles all insurer responses of the latest round into one comparative table per request, showing outcome, rate, minimum premium, coverages, deductibles, conditions, validity and remarks per insurer. A new master supersedes the previous one, so there is only one current master; earlier masters stay as superseded outputs. Each output is stored as a PDF and XLSX attachment with its hash. Marketing sees it read-only.

Preconditions

- At least one response exists in the latest round.

Main flow

- BIBS compiles the master at Terms Final, or TSU clicks **Compile Master** during negotiation.

2. BIBS marks the previous master as superseded and stores the new one with template version, user, time and SHA-256.
3. Users with access view or download the master as PDF or Excel.

Business rules

Rule	Statement	Kind	Maintained in
R1	One current MASTER per request.	Fixed	-
R2	An output is rendered from the values stored at generation, so a file downloaded later shows the same content.	Fixed	-
R3	Marketing has view-only access to comparative tables.	Fixed	-

Validations and messages

Check	Message shown	Code
Compile with no response	There are no responses to compare	-

Notifications

- None.

Audit

- Every generation is audited with the output id, hash and user.

Acceptance criteria

1. A request with three responses has one current master listing the three insurers with their terms.
2. After a second compilation the first master is marked superseded and is still downloadable.
3. A Marketing user can open the master but has no Compile or Generate buttons.

FR-PM-035 Generate a client-tailored comparative view

BRD trace	PMADD03 (p.4)	Actor	TSU Officer / TL
Priority	Must have	Fit	CHANGE
Screens	Package Request page (Comparative tab, Generate Client View dialog)	API	POST .../comparatives

Description

TSU generates a client view from the current master by choosing the fields and insurers to show, with a title. The view never edits values; it shows a selection of the master's stored content. Each client view keeps a link to its master.

Preconditions

- A current master exists.

Main flow

1. The officer clicks **Generate Client View**.
2. The officer enters the title and ticks the fields and insurers to include.
3. BIBS generates the PDF and Excel files, stores them with the selection and links them to the master.

Business rules

Rule	Statement	Kind	Maintained in
R1	Selectable fields: Outcome, Rate %, Minimum Premium, Coverages, Deductibles, Conditions / Warranties, Valid Until, Remarks (to confirm, PQ06).	Configurable	Field catalogue (PQ06)
R2	A client view is always derived from the current master.	Fixed	-

Validations and messages

Check	Message shown	Code
No current master	Compile the comparative master first	COMPARATIVE_NO_MASTER
Title blank	Enter the title of the view	COMPARATIVE_TITLE_REQUIRED
No field or insurer selected	Select at least one field and one insurer	-

Screens and fields: Generate Client View

Field	Type	Mand.	Source / LOV	Validation
Title	Text	Yes	-	Up to 200 characters
Fields	Check boxes	Yes	Field catalogue	At least one
Insurers	Check boxes	Yes	Insurers of the master	At least one

Notifications

- None.

Audit

- Generation audited with the selection, master id, template version and hash.

Acceptance criteria

1. A client view that excludes one insurer and the Remarks field shows neither, and its values equal the master's.
2. The view lists the master it was derived from.

FR-PM-036 Review negotiated terms (TSU Head and Marketing)

BRD trace	BRPM.013 (p.23), BRPM.010 (p.20)	Actor	TSU Head; Marketing (client-specific packages)
Priority	Must have	Fit	CHANGE
Screens	Package Request page	API	POST .../release-to-marketing; POST .../skip-marketing-review; POST .../accept-terms; workflow action request_changes

Description

The TSU Head reviews the proposed terms. For a client-specific package, the TSU Head releases them to Marketing, who reviews them before any client presentation and accepts them or requests changes. A generic programme has no client presentation, so the TSU Head sends it straight to requirements preparation.

Preconditions

- The request is in TERMS_REVIEW.

Main flow

- The TSU Head opens the request and reviews the proposed terms and the comparative master.
- For a client-specific package, the TSU Head clicks **Release Terms to Marketing** (FOR_MKT_REVIEW).
- Marketing reviews the terms and clicks **Accept Terms** (REQUIREMENTS_PREP).

Alternate and exception flows

- Generic programme. The TSU Head clicks **Proceed to Requirements**; the request moves to REQUIREMENTS_PREP.
- Marketing clicks **Request Changes** with a reason; the request returns to NEGOTIATION.
- Marketing closes the request as not proceeded with a reason.

Business rules

Rule	Statement	Kind	Maintained in
R1	Marketing review is mandatory for client-specific packages and not offered for generic programmes.	Fixed	-
R2	SLA of TERMS_REVIEW 24 hours and FOR_MKT_REVIEW 48 hours (defaults).	Configurable	Workflow stage SLA

Validations and messages

Check	Message shown	Code
Skip review on a client-specific package	Marketing reviews the terms of a client-specific package	PKG_SCOPE_CLIENT
Release to Marketing of a generic programme	A generic programme goes straight to the requirements	PKG_SCOPE_GENERIC
Request changes without reason	Select a reason for '<action>'	WORKFLOW_REASON_REQUIRED

Notifications

- Marketing on release of terms; TSU on acceptance or change request.

Audit

- Each decision recorded with user, time and reason.

Acceptance criteria

- A client-specific package cannot skip the Marketing review.
- Marketing's change request returns the request to NEGOTIATION with the reason shown.

4.5 Sign-off, set-up and release

FR-PM-040 Prepare and submit the requirements pack

BRD trace	BRPM.015 (p.25-26)	Actor	TSU Officer / TL
Priority	Must have	Fit	NEW
Screens	Package Request page (Requirements & Sign-off tab)	API	GET PUT .../requirements; GET .../package-slip.pdf; POST .../submit-requirements

Description

TSU completes the product requirements that Marketing needs for its transactions, namely the scheme rate (or a rate per insurer), minimum premium, commission, package TSI limit, computation basis, effective date and package dates, the insurers, and the signed package slip. BIBS generates the unsigned package slip; TSU uploads the signed copy. Submission sends the pack to ManCom.

Preconditions

- The request is in REQUIREMENTS_PREP.

Main flow

- The officer opens the Requirements & Sign-off tab; the negotiated terms are shown.
- The officer completes the rate scheme, computation basis and dates.
- The officer downloads the package slip, obtains signatures and uploads it as PKG_SLIP_SIGNED.
- The officer clicks **Submit Requirements**. BIBS checks the pack and moves the request to FOR_MANCOM.

Alternate and exception flows

- Incomplete pack. BIBS lists every missing item and keeps the request in REQUIREMENTS_PREP.

Business rules

Rule	Statement	Kind	Maintained in
R1	The pack needs: effective date, package end date, scheme rate or a rate per insurer, computation basis, at least one insurer, a signed package slip.	Fixed	-
R2	SLA 48 hours (default).	Configurable	Workflow stage SLA

Validations and messages

Check	Message shown	Code
Pack incomplete	Complete the requirements: <missing items>	REQUIREMENTS_INCOMPLETE
End date not after effective date	The package end date must be after the effective date	PKG_DATES_INVALID

Screens and fields: Requirements & Sign-off

Field	Type	Mand.	Source / LOV	Validation
Scheme rate %	Number	Cond.	-	Required unless every insurer has a rate
Minimum premium	Amount	No	-	>= 0

Field	Type	Mand.	Source / LOV	Validation
Commission %	Number	No	-	>= 0
Package TSI limit	Amount	No	-	>= 0
Computation basis	Long text	Yes	-	As agreed with the insurers
Effective from	Date	Yes	-	-
Package start / Package end	Date	Yes (end)	-	End after effective date
Anniversary	Date	No	-	-
Signed package slip	Attachment	Yes	Document type PKG_SLIP_SIGNED	Platform file rules

Notifications

- ManCom members on submission.

Audit

- Changes to the pack and the submission recorded.

Acceptance criteria

- Submission without a signed package slip is refused and names the missing slip.
- A complete pack moves the request to FOR_MANCOM and notifies ManCom.

FR-PM-041 Sign off package requirements (ManCom)

BRD trace	BRPM.015 (p.25-26)	Actor	ManCom member
Priority	Must have	Fit	NEW
Screens	Package Request page (Requirements & Sign-off tab)	API	POST .../signoff; workflow action return

Description

A ManCom member reviews the requirements pack and signs off in BIBS. The sign-off locks the quotation slips and forwards the request to MBS automatically. A physically signed sheet can be uploaded as MANCOM_SIGNOFF; without an upload, BIBS attaches a generated sign-off record. The sign-off reference is MC-<request number>.

Preconditions

- The request is in FOR_MANCOM; the user has PKG_MANCOM_SIGNOFF and did not submit the requirements.

Main flow

- The ManCom member opens the request and reviews the pack.
- The member optionally uploads the signed sign-off sheet.
- The member clicks **Sign Off and Send to MBS**.
- BIBS records the sign-off, locks the slips and moves the request to WITH_MBS.

Alternate and exception flows

- Return. The member returns the pack to TSU with a reason (REQUIREMENTS_PREP); BIBS records a RETURNED sign-off.

Business rules

Rule	Statement	Kind	Maintained in
R1	MBS cannot receive the requirements before the sign-off.	Fixed	-
R2	One member's sign-off completes the step (quorum PQ07).	Configurable	Workflow stage owner (PQ07)
R3	SLA 72 hours (default).	Configurable	Parameter PKG_SLA_MANCOM

Validations and messages

Check	Message shown	Code
Signer submitted the requirements	ManCom signs off requirements submitted by someone else	PKG_FOUR_EYES
Return without reason	Select a reason for '<action>'	WORKFLOW_REASON_REQUIRED

Screens and fields: Sign-off dialog

Field	Type	Mand.	Source / LOV	Validation
Comment	Text	No	-	-
Signed sign-off sheet	Attachment	No	Document type MANCOM_SIGNOFF	Platform file rules

Notifications

- MBS on sign-off; TSU on return.

Audit

- Sign-off or return recorded with user, time, comment and document.

Acceptance criteria

1. The requirements reach MBS only after the ManCom sign-off.
2. After sign-off, the QS of every round can no longer be edited or resent.
3. A request without an uploaded sheet carries a generated MANCOM_SIGNOFF document.

FR-PM-042 Set up the package (MBS)

BRD trace	BRPM.015 (p.25-26)	Actor	MBS
Priority	Must have	Fit	NEW
Screens	Package Request page (Set-up tab); Package Version	API	POST .../setup; POST .../return-incomplete

Description

MBS receives only signed-off requirements. MBS checks that they are complete and sets up the package, which creates a draft package version from the proposed terms (rate scheme, dates, coverages, insurers and insurer terms), with the request number and ManCom reference as its origin. For a NEW request MBS gives the risk code and name of the new product. MBS then completes and submits the version for validation (FR-PM-043).

Preconditions

- The request is in WITH_MBS; the user has PRODUCT_MAINTAIN.

Main flow

1. MBS opens the request in the With MBS tab and reviews the pack.
2. MBS clicks **Set Up Package Version**, enters the risk code and name (NEW) and a change summary.
3. BIBS creates the draft version and links it on the Set-up tab; the request moves to FOR_VALIDATION.
4. MBS opens the version, checks it and submits it for validation.

Alternate and exception flows

- Incomplete requirements. MBS clicks **Return Incomplete** with a reason; the request returns to REQUIREMENTS_PREP.
- A version returned by the validator comes back to WITH_MBS; MBS corrects the same draft and sets it up again.
- A package already has a version being set up. BIBS refuses a second draft.

Business rules

Rule	Statement	Kind	Maintained in
R1	One draft or for-validation version per product at a time.	Fixed	-
R2	A new product created by set-up stays pending until its first version is validated.	Fixed	-
R3	Computation uses the rating methods of the platform (property, motor, generic); a new formula needs development (PQ12).	Fixed	-
R4	SLA 48 hours (default).	Configurable	Parameter PKG_SLA_MBS_SETUP

Validations and messages

Check	Message shown	Code
Return without reason	Select a reason for '<action>'	WORKFLOW_REASON_REQUIRED
A version is already being set up	Product <code> already has a version being set up	VERSION_IN_PROGRESS
Risk code breaks the line's convention	Risk code <code> does not follow the naming convention of <line>	PRODUCT_CODE_PATTERN

Screens and fields: Set Up Package Version dialog

Field	Type	Mand.	Source / LOV	Validation
Risk code of the new package	Text	Cond.	-	Required for NEW; line pattern
Product name	Text	Cond.	-	Required for NEW
Change summary	Text	Yes	-	Up to 500 characters

Notifications

- Validators (PRODUCT_VALIDATE) when the version is submitted; TSU when requirements are returned.

Audit

- Set-up, return and the created version recorded with request number and ManCom reference.

Acceptance criteria

1. MBS cannot set up a package before ManCom sign-off.
2. Set-up creates a draft version whose terms equal the signed-off proposed terms.
3. Incomplete requirements returned by MBS reach TSU with the reason.

FR-PM-043 Validate and release a package version

BRD trace	PMADD06 (p.5), BRPM.015 (p.25-26)	Actor	TSU Head or Business Administrator (PRODUCT_VALIDATE)
Priority	Must have	Fit	CHANGE
Screens	Validation Queue; Package Version (Validation Checklist)	API	POST /api/v1/catalog/products/{code}/versions/{n}/ submit validate return; GET /api/v1/catalog/validation-queue

Description

A package version is not ready until it is validated. MBS submits the draft; BIBS checks completeness. The validator, who is neither the maker nor the submitter, confirms the checklist, reviews a test premium computed on a sample item, and releases the version or returns it with a reason.

On release the previous version ends the day before the new effective date, the product's commercial values are updated from the version, the request moves to RELEASED, Marketing is notified and the advisory is drafted (FR-PM-044).

Preconditions

- The version is FOR_VALIDATION.

Main flow

1. The validator opens the version from the Validation Queue.
2. The validator ticks each checklist item and reviews the test premium.
3. The validator clicks **Validate and Release**.
4. BIBS releases the version, records the checklist and publishes the release to Product Maintenance.

Alternate and exception flows

- Return. The validator clicks **Return to MBS** with a reason; the version goes back to DRAFT and the request to WITH_MBS.
- Submission refused. The draft is incomplete; BIBS names the missing item and it stays DRAFT.

Business rules

Rule	Statement	Kind	Maintained in
R1	Checklist: hierarchy complete (cover type and basic coverage); every panel insurer has terms for each included coverage; rates and minimum premiums match the signed-off terms; dates and package term are correct; test premium reviewed (final list PQ09).	Configurable	Checklist (PQ09)
R2	The validator is never the maker or submitter of the version.	Fixed	-
R3	The effective date is today or later and after the latest released version.	Fixed	-
R4	Only RELEASED versions are sold.	Fixed	-

Rule	Statement	Kind	Maintained in
R5	SLA 24 hours (default).	Configurable	Workflow stage SLA

Validations and messages

Check	Message shown	Code
Hierarchy incomplete	A package needs its cover type (PMADD01)	PACKAGE_HIERARCHY_INCOMPLETE
Insurer terms missing	Insurer <code> has no terms for coverage <coverage>	PACKAGE_INSURER_TERMS_MISSING
No rate	Enter the package rate or a rate for every insurer	PACKAGE_RATE_MISSING
No effective date	Enter the effective date	PACKAGE_DATES_INVALID
Validator is maker or submitter	A package version is validated by someone other than its maker and submitter	MAKER_CHECKER_VIOLATION
Checklist not complete	Validate and Release stays disabled until every item is ticked	-

Screens and fields: Validation Checklist

Field	Type	Mand.	Source / LOV	Validation
Checklist items	Check boxes	Yes	Checklist	All ticked
Return reason	Text	Cond.	-	Required for Return (message: Enter the reason of the return, REASON_REQUIRED)

Notifications

- Marketing (quotation users) on release; MBS on return.

Audit

- Submission, validation with the confirmed checklist, return with reason; release recorded on the product history.

Acceptance criteria

- The MBS user who set up the version cannot validate it.
- A released version is used by new quotations from its effective date; before release it is not.
- A returned version is editable again and the request is back with MBS.

FR-PM-044 Draft and send package advisories

BRD trace	BRPM.016 (p.26-27), BRPM.017 (p.27-28)	Actor	TSU TL / TSU Officer / Operations (PKG_ADVISORY)
Priority	Must have	Fit	NEW
Screens	Package Request page (Advisories tab)	API	GET ../requests/{id}/advisories; PUT /advisories/{aid}; POST /advisories/{aid}/send

Description

On release BIBS drafts the advisory automatically, of type PACKAGE_READY for NEW and REACTIVATE, RENEWAL for RENEW, PACKAGE_UPDATED otherwise, and RETIREMENT for a retired

package. The user checks the recipients, subject and text and sends it. Sending is blocked until the supporting documents are on the request. Recipients receive an in-app notification, and e-mail addresses given on the advisory receive the protected advisory PDF.

Preconditions

- An advisory draft exists; the user has PKG_ADVISORY.

Main flow

- The user opens the Advisories tab; the draft shows its type, recipient groups and the document check.
- The user edits the subject, text, groups and optional e-mail addresses.
- The user clicks **Send**. BIBS stores the advisory PDF, notifies each group and e-mails the addresses.

Alternate and exception flows

- Documents missing. BIBS blocks the send and names the missing documents.

Business rules

Rule	Statement	Kind	Maintained in
R1	Required documents: signed package slip (PKG_SLIP_SIGNED) and ManCom sign-off (MANCOM_SIGNOFF); for a retirement only the ManCom sign-off.	Fixed	-
R2	Recipient groups: Marketing, TSU, MBS, Processing, Operations; default Marketing, TSU, MBS, Operations.	Configurable	LOV PKG_ADVISORY_GROUP; parameter PKG_ADVISORY_GROUPS
R3	Group to users: Marketing = quotation users, TSU = PKG_NEGOTIATE, MBS = PRODUCT_MAINTAIN, Processing = account processing, Operations = OPS_VIEW (PQ12).	Fixed	-

Validations and messages

Check	Message shown	Code
Documents missing	Attach the supporting documents before sending: <documents>	ADVISORY_DOCUMENTS_MISSING
Subject or text blank	Enter the subject and the text	-

Screens and fields: Advisory

Field	Type	Mand.	Source / LOV	Validation
Recipient groups	Multi-select	Yes	LOV PKG_ADVISORY_GROUP	At least one
E-mail to (optional)	Text	No	-	Valid e-mail addresses
Subject	Text	Yes	-	Up to 200 characters
Text	Long text	Yes	Template PKG_ADVISORY / PKG_RENEWAL_ADVISORY	-

Notifications

- In-app notification to each group's users; protected e-mail to the given addresses.

Audit

- Draft, edit and send recorded; the sent advisory PDF is kept as PKG_ADVISORY.

Acceptance criteria

1. An advisory cannot be sent while the signed package slip is missing.
2. A sent advisory reaches the users of each selected group in BIBS and lists the supporting documents.
3. The advisory PDF is stored on the request.

FR-PM-045 Retire a package

BRD trace	BRPM.011 (p.21), BRPM.006 (p.17)	Actor	Requester, approvers, ManCom, MBS
Priority	Must have	Fit	CHANGE
Screens	New Package Request (type RETIRE); Package Request page (Set-up tab)	API	POST .../requests/{id}/retire

Description

A package is removed from sale through a RETIRE request, which follows the approvals and ManCom sign-off without negotiation. At the MBS step, MBS retires the product instead of setting up a version. The product and all its versions stay readable; nothing is deleted. Active incentive criteria on the product are flagged for review.

Preconditions

- A RETIRE request is in WITH_MBS.

Main flow

1. MBS clicks **Retire Package**.
2. BIBS sets the product to RETIRED, closes the request as RETIRED and drafts the retirement advisory.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only a RETIRE request retires a package; other types cannot.	Fixed	-
R2	A retired product cannot be sold to new business.	Fixed	-

Validations and messages

Check	Message shown	Code
Retire on another request type	Only a RETIRE request retires the package	PKG_REQUEST_TYPE_MISMATCH
Set-up on a RETIRE request	A RETIRE request retires the package instead	PKG_REQUEST_TYPE_MISMATCH
Quotation on a retired product	Product <code> is RETIRED and cannot be sold	PRODUCT_NOT_SELLABLE

Notifications

- Retirement advisory; incentive review alert INCENTIVE_PRODUCT_INACTIVE to the incentive maintainers.

Audit

- Retirement recorded on the request and product history.

Acceptance criteria

1. After retirement, a new quotation on the product is refused.

2. The retired product and its versions stay searchable for users with PRODUCT_ARCHIVE_VIEW.

4.6 Versions and rate schemes

FR-PM-050 Keep package terms as versions

BRD trace	BRPM.007 (p.17-18)	Actor	MBS; System
Priority	Must have	Fit	CHANGE
Screens	Product page (Versions tab); Package Version	API	GET POST /api/v1/catalog/products/{code}/versions; GET PUT .../versions/{n}

Description

The commercial terms of a package (rate scheme, coverages, insurers, insurer terms, dates) are held in numbered versions with an effective date. A package is never edited in place. MBS creates a new draft version, which is validated and released while the current version keeps selling. The Versions tab shows the timeline and compares two versions.

Preconditions

- The product is packaged.

Main flow

- MBS opens the product and clicks **New Version**; BIBS copies the version in force, effective tomorrow.
- MBS edits the draft and submits it for validation (FR-PM-043).

Alternate and exception flows

- A version created from a package request is set up through FR-PM-042.

Business rules

Rule	Statement	Kind	Maintained in
R1	Version states: Draft, For validation, Released, Superseded, Expired (section 5.3).	Fixed	-
R2	One released version is in force per product; the previous one ends the day before the next takes effect.	Fixed	-
R3	Packages existing at go-live received version 1, effective 01-Jan-2020, validated by SYSTEM.	Fixed	-

Validations and messages

Check	Message shown	Code
Direct edit of a versioned field	The rate, minimum premium, commission and TSI limit of package <code> change through a new version (Versions tab)	PRODUCT_FIELD_VERSIONED
Second draft	Product <code> already has a version being set up	VERSION_IN_PROGRESS

Screens and fields: Package Version, Rate Scheme and Dates

Field	Type	Mand.	Source / LOV	Validation
Package Rate %	Number	Cond.	-	Required unless every insurer has a rate
Minimum Premium	Amount	Yes	-	>= 0
Commission %	Number	Yes	-	>= 0
Package TSI Limit	Amount	No	-	>= 0
Effective From	Date	Yes	-	Today or later; after the latest released version
Package Start / Package End / Anniversary	Date	No	-	End after effective date
Change Summary	Text	No	-	-
ManCom Sign-off Reference	Text	No	-	-
Computation Basis	Text	No	-	As agreed with the insurers

Notifications

- None until submission.

Audit

- Each version keeps its maker, submitter, validator, dates, checklist and source request.

Acceptance criteria

1. Changing the rate of a released package creates version n+1; version n stays in force until n+1 takes effect.
2. The Versions tab shows every version with status and effective dates.

FR-PM-051 Price new business on the latest approved rate scheme

BRD trace	BRPM.007 (p.17-18)	Actor	System; Marketing (quotation user); Business Administrator (exception approval)
Priority	Must have	Fit	CHANGE
Screens	Quotation (rate scheme panel, Request Rate Exception); Premium Calculator; My Approvals	API	POST /api/v1/catalog/rating/quote; POST /api/v1/catalog/rate-scheme-exceptions

Description

A new-business quotation or account on a package is priced on the version in force on the transaction date, whatever the period start, so an outdated rate cannot be selected. The version number is stored on the quotation, the account and the invoice.

An item rate different from the scheme (or panel insurer) rate, or the use of a version that is not current, needs an approved rate-scheme exception. Without it, submission is refused. Renewals and endorsements use the version of the original account (BRD-6 and BRD-1 contracts).

Preconditions

- The product is a package with a released version.

Main flow

1. The user creates a quotation; BIBS prices it on the current version and shows "Priced on version n".
2. The user submits the quotation; BIBS checks the scheme.
3. The quotation, the accounts created from it and the invoice carry the version number.

Alternate and exception flows

- Non-current rate. The user clicks **Request Rate Exception** with the reason; a PRODUCT_AUTHORIZE holder decides it in My Approvals. With the approved exception the quotation is submitted and the exception reference is stored.
- Version changed while the quotation was a draft. Submission is refused; the user reprices on the current version.

Business rules

Rule	Statement	Kind	Maintained in
R1	New business uses the version in force on the transaction date.	Fixed	-
R2	A deviating item rate or a non-current version needs an approved exception, found by the transaction reference.	Fixed	-
R3	Exceptions expire after 30 days (default).	Fixed	-
R4	Packages migrated as version 1 keep manual item rates until BDOI answers PQ10.	Configurable	Version flag manual rate allowed (PQ10)
R5	Statutory rates (DST, VAT, premium tax, LGT) keep their own effective dates (PQ10).	Fixed	-

Validations and messages

Check	Message shown	Code
Deviating rate without exception	Package <code> is priced on the current rate scheme: rate <n>% needs an approved rate exception	RATE_SCHEME_NOT_CURRENT
Product expired or retired	Product <code> is <status> and cannot be sold	PRODUCT_NOT_SELLABLE
No version in force	Package <code> has no released version in force on <date>	PRODUCT_NOT_SELLABLE

Screens and fields: Request Rate Exception

Field	Type	Mand.	Source / LOV	Validation
Requested rate or version	Number	Yes	-	Different from the current scheme
Reason	Text	Yes	-	-

Notifications

- Authorisers of rate exceptions in My Approvals; requester on decision.

Audit

- Exception request and decision; the version used by each transaction.

Acceptance criteria

1. A quotation with a period start before the new version's effective date is priced on the new version.

- Submission with a manual rate different from the scheme is refused without an approved exception and accepted with one.
- The quotation, account and invoice show the version number that priced them.

FR-PM-052 Archive expired packages

BRD trace	BRPM.006 (p.17)	Actor	System; MBS / TSU Head / Business Administrator / Auditor (PRODUCT_ARCHIVE_VIEW)
Priority	Must have	Fit	CHANGE
Screens	Products (Expired and Retired filters); Product page	API	GET /api/v1/catalog/products? lifecycle=EXPIRED RETIRED

Description

When a package end date passes and no newer version is released, the daily job sets the version to EXPIRED and the product to EXPIRED. Expired and retired packages are never deleted. They remain searchable with all versions, terms, documents and communications, are tagged "Expired" or "Retired", and are visible only to users with PRODUCT_ARCHIVE_VIEW. An expired package returns to sale only through a REACTIVATE request.

Preconditions

- None.

Main flow

- The daily job PACKAGE_VERSION_LIFECYCLE expires packages whose end date passed.
- An authorised user filters the Products list by Expired and opens the package and its history.

Business rules

Rule	Statement	Kind	Maintained in
R1	Products and versions are never physically deleted.	Fixed	-
R2	Expired and retired products are visible only with PRODUCT_ARCHIVE_VIEW.	Fixed	-
R3	Reactivation only through a REACTIVATE request that releases a new version.	Fixed	-

Validations and messages

Check	Message shown	Code
User without archive permission filters expired products	You are not permitted to perform this action	ACCESS_DENIED

Notifications

- PKG_NEGOTIATE and PRODUCT_MAINTAIN holders when a package expires.

Audit

- Expiry recorded on the product and version history.

Acceptance criteria

- A package past its end date without a renewal is tagged Expired and cannot be sold.

2. Its versions, documents and request history remain retrievable by authorised users.
3. A Marketing AO does not see expired packages.

4.7 Expiry and renewal

FR-PM-060 Monitor package expiry and anniversary dates

BRD trace	BRPM.017 (p.27-28)	Actor	TSU Officer; MBS; System
Priority	Must have	Fit	NEW
Screens	Package Expiry (tabs Expiring, Renewal in Progress, Expired); Product Maintenance Home	API	GET /api/v1/product-maintenance/expiry

Description

The Package Expiry screen lists released packages by end date, with days left, anniversary date and the open renewal request and its stage. The daily job PACKAGE_EXPIRY_MONITOR raises the alert PACKAGE_EXPIRING at the notice period and again at the reminder days, and can draft the renewal request automatically.

Preconditions

- The user has PKG_NEGOTIATE, PRODUCT_MAINTAIN or PKG_REPORT_VIEW.

Main flow

1. The job runs daily (01:00 PHT) and raises PACKAGE_EXPIRING once per package, version and threshold.
2. The TSU Officer opens Package Expiry, sets "Packages ending within (days)" and reviews the list.
3. The officer exports the list with **Generate Expiry List** for a date range.

Business rules

Rule	Statement	Kind	Maintained in
R1	First alert 60 days before the end date (default).	Configurable	Parameter PACKAGE_EXPIRY_NOTICE_DAYS
R2	Reminders at 30 and 7 days (default).	Configurable	Parameter PACKAGE_EXPIRY_REMINDER_DAYS
R3	Automatic drafting of RENEW requests off by default.	Configurable	Parameter PACKAGE_RENEWAL_AUTODRAFT
R4	Job time 01:00 PHT.	Configurable	Job schedule (System Administrator)

Screens and fields: Package Expiry

Field	Type	Mand.	Source / LOV	Validation
Packages ending within (days)	Number	Yes	-	1-365
Generate Expiry List (from / to)	Date range	Yes	-	To after from

Notifications

- PACKAGE_EXPIRING to PKG_NEGOTIATE and PRODUCT_MAINTAIN holders at each threshold.

Audit

- Job runs and alerts are logged.

Acceptance criteria

- A package ending in 45 days appears in the Expiring tab with 45 days left.
- The alert is raised once at 60, 30 and 7 days, never twice for the same threshold.

FR-PM-061 Generate renewal requests

BRD trace	BRPM.017 (p.27-28)	Actor	TSU Officer
Priority	Must have	Fit	NEW
Screens	Package Expiry (bulk Generate Renewal Request); Package Request page	API	POST /api/v1/product-maintenance/expiry/renewal-requests

Description

The TSU Officer selects expiring packages and clicks **Generate Renewal Request**. BIBS drafts one RENEW request per package, pre-filled from the current version, with the next term's dates (start = old end + 1 day, same length). The request follows the normal workflow; negotiation is optional. MBS accepts or returns the renewal documentation at the WITH_MBS step, and the renewal advisory is FR-PM-044.

Preconditions

- The packages are released and have no open RENEW or REACTIVATE request.

Main flow

- The officer ticks the packages and clicks **Generate Renewal Request**.
- BIBS drafts the requests and shows their numbers.
- The officer edits the dates, terms and rates as needed and submits each request.

Business rules

Rule	Statement	Kind	Maintained in
R1	One open renewal request per package.	Fixed	-
R2	Next term: start = previous end + 1 day, same length.	Fixed	-

Validations and messages

Check	Message shown	Code
No package selected	Select the packages to renew	PKG_RENEWAL_NONE

Notifications

- As FR-PM-020 on submission.

Audit

- Draft creation recorded with the source package and version.

Acceptance criteria

1. A generated renewal request has the terms of the current version and the next term's dates.
2. A package with an open renewal request cannot get a second one.

4.8 Monitoring, reports and notifications**FR-PM-070 Product Maintenance home and dashboard**

BRD trace	BRPM.019 (p.29)	Actor	Marketing, TSU, MBS, validators
Priority	Must have	Fit	CHANGE
Screens	Product Maintenance Home	API	GET /api/v1/product-maintenance/counts

Description

The home page shows tiles by stage with SLA status (red past SLA, amber near SLA), packages expiring in 30, 60 and 90 days, versions for validation, advisories pending and comparative outputs of the week. Each tile opens its filtered list, which can be exported to Excel. Counts follow the user's access.

Preconditions

- The user has PRODUCT_VIEW or PKG_REPORT_VIEW.

Main flow

1. The user opens Product Maintenance Home.
2. The user clicks a tile; the filtered list opens.
3. The user exports the list.

Business rules

Rule	Statement	Kind	Maintained in
R1	Amber from 80% of the stage SLA; red past the SLA.	Fixed	-

Notifications

- None.

Audit

- Exports are audited.

Acceptance criteria

1. A request past its stage SLA is counted in a red tile.
2. Clicking "Expiring in 30 days" opens the Package Expiry list filtered to 30 days.

FR-PM-071 Package reports

BRD trace	BRPM.018 (p.28-29), BRPM.017 (p.27-28), BRPM.006 (p.17)	Actor	Marketing, TSU, MBS (PKG_REPORT_VIEW)
Priority	Must have	Fit	NEW
Screens	Reports (category New Business)	API	Report service, codes PM-PKG-STATUS, PM-PKG-EXPIRY, PM-VERSION-HISTORY

Description

Three reports cover package creation status, expiry and version history (layouts in section 6). The Package Status Update Report runs for one request or for all, with filters. Reports export to PDF, Excel, ODS and CSV, can be saved as variants, and every run is logged.

Preconditions

- The user has PKG_REPORT_VIEW.

Main flow

- The user selects the report and sets the parameters.
- BIBS runs the report and shows the result.
- The user exports it or saves the parameters as a variant.

Business rules

Rule	Statement	Kind	Maintained in
R1	BRPM.018 is built as a package report distinct from the BRD-1 Placement Update Report (name and columns to confirm, PQ15).	Configurable	Report definition (PQ15)

Validations and messages

Check	Message shown	Code
Days not a number	Enter a whole number of days	-

Notifications

- None.

Audit

- Each run and export logged with user, parameters and time.

Acceptance criteria

- The Package Status Update Report for one request number shows only that request.
- The report exports to PDF and Excel with the same rows.
- A user without PKG_REPORT_VIEW cannot run the reports.

FR-PM-072 Notify users and publish product master changes

BRD trace	BRPM.022 (p.31)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Notifications (bell); E-mails tab	API	Workflow and messaging (internal); ProductMasterFeed port

Description

BIBS notifies users on every stage entry, return, SLA breach, release, expiry and advisory. Released and expired package versions are also handed to the product master feed, which is the point where other BDOI tracking and reporting systems will receive product changes. The feed's transport is parked until BDOI names the systems (PQ16); today it logs each change.

Preconditions

- None.

Main flow

1. An event occurs (stage change, release, expiry).
2. BIBS notifies the users concerned in the app and, where set in their preferences, by e-mail.
3. For release and expiry, BIBS passes the change to the product master feed.

Business rules

Rule	Statement	Kind	Maintained in
R1	Users set their notification preferences (in-app / e-mail) per event type.	Configurable	Notification preferences
R2	Product master feed: no transport until PQ16 is answered.	Fixed	-

Notifications

- This FR is the notification service.

Audit

- Notifications and feed calls are logged.

Acceptance criteria

1. The TSU TL receives a notification when a request enters FOR_TSU_REVIEW.
2. A release writes a product master feed log entry with product, version and effective date.

FR-PM-073 Enforce validations, approvals and SLAs

BRD trace	BRPM.021 (p.30-31)	Actor	System
Priority	Must have	Fit	CHANGE
Screens	Package Request page (workflow panel)	API	Workflow PM_PACKAGE_REQUEST

Description

Each stage has an owner permission and an SLA; each business action checks its data before the transition. A request or document cannot move, be sent or be finalised until its checks and approvals are complete (section 5). Pending actions appear in the owners' queues, and the SLA check alerts them when the SLA passes.

Preconditions

- None.

Main flow

1. A user starts an action from the workflow panel.
2. BIBS checks the permission, the four-eyes rule and the data of the action.
3. BIBS performs the transition, records it and notifies the next owners.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only the transitions of section 5.2 are possible.	Fixed	-

Rule	Statement	Kind	Maintained in
R2	SLA hours per stage (defaults in section 5.1).	Configurable	Parameters PKG_SLA_*

Validations and messages

Check	Message shown	Code
Action not allowed in the stage	The action <action> is not allowed in stage <stage>	-

Notifications

- Stage entry and SLA breach to the stage owners.

Audit

- Every transition with user, time, comment and reason.

Acceptance criteria

1. A request cannot be sent to MBS without the ManCom sign-off, even through the API.
2. A request past its stage SLA raises an SLA alert to the stage owners.

4.9 Incentive criteria

FR-PM-080 Maintain incentive criteria on the products matrix

BRD trace	PMADD07 (p.5-6), PMADD08 (p.6-7)	Actor	Incentive Maintenance user (MBS, INCENTIVE_CRITERIA_MAINTAIN); authoriser (PRODUCT_AUTHORIZE)
Priority	Must have	Fit	CHANGE
Screens	Incentive Criteria	API	GET POST /api/v1/catalog/incentive-criteria; PUT /{id}; POST /{id}/deactivate; GET /{id}/history

Description

The Incentive Maintenance user defines criteria such as CPC2 with type, value basis, value, rule parameters, effective dates and the products they apply to, picked from the active products matrix (product, optional cover type, segment, channel and insurer). Each new or changed criterion is authorised by another user.

An active criterion is not edited. An amendment creates a successor that takes effect when authorised, and the old row is end-dated then. Deactivation end-dates the criterion. History is kept.

Preconditions

- The user has INCENTIVE_CRITERIA_MAINTAIN.

Main flow

1. The user clicks **New Criterion** and enters the attributes.
2. The user picks the applicable products from the products matrix.
3. The user saves; the criterion is pending authorisation.
4. The authoriser authorises it; it becomes active from its effective date.

Alternate and exception flows

- Amend an active criterion. BIBS creates a pending successor; on authorisation the old row is end-dated the day before.
- Deactivate. The user sets the end date; the criterion becomes inactive.

Business rules

Rule	Statement	Kind	Maintained in
R1	Only active products (and active insurers) on the effective date can be selected.	Fixed	-
R2	No overlapping periods for the same code.	Fixed	-
R3	Incentive types to be supplied by BDOI (PQ04); today OTHERS and MIGRATED.	Configurable	LOV INCENTIVE_TYPE
R4	Maker-checker on every change.	Fixed	-

Validations and messages

Check	Message shown	Code
No product selected	Select at least one product of the products matrix	INCENTIVE_PRODUCTS_REQUIRE D
Product not active	Product <code> is not an active product of the matrix	INCENTIVE_PRODUCT_NOT_ACTIV E
Value missing	Enter the value of the incentive criterion	INCENTIVE_VALUE_REQUIRED
Period overlaps	Criterion <code> already covers part of this period	INCENTIVE_PERIOD_OVERLAP
Rule parameters not valid JSON	The rule parameters must be valid JSON	INCENTIVE_RULE_PARAMS_INVALI D
Direct edit of an active row	An active criterion is changed by amending it (successor)	INCENTIVE_ACTIVE_LOCKED

Screens and fields: Incentive Criterion

Field	Type	Mand.	Source / LOV	Validation
Code	Text	Yes	-	For example CPC2; unique per period
Name	Text	Yes	-	Up to 120 characters
Incentive type	List	Yes	LOV INCENTIVE_TYPE	-
Value basis	List	Yes	Rate / Fixed amount / Rule	-
Value	Number	Cond.	-	Required for Rate and Fixed amount
Effective from	Date	Yes	-	-
Effective to	Date	No	-	On or after effective from
Rule parameters (JSON)	Text	Cond.	-	Valid JSON; required for Rule
Description	Text	No	-	-
Products matrix	Picker	Yes	Active products; optional cover type, segment, channel, insurer	At least one

Notifications

- Authorisers in My Approvals; the maintainer on decision.

Audit

- Create, amend, authorise, deactivate with before and after values; successors linked.

Acceptance criteria

1. A criterion on an inactive product cannot be saved.
2. An amended active criterion stays active until its successor is authorised, with no gap.
3. The history shows every earlier version of the criterion.

FR-PM-081 Apply incentive criteria and review them when products end

BRD trace	PMADD07 (p.5-6), PMADD08 (p.6-7)	Actor	System; Incentive Maintenance user
Priority	Must have	Fit	CHANGE
Screens	Invoice (booking); Incentive Criteria	API	IncentiveCriteriaService.matching (internal)

Description

At booking, BIBS matches the active criteria against the invoice facts (product, cover type, segment, channel, lead insurer, booking date) and stores the matched codes on the invoice; the BRD-1 incentive flag is set when at least one criterion matches. When a product expires or is retired, its active criteria are flagged with the alert INCENTIVE_PRODUCT_INACTIVE and never deleted. The former booking incentive rules were copied once into the criteria and are read-only.

Preconditions

- Active criteria exist.

Main flow

1. An invoice is booked.
2. BIBS finds the matching criteria and stores their codes on the invoice.

Business rules

Rule	Statement	Kind	Maintained in
R1	Endorsements inherit the criteria codes and version of the original invoice.	Fixed	-
R2	Computation and payout of incentives are outside BRD-3 (Q33); Operations schemes reference the criteria codes (QQ39).	Fixed	-

Validations and messages

Check	Message shown	Code
Change to a former booking incentive rule	The booking incentive rules are read-only; use Incentive Criteria	INCENTIVE_RULES_FROZEN

Notifications

- INCENTIVE_PRODUCT_INACTIVE to the incentive maintainers.

Audit

- Matched codes stored on the invoice.

Acceptance criteria

1. An invoice on a product covered by CPC2 carries CPC2 and the incentive flag.
2. Retiring the product raises INCENTIVE_PRODUCT_INACTIVE for CPC2.

5 Workflow and status model

5.1 Stages

Figure 2 shows the workflow PM_PACKAGE_REQUEST. Solid arrows are the main path, dashed arrows are returns and optional paths, and dotted arrows close a request.




Figure 2: Workflow PM_PACKAGE_REQUEST: stages and actions

Table 10: Stages, owners and SLA

Stage	Owner (permission)	SLA hours (default)	SLA parameter	Business actions
DRAFT	Requester (PKG_REQUEST)	-	-	Save, submit, void
FOR_MKT_APPROVAL	Marketing TL / TH / UH (PKG_REQUEST_APPROVE)	24	PKG_SLA_MKT_APPROVAL	Approve, return, void
FOR_TSU_REVIEW	TSU TL (PKG_TSU_RECOMMEND)	24	PKG_SLA_TSU_REVIEW	Edit, recommend, return, void
FOR_TSU_APPROVAL	TSU TH (PKG_TSU_APPROVE)	24	PKG_SLA_TSU_APPROVAL	Approve, approve without negotiation, return, void
NEGOTIATION	TSU (PKG_NEGOTIATE)	120	PKG_SLA_NEGOTIATION	QS, responses, revise QS, terms final, not proceeded
TERMS_REVIEW	TSU TH (PKG_TSU_APPROVE)	24	stage setting	Release to Marketing or proceed to requirements
FOR_MKT_REVIEW	Marketing (PKG_REQUEST)	48	stage setting	Accept terms, request changes, not proceeded
REQUIREMENTS_PREP	TSU (PKG_NEGOTIATE)	48	stage setting	Complete and submit requirements
FOR_MANCOM	ManCom (PKG_MANCOM_SIGNOFF)	72	PKG_SLA_MANCOM	Sign off, return
WITH_MBS	MBS (PRODUCT_MAINTAIN)	48	PKG_SLA_MBS_SETUP	Set up, return incomplete, retire
FOR_VALIDATION	Validator (PRODUCT_VALIDATE)	24	stage setting	Validate and release, return (on the version)
RELEASED	-	terminal	-	Advisory drafted; Marketing notified
RETIRED	-	terminal	-	Retirement advisory
NOT_PROCEEDED	-	terminal	-	-
VOIDED	-	terminal	-	-

5.2 Transitions

Table 11: Transitions of PM_PACKAGE_REQUEST

From	Action	To	Permission	Reason list
DRAFT	submit	FOR_MKT_APPROVAL	PKG_REQUEST	-
FOR_MKT_APPROVAL	approve	FOR_TSU_REVIEW	PKG_REQUEST_APPROVE	-
FOR_TSU_REVIEW	recommend	FOR_TSU_APPROVAL	PKG_TSU_RECOMMEND	-
FOR_TSU_APPROVAL	approve	NEGOTIATION	PKG_TSU_APPROVE	-
FOR_TSU_APPROVAL	approve_no_negotiation	FOR_MANCOM	PKG_TSU_APPROVE	-
FOR_MKT_APPROVAL, FOR_TSU_REVIEW, FOR_TSU_APPROVAL	return	DRAFT	stage owner	RETURN_REASON
DRAFT to FOR_TSU_APPROVAL	void	VOIDED	requester or stage owner	VOID_REASON
NEGOTIATION	revise_qs	NEGOTIATION	PKG_NEGOTIATE	-
NEGOTIATION	terms_final	TERMS_REVIEW	PKG_NEGOTIATE	-

From	Action	To	Permission	Reason list
NEGOTIATION	not_proceeded	NOT_PROCEEDED	PKG_NEGOTIATE, PKG_TSU_APPROVE	PKG_NOT_PROCEED ED_REASON
TERMS_REVIEW	release_to_marketing	FOR_MKT_REVIEW	PKG_TSU_APPROVE	-
TERMS_REVIEW	skip_marketing_review	REQUIREMENTS_PRE P	PKG_TSU_APPROVE	-
FOR_MKT_REVIEW	accept_terms	REQUIREMENTS_PRE P	PKG_REQUEST	-
FOR_MKT_REVIEW	request_changes	NEGOTIATION	PKG_REQUEST	RETURN_REASON
FOR_MKT_REVIEW	not_proceeded	NOT_PROCEEDED	PKG_REQUEST	PKG_NOT_PROCEED ED_REASON
REQUIREMENTS_PRE P	submit_requirements	FOR_MANCOM	PKG_NEGOTIATE	-
FOR_MANCOM	signoff	WITH_MBS	PKG_MANCOM_SIGNOF F	-
FOR_MANCOM	return	REQUIREMENTS_PRE P	PKG_MANCOM_SIGNOF F	RETURN_REASON
WITH_MBS	setup	FOR_VALIDATION	PRODUCT_MAINTAIN	-
WITH_MBS	retire	RETIRED	PRODUCT_MAINTAIN	-
WITH_MBS	return_incomplete	REQUIREMENTS_PRE P	PRODUCT_MAINTAIN	RETURN_REASON
FOR_VALIDATION	version_released (system)	RELEASED	PRODUCT_VALIDATE	-
FOR_VALIDATION	version_returned (system)	WITH_MBS	PRODUCT_VALIDATE	-

5.3 Package version states




Figure 3: Package version states (catalogue)

Table 12: Version states

State	Meaning	Used for
DRAFT	Being set up by MBS; editable	Nothing; not rated

State	Meaning	Used for
FOR_VALIDATION	Submitted; waiting for the validator	Nothing; not rated
RELEASED	Validated and in force from its effective date	New business, renewals, endorsements
SUPERSEDED	Ended by a newer released version	Renewals (RENEWAL purpose) and endorsements of accounts sold on it
EXPIRED	Package end date passed with no newer version	Reference only; archived and searchable (BRPM.006)

5.4 SLA and escalation

- SLA hours are held per stage and start when the request enters the stage. The defaults in section 5.1 are placeholders until BDOI answers PQ08. A changed PKG_SLA_* parameter is copied into the stage by the daily job.
- The SLA check marks a request amber from 80% of the stage SLA and red past it. Red requests raise an SLA alert to the stage owners and appear in the red tiles of the Product Maintenance home.
- Escalation beyond the stage owners (for example to the unit head) is not in the BRD and is not built.

6 Reports and documents

6.1 Reports

Table 13: *Product Maintenance reports*

Code	Name	Purpose	BRD
PM-PKG-STATUS	Package Status Update Report	Status of package requests, one or all, with stage age, end date, rates and the last action	BRPM.018
PM-PKG-EXPIRY	Package Expiry Report	Released packages by end date with their renewal status	BRPM.017
PM-VERSION-HISTORY	Package Version History	Every version of the packaged products with validator, dates and change summary	BRPM.006, 007

All three are in the report category New Business, need PKG_REPORT_VIEW, export to PDF, XLSX, ODS and CSV, and support saved variants.

6.1.1 Package Status Update Report (PM-PKG-STATUS)

Parameters: Request No. (individual report); Status (all or one stage); Request Type; Line Code; Insurer Code; Package Ends Within (days). Layout: landscape, one row per request, sorted by request number, with the parameters printed in the report header.

Table 14: *PM-PKG-STATUS columns*

Column	Format	Content
Request No.	Text	PKR-yyyy-n
Type	Text	Request type
Client / Programme	Text	Client name (client-specific) or "Generic"
Package	Text	Package or programme name
Product	Text	Risk code
Version	Number	Resulting or base version
Stage	Text	Current stage
Days in Stage	Number	Days since stage entry
Package End	Date	Proposed or current package end date
Rate %	Percent	Scheme rate of the proposed terms
Insurers	Text	Chosen or target insurers
Last Action	Text	Last workflow action
On / By	Date / Text	Date and user of the last action

6.1.2 Package Expiry Report (PM-PKG-EXPIRY)

Parameter: Ending Within (days), default 90. Layout: portrait, sorted by package end date.

Table 15: *PM-PKG-EXPIRY columns*

Column	Format	Content
Product	Text	Risk code

Column	Format	Content
Package	Text	Product name
Version	Number	Version in force
Package End	Date	End date of the version
Days Left	Number	Days from today to the end date
Anniversary	Date	Anniversary date, if any
Renewal Request	Text	Open RENEW / REACTIVATE request, or "None"
Renewal Stage	Text	Stage of that request

6.1.3 Package Version History (PM-VERSION-HISTORY)

Parameter: Product Code (optional). Layout: landscape, grouped by product, versions in ascending order.

Table 16: PM-VERSION-HISTORY columns

Column	Format	Content
Product	Text	Risk code
Version	Number	Version number
Status	Text	Version state
Effective From / Effective To	Date	Period in force
Package End	Date	Package end date
Submitted By / Validated By / Validated On	Text / Date	Checkpoint users and date (PMADD06)
Source Request	Text	PKR number that produced the version
Change Summary	Text	Summary entered at set-up

6.2 Documents

Documents are generated from versioned templates (FR-PM-013). The layouts below are the draft layouts delivered with the build; BDOI's own layouts replace them when provided (Q03).

Table 17: Product Maintenance documents

Template	Output	Sections
PKG_REQUEST_FORM	PDF	Header (request no., type, scope, date, requester); client or programme; line, cover type, product; reason; requested terms by section; coverages table (coverage, included, limit, deductible); requested rate scheme and dates; target insurers; approvals with names and dates
PKG_QUOTATION_SLIP	PDF, one per insurer	BDOI letterhead; QS no. and round; insurer; package and line; requested cover by section; coverages table; requested rate and minimum premium; period; reply due date; contact
PKG_COMPARATIVE	PDF and XLSX; MASTER or CLIENT	Title; request and round; one column per insurer; rows per selected field (outcome, rate, minimum premium, coverages, deductibles, conditions, valid until, remarks); lowest rate marked; generated by, date, template version
PKG_SLIP	PDF	Package name and code; insurers with role and share; rate scheme; coverages and insurer terms; clauses; package dates; signature blocks
PKG_ADVISORY	PDF, e-mail and in-app	Advisory type; package and version; effective date; what changed; list of supporting documents; instructions to units

Template	Output	Sections
PKG_RENEWAL_ADVISORY	PDF, e-mail and in-app	As PKG_ADVISORY, with the previous and new term dates

7 Interfaces and integration

Figure 4 shows the interfaces of Product Maintenance. Package requests talk to the catalogue only through its published services and events. The catalogue is read by new business, Operations and Renewal.




Figure 4: Interfaces of Product Maintenance (dashed = parked)

Table 18: Interfaces

Interface	Direction	Content and trigger	BRD	Status
Client master (CRM)	In	Client look-up on client-specific requests	BRPM.008	BUILT
Catalogue set-up	Out	Draft version from the proposed terms at MBS set-up; retirement	BRPM.015	BUILT
Catalogue events	In	Version released, returned, product expired	PMADD06, BRPM.017	BUILT
E-mail outbox	Out	Protected QS, comparative outputs and advisories; send log	BRPM.012, 016, 020	BUILT
Notifications and alerts	Out	Stage entry, SLA, release, expiry, incentive review	BRPM.021, 022	BUILT
New business (BRD-1)	Out	Scheme version and rating for quotations, accounts and invoices; incentive criteria codes	BRPM.007; PMADD07	BUILT
Operations (BRD-2)	Out	Version for endorsement re-rating; criteria codes for commission schemes (OQ39)	BRPM.007	BUILT
Renewal (BRD-6)	Out	Version of the expiring account for Renew As Is	BRPM.007	BUILT
Other BDOI systems	Out	Product master changes (ProductMasterFeed); the port logs each change	BRPM.022	PARKED
Insurer portals	Out	Not requested; insurers are reached by e-mail	BRPM.012	OUT

Parked seam. BRPM.022 asks for data "synchronized with BDOI systems". The systems, format and timing are not in the BRD (PQ16). BIBS hands every release and expiry to the ProductMasterFeed port, which logs it. Adding a transport is a configuration of a new adapter, with no change to the workflow.

8 Non-functional requirements

Table 19: Non-functional requirements (BRD p.33)

Topic	BRD value	BIBS target and approach	Status
Users	Marketing 485 max / 145 concurrent; MBS 5 / 5; TSU 13 / 13	Within the BRD-1 sizing (150 concurrent + 20% a year); the Marketing figures equal BRD-1's (PQ18)	FIT
Volumes	Not stated	Assumed tens of package requests a month; no special sizing	OPEN
Response time	Under 5 seconds for every role	Online p95 under 3 seconds; documents and e-mails generated asynchronously	FIT
Peak	15th and 30th of the month; 08:00-17:30	Expiry monitor and version lifecycle run at 01:00	FIT
Availability	99.9%; use 07:00-18:30; maintenance per bank standard	Same deployment as BRD-1 (window 07:00-22:00 governs, OQ44)	FIT
Recovery	RTO 4 hours, RPO 24 hours	Platform backup and recovery; one BIBS-wide NFR set is being agreed (XQ08)	FIT
Devices	Same performance on mobile and desktop	Responsive screens	FIT
Security	Authorised users only; protected documents	Role-based access, four-eyes rules, protected e-mails (FR-PM-002, 004)	FIT
Audit	All actions logged	Append-only audit and workflow history (FR-PM-005)	FIT
Retention	Not stated	BRD-1 rule (5 years online, 15 years archive); product versions never purged (PQ18)	OPEN

9 Configuration items owned by the System Administrator

The items below are changed in BIBS without a release. Changes to parameters and lists are audited.

9.1 Parameters

Table 20: Product Maintenance parameters

Parameter	Default	Meaning
PKG_REQUEST_PREFIX	PKR-	Prefix of package request numbers; the year is appended (PKR-yyyy-n)
PKG_QS_PREFIX	PQS-	Prefix of quotation slip numbers (PQS-yyyy-n)
PKG_QS_REPLY_DAYS	5	Days insurers have to reply to a QS (1-60)
PACKAGE_EXPIRY_NOTICE_DAYS	60	Days before the package end date of the first expiry alert (1-365)
PACKAGE_EXPIRY_REMINDER_DAYS	30,7	Days of the further expiry reminders
PACKAGE_RENEWAL_AUTODRAFT	false	The expiry monitor drafts RENEW requests at the notice period
PKG_ADVISORY_GROUPS	MARKETING, TSU, MBS, OPERATIONS	Default recipient groups of an advisory
PKG_SLA_MKT_APPROVAL	24	SLA hours of the Marketing approval
PKG_SLA_TSU_REVIEW	24	SLA hours of the TSU TL review
PKG_SLA_TSU_APPROVAL	24	SLA hours of the TSU Head approval
PKG_SLA_NEGOTIATION	120	SLA hours of the negotiation stage
PKG_SLA_MANCOM	72	SLA hours of the ManCom sign-off
PKG_SLA_MBS_SETUP	48	SLA hours of the MBS set-up
Job schedule package-expiry-cron	01:00 PHT daily	Time of PACKAGE_EXPIRY_MONITOR and PACKAGE_VERSION_LIFECYCLE

9.2 Lists of values

Table 21: Lists of values

List	Values delivered
PKG_REQUEST_TYPE	New package; Amend package terms; Update package details; Renew package; Retire package; Reactivate expired package
PKG_REQUEST_REASON	Client requirement; New programme for a market segment; Market competitiveness; Change in insurer terms or rates; Loss experience; Regulatory change; Package expiry or anniversary; Others (see comment)
PKG_RESPONSE_OUTCOME	Pending; Accepted as requested; Approved with changes; Counter-proposal; Declined; No response
PKG_ADVISORY_GROUP	Marketing; Technical Support Unit; Marketing Business Services; Processing; Operations
PKG_NOT_PROCEEDED_REASON	Declined by the insurers; Negotiated terms not accepted; Client withdrew the request; Business decision; Others (see comment)
INCENTIVE_TYPE	Others (see description); Migrated (from the booking incentive rules). Types to be supplied by BDOI (PQ04)

List	Values delivered
COVERAGE_KIND	Section; Coverage; Peril; Extension
CLAUSE_KIND	Warranty; Clause; Exclusion; Deductible wording
DOCUMENT_TYPE (Product Maintenance values)	PKG_REQUEST_FORM; PKG_QUOTATION_SLIP; PKG_INSURER_RESPONSE; PKG_COMPARATIVE; PKG_SLIP_SIGNED; MANCOM_SIGNOFF; PKG_ADVISORY
RETURN_REASON, VOID_REASON	Shared platform lists

9.3 Masters and rules maintained by the business

Table 22: *Masters and rules*

Item	Maintained by (authorised by)	FR
Product lines, cover types and subtypes, code patterns	MBS (PRODUCT_AUTHORIZE)	FR-PM-010
Coverages / perils	MBS (PRODUCT_AUTHORIZE)	FR-PM-010
Clause library	MBS (PRODUCT_AUTHORIZE)	FR-PM-011
Field rules (presence, list, range, pattern)	MBS (PRODUCT_AUTHORIZE)	FR-PM-012
Document templates	System Administrator	FR-PM-013
Package versions and insurer terms	MBS (validated by PRODUCT_VALIDATE)	FR-PM-014, 043, 050
Rate-scheme exceptions	Requester (PRODUCT_AUTHORIZE)	FR-PM-051
Incentive criteria	Incentive Maintenance user (PRODUCT_AUTHORIZE)	FR-PM-080
Roles and permissions	Business Administrator via access request (approver)	FR-PM-003
Validation checklist	Change request until PQ09 is answered	FR-PM-043

10 Assumptions, dependencies and open questions

10.1 Assumptions

Table 23: Assumptions

ID	Assumption	Related
A-PM-01	The final main BRD (pp.10-35) and the addendum (pp.1-9) are the baseline; the earlier version (pp.36-61) is used only to trace changes	R1-R3
A-PM-02	A package is a catalogue product flagged as packaged, generic for a segment or client-specific; each package has its own risk code	PQ01
A-PM-03	Any one of Marketing TL, TH or UH approves a request	PQ08
A-PM-04	One ManCom member's sign-off completes the ManCom step	PQ07
A-PM-05	"Deletion" in BRPM.011 means retirement; records are never deleted	PQ13
A-PM-06	Maintenance of non-package products is out of scope in this phase	PQ19
A-PM-07	BRPM.023 does not exist in either BRD version; no requirement is missing	PQ20
A-PM-08	Package request volume is low (tens a month)	PQ18

10.2 Dependencies

Table 24: Dependencies

ID	Dependency	Needed for
D-PM-01	BDOI provides the product matrix content: subtypes, coverages per line, naming convention	FR-PM-010 (Q01, Q02, PQ02)
D-PM-02	BDOI provides the document layouts and the password convention	FR-PM-004, 013 (Q03, Q07, PQ21)
D-PM-03	BDOI defines CPC2 and the other incentive criteria	FR-PM-080 (PQ04)
D-PM-04	BDOI names the systems that receive product master changes	FR-PM-072 (PQ16)
D-PM-05	BRD-6 Renewal passes the expiring account's version on Renew As Is	FR-PM-051 (PQ11)
D-PM-06	The e-mail relay of the BIBS environment is available for insurer e-mails	FR-PM-030, 044

10.3 Open questions

Table 25: Open questions on BRD-3 (status from the cross-BRD decisions, R6)

ID	Question	Affects	Status
PQ02	Subline / type / subtype values and coverage / peril list per line; naming convention for product codes	FR-PM-010	OPEN
PQ03	Which attributes vary by insurer in a package; co-insurance shares	FR-PM-014	OPEN
PQ04	Definition of CPC2 and other criteria; required attributes; who is the Incentive Maintenance user	FR-PM-080, 081	OPEN
PQ05	Full list of negotiation outcomes; maximum rounds; apply PMADD03/04 to non-package PRFs	FR-PM-031, 032	OPEN
PQ06	Fields of client views; client layout; who generates client outputs	FR-PM-035	OPEN
PQ07	ManCom membership, quorum, in-system versus signed sheet, SLA	FR-PM-041	OPEN
PQ08	Approval chain by segment or amount; QS co-officer; SLA of each stage	FR-PM-021, 030, 073	OPEN

ID	Question	Affects	Status
PQ09	Validator role (TSU Head, Business Administrator or either); checklist content	FR-PM-043	OPEN
PQ10	Scope of a rate scheme (statutory rates?); approver of non-current rates; manual item rates on packages	FR-PM-051	PARTIAL
PQ11	Meaning of package expiry / anniversary; notice period; automatic renewal drafts	FR-PM-060, 061	PARTIAL
PQ12	Content of the requirements pack; formulas beyond the three rating methods; advisory recipients and channel	FR-PM-040, 042, 044	OPEN
PQ14	Mandatory fields of the Package Request Form; client for generic programmes	FR-PM-020	OPEN
PQ15	Name and columns of the BRPM.018 report	FR-PM-071	OPEN
PQ16	Systems that receive product master changes; format and timing	FR-PM-072	OPEN
PQ17	Final role-to-action matrix; approval of role changes	FR-PM-002, 003	ANSWERED
PQ18	Volumes, growth, availability window and retention	Section 8	OPEN
PQ21	Which documents leave BDOI and the password convention	FR-PM-004	PARTIAL

PQ01, PQ13, PQ19 and PQ20 are covered by assumptions A-PM-02, A-PM-05, A-PM-06 and A-PM-07; BDOI confirms them with the sign-off of this document.

11 Traceability

Every BRD-3 requirement is met by at least one FR. The screen and API columns name the main entry points.

Table 26: BRD ID to FR, screen and API

BRD ID	FR	Screen	API
BRPM.001	FR-PM-001	Login	/api/v1/auth/login
BRPM.002	FR-PM-002	All; User Access Matrix	Permission checks; /nbadmin/access-matrix
BRPM.003	FR-PM-012	Product page (Field Rules)	/catalog/field-rules
BRPM.004	FR-PM-012	Product page (Field Rules)	/catalog/field-rules
BRPM.005	FR-PM-013	Package Request page (downloads)	.../form.pdf, quotation-slip.pdf, package-slip.pdf
BRPM.006	FR-PM-052, FR-PM-045, FR-PM-071	Products (Expired / Retired)	/catalog/products?lifecycle=
BRPM.007	FR-PM-050, FR-PM-051	Package Version; Quotation; Premium Calculator	/catalog/products/{code}/versions; /catalog/rating/quote; /catalog/rate-scheme-exceptions
BRPM.008	FR-PM-020, FR-PM-021	New Package Request; Package Requests	/product-maintenance/requests; .../submit; .../approve
BRPM.009	FR-PM-022, FR-PM-023	TSU Workbench; Package Request page	.../recommend; .../tsu-approve
BRPM.010	FR-PM-032, FR-PM-033, FR-PM-036	Package Request page (Negotiation)	.../rounds; .../terms-final
BRPM.011	FR-PM-020, FR-PM-024, FR-PM-045	Package Requests; TSU Workbench	/product-maintenance/requests; .../prefill; .../retire
BRPM.012	FR-PM-030	Package Request page (Negotiation)	.../rounds/{n}/quotation-slip/submit, approve; .../resend
BRPM.013	FR-PM-031, FR-PM-034, FR-PM-036	Package Request page (Negotiation, Comparative)	.../responses/{rid}; .../release-to-marketing; .../accept-terms
BRPM.014	FR-PM-034	Package Request page (Comparative)	.../comparatives; .../comparatives/master
BRPM.015	FR-PM-040, 041, 042, 043	Requirements & Sign-off; Set-up; Validation Queue	.../submit-requirements; .../signoff; .../setup; /catalog/.../validate
BRPM.016	FR-PM-044	Package Request page (Advisories)	/product-maintenance/advisories/{aid}/send
BRPM.017	FR-PM-060, FR-PM-061, FR-PM-044	Package Expiry	/product-maintenance/expiry; .../renewal-requests
BRPM.018	FR-PM-071	Reports	Report PM-PKG-STATUS
BRPM.019	FR-PM-070	Product Maintenance Home	/product-maintenance/counts
BRPM.020	FR-PM-004	E-mails and Documents tabs	Messaging outbox
BRPM.021	FR-PM-073, FR-PM-021	Workflow panel	Workflow PM_PACKAGE_REQUEST
BRPM.022	FR-PM-072	Notifications	Notifications; ProductMasterFeed
BRPM.024	FR-PM-005	History tabs	Audit service
PMADD01	FR-PM-010	Products; Coverages & Clauses	/catalog/lines, cover-types, coverages
PMADD02	FR-PM-011, FR-PM-014	Package Version (Insurer Terms); Coverages & Clauses	/catalog/products/{code}/versions/{n}; /catalog/clauses
PMADD03	FR-PM-035	Package Request page (Comparative)	.../comparatives (client view)
PMADD04	FR-PM-031, FR-PM-032	Package Request page (Negotiation)	.../responses; .../rounds

BRD ID	FR	Screen	API
PMADD05	FR-PM-002, FR-PM-003	User Access Matrix; Access Requests	/nbadmin/access-matrix/by-action; /nbadmin/access-requests
PMADD06	FR-PM-043	Validation Queue; Package Version	/catalog/.../submit, validate, return
PMADD07	FR-PM-080, FR-PM-081	Incentive Criteria	/catalog/incentive-criteria
PMADD08	FR-PM-080, FR-PM-081	Incentive Criteria	/catalog/incentive-criteria

API paths start with /api/v1; "..." stands for /api/v1/product-maintenance/requests/{id}.

12 Sign-off

By signing, BDOI confirms that this FRS describes the Product Maintenance functions it expects in BIBS, and accepts the assumptions in section 10.1. Open questions in section 10.3 stay open; their answers are applied as configuration or through a change request.

Name	Role	Organisation	Signature	Date
	Product Owner, Marketing Business System	BDOI		
	Head, Marketing Business Services and System Support	BDOI		
	Head, Technical Support Unit	BDOI		
	Head, Retail Marketing	BDOI		
	Program Manager, Business Project Services	BDO Unibank ESG		
	Project Manager	iorta TechNXT		