



Business Requirements Document QPS User Access Maintenance Module

Prepared by: Roda Lyn Gallardo

Strictly Confidential and for Internal Use of BDO only



Revision Management

VERSION	REVISION DATE	UPDATED BY	REVISION NOTES
1	15-Apr-25	Roda Lyn Gallardo	Initial document



Usage Instructions

- 1) The System Analyst, Business System Analyst or equivalent BDO ITG personnel is responsible for populating this Business Requirements Document by obtaining inputs from the business unit and if necessary from other IT units (ITEA, ITSec, ITSD, ITIO, ITEXD). Schedule BR discussion/s with the Stakeholders.
- 2) Instructions and Samples are provided per tab for guidance on how to populate the document. Please **delete** them before finalizing the document.
Instructions are formatted as Italic and in Blue font.
Samples are formatted in Red font.
- 3) Explain to the Business Unit requester that the Priority and Phase/Release information are collected to gather the business unit's prioritization but may be subject to change if there are constraints in the succeeding activities of the project.
- 4) Ensure that all requirements are testable and can be mapped to succeeding functional requirements specifications in subsequent phases of the project. Ensure that all requirements listed are clear and understood by other IT units (ITEA, ITSec, ITSD, ITIO, ITEXD). In case of ambiguity or misinterpretation by other units, rephrase or add wordings to the requirements. In case of requirements that cannot be articulated or satisfactorily clarified, mark these as high risk for further development during the sourcing (SD04) and requirements (SB02) processes.
- 5) After this Business Requirements Document is completed (and revised in case of inputs from other IT units), obtain sign-off from the Business Unit requester and the Business Unit Group Head in case they are not the same.



1. Introduction

1.1 Purpose and Scope of the Document

This document defines the business requirements for QPS User Access Maintenance Module.

The Business Requirements Document (BRD) lists the capabilities expected from the solution / service to meet the outcomes of the Business Request (BRQ) approved in the business case. The BRD should be more descriptive than the original BRQ but should not detail how each capability will be built or which system it will be built in unless the detail is critical to the explicitly stated outcome.

This document shall be updated as requirements are further defined and finalized based on discussions, recommendations and feedback from business and technical stakeholders. Unless otherwise stated, all requirements are considered high priority and committed for this phase.

1.2 Intended Audience

INVOLVEMENT	NAME	GROUP
Author	Roda Lyn Gallardo	ES-BPDS
Input Provider	Ma. Fides Rivera	BDO Insurance & Reinsurance Brokers, Inc.
Output Receiver		
Process Owner	Shellah Marie Miranda	BDO Insurance & Reinsurance Brokers, Inc.

1.3 Definition of Terms

Term	Definition
User Access	refers to permissions and privileges granted to a user within the system, network or application. It determines what a user can view, modify, or execute based on their role and authorization level.
Group Profile	refers to a set of shared attributes, permissions, or configurations assigned to a collection of users within a system, organization, or application.
QPS	Quotation and Pre-processing System

1.4 References

DOCUMENT ID	TITLE	AUTHOR
	QPS User Access Maintenance Module BR	Ma. Fides Rivera



2. Overview

Currently, BDO Insurance and Brokerage Inc. coordinates all Quotation and Pre-processing System (QPS) user access requests with IT, resulting in processing delays. This project aims to develop a dedicated module within QPS that enables the Business Unit to independently manage user permissions, roles and access levels reducing dependency on IT and improving efficiency.

2.1 Business Objectives


1. To be able to ensure secure, efficient and compliant management of user access in the Quotation and Pre-processing System (QPS)
2. To enable self-service access requests to reduce dependency on IT support
3. Simplify role changes and access modification

2.2 Assumptions and Limitations


1. The assumption is there's a defined User Access Matrix in place

3. Process Diagram

NEW/MODIFICATION ACCESS REQUEST



NEW/MODIFICATION OF GROUP PROFILE



4. Stakeholders

Group	User Role	Functions
BDOI - USERS	Requestor	Requests access to application
	Approver	Review and approves requests based on job requirements and access matrix
	Business Administrator	Define and manages user roles, permissions and access policies Support Users in raising access-related issues Generate necessary reports
ITIO-SRE	System Administrator	Support Users in resolving access-related issues Manages user provisioning, de-provisioning and role modification Ensures the availability and resilience of servers
	Database Administrator	Ensures the availability and resilience of databases
ITIO-ES	Storage Administrator	Ensures the availability and resilience of storage
IT Service Delivery Application Management (ITSD - AMS)	Application support	Maintains system parameters
		Maintains reference tables
		Administers and implements screens and report layout

5. Business Requirements (FUNCTIONAL)

BR ID	Process Component	Activity	Capability/ Requirement	Additional Remarks	Pilot Phase	Mandatory?	High Risk?
		A. As a Requestor, I want to be able to...					
BRD 1.001.1		I. Log in as a Requestor	a. Access the application using any BDO issued device		In scope	Yes	
BRD 1.001.1.1			1. Log in with a Requestor user profile		In scope	Yes	
BRD 1.001.1.2			2. Receive the inactivity warning (15 minutes)		In scope	Yes	
BRD 1.001.1.3			3. Receive warning prior to system triggered log out (30 minutes)		In scope	Yes	
BRD 1.002.1		II. Enroll New User	a. Submit a new User Access request		In scope	Yes	
BRD 1.002.1.1			1. Create request		In scope	Yes	
BRD 1.002.1.1.1			1.1 Input New User data		In scope	Yes	
BRD 1.002.1.1.2			1.2 Select User Access Group profile		In scope	Yes	
BRD 1.002.1.1.3			1.3 Select approver from the drop-down		In scope	Yes	
BRD 1.002.1.1.4			1.4 Add remarks (i.e justification, etc.)				
BRD 1.002.1.1.5			1.5 Save remarks				
BRD 1.002.1.2			2. Edit drafted request		In scope	Yes	
BRD 1.002.1.3			3. Cancel drafted request		In scope	Yes	
BRD 1.002.1.4			4. Submit request		In scope	Yes	
BRD 1.003.1		III. Modify Existing User	a. Submit modify User Access/permission request		In scope	Yes	
BRD 1.003.1.1			1. Create request		In scope	Yes	
BRD 1.003.1.1.1			1.1 Search existing User		In scope	Yes	
BRD 1.003.1.1.2			1.2 Edit/Update selected user data				
BRD 1.003.1.1.3			1.3 Select User Access Group profile		In scope	Yes	
BRD 1.003.1.1.4			1.4 Select approver from the drop-down		In scope	Yes	
BRD 1.003.1.1.5			1.5 Add remarks (i.e Justification, etc.)				
BRD 1.003.1.1.6			1.6 Save remarks				
BRD 1.003.1.2			2. Edit drafted request		In scope	Yes	
BRD 1.003.1.3			3. Cancel drafted request		In scope	Yes	
BRD 1.003.1.4			4. Submit request		In scope	Yes	
BRD 1.004.1		IV. Deactivate User	a. Submit a User Access deactivation request		In scope	Yes	
BRD 1.004.1.1			1. Create a request		In scope	Yes	
BRD 1.004.1.1.1			1.1 Search an existing User		In scope	Yes	
BRD 1.004.1.1.2			1.2 Add remarks (i.e reason for deactivation)				
BRD 1.004.1.1.3			1.3. Save remarks		In scope	Yes	
BRD 1.004.1.1.4			1.4 Select approver from the drop-down		In scope	Yes	
BRD 1.004.1.2			2. Edit drafted request		In scope	Yes	
BRD 1.004.1.3			3. Cancel drafted request		In scope	Yes	
BRD 1.004.1.4			4. Submit request		In scope	Yes	
BRD 1.005		V. Reactivate User	a. Submit a User Access reactivation request		In scope	Yes	
BRD 1.005.1			1. Create a request		In scope	Yes	
BRD 1.005.1.1			1.1 Search an existing User		In scope	Yes	
BRD 1.005.1.1.1			1.2 Add remarks (i.e reason for reactivation)				
BRD 1.005.1.1.2			1.3. Save remarks		In scope	Yes	
BRD 1.005.1.1.3			1.4 Select approver from the drop-down		In scope	Yes	
BRD 1.005.1.2			2. Edit a drafted request		In scope	Yes	
BRD 1.005.1.3			3. Cancel a drafted request		In scope	Yes	
BRD 1.005.1.4			4. Submit a request		In scope	Yes	
BRD 1.006.1		VI. Apply Correction	a. Apply correction on returned requests		In scope	Yes	
BRD 1.006.1.1			1. Receive notification on the returned request		In scope	Yes	
BRD 1.006.1.2			2. Edit data on the returned request		In scope	Yes	
BRD 1.006.1.3			3. Add remarks		In scope	Yes	
BRD 1.006.1.4			4. Save remarks		In scope	Yes	
BRD 1.006.1.5			5. Re-submit request		In scope	Yes	
BRD 1.007.1		VII. Cancel a request	a. Cancel a submitted request for approval		In scope	Yes	
BRD 1.007.1.1			1. Search request		In scope	Yes	
BRD 1.007.1.2			2. Add remarks(i.e reason for cancellation, etc.)		In scope	Yes	
BRD 1.007.1.3			3. Save remarks		In scope	Yes	
BRD 1.007.1.4			4. Cancel submitted request		In scope	Yes	
BRD 1.008.1		VIII. View request/s	a. View the submitted request/s				
BRD 1.008.1.1			1. View the list of the submitted request/s		In scope	Yes	
BRD 1.008.1.2			2. View the status of the submitted request/s		In scope	Yes	
BRD 1.008.1.3			3. View the details of the submitted request/s		In scope	Yes	
BRD 1.008.1.4			4. Receive notification on the approved/rejected request		In scope	Yes	
BRD 1.009.1		IX. Bulk Request	a. Submit request for bulk creation/modification/deactivation/reactivation				
BRD 1.009.1.1			1. Attach a file for bulk processing		In scope	Yes	
BRD 1.009.1.2			2. Add remarks		In scope	Yes	
BRD 1.009.1.3			3. Save remarks		In scope	Yes	
BRD 1.009.1.4			4. Edit a drafted request		In scope	Yes	
BRD 1.009.1.5			5. Cancel a drafted request		In scope	Yes	
BRD 1.009.1.6			6. Submit a request		In scope	Yes	
		B. As an Approver, I want to be able to...					
BRD 2.001.1		I. Log in as an Approver	a. Access the application using any BDO issued device		In scope	Yes	
BRD 2.001.1.1			1. Log in with an Approver user profile		In scope	Yes	
BRD 2.001.1.2			2. Receive the inactivity warning (15 minutes)		In scope	Yes	
BRD 2.001.1.3			3. Receive warning prior to system triggered log out (30 minutes)		In scope	Yes	
BRD 2.002.1		II. Review and approve request/s	a. Receive notification on the request for approval		In scope	Yes	
BRD 2.002.2			b. View the list of requests for approval		In scope	Yes	
BRD 2.002.2.1			1. Filter the list assigned to me		In scope	Yes	
BRD 2.002.3			c. Select request		In scope	Yes	
BRD 2.002.4			d. View request details		In scope	Yes	
BRD 2.002.5			e. Approve request		In scope	Yes	
BRD 2.002.6			f. Reject request		In scope	Yes	
BRD 2.002.6.1			1. Add remarks (i.e rejection reason, etc.)				



5. Business Requirements (FUNCTIONAL)

BR ID	Process Component	Activity	Capability/ Requirement	Additional Remarks	Pilot Phase	Mandatory?	High Risk?
BRD 2.002.6.2			2. Save remarks				
BRD 2.002.7			g. Return request to Requestor		In scope	Yes	
BRD 2.002.7.1			1. Add remarks (i.e reason for return, etc.)		In scope	Yes	
BRD 2.002.7.1			2. Save remarks		In scope	Yes	
		C. As an Business Administrator, I want to be able to...					
BRD 3.001.1		I. Log in as an Business Administrator	a. Access the application using any BDO issued device		In scope	Yes	
BRD 3.001.1.1			1. Log in with an Business Administrator user profile		In scope	Yes	
BRD 3.001.1.2			2. Receive the inactivity warning (15 minutes)		In scope	Yes	
BRD 3.001.1.3			3. Receive warning prior to system triggered log out (30 minutes)		In scope	Yes	
BRD 3.002.1		II. Submit a User Access Group Profile Request	a. Submit a new User Access Group Profiles request		In scope	Yes	
BRD 3.002.1.1			1. Create a request		In scope	Yes	
BRD 3.002.1.2			2. Select approver/s from the drop-down				
BRD 3.002.1.3			3. Edit a drafted request		In scope	Yes	
BRD 3.002.1.4			4. Cancel a drafted request		In scope	Yes	
BRD 3.002.1.5			5. Submit a request		In scope	Yes	
BRD 3.002.1.6			6. Add remarks				
BRD 3.002.1.7			7. Save remarks				
BRD 3.002.2			b. Submit a modify User Access Group Profiles request		In scope	Yes	
BRD 3.002.2.1			1. Create a request		In scope	Yes	
BRD 3.002.2.2			2. Search existing group profile from the drop-down				
BRD 3.002.2.3			3. Select approver/s from the drop-down				
BRD 3.002.2.4			4. Edit a drafted request		In scope	Yes	
BRD 3.002.2.5			5. Cancel a drafted request		In scope	Yes	
BRD 3.002.2.6			6. Submit a request		In scope	Yes	
BRD 3.002.2.7			7. Add remarks				
BRD 3.002.2.8			8. Save remarks				
BRD 3.002.3			c. Submit a User Access Group Profiles deactivation request		In scope	Yes	
BRD 3.002.3.1			1. Create a request		In scope	Yes	
BRD 3.002.3.2			2. Search existing group profile from the drop-down				
BRD 3.002.3.3			3. Select approver/s from the drop-down				
BRD 3.002.3.4			4. Edit a drafted request		In scope	Yes	
BRD 3.002.3.5			5. Cancel a drafted request		In scope	Yes	
BRD 3.002.3.6			6. Submit a request		In scope	Yes	
BRD 3.002.3.7			7. Add remarks				
BRD 3.002.3.8			8. Save remarks				
BRD 3.002.4			d. Submit a User Access Group Profiles reactivation request		In scope	Yes	
BRD 3.002.4.1			1. Create a request		In scope	Yes	
BRD 3.002.4.2			2. Search existing group profile from the drop-down				
BRD 3.002.4.3			3. Select approver/s from the drop-down				
BRD 3.002.4.4			4. Edit a drafted request		In scope	Yes	
BRD 3.002.4.5			5. Cancel a drafted request		In scope	Yes	
BRD 3.002.4.6			6. Submit a request		In scope	Yes	
BRD 3.002.4.7			7. Add remarks				
BRD 3.002.4.8			8. Save remarks				
BRD 3.003.1		III. Generate Reports	a. Generate Customized Report		In scope	Yes	
BRD 3.003.1.1			1. User Access Report		In scope	Yes	
BRD 3.003.1.1.1			1.1. User name		In scope	Yes	
BRD 3.003.1.2			1.2. Group profile		In scope	Yes	
BRD 3.003.1.3			1.3. Date created		In scope	Yes	
BRD 3.003.1.4			1.4. Date modified		In scope	Yes	
BRD 3.003.1.5			1.5. Created by		In scope	Yes	
BRD 3.003.1.6			1.6. Added/Modified/deactivated/reactivated by		In scope	Yes	
BRD 3.003.2			2. User Group Profile Report		In scope	Yes	
BRD 3.003.2.1			2.1. Group profile name		In scope	Yes	
BRD 3.003.2.2			2.2. Modules accessed under each Group profile		In scope	Yes	
BRD 3.003.2.3			2.3. Date created		In scope	Yes	
BRD 3.003.2.4			2.4. Date modified		In scope	Yes	
BRD 3.003.2.5			2.5. Created by		In scope	Yes	
BRD 3.003.2.6			2.6. Added/Modified/deactivated/reactivated by		In scope	Yes	
BRD 3.003.3			3. Group Profile Membership list		In scope	Yes	
BRD 3.003.3.1			1. list of members under each profile		In scope	Yes	
BRD 3.003.3.1.1			1.1 Group profile		In scope	Yes	
BRD 3.003.3.1.2			1.2 User Name		In scope	Yes	
		D. As a System Administrator, I want to be able to...					
BRD 4.001.1		I. Log in as an System Administrator	a. Access the application using any BDO issued device				
BRD 4.001.1.1			1. Log in with an System Administrator user profile				
BRD 4.001.1.2			2. Receive the inactivity warning (15 minutes)				
BRD 4.001.1.3			3. Receive warning prior to system triggered log out (30 minutes)				
BRD 4.002.1		II. Manage users of the system	a. Define User Profile/Role		In scope	Yes	
BRD 4.002.1.1			1. Create user profile/role for Requestor		In Scope	Yes	
BRD 4.002.1.2			2. Create user profile/role for Approver		In Scope	Yes	
BRD 4.002.1.3			3. Create user profile/role for Business Administrator		In Scope	Yes	
BRD 4.002.2			b. Define specific functionality or capability to a specific user profile/role		In scope	Yes	
BRD 4.002.2.1			1. Assign Enroll New User to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.2			2. Assign Modify Existing User function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.3			3. Assign Deactivate User function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.4			4. Assign Reactivate User function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.5			5. Assign Apply Correction function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.6			6. Assign Cancel a request function to a specific user profile/role		In Scope	Yes	



5. Business Requirements (FUNCTIONAL)

BR ID	Process Component	Activity	Capability/ Requirement	Additional Remarks	Pilot Phase	Mandatory?	High Risk?
BRD 4.002.2.7			7. Assign View request/s function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.8			8. Assign Review and approve request/s function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.9			9. Assign Submit a User Access Group Profiles Request function to a specific user profile/role		In Scope	Yes	
BRD 4.002.2.10			10. Generate Reports Request function to a specific user profile/role		In Scope	Yes	
BRD 4.003.1		III. Generate Logs	a.Generate Audit logs for compliance and audit purposes as needed		In Scope	Yes	

NFR ID	Requirement	Additional Remarks						
	Capacity & Performance							
		User Group	Use Case/Process	Max Users	Concurrent Users Transacting (Peak)	Volume (Transaction per Month)		Response Time to User Interactions
	1. Maximum Transaction Volume Supported (TPM)			14	5	10 tpm		10 secs
		Requestor	New User Enrollment Request					
		Requestor	Modify Existing User Request	14	5	10 tpm		10 secs
		Requestor	Deactivate User Request	14	5	10 tpm		10 secs
		Requestor	Reactivate User Request	14	5	10 tpm		10 secs
		Requestor, Approver, BU Admin, System Admin	View Request	14	5	10 tpm		10 secs
		Requestor	Submit Bulk Request	14	5	3 tpm		10 secs
		Approver	Approve Request	8	3	10 tpm		10 secs
		BU Admin	User Group Profile Request	4	2	2 tpm		10 secs
		System Admin	Process New User Access Enrollment	1	1	10 tpm		10 secs
		System Admin	Process User Access Modification Request	1	1	10 tpm		10 secs
		System Admin	Process User Access Deactivation	1	1	10 tpm		10 secs
		System Admin	Process New User Group Profile	1	1	2 tpm		10 secs
		BU Admin, System Admin	Reports Generation	5	3	10 tpm		20 secs
	2. Projected Volume & Data Growth	10 transactions per month (average)						
	3. Supported End-User Touchpoints							
	4. Data Retention & Archiving Capacity (in Years)	Follow QPS retention policy						
	a. Databases	Follow QPS retention policy						
	b. Logs	Follow QPS retention policy						
	5. Data Residency							
	Business Process / Transation Type	User Channel / Touchpoint	User	Concurrent User	Projected Transaction Volume (per month)	Projected Volume Growth Rate	Response Time to User Interactions	Acceptable Error Rate
	User Login / Logout		14	5	10	5%	10 secs	0%
	Application Start-Up		14	5	10	5%	10 secs	0%
	Reports Generation - Event / Incident Report		14	5	3	5%	10 secs	0%
	Reports Generation - Device Status Report (Daily, Weekly, Monthly, Yearly)							0%
	Reports Generation -Historical Events Report (Weekly, Monthly, Yearly)							0%
	Reports Generation -Audit Log Report (Weekly, Monthly, Yearly)		5	3	10	20%	20 secs	0%
	Scalability							
	1. Vertical Scaling	Follow existing QPS set up						
	2. Horizontal Scaling	Follow existing QPS set up						
	Availability							
	1. Operating Hours	Follow existing QPS set up						
	2. Defined locations	Follow existing QPS set up						
	3. Defined Maintenance Windows	Follow existing QPS set up						
	Reliability & Recoverability							
	1. High-Availability / Fail-Over	Follow existing QPS set up						
	2. System Uptime Percentage	Follow existing QPS set up						
	3. Expected Recovery Point Objective (RPO)	Follow existing QPS set up						
	4. Expected Recovery Time Objective (RTO)	Follow existing QPS set up						
	5. Backup Availability	Follow existing QPS set up						
	Disaster Recovery Server Required (Y/N)	Follow existing QPS set up						
	Recovery Processes documentation - This refers to the documented process and structured procedures an organization to follow in the event of a disaster for recovery and business continuity.	Follow existing QPS set up						
	Audit & Data Management							
	1. Transaction Logs (Application & Database)	Follow existing QPS set up						
	2. Audit Logs / Access Records	Follow existing QPS set up						
	3. Regulatory Data / Reports Supported	Follow existing QPS set up						
	4. Supported Data Compression Type	Follow existing QPS set up						
	Portability							
	1. Support licensed Software Deployment in Public Cloud Delivery Model	Follow existing QPS set up						
	2. Support licensed Software Deployment in Private Cloud Delivery Model	Follow existing QPS set up						
	3. Support licensed Software Deployment in On-Premises VPC Model	Follow existing QPS set up						
	4. Support Application Service Provider Delivery Model	Follow existing QPS set up						
	5. Support Software-as-a-Service Delivery Model	Follow existing QPS set up						
	Interoperability & Integration							
	1. Supports Web-Based API Integration	Follow existing QPS set up						
	2. Supports File-Based Integration	Follow existing QPS set up						
	3. Supports Microservices API exposure	Follow existing QPS set up						
	4. Supports Integration to the following:	Follow existing QPS set up						
	a. Active Directory	Follow existing QPS set up						
	b. Customer relationship management	Follow existing QPS set up						

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks
	c. API Gateway / ESB	Follow existing QPS set up
	d. Data Integration / ETL	Follow existing QPS set up
	e. Core Banking System	Follow existing QPS set up
	f. Monitoring Tools	Follow existing QPS set up
	g. Load Balancer / Web Farms / Proxies	Follow existing QPS set up
	h. Third-Party Applications	Follow existing QPS set up
	Accessibility & Usability	
	1. Accessibility options to enable use for those with impaired vision or colour blindness	Follow existing QPS set up
	2. Designed & deployed to support below channel implementations:	Follow existing QPS set up
	a. Website	Follow existing QPS set up
	b. Mobile Website	Follow existing QPS set up
	Maintainability & Extensibility	
	1. Supports new requirements, enhancements, or functionalities through configuration, workflow, or custom development	Follow existing QPS set up
	2. Support upgrades, patches, and product extension for software, hardware, and firmware	Follow existing QPS set up
	3. Supports Backward Compatibility	Follow existing QPS set up
	4. Deployment Approach with zero to Minimal Downtime	Follow existing QPS set up
	Environment	
	1. Development Environment	Follow existing QPS set up
	2. System Integration Testing Environment	Follow existing QPS set up
	3. User Acceptance Testing Environment	Follow existing QPS set up
	4. Load / Performance Testing Environment	Follow existing QPS set up
	5. Operational Readiness Testing Environment	Follow existing QPS set up
	6. Data Migration Testing Environment	Follow existing QPS set up
	7. Production Environment	Follow existing QPS set up
	8. Disaster Recovery Environment	Follow existing QPS set up
	Migration	
	1. Supports Data Migration	N/A
	2. Supports User Migration	N/A
	Support	
	1. QA Services (SIT, Performance / Load, UAT)	Follow existing QPS set up
	2. Training Services	Follow existing QPS set up
	3. Platform / Hardware / Software / Network	Follow existing QPS set up
	4. Post-implementation Support (for enhancement & change request)	Follow existing QPS set up
	5. Application Maintenance & Support	Follow existing QPS set up
	Regulatory & Compliance	
	1. Manual of Regulations for Banks (MORB) from BSP	Follow existing QPS set up
	2. Circular 808 of 2013	Follow existing QPS set up
	3. Anti-Money Laundering Act of 2001	Follow existing QPS set up
	4. Data Privacy Act of 2012	Follow existing QPS set up
	Hardware requirements	
	1. Server requirements	Follow existing QPS set up
	a. Web server	Follow existing QPS set up
	b. Application server	Follow existing QPS set up
	c. Database server	Follow existing QPS set up
	d. File server	Follow existing QPS set up
	e. Branch-specific/site-specific server (i.e. Server that is deployed per branch or per site as contrasted from server(s) centrally deployed in the data center)	Follow existing QPS set up
	f. Other servers (insert additional row for each additional server.)	Follow existing QPS set up
	2. Workstation for application end-users	Follow existing QPS set up
	a. Hardware specifications	Follow existing QPS set up
	b. Required hardware peripherals	Follow existing QPS set up
	3. Workstation for application developers	Follow existing QPS set up
	a. Hardware specifications	Follow existing QPS set up
	b. Required hardware peripherals	Follow existing QPS set up
	4. Other hardware requirements (Specify purpose.)	Follow existing QPS set up
	Software requirements	
	1. Server Operating System (Specify completed specifications and supported versions for all supported operating systems.)	Follow existing QPS set up
	a. Web server	Follow existing QPS set up
	b. Application server	Follow existing QPS set up
	c. Database server	Follow existing QPS set up
	d. File server	Follow existing QPS set up
	e. Branch-specific/site-specific server (i.e. Server that is deployed per branch or per site as contrasted from server(s) centrally deployed in the data center)	Follow existing QPS set up
	f. Other servers (Insert additional row for each additional server.)	Follow existing QPS set up
	g. The application must be installed on standard OS configuration of IT Infrastructure and Operations.	Follow existing QPS set up
	2. Server Applications (Include all applications including device drivers, third party applications and plug-ins.)	Follow existing QPS set up

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks
	a. Web server	Follow existing QPS set up
	b. Application server	Follow existing QPS set up
	c. Database server	Follow existing QPS set up
	d. File server	Follow existing QPS set up
	e. Branch-specific/site-specific server - If branch-specific server requires a branch-level RDBMS, please indicate if RDBMS can support postgresql and specify all supported versions	Follow existing QPS set up
	f. Other servers (Insert additional row for each additional server.)	Follow existing QPS set up
	g. Application binary file location: - For Windows, the files must be in C:\Program Files. - For Unix, the files must be in the default directory of the Unix distribution.	Follow existing QPS set up
	h. Application log location: - For Windows, the files must be in <drive>\log\<application_name> - For Unix, they must be in /var/log/<application_name>	Follow existing QPS set up
	i. Embedded application user IDs should be named with the following format: e_application_shortcode_description, where: - e is the letter that indicates the environment where the embedded ID will be used (i.e., p=production, u= UAT, s= SIT, d=development). - application shortcode is an abbreviated name of the application that uses the ID/credentials, and - description is a mnemonic that specifically describes the purpose of the embedded user ID and/or its target application if used for connectivity. - Example: p_appname_sftp	Follow existing QPS set up
	3. Workstation – End-users (End users are users of the applications who are not acting as developers. If different specifications are needed for application administrators, please specify them separately from end user specifications.)	Follow existing QPS set up
	a. Operating System	Follow existing QPS set up
	b. Application (e.g. browser versions)	Follow existing QPS set up
	c. System Software (e.g. java runtime)	Follow existing QPS set up
	4. Workstation – Developers and Testers	Follow existing QPS set up
	a. Operating System	Follow existing QPS set up
	b. Application	Follow existing QPS set up
	c. Developer tools	Follow existing QPS set up
	d. Version Control software	Follow existing QPS set up
	e. Testing software	Follow existing QPS set up
	Network	
	1. Use of the application and data backup must not impact branch/ATM operations.	Follow existing QPS set up
	2. There must be no change to the existing network infrastructure design.	Follow existing QPS set up
	3. Ports and protocol (Specify all required port numbers and indicate protocol for each port [i.e. UDP or TCP].)	Follow existing QPS set up
	4. Network devices (Specify if any are required. e.g. load balancing devices, monitoring devices)	Follow existing QPS set up
	5. Baseline bandwidth requirements per transaction	Follow existing QPS set up
	6. Maximum network latency (in milliseconds) for application to function	Follow existing QPS set up
	7. Interfaces with other systems (Specify bank systems with which the proposed solution must interface.)	Follow existing QPS set up
	System Operation	
	1. User and Role management	Follow existing QPS set up
	a. Has online modules to view, add, modify or delete master data including user and role data	Follow existing QPS set up
	b. Manage end-user application access and privileges via roles	Follow existing QPS set up
	c. More than one user can be assigned to a role	Follow existing QPS set up
	d. User can have more than one role	Follow existing QPS set up
	e. User accounts can be disabled and re-enabled	Follow existing QPS set up
	f. User and role maintenance activities are recorded in the application log	Follow existing QPS set up
	g. Has query or report to display roles assigned to users. Report can be exported.	Follow existing QPS set up
	h. Supports LDAP or Active Directory	Follow existing QPS set up
	i. Can support authorization of users by interfacing with an external ACl	Follow existing QPS set up
	j. Supports user id of at least ten (10) alphanumeric characters in length, supports 'a999999999' format	Follow existing QPS set up
	k. Ability to specify effective date for user and role changes	Follow existing QPS set up

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks			
	Should contain the following for User ID Maintenance: a. Windows ID b. User Name c. User status (active, disabled, locked out, online, etc.) d. Business Unit Group e. User Level	Follow existing QPS set up			
	Should provide the System Administrator with the following capabilities: a. Access rights per group per role b. User Administrator Maintenance c. Group Administration d. Maintain various reference tables e. Workflow setup f. Screen update and maintenance	Follow existing QPS set up			
	Should be able to interface User ID with EUA using windows ID to authenticate user access if existing in BDO network and on password validation. System to pass on the user ID and the entered password as EUA returns the status if logon was successful or not. If failed, corresponding error message will also be forwarded.	Follow existing QPS set up			
	Should able to log all valid and even invalid attempt	Follow existing QPS set up			
	Users should be locked out to the system after 3 in	Follow existing QPS set up			
	2. Reference/Master data management Master Data are data that are non-transactional in nature. (e.g., customer, branch, employee)	Follow existing QPS set up			
	a. Has online modules to view, add, modify or delete master data	Follow existing QPS set up			
	b. Master data management tool enforces referential integrity rules and data validation rules.	Follow existing QPS set up			
	b.1) Prevents entry of incorrect data	Follow existing QPS set up			
	b.2) Supports logical deletion	Follow existing QPS set up			
	c. Master data changes are recorded in the	Follow existing QPS set up			
	d. Role-based access control to master data management facility	Follow existing QPS set up			
	3. Error Logging	Follow existing QPS set up			
	a. Error log should contain the following details:	Follow existing QPS set up			
	a.1) error description	Follow existing QPS set up			
	a.2) time stamp	Follow existing QPS set up			
	a.3) user ID	Follow existing QPS set up			
	a.4) module ID	Follow existing QPS set up			
	a.5) command or SQL that caused the error	Follow existing QPS set up			
	b. Facility to enable/disable error logging	Follow existing QPS set up			
	c. Facility to change default location of error log file	Follow existing QPS set up			
	d. Application rotates logs or allows rotation of logs through another application	Follow existing QPS set up			
	e. Allows setting of parameter (e.g. frequency, maximum log size) after which the log file is truncated and a new one is created	Follow existing QPS set up			
	f. Uses native system logging facilities (syslog, etc.)	Follow existing QPS set up			
	g. Log entry is saved as one line	Follow existing QPS set up			
	h. Allows selection of log message verbosity	Follow existing QPS set up			
	i. Allows selection of types or messages to log	Follow existing QPS set up			
	j. Facility to transmit system and application logs to a remote server	Follow existing QPS set up			
	4. Transaction Logging and Audit Trail	Follow existing QPS set up			
	a. Transaction log should contain the following details:	Follow existing QPS set up			
	a.1) type of transaction	Follow existing QPS set up			
	a.2) time stamp	Follow existing QPS set up			
	a.3) user ID	Follow existing QPS set up			
	a.4) module ID	Follow existing QPS set up			
	b. Facility to enable/disable transaction logging	Follow existing QPS set up			
	c. Facility to change default location of transaction log file	Follow existing QPS set up			
	d. Facility to transmit system and application logs to a remote server	Follow existing QPS set up			
	All user activities such as creation, editing of specific fields, deleting of records, etc. should be logged through the audit trail and can be retrieved anytime by the administrator. Allow automatic save option.	Follow existing QPS set up			
	5. Logs Retention & Archiving	Follow existing QPS set up			
	Data	Retention Period (Data-In-Use/ Online)	Archival Period (Data-at-Rest / Offline)	Disposal / Purging Period	Backup Frequency
	Application Logs	Follow existing QPS set up			
	Database Logs	Follow existing QPS set up			
	Audit Logs (System Level & Secure logs)	Follow existing QPS set up			
	Infrastructure Event logs	Follow existing QPS set up			
	Historical data within database	Follow existing QPS set up			
	Configuration / VMs Snapshots	Follow existing QPS set up			
	Video Raw File	Follow existing QPS set up			
	Documents (digital copy)	Follow existing QPS set up			
	Documents (hard copy)	Follow existing QPS set up			
		Follow existing QPS set up			
	5. Batch Processing (Populate if proposed solution includes batch job(s))	Follow existing QPS set up			

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks
	a. Facility to schedule batch job or batch stream	Follow existing QPS set up
	b. Facility to manually invoke batch job or batch stream	Follow existing QPS set up
	c. Facility to monitor status of batch processes	Follow existing QPS set up
	d. Facility to re-run batch streams or jobs	Follow existing QPS set up
	e. Facility to terminate gracefully running batch processes	Follow existing QPS set up
	f. User interface for scheduling, invoking, monitoring and rerunning batch processes does not require command line inputs.	Follow existing QPS set up
	g. Facility to publish status of batch processes to a file or to send to external monitoring systems	Follow existing QPS set up
	h. A batch or background program that must have only one running instance should check upon startup if an instance is already running	Follow existing QPS set up
	i. Interrupted batch processes can restart at the point they are interrupted	Follow existing QPS set up
	j. Batch processes do not require privileged access	Follow existing QPS set up
	k. Batch processes are able to take advantage of multi-processor and multi-core processor architectures	Follow existing QPS set up
	l. Batch processes that are not dependent on each other can be run simultaneously	Follow existing QPS set up
	Should provide capability to monitor the batch run and log for success and failed run. Should able to forward email notification to designated users on failed batch runs.	Follow existing QPS set up
	Should able to forward email notification to designated users on failed batch runs.	Follow existing QPS set up
	6. System Monitoring	Follow existing QPS set up
	a. Facility to monitor application processes	Follow existing QPS set up
	b. Facility to send status of application processes to external monitoring systems	Follow existing QPS set up
	c. Facility to start/stop application processes	Follow existing QPS set up
	d. User interface for monitoring, starting and stopping application processes does not require command line inputs.	Follow existing QPS set up
	7. Network Infrastructure and configuration	Follow existing QPS set up
	a. The servers/services of the system can be referred to using aliases or canonical name records in the DNS instead of IP addresses and host names	Follow existing QPS set up
	b. Can refer to servers/services of other systems using aliases or canonical name records in the DNS instead of IP addresses and host names	Follow existing QPS set up
	c. References to aliases, IP addresses and host names are configurable during installation	Follow existing QPS set up
	d. Application TCP and UDP ports are configurable during installation	Follow existing QPS set up
	e. System does not require use of hosts files.	Follow existing QPS set up
	f. Does not use reserved ports and IANA-registered ports for non-standard purposes (e.g. Application does not use port 443 except for https and does not use port 22 except for sftp.)	Follow existing QPS set up
	8. Contingency Planning and Disaster Recovery	Follow existing QPS set up
	a. Can integrate with Netbackup or Bacula	Follow existing QPS set up
	b. Can support server clustering	Follow existing QPS set up
	b.1) web server	Follow existing QPS set up
	b.2) application server	Follow existing QPS set up
	b.3) database server	Follow existing QPS set up
	b.4) file server	Follow existing QPS set up
	b.5) other server(s)	Follow existing QPS set up
	c. Can support offsite replication	Follow existing QPS set up
	c.1) web server	Follow existing QPS set up
	c.2) application server	Follow existing QPS set up
	c.3) database server	Follow existing QPS set up
	c.4) file server	Follow existing QPS set up
	c.5) other server(s)	Follow existing QPS set up
	d. Can support active-active set-up	Follow existing QPS set up
	d.1) web server	Follow existing QPS set up
	d.2) application server	Follow existing QPS set up
	d.3) database server	Follow existing QPS set up
	d.4) file server	Follow existing QPS set up
	d.5) other server(s)	Follow existing QPS set up
	e. Provide estimated disk space (in bytes) to be occupied by the following components:	Follow existing QPS set up
	e.1) operating system and third party	Follow existing QPS set up
	e.2) Application static files and reference	Follow existing QPS set up
	e.3) transactional/dynamic data (based on volume forecasts provided by the business unit)	Follow existing QPS set up
	9. Data Purging and Archiving	Follow existing QPS set up
	a. Automated archiving and purging of historical, expired or obsolete transactional data	Follow existing QPS set up

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks
	b. Automated archiving and purging of obsolete log files, reports and other temporary files	Follow existing QPS set up
	c. Facility to schedule purging and archiving process	Follow existing QPS set up
	d. Access to purge can be limited	Follow existing QPS set up
	e. Configurable rules/parameters for purging and archiving process (e.g. based on date, record status)	Follow existing QPS set up
	10. Server software installation, configuration, deployment, updating and decommissioning	Follow existing QPS set up
	a. Documented processes for server-side software installation, configuration, deployment, updating and decommissioning	Follow existing QPS set up
	b. Software can be installed to the production environment by being checked out of a software repository / configuration tool (e.g. SVN) without requiring access to the development and testing environments.	Follow existing QPS set up
	c. Server application components can be implemented as a service (or the equivalent of a service [e.g. daemons for GNU/Linux])	Follow existing QPS set up
	d. System is capable of invoking/starting other applications during startup if the application requires them to be running during startup.	Follow existing QPS set up
	e. Multiple application instances allowed	Follow existing QPS set up
	f. Application configuration file can be reloaded dynamically by the application without restarting	Follow existing QPS set up
	g. Locations and names of application files and folders are configurable during installation	Follow existing QPS set up
	h. System uses least privileged access for performing each function (e.g. Application does not require admin privilege to access the database).	Follow existing QPS set up
	11. Workstation software installation, configuration, deployment, updating and decommissioning (Populate if proposed solution includes installation or configuration of workstation software or hardware peripherals).	Follow existing QPS set up
	a. Documented processes for workstation software installation, configuration, deployment, updating and decommissioning	Follow existing QPS set up
	b. Software can be installed to the production environment by being checked out of a software repository / configuration tool (e.g. SVN) without requiring access to the development and testing environments.	Follow existing QPS set up
	c. Support for automated workstation software deployment and configuration (i.e. installation via software package)	Follow existing QPS set up
	d. Locations and names of application files and folders are configurable during installation	Follow existing QPS set up
	e. Settings, configuration and variables that are global to the system do not need to be defined per individual workstation	Follow existing QPS set up
	f. All end-user functions of the system do not require privileged workstation access (e.g. workstation administrator user)	Follow existing QPS set up
	g. System does not require use of proprietary commercial software (e.g. Microsoft Office) and can operate with open source software (e.g. Open Office, Libre Office).	Follow existing QPS set up
	h. System should not be dependent on specific versions and/or patch levels of third-party software (e.g. Java, Adobe, etc.), but instead be resilient to frequent patching of said software.	Follow existing QPS set up
	i. System does not require use of software that is no longer supported by its developer or whose developers is no longer in operation (e.g. FoxPro, Peachtree).	Follow existing QPS set up
	j. For systems requiring hardware peripherals to be installed at user workstations:	Follow existing QPS set up
	j.1) All drivers and other software required to use the hardware can be pre-installed in the workstation without requiring the hardware to be attached during software installation.	Follow existing QPS set up
	j.2) Hardware is immediately operational upon being attached to a workstation pre-installed with the requisite software, without requiring additional configuration during hardware installation.	Follow existing QPS set up
	System Documentation	
	1. Availability of updated system documentation:	Follow existing QPS set up
	a. functional design	Follow existing QPS set up
	b. technical design	Follow existing QPS set up
	c. user manual	Follow existing QPS set up
	d. installation guide	Follow existing QPS set up
	e. release notes for software patches/update	Follow existing QPS set up

6. Business Requirements (NON-FUNCTIONAL)

NFR ID	Requirement	Additional Remarks
	f. instruction guide on how to manage users and extract users list and group profile list for	Follow existing QPS set up
2.	Availability of application troubleshooting guide	Follow existing QPS set up
3.	Availability of training for system administrators and application administrators	Follow existing QPS set up
4.	Availability of capacity planning guidelines	Follow existing QPS set up
5.	Availability of application performance benchmark data (e.g. system throughput, transaction response time, stress test break-point analysis, etc.)	Follow existing QPS set up
System Development and Testing		
1.	Development and/or testing requires access to resources outside the BDO network (e.g. Internet, vendor intranet, etc.)	Follow existing QPS set up
2.	Requires off-site development (i.e. outside BDO)	Follow existing QPS set up
3.	Off-site development team requires access to resources within the BDO network	Follow existing QPS set up
4.	Requires vendor on-site development (i.e. within BDO premises)	Follow existing QPS set up
5.	Vendor on-site development team can use BDO workstations (If yes, please ensure that the workstation hardware and software requirements for development and testing are provided in Sections A and B.)	Follow existing QPS set up
6.	Performance testing tools and procedures are available to test the capability of the application and the network to support BDO's expected volume and utilization.	Follow existing QPS set up
Production Support		
1.	Maintenance activities and problem resolution require access to resources outside the BDO network (e.g. Internet, vendor intranet, etc.)	Follow existing QPS set up
2.	Vendor's maintenance team requires off-site access to resources within the BDO network	Follow existing QPS set up
Other BU Non-functional Requirements		
1.	Password Management (Reset, Change, etc.)	Yes
2.	Role-Based Access Control - Define roles and assign permission - Map users to specific roles	Yes
3.	Permission Management	Yes
4.	Integration with Single Sign On (SSO) or LDAP	Yes
5.	Session management (timeout, log out, etc.) - Receive the inactivity warning (after 15 minutes) - Receive warning prior to system triggered log out (after 30 minutes)	Yes
6.	Audit Logging - Track changes in user roles and permissions - Log user login/log outs activities - Availability of Audit log reports	Yes
7.	Enforce strong password policies	Yes
8.	Self-service and Admin Tools - Self-service password reset - User-friendly screens to manage access - Allows defined user to update profile information	Yes
9.	Should support bulk uploads or batch updates of user profiles	Yes
10.	With Notification for access changes	Yes
11.	With configurable workflow for user access requests and approvals - any changes on the access to user privileges are systematically monitored, evaluated and if necessary escalated for additional review. For example, modifications done outside working hours or from low privilege to high-privilege access, etc.	Yes

7. REPORT REQUIREMENTS

Below are the sample reports:

A) User Access Report

Date Coverage <as of _____>

Reported Generated by: Ma. Fides R. Ebuenga
Date and Time Generated: 04/14/2025 08:30:145 AM

[illegible]

B) User Group Profile Report

Date Coverage <as of >

Reported Generated by: Ma. Fides R. Ebuenga
Date and Time Generated: 04/14/2025 08:30:145 AM

Group Profile	Module Name	Task Name	Access
<i>sample only</i>			
Marketing Account Officer	Client Management	View Client	<i>With Access</i>
		Add Client	<i>With Access</i>
		Amend Client	<i>With Access</i>
		Delete Client	<i>No Access</i>
	Quotation	View Quotation	<i>With Access</i>
		Add Quotation	<i>With Access</i>
		Amend Quotation	<i>With Access</i>
		Save Quotation	<i>With Access</i>
	Account	View Account	<i>With Access</i>
		Add Account	<i>With Access</i>
		Amend Account	<i>With Access</i>
		Delete Account	<i>No Access</i>
		Submit for Placement	<i>No Access</i>

C) User Group Profile Report

Date Coverage <as of >

Reported Generated by: Ma. Fides R. Ebuenga
Date and Time Generated: 04/14/2025 08:30:145 AM

Group Profile	Member Username	Member User ID	Created by	Date Created	Modified by	Date Modified
sample only						
Marketing Account Officer	User 1	a013000000	Admin 1	2/14/2025		
	User 2	a013000001	Admin 1	2/14/2025	Admin 3	2/18/2025
	User 3	a013000002	Admin 1	2/14/2025		
Marketing Team Lead	User 4	a013000003	Admin 1	2/14/2025		
	User 5	a013000004	Admin 1	2/14/2025	Admin 1	3/10/2025
Processing Officer	User 6	a013000005	Admin 2	2/14/2025		
	User 7	a013000006	Admin 2	2/14/2025		

D) **User Access Audit Log**

Date Coverage From <date> To <date>

Reported Generated by: Ma. Fides R. Ebuenga
Date and Time Generated: 04/14/2025 08:30:145 AM

Date	Activity	From	To	Done By
<i>Sample only</i>				
3/14/2024	Modify User Group Profile of User 123	Marketing Team Lead	Processing Team Lead	System Admin 1
11/12/2024	Created Request to Enroll New User	Null	a013000196	Requestor 1
11/12/2024	Approved Request to Enroll New User	Null	a013000196	Approver 1
3/1/2025	Modify Username	Username 2	Username 234	System Admin 2

Information Technology Group	Business Requirements Document (BRD)	Template Reference No.	
(Name of Department and Unit)		BRQ No:	
		BRD No:	
		Business Unit:	

I have read and understood the entire documents	
Owner: I own this document and approve all of its contents	I have validated the completeness of business requirements to ensure it is organized correctly, no ambiguities, sufficiently detailed, and testable. I confirm that all business stakeholders are aligned to these requirements, their priorities, and the business case.
Prepared by:	Approved by:
 Roda Lyn Gallardo, M2 Business Analyst Enterprise Services - Business Process Services	Shellah Marie C. Miranda, AVP Product Owner BDO Insurance and Brokers Inc.
Input Provider:	
Ma. Fides Rivera, AM BU Representative BDO Insurance and Brokers Inc.	Huessain P. Pangcoga, SAVP Unit Head - Claims and Risk Management BDO Insurance and Brokers Inc.
Reviewed by:	
Dan Ace Cauton, AVP Program Manager Enterprise Services - Business Process Services	Mark Joseph C. Makalintal, SAVP Unit Head - Combank and Corbank Marketing/Corporate Processing BDO Insurance and Brokers Inc.
	Ronald Allan E. De Leon, VP Head - Comptrollership BDO Insurance and Brokers Inc.
	Edmundante F. Ramirez, VP Head - Retail Marketing BDO Insurance and Brokers Inc.
	Roderick Lim, FVP Head - Corporate and Retail Marketing BDO Insurance and Brokers Inc.



Business Requirements Document QPS User Access Maintenance Module

Prepared by: Roda Lyn Gallardo

Strictly Confidential and for Internal Use of BDO only



Revision Management

VERSION	REVISION DATE	UPDATED BY	REVISION NOTES
1	15-Apr-25	Roda Lyn Gallardo	Initial document



Usage Instructions

- 1) The System Analyst, Business System Analyst or equivalent BDO ITG personnel is responsible for populating this Business Requirements Document by obtaining inputs from the business unit and if necessary from other IT units (ITEA, ITSec, ITSD, ITIO, ITXD). Schedule BR discussion/s with the Stakeholders.
- 2) Instructions and Samples are provided per tab for guidance on how to populate the document. Please **delete** them before finalizing the document.
Instructions are formatted as italic and in Blue font.
Samples are formatted in Red font.
- 3) Explain to the Business Unit requester that the Priority and Phase/Release information are collected to gather the business unit's prioritization but may be subject to change if there are constraints in the succeeding activities of the project.
- 4) Ensure that all requirements are testable and can be mapped to succeeding functional requirements specifications in subsequent phases of the project. Ensure that all requirements listed are clear and understood by other IT units (ITEA, ITSec, ITSD, ITIO, ITXD). In case of ambiguity or misinterpretation by other units, rephrase or add wordings to the requirements. In case of requirements that cannot be articulated or satisfactorily clarified, mark these as high risk for further development during the sourcing (SD04) and requirements (SB02) processes.
- 5) After this Business Requirements Document is completed (and revised in case of inputs from other IT units), obtain sign-off from the Business Unit requester and the Business Unit Group Head in case they are not the same.



1. Introduction

1.1 Purpose and Scope of the Document

This document defines the business requirements for QPS User Access Maintenance Module.

The Business Requirements Document (BRD) lists the capabilities expected from the solution / service to meet the outcomes of the Business Request (BRQ) approved in the business case. The BRD should be more descriptive than the original BRQ but should not detail how each capability will be built or which system it will be built in unless the detail is critical to the explicitly stated outcome.

This document shall be updated as requirements are further defined and finalized based on discussions, recommendations and feedback from business and technical stakeholders. Unless otherwise stated, all requirements are considered high priority and committed for this phase.

1.2 Intended Audience

INVOLVEMENT		NAME	GROUP
Author		Roda Lyn Gallardo	ES-BPDS
Input Provider		Ma. Fides Rivera	BDO Insurance & Reinsurance Brokers, Inc.
Output Receiver			
Process Owner		Shellah Marie Miranda	BDO Insurance & Reinsurance Brokers, Inc.

1.3 Definition of Terms

Term		Definition
User Access		refers to permissions and privileges granted to a user within the system, network or application. It determines what a user can view, modify, or execute based on their role and authorization level.
Group Profile		refers to a set of shared attributes, permissions, or configurations assigned to a collection of users within a system, organization, or application.
QPS		Quotation and Pre-processing System

1.4 References

DOCUMENT ID	TITLE	AUTHOR
	QPS User Access Maintenance Module BR	Ma. Fides Rivera



2. Overview

Currently, BDO Insurance and Brokerage Inc. coordinates all Quotation and Pre-processing System (QPS) user access requests with IT, resulting in processing delays. This project aims to develop a dedicated module within QPS that enables the Business Unit to independently manage user permissions, roles and access levels reducing dependency on IT and improving efficiency.

2.1 Business Objectives

- 1. To be able to ensure secure, efficient and compliant management of user access in the Quotation and Pre-processing System (QPS)
- 2. To enable self-service access requests to reduce dependency on IT support
- 3. Simplify role changes and access modification

2.2 Assumptions and Limitations

- 1. The assumption is there's a defined User Access Matrix in place

NEW/MODIFICATION ACCESS REQUEST



NEW/MODIFICATION OF GROUP PROFILE



4. Stakeholders

Group	User Role	Functions
BDOL - USERS	Requestor	Requests access to application
	Approver	Review and approves requests based on job requirements and access matrix
	Business Administrator	Define and manages user roles, permissions and access policies Support Users in raising access-related issues Generate necessary reports
	System Administrator	Support Users in resolving access-related issues Manages user provisioning, de-provisioning and role modification Ensures the availability and resilience of servers
ITIO-SRE	Database Administrator	Ensures the availability and resilience of databases
	Storage Administrator	Ensures the availability and resilience of storage
IT Service Delivery Application Management (ITSD - AMS)	Application support	Maintains system parameters
		Maintains reference tables
		Administers and implements screens and report layout

BR ID	Process Component	Activity	Capability/ Requirement	Additional Remarks	Pilot Phase Mandatory?	Risk?
BRD 1.001.1	A. As a Requestor, I want to be able to...	I Log in as a Requestor	a Access the application using any BDO issued device		in scope	Yes
BRD 1.001.1			1 Log in with a Requestor user profile		in scope	Yes
BRD 1.001.1			2 Receive the inactivity warning (15 minutes)		in scope	Yes
BRD 1.001.1			3 Receive warning prior to system triggered log out (30 minutes)		in scope	Yes
BRD 1.002.1	II. Enroll New User	a Submit a new User Access request	1 Create request		in scope	Yes
BRD 1.002.1			1.1 Input New User data		in scope	Yes
BRD 1.002.1			1.2 Select User Access Group profile		in scope	Yes
BRD 1.002.1			1.3 Select approver from the drop-down		in scope	Yes
BRD 1.002.1	III. Modify Existing User	a Submit modify User Access/permission request	1 Create request		in scope	Yes
BRD 1.003.1			1.1 Search existing User		in scope	Yes
BRD 1.003.1			1.2 Edit/Update selected user data		in scope	Yes
BRD 1.003.1			1.3 Select User Access Group profile		in scope	Yes
BRD 1.003.1	IV. Deactivate User	a Submit a User Access deactivation request	1.4 Select approver from the drop-down		in scope	Yes
BRD 1.003.1			1.5 Add remarks (ie justification, etc.)		in scope	Yes
BRD 1.003.1			1.6 Save remarks		in scope	Yes
BRD 1.003.1			2 Edit drafted request		in scope	Yes
BRD 1.003.1	V. Reactivate User	a Submit a User Access reactivation request	3 Cancel drafted request		in scope	Yes
BRD 1.004.1			4 Submit request		in scope	Yes
BRD 1.004.1			1 Create a request		in scope	Yes
BRD 1.004.1			1.1 Search an existing User		in scope	Yes
BRD 1.004.1	VI. Apply Correction	a Apply correction on returned requests	1.2 Add remarks (ie reason for deactivation)		in scope	Yes
BRD 1.004.1			1.3 Save remarks		in scope	Yes
BRD 1.004.1			1.4 Select approver from the drop-down		in scope	Yes
BRD 1.004.1			2 Edit drafted request		in scope	Yes
BRD 1.004.1	VII. Cancel a request	a Cancel a submitted request for approval	3 Cancel drafted request		in scope	Yes
BRD 1.004.1			4 Submit request		in scope	Yes
BRD 1.004.1			1 Search request		in scope	Yes
BRD 1.004.1			2 Add remarks(ie reason for cancellation, etc.)		in scope	Yes
BRD 1.004.1	VIII. View request/s	a View the submitted request/s	3 Save remarks		in scope	Yes
BRD 1.004.1			4 Cancel submitted request		in scope	Yes
BRD 1.004.1			1 View the list of the submitted request/s		in scope	Yes
BRD 1.004.1			2 View the status of the submitted request/s		in scope	Yes
BRD 1.008.1	IX. Bulk Request	a Submit request for bulk creation/modification/deactivation/reactivation	3 View the details of the submitted request/s		in scope	Yes
BRD 1.008.1			4 Receive notification on the approved/rejected request		in scope	Yes
BRD 1.008.1			1 Attach a file for bulk processing		in scope	Yes
BRD 1.008.1			2 Add remarks		in scope	Yes
BRD 1.009.1	B. As an Approver, I want to be able to...	I Log in as an Approver	3 Save remarks		in scope	Yes
BRD 1.009.1			4 Edit a drafted request		in scope	Yes
BRD 1.009.1			5 Cancel a drafted request		in scope	Yes
BRD 1.009.1			6 Submit a request		in scope	Yes
BRD 2.001.1			a Access the application using any BDO issued device		in scope	Yes
BRD 2.001.1			1 Log in with an Approver user profile		in scope	Yes
BRD 2.001.1			2 Receive the inactivity warning (15 minutes)		in scope	Yes
BRD 2.001.1			3 Receive warning prior to system triggered log out (30 minutes)		in scope	Yes
BRD 2.002.1		II Review and approve request/s	a Receive notification on the request for approval		in scope	Yes
BRD 2.002.1			b View the list of requests for approval		in scope	Yes
BRD 2.002.1			1 Filter the list assigned to me		in scope	Yes
BRD 2.002.1			c Select request		in scope	Yes
BRD 2.002.4			d View request details		in scope	Yes
BRD 2.002.5			e Approve request		in scope	Yes
BRD 2.002.6			f Reject request		in scope	Yes
BRD 2.002.6			1 Add remarks (ie rejection reason, etc.)		in scope	Yes

5. Business Requirements (FUNCTIONAL)

[illegible]

BR ID	Process	Component	Activity	Capability/ Requirement	Additional Remarks	Pilot Phase Mandatory?	Risk?
BRD 4.002.2.7				7. Assign View request/s function to a specific user profile/role		In Scope	Yes
BRD 4.002.2.8				8. Assign Review and approve request/s function to a specific user profile/role		In Scope	Yes
BRD 4.002.2.9				9. Assign Submit a User Access Group Profiles Request function to a specific user profile/role		In Scope	Yes
BRD 4.002.2.10				10. Generate Reports Request function to a specific user profile/role		In Scope	Yes
BRD 4.003.1			III. Generate Logs	a. Generate Audit logs for compliance and audit purposes as needed		In Scope	Yes

Capacity & Performance												
User Group		Use Case/Process		Max Users	Concurrent Users	Transacting (Peak)	Volume (Transaction per Month)	Response Time to User Interactions	1. Maximum Transaction Volume Supported (TPM)			
Requestor		New User Enrollment Request		14	5		10 tpm	10 secs				
Requestor		Modify Existing User Request		14	5		10 tpm	10 secs				
Requestor		Deactivate User Request		14	5		10 tpm	10 secs				
Requestor		Reactivate User Request		14	5		10 tpm	10 secs				
Requestor		View Request		14	5		10 tpm	10 secs				
Requestor		Submit Bulk Request		14	5		3 tpm	10 secs				
Approver		Approve Request		8	3		10 tpm	10 secs				
BU Admin		User Group Profile Request		4	2		2 tpm	10 secs				
System Admin		Process New User Access Enrollment		1	1		10 tpm	10 secs				
System Admin		Process User Access Modification Request		1	1		10 tpm	10 secs				
System Admin		Process User Access Deactivation		1	1		10 tpm	10 secs				
System Admin		Process New User Group Profile		1	1		2 tpm	10 secs				
BU Admin, System Admin		Reports Generation		5	3		10 tpm	20 secs				
									2. Projected Volume & Data Growth			
									10 transactions per month (average)			
									3. Supported End-User Touchpoints			
									4. Data Retention & Archiving Capacity (in Years)			
									Follow QPS retention policy			
									a. Databases			
									Follow QPS retention policy			
									b. Logs			
									Follow QPS retention policy			
									5. Data Residency			
									Business Process / Transaction Type			
									User Channel / Touchpoint			
									User			
									Concurrent User			
									Transaction Volume (per month)			
									Projected Volume Growth Rate			
									Response Time to User Interactions			
									Acceptable Error Rate			
									Scalability			
									1. Vertical Scaling			
									Follow existing QPS set up			
									2. Horizontal Scaling			
									Follow existing QPS set up			
									Availability			
									1. Operating Hours			
									Follow existing QPS set up			
									2. Defined locations			
									Follow existing QPS set up			
									3. Defined Maintenance Windows			
									Follow existing QPS set up			
									Reliability & Recoverability			
									1. High-Availability / Fail-Over			
									Follow existing QPS set up			
									2. System Uptime Percentage			
									Follow existing QPS set up			
									3. Expected Recovery Point Objective (RPO)			
									Follow existing QPS set up			
									4. Expected Recovery Time Objective (RTO)			
									Follow existing QPS set up			
									5. Backup Availability			
									Follow existing QPS set up			
									Disaster Recovery Server Required (Y/N)			
									Follow existing QPS set up			
									Recovery Processes documentation - This refers to the documented process and structured procedures an organization to follow in the event of a disaster for recovery and business continuity.			
									Audit & Data Management			
									1. Transaction Logs (Application & Database)			
									Follow existing QPS set up			
									2. Audit Logs / Access Records			
									Follow existing QPS set up			
									3. Regulatory Data / Reports Supported			
									Follow existing QPS set up			
									4. Supported Data Compression Type			
									Follow existing QPS set up			
									Portability			
									Support licensed software deployment in public			
									Follow existing QPS set up			
									Support licensed software deployment in private			
									Follow existing QPS set up			
									Support licensed software deployment in VMs			
									Follow existing QPS set up			
									4. Support Application Service Provider Delivery Model			
									Follow existing QPS set up			
									5. Support Software-as-a-Service Delivery Model			
									Follow existing QPS set up			
									Interoperability & Integration			
									1. Supports Web-Based API Integration			
									Follow existing QPS set up			
									2. Supports File-Based Integration			
									Follow existing QPS set up			
									3. Supports Microservices API exposure			
									Follow existing QPS set up			
									4. Supports integration to the following:			
									Follow existing QPS set up			
									a. Active Directory			
									Follow existing QPS set up			
									b. Customer Relationship Management			
									Follow existing QPS set up			

6. Business Requirements (NON-FUNCTIONAL)

NFR ID		Requirement	Additional Remarks
		Accessibility & Usability	
	1.	Accessibility options to enable use for those with impaired vision or colour blindness	Follow existing QPS set up
	2.	Designed & deployed to support new channel	Follow existing QPS set up
	a.	Website	Follow existing QPS set up
	b.	Mobile Website	Follow existing QPS set up
		Maintainability & Extensibility	
	1.	Supports new requirements, enhancements, or functionalities through configuration, workflow, or custom development	Follow existing QPS set up
	2.	Support upgrades, patches, and product extension for software, hardware, and firmware	Follow existing QPS set up
	3.	Supports backward compatibility	Follow existing QPS set up
	4.	Deployment approach with zero to minimal downtime	Follow existing QPS set up
		Environment	
	1.	Development Environment	Follow existing QPS set up
	2.	System Integration Testing Environment	Follow existing QPS set up
	3.	User Acceptance Testing Environment	Follow existing QPS set up
	4.	Load / Performance Testing Environment	Follow existing QPS set up
	5.	Operational Readiness Testing Environment	Follow existing QPS set up
	6.	Data Migration Testing Environment	Follow existing QPS set up
	7.	Production Environment	Follow existing QPS set up
	8.	Disaster Recovery Environment	Follow existing QPS set up
		Migration	
	1.	Supports Data Migration	N/A
	2.	Supports User Migration	N/A
		Support	
	1.	QA Services (SIT, Performance / Load, UAT)	Follow existing QPS set up
	2.	Training Services	Follow existing QPS set up
	3.	Platform / Hardware / Software / Network	Follow existing QPS set up
	4.	Not implemented support for enhancement & maintenance	Follow existing QPS set up
	5.	Application Maintenance & Support	Follow existing QPS set up
		Regulatory & Compliance	
	1.	Manual of Regulations for Banks (MORB) from BSP	Follow existing QPS set up
	2.	Circular 808 of 2013	Follow existing QPS set up
	3.	Anti-Money Laundering Act of 2001	Follow existing QPS set up
	4.	Data Privacy Act of 2012	Follow existing QPS set up
		Hardware requirements	
	1.	Server requirements	Follow existing QPS set up
	a.	Web server	Follow existing QPS set up
	b.	Application server	Follow existing QPS set up
	c.	Database server	Follow existing QPS set up
	d.	File server	Follow existing QPS set up
	e.	Branch-specific/site-specific server (i.e. Server that is deployed per branch or per site as contrasted from server(s) centrally deployed in the data center)	Follow existing QPS set up
	f.	Other servers (insert additional row for each additional server)	Follow existing QPS set up
		Software requirements	
	1.	Server Operating System (Specify completed specifications and supported versions for all supported operating systems)	Follow existing QPS set up
	a.	Web server	Follow existing QPS set up
	b.	Application server	Follow existing QPS set up
	c.	Database server	Follow existing QPS set up
	d.	File server	Follow existing QPS set up
	e.	Branch-specific/site-specific server (i.e. Server that is deployed per branch or per site as contrasted from server(s) centrally deployed in the data center)	Follow existing QPS set up
	f.	Other servers (insert additional row for each additional server)	Follow existing QPS set up
		2. Server Applications (include all applications including device drivers, third party applications and plug-ins.)	Follow existing QPS set up

6. Business Requirements (NON-FUNCTIONAL)

Req ID	Requirement	Additional Remarks
	a. Web server	Follow existing QPS set up
	b. Application server	Follow existing QPS set up
	c. Database server	Follow existing QPS set up
	d. File server	Follow existing QPS set up
	e. Branch-specific/site-specific server - If branch-specific server requires a branch-level RDMS, please indicate if RDMS can support postgresql and specify all supported versions	Follow existing QPS set up
	f. Other servers (insert additional row for each additional server.)	Follow existing QPS set up
	g. Application binary file location: Files: • For Windows, the files must be in C:\Program directory of the Unix distribution • For Unix, the files must be in the default directory of the Unix distribution	Follow existing QPS set up
	h. Application log location: Files: • For Windows, the files must be in <drive>\log\<application_name> • For Unix, they must be in /var/log/<application_name>	Follow existing QPS set up
	i. Embedded application user IDs should be named with the following format: e_application_shortcode, where: • e is the letter that indicates the environment where the embedded ID will be used (i.e., preproduction, u= UAT, s=ST, d=development). • application_shortcode is an abbreviated name of the application that uses the ID/credentials, and • description is a mnemonic that specifically describes the purpose of the embedded user ID and/or its target application if used for connectivity • Example: p_appname.stfp	Follow existing QPS set up
3	Workstation – End-users (End users are users of the applications who are not acting as developers. If different specifications are needed for application administrators, please specify them separately from end user specifications.)	Follow existing QPS set up
	a. Operating System	Follow existing QPS set up
	b. Application (e.g. browser versions)	Follow existing QPS set up
	c. System software (e.g. Java runtime)	Follow existing QPS set up
	d. Workstation – Developers and Testers	Follow existing QPS set up
	a. Operating System	Follow existing QPS set up
	b. Application	Follow existing QPS set up
	c. Developer tools	Follow existing QPS set up
	d. Version Control software	Follow existing QPS set up
	e. Testing software	Follow existing QPS set up
	1. Use of the application and data backup must not impact branch/ATM operations. 2. There must be no change to the existing network infrastructure design.	Follow existing QPS set up
	3. Ports and protocol (specify all required port numbers and indicate protocol for each port (i.e. UDP or TCP).)	Follow existing QPS set up
	4. Network devices (specify if any are required e.g. load balancing devices, monitoring devices)	Follow existing QPS set up
	5. Baseline bandwidth requirements per transaction	Follow existing QPS set up
	6. Maximum network latency (in milliseconds) for application to function	Follow existing QPS set up
	7. Interfaces with other systems (Specify bank systems with which the proposed solution must interface.)	Follow existing QPS set up
	System Operation	Follow existing QPS set up
1	User and Role management	Follow existing QPS set up
	a. Has online modules to view, add, modify or delete master data including user and role data	Follow existing QPS set up
	b. Manage end-user application access and	Follow existing QPS set up
	c. More than one user can be assigned to a role	Follow existing QPS set up
	d. User can have more than one role	Follow existing QPS set up
	e. User accounts can be disabled and re-enabled	Follow existing QPS set up
	f. User and role maintenance activities are	Follow existing QPS set up
	g. Has query or report to display roles assigned to users. Report can be exported	Follow existing QPS set up
	h. Support limit of active directory	Follow existing QPS set up
	i. Can support authentication of users by	Follow existing QPS set up
	j. Supports user id of at least ten (10) alphanumeric characters in length, supports	Follow existing QPS set up
	k. Ability to specify effective date for user and	Follow existing QPS set up

Item ID	Requirement	Additional Remarks
	Should contain the following for User ID a Windows ID b User Name c User status (active, disabled, locked out, online, etc.) d Business Unit Group e User Level	Follow existing QP5 set up
	Should provide the System administrator with the following capabilities: a Access rights per group per role b User Administrator Maintenance c Group Administrator d Maintain various reference tables e Workflow setup f Screen update and maintenance	Follow existing QP5 set up
	Should be able to interface User ID with EVA using windows ID to authenticate user access if existing in BDO network and on password validation. System to pass on the user ID and the entered password as EVA returns the status if login was successful or not. If failed, corresponding error message will also be forwarded	Follow existing QP5 set up
	Should be able to log all valid and even invalid attempt	Follow existing QP5 set up
	Users should be locked out to the system after 3 in	Follow existing QP5 set up
	2. Reference/master data management Master Data are data that are non-transactional in nature (e.g., customer, branch, employee) a Has online modules to view, add, modify or delete master data b Master data management tool enforces referential integrity rules and data validation rules c Master data changes are recorded in the database access control to master data d Prevents entry of incorrect data e Supports logical deletion f Prevents deletion of incorrect data	Follow existing QP5 set up
	3. Error Logging a Error log should contain the following details: a.1 error description a.2 time stamp a.3 user ID a.4 module ID a.5 command or SQL that caused the error b Facility to enable/disable error logging c Facility to change default location of error log d Application rotates logs or allows rotation of logs through another application e Allows setting of parameter (e.g. frequency, maximum log size) after which the log file is truncated and a new one is created f Uses native system logging facilities (syslog, etc.) g Log entry is saved as one line h Allows selection of log message verbosity i Allows selection of types of messages to log j Facility to transmit system and application logs	Follow existing QP5 set up
	4. Transaction Logging and Audit Trail a Transaction log should contain the following: a.1 type of transaction a.2 time stamp a.3 user ID a.4 module ID b Facility to enable/disable transaction logging c Facility to change default location of transaction logs d Facility to transmit system and application logs	Follow existing QP5 set up
	5. Logs Retention & Archiving All user activities such as creation, editing of specific fields, deleting of records, etc. should be logged through the audit trail and can be retrieved anytime by the administrator. Allow automatic save option.	Follow existing QP5 set up
Data	Retention Period (Data-in-Use / Offline)	Disposal / Purging Period
Application Logs	Follow existing QP5 set up	Backup Frequency
Database Logs	Follow existing QP5 set up	
Audit Logs (System Level & Secure logs)	Follow existing QP5 set up	
Infrastructure Event logs	Follow existing QP5 set up	
Historical data within database	Follow existing QP5 set up	
Configuration / VHS Snapshots	Follow existing QP5 set up	
Video Raw file	Follow existing QP5 set up	
Documents (digital copy)	Follow existing QP5 set up	
Documents (hard copy)	Follow existing QP5 set up	
5. Batch processing (populate a proposed solution)	Follow existing QP5 set up	

6. Business Requirements (NON-FUNCTIONAL)

Requirement		NR# ID
a. Facility to schedule batch job or batch stream	Follow existing QPS set up	
b. Facility to monitor status of batch processes	Follow existing QPS set up	
c. Facility to re-run batch streams or jobs	Follow existing QPS set up	
d. Facility to terminate/kill running batch	Follow existing QPS set up	
e. Facility to schedule batch processes	Follow existing QPS set up	
f. User interface for scheduling, invoking, monitoring and re-running batch processes does not require command line inputs	Follow existing QPS set up	
g. Facility to publish status of batch processes to a file or to send to external monitoring systems	Follow existing QPS set up	
h. A batch or background program that must have only one running instance should check	Follow existing QPS set up	
i. Interrupted batch processes can restart at the point they are interrupted	Follow existing QPS set up	
j. Batch processes do not require privileged access	Follow existing QPS set up	
k. Batch processes are able to take advantage of multi-processor and multi-core processor architectures	Follow existing QPS set up	
l. Batch processes that are not dependent on each other can be run simultaneously	Follow existing QPS set up	
Should provide capability to monitor the batch run and log for success and failed run. Should be able to forward email notification to designated users on failed batch runs	Follow existing QPS set up	
Should be able to forward email notification to designated users on failed batch runs	Follow existing QPS set up	
6. System Monitoring	Follow existing QPS set up	
a. Facility to monitor application processes	Follow existing QPS set up	
b. Facility to send status of application processes to external monitoring systems	Follow existing QPS set up	
c. Facility to start/stop application processes	Follow existing QPS set up	
d. User interface for monitoring, starting and stopping application processes does not require command line inputs	Follow existing QPS set up	
7. Network infrastructure and configuration	Follow existing QPS set up	
a. The servers/services of the system can be referred to using aliases or canonical name	Follow existing QPS set up	
host names	Follow existing QPS set up	
b. Can refer to servers/services of other systems using aliases or canonical name records in the DNS instead of IP addresses and host names	Follow existing QPS set up	
c. References to aliases, IP addresses and host names are configurable during installation	Follow existing QPS set up	
d. Application, ICF and UDF ports are configurable	Follow existing QPS set up	
e. System does not require use of host files	Follow existing QPS set up	
f. Does not use reserved ports and IANA-registered ports for non-standard purposes (e.g. Application does not use port 443 except for https and does not use port 22 except for sftp.)	Follow existing QPS set up	
8. Contingency Planning and Disaster Recovery	Follow existing QPS set up	
a. Can integrate with NetBackup or Bacula	Follow existing QPS set up	
b. Can support server clustering	Follow existing QPS set up	
b.1) web server	Follow existing QPS set up	
b.2) application server	Follow existing QPS set up	
b.3) database server	Follow existing QPS set up	
b.4) file server	Follow existing QPS set up	
b.5) other server(s)	Follow existing QPS set up	
c. Can support office replication	Follow existing QPS set up	
c.1) web server	Follow existing QPS set up	
c.2) application server	Follow existing QPS set up	
c.3) database server	Follow existing QPS set up	
c.4) file server	Follow existing QPS set up	
c.5) other server(s)	Follow existing QPS set up	
d. Can support active-set-up	Follow existing QPS set up	
d.1) web server	Follow existing QPS set up	
d.2) application server	Follow existing QPS set up	
d.3) database server	Follow existing QPS set up	
d.4) file server	Follow existing QPS set up	
d.5) other server(s)	Follow existing QPS set up	
e. Provide estimated disk space (in bytes) to be occupied by the following components	Follow existing QPS set up	
e.1) operating system and third party	Follow existing QPS set up	
e.2) application static files and reference	Follow existing QPS set up	
e.3) transactional/dynamic data loaded on volume forecasts provided by the business	Follow existing QPS set up	
9. Data Purging and Archiving	Follow existing QPS set up	
a. Automated archiving and purging of historical, expired or obsolete transactional data	Follow existing QPS set up	




Additional Remarks

NFR ID		Requirement	Additional Remarks
		b. Automated archiving and purging of obsolete log files, reports and other temporary files	Follow existing QP5 set up
		c. Ability to schedule purging and archiving	Follow existing QP5 set up
		d. Access to purge can be limited	Follow existing QP5 set up
		e. Configurable rules/parameters for purging and archiving process (e.g. based on date, record status)	Follow existing QP5 set up
		10. Server software installation, configuration, deployment, updating and decommissioning	Follow existing QP5 set up
		a. Documented processes for server-side software installation, configuration, deployment, updating and decommissioning	Follow existing QP5 set up
		b. Software can be installed to the production environment by being checked out of a software repository / configuration tool (e.g. SVN) without requiring access to the development and testing environments	Follow existing QP5 set up
		c. Server application components can be implemented as a service (or the equivalent of a service [e.g. daemons for GNU/Linux])	Follow existing QP5 set up
		d. System is capable of invoking/starting other applications during startup if the application requires them to be running during startup	Follow existing QP5 set up
		e. Multiple application instances allowed	Follow existing QP5 set up
		f. Application configuration file can be reloaded dynamically by the application without restarting	Follow existing QP5 set up
		g. Locations and names of application files and folders are configurable during installation	Follow existing QP5 set up
		h. System uses least privileged access for performing each function (e.g. Application does not require admin privilege to access the database)	Follow existing QP5 set up
		11. Workstation software installation, configuration, deployment, updating and decommissioning (populate if proposed solution includes installation or configuration of workstation software or hardware peripherals)	Follow existing QP5 set up
		a. Documented processes for workstation software installation, configuration, deployment, updating and decommissioning	Follow existing QP5 set up
		b. Software can be installed to the production environment by being checked out of a software repository / configuration tool (e.g. SVN) without requiring access to the development and testing environments	Follow existing QP5 set up
		c. Support for automated workstation software deployment and configuration (i.e. installation via software package)	Follow existing QP5 set up
		d. Locations and names of application files and folders are configurable during installation	Follow existing QP5 set up
		e. Settings, configuration and variables that are global to the system do not need to be defined per individual workstation	Follow existing QP5 set up
		f. All end-user functions of the system do not require privileged workstation access (e.g. workstation administrator user)	Follow existing QP5 set up
		g. System does not require use of proprietary commercial software (e.g. Microsoft Office) and can operate with open source software (e.g. Open Office, Libre Office)	Follow existing QP5 set up
		h. System should not be dependent on specific versions and/or patch levels of third-party software (e.g. Java, Adobe, etc.), but instead be resilient to frequent patching of said software	Follow existing QP5 set up
		i. System does not require use of software that is no longer supported by its developer or whose developers is no longer in operation (e.g. FoxPro, Peachtree)	Follow existing QP5 set up
		j. For systems requiring hardware peripherals to be installed at user workstations:	Follow existing QP5 set up
		j.1) All drivers and other software required to use the hardware can be pre-installed in the workstation without requiring the hardware to be attached during software installation	Follow existing QP5 set up
		j.2) Hardware is immediately operational upon being attached to a workstation pre-installed with the requisite software, without requiring additional configuration during hardware installation.	Follow existing QP5 set up
		System Documentation	
		1. Availability of updated system documentation:	Follow existing QP5 set up
		a. Functional design	Follow existing QP5 set up
		b. Technical design	Follow existing QP5 set up
		c. User manual	Follow existing QP5 set up
		d. Installation guide	Follow existing QP5 set up
		e. Release notes for software patches/update	Follow existing QP5 set up

6. Business Requirements (NON-FUNCTIONAL)

Req ID	Requirement	Additional Remarks
	1. Instruction guide on how to manage users and extract users list and group profile list for application administrators	Follow existing QPS set up
	2. Availability of application troubleshooting guide	Follow existing QPS set up
	3. Availability of training for system administrators and application administrators	Follow existing QPS set up
	4. Availability of capacity planning guidelines	Follow existing QPS set up
	5. Availability of application performance benchmark data (e.g., system throughput, transaction response time, stress test break-point analysis, etc.)	Follow existing QPS set up
	System Development and Testing	
	1. Development and/or testing requires access to resources outside the BDO network (e.g., Internet, vendor intranet, etc.)	Follow existing QPS set up
	2. Requires on-site development (i.e. outside BDO)	Follow existing QPS set up
	3. Off-site development team requires access to resources within the BDO network	Follow existing QPS set up
	4. Requires vendor on-site development (i.e. within BDO)	Follow existing QPS set up
	5. Vendor on-site development team can use BDO workstations (if yes, please ensure that the workstation hardware and software requirements for development and testing are provided in Sections A and B.)	Follow existing QPS set up
	6. Performance testing tools and procedures are available to test the capability of the application and the network to support BDO's expected volume and utilization	Follow existing QPS set up
	Production Support	
	1. Maintenance activities and problem resolution require access to resources outside the BDO network (e.g., Internet, vendor intranet, etc.)	Follow existing QPS set up
	2. Vendor's maintenance team requires off-site access to resources within the BDO network	Follow existing QPS set up
	Other BU Non-functional Requirements	
	1. Password Management (Reset, Change, etc.)	Yes
	2. Role-based Access Control	Yes
	- Define roles and assign permission	Yes
	- Map users to specific roles	Yes
	3. Permission Management	Yes
	4. Integration with Single Sign On (SSO) or LDAP	Yes
	5. Session management (timeout, log out, etc.)	Yes
	- Receive the inactivity warning (after 15 minutes)	
	- Receive warning prior to system triggered log out (after 30 minutes)	
	6. Audit Logging	Yes
	- Track changes in user roles and permissions	
	- Log user login/logout activities	
	7. Enforce strong password policies	Yes
	8. Self-service and Admin Tools	Yes
	- Self-service password reset	
	- User-friendly screens to manage access	
	- Allows defined user to update profile information	
	9. Should support bulk uploads or batch updates of user profiles	Yes
	10. With Notification for access changes	Yes
	11. With configurable workflow for user access requests and approvals - any changes on the access to user privileges are systematically monitored, evaluated and if modifications done outside working hours or from low privilege to high-privilege access, etc.	Yes

Information Technology Group	Business Requirements Document (BRD)	Template Reference No.	
(Name of Department and Unit)		BRQ No:	
		BRD No:	
		Business Unit:	

I have read and understood the entire documents	
Owner: I own this document and approve all of its contents	I have validated the completeness of business requirements to ensure it is organized correctly, no ambiguities, sufficiently detailed, and testable. I confirm that all business stakeholders are aligned to these requirements, their priorities, and the business case.
Prepared by:	Approved by:
 Roda Lyn Gallardo, M2 Business Analyst Enterprise Services - Business Process Services	 Shellan Marie C. Miranda, AVP Product Owner BDO Insurance and Brokers Inc.
Input Provider:	
 Ma. Fides Rivera, AM BU Representative BDO Insurance and Brokers Inc.	 Huessain P. Pangcoga, SAVP Unit Head - Claims and Risk Management BDO Insurance and Brokers Inc.
Reviewed by:	
 Dan Ace Cañon, AVP Program Manager Enterprise Services - Business Process Services	with email signoff 4.28.25
	Mark Joseph C. Makalintal, SAVP Unit Head - Combank and Corbank Marketing/Corporate Processing BDO Insurance and Brokers Inc.
	 Ronald Alan E. De Leon, VP Head - Comptrollership BDO Insurance and Brokers Inc.
	 Edmundante F. Ramirez, VP Head - Retail Marketing BDO Insurance and Brokers Inc.
	 Roderick Lim, FVP Head - Corporate and Retail Marketing BDO Insurance and Brokers Inc.



Outlook

Re: [For Sign Off]: BRD on User Access maintenance Module

From Mark Joseph C. Makalintal <makalintal.mark@bdo.com.ph>

Date Mon 4/28/2025 9:55 AM

To Ma. Fides E. Rivera <ebuenga.mafides@bdo.com.ph>

Cc Shellah Marie C. Miranda <miranda.shellah@bdo.com.ph>; Ruby Evangelista <evangelista.ruby@bdo.com.ph>;
Darryll Castillo <castillo.darryll@bdo.com.ph>

Signing-off.

Mark Joseph C. Makalintal
Sr. Assistant Vice President
Corbank and Combank Marketing, Corporate Processing
BDO Insurance and Reinsurance Brokers, Inc.
7/F BDO Salcedo Tower
156 Valero Street, Salcedo Village
Bel-Air, Makati City 1227, Philippines
Tel: (+632) 8702-6000 loc 57312
Mobile: (+63917) 681-7374

IMPORTANT REMINDER:

Please notify BDO Insure immediately of any claim that you filed directly with our insurance partner so we can help you monitor and provide timely updates. You may also report your claim thru our Customer Service Hotline at the provided contact below.

BDO Insure Customer Service Hotline
Tel No.: + 632 838-BDOI (or 838-2364) Metro Manila
Fax No.: + 632 866-6999
Email: bdo-insure@bdo.com.ph
Domestic Toll Free: 1800-10-8382364
Mondays to Fridays (except Holidays) 8AM to 6PM

From: Ma. Fides E. Rivera <ebuenga.mafides@bdo.com.ph>
Sent: Monday, April 28, 2025 9:30 AM
To: Mark Joseph C. Makalintal <makalintal.mark@bdo.com.ph>
Cc: Shellah Marie C. Miranda <miranda.shellah@bdo.com.ph>; Ruby Evangelista <evangelista.ruby@bdo.com.ph>; Darryll Castillo <castillo.darryll@bdo.com.ph>
Subject: [For Sign Off]: BRD on User Access maintenance Module

Dear Sr Mj,

May we request for your sign-off on the attached BRD for the User Access Maintenance Module in QPS.

Thank you.

Regards,