



Data Steward Manual

TASCO Insurance × VETC Growth Platform — User Manuals

iorta TechNXT

Version 1.0 · 07 October 2026

Contents

1. How the golden record works
2. Your daily work: the Data quality queue
3. Correct a policy expiry date
4. Ingest a data batch
5. KPIs (proposed)
6. Troubleshooting

Role: `data_steward` · **Demo user:** `steward` · **MFA:** required

Your permissions: `data-quality` issues (`dq:read` , `dq:resolve`), customer records **with personal data** (`profile:read` , `profile:read_pii`), **correct customer data** (`profile:update`), **ingest data batches** (`data:ingest`), leads (`leads:read`), dashboards (`dashboard:read`).

You keep the golden record trustworthy. Only about 1 in 10 source records carries a reliable policy stamp, so the platform infers missing facts and scores its confidence. Your corrections, together with customer and voice bot confirmations, turn estimates into facts.

Read the [Staff User Manual](#) first.

1. How the golden record works

1. **Source records** arrive from VETC (accounts, tags, toll class, app activity), TASCO core, partners and telesales files. Each is stored with its batch and lineage.
2. Records are matched **by licence plate**. The plate is normalised, for example "30a-123.45" becomes key `30A12345` , and the province is checked from the plate prefix. Invalid plates are rejected and logged as DQ issues.
3. **Survivorship** picks each field from the most trusted source (`enrichment.sourceTrust`). From highest to lowest: `tasco_core` 1.0, VETC app purchase 0.95, VETC account 0.85, customer declared 0.75, inspection centre 0.65, bank/showroom/fleet 0.6, agent 0.5, telesales CSV 0.4.
4. **Expiry inference** uses evidence: a verified certificate (1.0), customer declared (0.75), a partner policy record (0.7, scaled by source trust), the inspection cycle (0.5), the tag anniversary (0.25). Agreeing evidence within 21 days raises confidence (+0.15 each, max 0.95).
5. **Vehicle category** is inferred from declared seats, use and toll class (decision table), with confidence and the basis shown.
6. A **DQ score** combines completeness (50 %), expiry confidence (35 %) and category confidence (15 %).
7. Facts confirmed **on the platform** (customer declared, voice bot, TASCO-issued, steward corrections) survive later rebuilds when they are more confident.

Thresholds to remember: expiry confidence < 0.5 means "not reliable — fix data before selling" (the NBA sends a confirmation request). Customers are asked to confirm in the app when confidence is < 0.75 .

2. Your daily work: the Data quality queue

1. Open **Data quality**.
2. **What you will see:** open issues with **Type**, **Customer**, **Source**, **Detected** time and batch, plus counts **by type**.

Issue type	Raised when	Typical resolution
<code>invalid_plate</code>	A source record's plate cannot be normalised (format or unknown province code)	Correct it at source, or reject the record. Resolve with a note.
<code>wrong_person</code>	The voice bot reached someone who says it's not their car or number	Check the phone. Remove or replace it from a better source. Resolve.
<code>plate_mismatch</code>	The person on the call gave a different plate	Check for a sold vehicle, a transfer or a wrong phone link. Resolve.

Issue type	Raised when	Typical resolution
phone / name	No phone number or name in any source	Enrich from a trusted source (VETC account update, partner file), or leave it to journeys (app push needs no phone)
reliable_expiry	Expiry confidence below the usable threshold (0.5)	Correct with evidence (section 3), or let the <code>verify_expiry</code> journey step ask the customer
vehicle_category	Category confidence below 0.6, so the premium may be wrong	Confirm seats and use from a reliable source and re-ingest. Ask underwriting if unsure.
current_insurer	Current insurer unknown	Usually resolved by customer or voice bot confirmation. Correct when evidence exists.
conflicting_phone	Sources disagree on the phone number	Check lineage and keep the most trusted. Remove numbers known to be wrong at source.

3. Filter by **Type** and work the highest volumes first. Issues tied to hot leads (open the customer to see the tier) come before the rest.

2.1 Resolve an issue

1. Select the issue, then **Open** the customer if needed (Customer 360).
2. Investigate (see 2.2) and make any correction.
3. Back on the issue, enter a **Resolution note** (what you found and did, for example "Phone belongs to previous owner; removed per VETC account update 12/10/2026").
4. Select **Resolve**.

What you will see: the issue disappears from the open list (filter **Resolved** to see it). It is audited as `dq.resolved` with your user ID. If new conflicting data arrives later, a new issue may be raised.

2.2 Investigate with lineage

1. In Customer 360, open **Data & lineage**.
2. **What you will see:**
 - **Sources:** the source systems and record IDs that built this profile;
 - **Lineage:** for each field (for example `policy.expiryDate`), the source, method, confidence and time;
 - **Expiry evidence:** each piece of evidence and its weight;
 - **Recent batches:** the latest ingestion batches.
3. Decide which evidence is right. When in doubt, prefer TASCO core or a verified certificate.

3. Correct a policy expiry date

Use this when you have **evidence**: a certificate photo sent by the customer, a TASCO core record, a partner confirmation or a call note.

1. Open the customer in **Customer 360**.
2. Select **Correct expiry (data steward)**.
3. Enter:
 - **New expiry date** (dd/mm/yyyy);
 - **Insurer** (optional, for example `TASCO`, `OTHER` or the insurer name);
 - **Evidence** (required, up to 300 characters): what the evidence is and where it is stored, for example "Certificate photo, ticket SR-5521".

4. Select **Save correction**.

What you will see: "Corrected and re-scored". The expiry now shows source `data_steward` with confidence 0.9. The lead is **recomputed at once**: tier, journey and scheduled touchpoints may change. The audit trail records `profile.expiry_corrected` with your evidence note.

Do not guess. A wrong date sends reminders at the wrong time and destroys customer trust. If you have no evidence, leave the customer in the `verify_expiry` path so they confirm it themselves.

4. Ingest a data batch

Use this for partner files, telesales lists or corrected extracts. Routine VETC/TASCO feeds run automatically.

1. Prepare the records in the agreed JSON format. Each record **must** have a unique `recordId`. Allowed fields: `recordId`, `source`, `plateRaw`, `phoneRaw`, `fullName`, `tollClass`, `seatsDeclared`, `usageDeclared`, `ownerType`, `tagActivatedAt`, `policy` (`insurer`, `expiryDate`, `verified`), `lastInspectionDate`, `declaredExpiry`, `partnerId`, `firstRegisteredYear`. Any other field is ignored.
2. Open **Data quality** → **Ingest batch**.
3. Enter the **Source** name (for example `partner_inspection_center`, `telesales_csv`). This drives source trust.
4. Upload or paste the records (up to **5,000 per batch**).
5. Select **Ingest**.

What you will see: batch ID (`B-<date>-...`), records received, rejected (invalid plates), profiles touched and rebuilt, and new DQ issues. Affected leads are re-scored automatically.

Only ingest data that has a lawful basis and a data-sharing agreement. Personal data in source records is encrypted at rest. Raw source records are deleted after 365 days (`retention` rule set).

5. KPIs (proposed)

KPI	Target
Profiles with usable expiry (confidence ≥ 0.5)	Rising every month. ≥ 50 % of the base at scale.
Open DQ issues older than 5 business days	≤ 10 %
<code>wrong_person</code> + <code>plate_mismatch</code> per 100 voice calls	Falling trend
Corrections with evidence notes	100 %

6. Troubleshooting

Problem	Fix
"records[3].recordId required"	Every record needs a string <code>recordId</code>

Problem	Fix
"Ingest a batch of source records ($\leq 5,000$)" error on size	Split into smaller batches
Many <code>invalid_plate</code> issues from one source	Check the source's plate format and province codes. Feed back to the provider.
Correction "not found"	The customer may have been anonymised (DSAR erasure)
My correction was overwritten	Only a more trusted, more confident source (for example a TASCO-issued policy) can override it. Check lineage.

See also: [Compliance Officer Manual](#), [Campaign Manager Manual](#).