



# Partner API Guide (v1)

---

TASCO Insurance × VETC Growth Platform — User Manuals

iorta TechNXT

Version 1.0 · 07 October 2026

# Contents

1. Authentication
2. Typical flow
3. Endpoints
4. Errors
5. Data protection obligations
6. Testing checklist (sandbox certification)
7. Change log

For **developers at partner organisations** (banks, car showrooms, agencies, fleets, inspection centres) who quote and sell TASCO Insurance motor cover through the TASCO Growth Platform.

| Item                  | Value                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------|
| Base path             | /api/partner/v1                                                                        |
| Base URL              | Sandbox and production URLs are given to you by your TASCO partner manager             |
| Format                | JSON over HTTPS ( Content-Type: application/json )                                     |
| Authentication        | X-Api-Key header                                                                       |
| Idempotency           | Idempotency-Key header <b>required</b> on POST /orders                                 |
| Machine-readable spec | GET /api/openapi.json (OpenAPI 3.1; partner operations are tagged <b>Partner API</b> ) |
| Support               | Your partner manager. Quote the requestId from any error.                              |

## 1. Authentication

Every request must carry your API key:


```
X-Api-Key: tpk_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

- Keys start with `tpk_`. They are issued by your TASCO partner manager and **shown only once**. TASCO stores only a hash, so a lost key cannot be recovered. Ask for a new key and the old one will be revoked.
- Keep keys server-side only, in a secret store. **Never** put them in mobile apps, browsers or source code.
- Requests fail with `401` if the key is missing, wrong or revoked, or if your partner account is suspended.
- Use separate keys for test and production. Rotate at least yearly.

In the examples below:

```
export BASE="https://<platform-host>"           # provided by TASCO
export KEY="tpk_your_key_here"
```

## 2. Typical flow



## 3. Endpoints

### 3.1 Create a quote: `POST /api/partner/v1/quotes`

Quotes one to five products for a vehicle identified by **licence plate**. If TASCO does not yet know the vehicle, it is **onboarded automatically** (new business) from the data you send. If you send `currentExpiry` or `seats`, those facts are added to the vehicle's record and attributed to you.

#### Request body

| Field                         | Type                                            | Required | Notes                                                                                                                            |
|-------------------------------|-------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------|
| <code>plate</code>            | string (≤ 20)                                   | ✓        | Any common format: <code>30A12345</code> , <code>30A-123.45</code> , <code>30a 123 45</code> . Must be a valid Vietnamese plate. |
| <code>products</code>         | array (1–5)                                     | ✓        | Each item { "code": "...", "options": { ... } } (see the table below)                                                            |
| <code>holderName</code>       | string (≤ 120)                                  |          | Policyholder name                                                                                                                |
| <code>phone</code>            | string (≤ 20)                                   |          | Vietnamese mobile ( <code>09...</code> , <code>+849...</code> ). Validated.                                                      |
| <code>seats</code>            | integer 1–60                                    |          | Declared seats (drives vehicle category and PA pricing)                                                                          |
| <code>usage</code>            | <code>personal</code>   <code>commercial</code> |          | Declared use                                                                                                                     |
| <code>currentExpiry</code>    | date YYYY-MM-DD                                 |          | Expiry of the customer's current TNDS. Cover starts the next day.                                                                |
| <code>consentMarketing</code> | boolean                                         |          | Whether the customer gave marketing consent to TASCO/VETC                                                                        |

## Products available on the partner channel

| code     | Product                                          | options                                                                                                                                                                  |
|----------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TNDS_CAR | Compulsory TNDS (car),<br><b>price-regulated</b> | category (optional override, for example car_under6 , car_6_11 , pickup_van , commercial_under6 , truck_under3t ...), termYears 1–3                                      |
| PA_SEAT  | Driver and passenger<br>personal accident        | seats (defaults to the vehicle's seats, or 5), sumInsuredPerSeat : one of 10000000 , 20000000 , 50000000 , 100000000                                                     |
| MOTOR_PD | Voluntary physical<br>damage                     | sumInsured (VND, ≤ 5,000,000,000 online), deductible : 0 , 500000 or 1000000 , vehicleAge (years). May require inspection before binding: follow your partner agreement. |

TNDS\_MOTORBIKE is not available on the partner channel (VETC app and Zalo only).

## Example

```
curl -sS -X POST "$BASE/api/partner/v1/quotes" \
-H "X-Api-Key: $KEY" \
-H "Content-Type: application/json" \
-H "X-Request-Id: bank01-req-000123" \
-d '{
  "plate": "30A-123.45",
  "holderName": "Nguyễn Văn An",
  "phone": "0912345678",
  "seats": 5,
  "usage": "personal",
  "currentExpiry": "2026-11-05",
  "consentMarketing": false,
  "products": [
    { "code": "TNDS_CAR", "options": { "termYears": 1 } },
    { "code": "PA_SEAT", "options": { "sumInsuredPerSeat": 20000000 } }
  ]
}'
```

**Response 200** (abridged)

```

{
  "id": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f",
  "profileId": "30A12345",
  "plate": "30A-123.45",
  "channel": "partner_api",
  "partnerId": "P-BANK-01",
  "lines": [
    {
      "product": "TNDS_CAR",
      "productName": "Compulsory motor third-party liability (car)",
      "productNameVi": "Bảo hiểm TNDS bắt buộc ô tô",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "termDays": 365,
      "premiumNet": 437000,
      "vat": 43700,
      "total": 480700,
      "priceRegulated": true,
      "breakdown": [{ "label": "Car < 6 seats (non-commercial)", "labelVi": "Xe dưới 6 chỗ~
(không kinh doanh)", "annual": 437000, "years": 1 }],
      "note": "Premium fixed by regulation – identical at every insurer."
    },
    {
      "product": "PA_SEAT",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "premiumNet": 100000,
      "vat": 0,
      "total": 100000,
      "priceRegulated": false,
      "breakdown": [{ "label": "Personal accident", "seats": 5, "sumInsuredPerSeat":
20000000, "ratePerSeat": 0.001 }],
      "note": "Premium per TASCO filed rates."
    }
  ],
  "total": 580700,
  "benefits": [
    { "id": "roadside_24_7", "title": "24/7 roadside assistance", "titleVi": "Cứu hộ giao
thông 24/7", "why": "peace of mind on every trip" }
  ],
  "bundle": "SAFE_DRIVE",
  "status": "open",
  "createdAt": "2026-10-07T03:12:44.120Z",
  "expiresAt": "2026-10-08T03:12:44.120Z"
}

```

## Notes:

- Amounts are **integers in VND**. `total` = `premiumNet` + `vat`. Personal accident is VAT-exempt.
- **TNDS premiums are regulated and identical at every insurer**. Do not present any discount on them.
- Rates for `PA_SEAT` and `MOTOR_PD` in the sandbox are **illustrative**. Production uses TASCO's filed rates.
- A quote is valid for **24 hours** (`expiresAt`).
- `bundle` is set when the products match a published bundle ( `SAFE_DRIVE` = TNDS + PA, `FULL_MOTOR` = TNDS + PD + PA). Bundle price is the sum of its components.

### 3.2 Bind (buy) a quote: `POST /api/partner/v1/orders`

Pays and issues every line of a quote. **Idempotent**: send an `Idempotency-Key` that is unique per purchase attempt and reuse it on retries. A retried request with the same key and quote returns the original order and **never charges twice**.

| Header                       | Required | Rules                                                                                                         |
|------------------------------|----------|---------------------------------------------------------------------------------------------------------------|
| <code>Idempotency-Key</code> | ✓        | 8–100 characters: letters, digits, <code>_</code> or <code>-</code> . Use a UUID or your own order reference. |

| Body field              | Type           | Required                                         |
|-------------------------|----------------|--------------------------------------------------|
| <code>quoteId</code>    | string         | ✓ (must be a quote created with <b>your</b> key) |
| <code>holderName</code> | string (≤ 120) | Optional override of the policyholder name       |

```
curl -sS -X POST "$BASE/api/partner/v1/orders" \
  -H "X-Api-Key: $KEY" \
  -H "Content-Type: application/json" \
  -H "Idempotency-Key: bank01-order-2026-000457" \
  -d '{ "quoteId": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f", "holderName": "Nguyễn Văn An"
}'
```

**Response 200** (first call)

```

{
  "order": {
    "id": "0-9a8b7c6d5e4f3a2b1c0d",
    "quoteId": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f",
    "profileId": "30A12345",
    "channel": "partner_api",
    "partnerId": "P-BANK-01",
    "amount": 580700,
    "status": "completed",
    "paymentRef": "VW-1a2b3c4d5e6f",
    "policies": ["TAS-TNDSCA-2026-100001", "TAS-PASEAT-2026-100002"],
    "commission": [
      { "product": "TNDSCAR", "rate": 0.05, "amount": 21850, "ruleId": "tnsds_any",
      "capped": false },
      { "product": "PA_SEAT", "rate": 0.15, "amount": 15000, "ruleId": "pa", "capped":
      false }
    ],
    "completedAt": "2026-10-07T03:13:02.511Z"
  },
  "policies": [
    {
      "certNo": "TAS-TNDSCA-2026-100001",
      "policyNo": "POL-100001",
      "product": "TNDSCAR",
      "plate": "30A-123.45",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "total": 480700,
      "status": "active",
      "certificateUrl": "https://<platform-host>/verify/TAS-TNDSCA-2026-100001"
    }
  ],
  "idempotentReplay": false
}

```

**Retry with the same key** returns 200 with "idempotentReplay": true and the original order (the policies array is not repeated; fetch it with GET /policies ).

**Certificate:** certificateUrl is the public verification page. Encode it as a QR code on your documents. Anyone (police, inspectors) can scan it to see validity, product, dates and a **masked** plate. No personal data is shown.

**Commission** is calculated on **net** premium, capped by statutory limits, and recorded on the order.

**Payment settlement.** Partner sales are **partner-collected**: binding does not debit the customer's VETC wallet. The order's paymentRef starts with PARTNER- , and the premium is remitted to TASCO according to your partner agreement and reconciled against your commission statement.

#### Failure handling (read carefully):

| Situation                      | What happened                                    | What to do                                                                                                                                    |
|--------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Network timeout or no response | Unknown: the order may or may not have completed | Retry with the <b>same</b> Idempotency-Key . You get either the completed order ( idempotentReplay: true ) or the original attempt's outcome. |

| Situation                                                                                       | What happened                                                                                                                             | What to do                                                                                                                            |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 503 UPSTREAM_UNAVAILABLE<br>(payment or issuance service down)                                  | Nothing was charged, or the payment was refunded automatically if issuance failed after payment. The order is flagged for reconciliation. | Wait and retry with a <b>new</b> Idempotency-Key for the same quote (if it has not expired)                                           |
| 200 with "idempotentReplay": true and order.status = payment_failed or issuance_failed_refunded | You re-sent the key of an attempt that had <b>failed</b>                                                                                  | <b>Always check order.status , not just the HTTP status.</b> Only completed means the policy was issued. Retry with a <b>new</b> key. |

**Known v1 behaviour (KI-31).** Re-sending an Idempotency-Key whose attempt failed returns HTTP 200 with the failed order rather than the original error. Treat `order.status !== "completed"` as a failure.

### 3.3 List your policies: GET /api/partner/v1/policies

Returns policies sold through **your** partner account, newest expiry first.

| Query  | Type  | Default |
|--------|-------|---------|
| limit  | 1–500 | 50      |
| offset | ≥ 0   | 0       |

```
curl -sS "$BASE/api/partner/v1/policies?limit=100&offset=0" -H "X-API-Key: $KEY"
```

Response: a JSON array of policy objects (fields as in the order response, plus premiumNet , vat , channel , partnerId , orderId , issuedAt , insurer ).

### 3.4 Commission statement: GET /api/partner/v1/statement

| Query | Type            | Notes                           |
|-------|-----------------|---------------------------------|
| from  | date YYYY-MM-DD | Inclusive (order creation date) |
| to    | date YYYY-MM-DD | Inclusive                       |

```
curl -sS "$BASE/api/partner/v1/statement?from=2026-10-01&to=2026-10-31" -H "X-API-Key: $KEY"
```

```
{
  "partnerId": "P-BANK-01",
  "from": "2026-10-01",
  "to": "2026-10-31",
  "orders": 42,
  "totalCommission": 1287450,
  "lines": [
    { "orderId": "0-9a8b7c6d5e4f3a2b1c0d", "date": "2026-10-07", "product": "TND5_CAR",
      "rate": 0.05, "amount": 21850, "ruleId": "tn5s_any", "capped": false }
  ]
}
```

Only **completed** orders appear. This is the same statement your TASCO partner manager sees.

## 4. Errors

All errors use one format:

```
{
  "error": {
    "code": "VALIDATION_FAILED",
    "message": "Invalid licence plate",
    "details": null,
    "requestId": "bank01-req-000123"
  }
}
```

- `requestId` echoes your `X-Request-Id` header (8–64 characters: letters, digits, `_`, `-`) or is generated. It is also returned in the `X-Request-Id` response header. **Log it and quote it to support.**
- `details` may list field-level problems for validation errors.

| HTTP | Code                   | Typical cause                                                                                                                                                                                                    | What to do                                   |
|------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| 400  | VALIDATION_FAILED      | Missing or invalid field; invalid plate or phone; missing or badly formed <code>Idempotency-Key</code> ; unknown product; unsupported <code>sumInsuredPerSeat</code> or <code>deductible</code> ; malformed JSON | Fix the request. Do not retry unchanged.     |
| 401  | UNAUTHENTICATED        | Missing, invalid or revoked <code>X-Api-Key</code> ; partner suspended                                                                                                                                           | Check the key. Contact your partner manager. |
| 403  | FORBIDDEN              | Key not allowed for this operation; origin not allowed (CORS)                                                                                                                                                    | Contact your partner manager                 |
| 404  | NOT_FOUND              | Quote not found <b>or created by another partner</b> ; wrong path                                                                                                                                                | Check the ID and path                        |
| 405  | METHOD_NOT_ALLOWED     | Wrong HTTP method                                                                                                                                                                                                | Fix the method                               |
| 409  | CONFLICT               | Concurrent update of the same record                                                                                                                                                                             | Retry after a short delay                    |
| 415  | UNSUPPORTED_MEDIA_TYPE | Body sent without <code>Content-Type: application/json</code>                                                                                                                                                    | Set the header                               |

| HTTP | code                    | Typical cause                                                                                                                                                                                                      | What to do                                                                                                 |
|------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 422  | BUSINESS_RULE_VIOLATION | Product not sold on this channel ("... is not sold on channel partner_api"); "Quote expired — please re-quote"; "Quote is converted" (already bought); sum insured above the online limit ("refer to underwriter") | Re-quote or change the request                                                                             |
| 429  | RATE_LIMITED            | Too many requests (default 300 per minute per client IP)                                                                                                                                                           | Wait for the <code>Retry-After</code> seconds, then retry with back-off                                    |
| 503  | UPSTREAM_UNAVAILABLE    | Payment or TASCO core temporarily unavailable                                                                                                                                                                      | Retry with exponential back-off. For orders, use a <b>new</b> Idempotency-Key (see §3.2 Failure handling). |
| 500  | INTERNAL_ERROR          | Unexpected error                                                                                                                                                                                                   | Retry once. If it persists, contact support with the <code>requestId</code> .                              |

## Retry policy (recommended)

- Retry only 429, 503 and network timeouts. Use exponential back-off with jitter (1 s, 2 s, 4 s, 8 s; maximum 5 attempts).
- For `POST /orders`, reuse the same `Idempotency-Key` only when the outcome is **unknown** (timeout). After a definite failure (503, or a replay whose `order.status` is not `completed`), use a **new** key.
- Never retry 400, 401, 403, 404 or 422 without changing something.

## 5. Data protection obligations

- Send personal data (name, phone) only when needed for the policy, and only with a lawful basis under Vietnam's personal data protection rules (Decree 13/2023/ND-CP and the PDP Law).
- Set `consentMarketing: true` **only** when the customer explicitly agreed to marketing by TASCO/VETC.
- Do not store certificate data longer than your agreement allows. Do not scrape the public verification page.
- Never present TNDS with discount, rebate or cashback wording.

## 6. Testing checklist (sandbox certification)

1. Quote TNDS for a known plate and for a new plate (with `currentExpiry` and `seats`).
2. Quote TNDS + PA (expect bundle `SAFE_DRIVE`).
3. Order with an `Idempotency-Key`. Repeat the same call and expect `idempotentReplay: true`, `order.status: "completed"` and no second charge.
4. Order an expired quote and expect 422.
5. Use another partner's quote ID and expect 404.
6. Missing `Idempotency-Key`: expect 400. Missing or invalid key: expect 401.
7. Fetch policies and the statement for the test period. Check that commission matches the rates.
8. Scan the `certificateUrl` QR and check that the verification page shows **valid** and a masked plate.

Your partner manager signs off sandbox certification before issuing a production key.

## 7. Change log

| Version | Date    | Change                                                          |
|---------|---------|-----------------------------------------------------------------|
| v1      | 2026-10 | First release: quotes, orders (idempotent), policies, statement |