



Journey Maps and Information Architecture (v1 UI)

TASCO Insurance × VETC Growth Platform — User Experience

iorta TechNXT

Version 1.0 · 07 October 2026


Contents

1. Information architecture — staff console (/)
2. Information architecture — customer app (/app/) and certificate check
3. Key task flows with click counts
4. Journey maps
5. Content hierarchy rules

This document defines **where things live** (information architecture and sitemaps), **how key tasks flow** (task flows with click counts) and **how people experience the end-to-end journeys** (journey maps). It reflects the v1 UI: staff console at `/`, customer app at `/app/`, certificate check at `/verify/<certNo>`.

1. Information architecture — staff console (/)

Navigation is grouped and **filtered by permission**. The server enforces the same permission on every API call. Routes are hash-based (for example `#/leads`, `#/customer/<id>`).



Global elements on every page: skip link, top bar (logo, page title, VI/EN, theme, "?" help drawer, user menu with roles/region and sign out), and the left navigation.

1.1 Page inventory

Page	Purpose	Main API	Permission	Primary users
Home	Role-relevant KPIs: base, leads by tier and journey, DQ, engagement, sales (GWP, by channel and journey), claims, economics. Tabs: Overview, Adoption, Governance (needs audit:read).	GET /api/dashboard/overview , /adoption , /governance	dashboard:read	Exec, campaign, supervisor, author, approver, compliance, steward, partners, auditor, admin
Telesales inbox	Handoff queue: filter by status and "mine", claim, notes, outcome, assign (supervisor)	GET/PATCH /api/handoffs	handoff:read (+ handoff:work , handoff:assign)	Agents, supervisors, campaign (read)


Page	Purpose	Main API	Permission	Primary users
Leads	Prioritised list: filters tier/journey/action/region/days/score, sort by score or expiry. Recompute (campaign).	GET /api/leads , POST /api/leads/recompute	leads:read (+ leads:recompute)	Campaign, agents, supervisors, stewards
Customer 360	Golden record, lead score breakdown, NBA, touchpoints, messages, policies, voice sessions, benefits, activity. Quote/issue panel. Lineage. Expiry correction.	GET /api/customers/:id , /lineage , PATCH /expiry , POST /api/quotes , POST /api/orders	profile:read (+ profile:read_pii , quote:create , policy:issue , profile:update)	Agents, supervisors, campaign, stewards, compliance, claims
Voice bot	Console session (type customer utterances as ASR text), transcript with Vietnamese and English gloss, outcome and handoff link	POST /api/voice/sessions , /turns , GET /:id	voice:operate	Campaign, agents, supervisors
Claims	FNOL queue with SLA countdown and status transitions	GET/PATCH /api/claims	claims:read / claims:update	Claims handlers
Journeys	Journey definitions (read-only view of the active rule set), scheduled and executed touchpoints, "Run due touchpoints", inject ecosystem event, voice campaign	GET /api/touchpoints , POST /api/journeys/run , POST /api/ecosystem/events , POST /api/voice/campaign	journeys:run	Campaign managers
Partners	List and onboard partners, suspend or activate, issue and revoke API keys, commission statement	/api/partners*	partners:manage	Partner managers
Rules studio	All rule kinds and versions, detail, JSON editor with validation, simulate, submit, approve/reject, rollback	/api/rules*	rules:read (+ rules:author , rules:approve)	Authors, approvers, compliance, auditors, campaign/admin (read)
Data quality	Open DQ issues by type, resolve, batch ingestion, open the affected customer	/api/dq/issues* , POST /api/data/ingest	dq:read (+ dq:resolve , data:ingest)	Data stewards
Audit	Search by entity, actor and action. Verify hash chain. DSAR actions (export/erase) on a customer.	GET /api/audit , /verify , POST /api/dsar/:id/*	audit:read (+ dsar:manage)	Compliance, approvers, auditors, admin
Users	List, create (with roles, region, MFA), change roles, region or status	/api/users*	users:manage	Admin
Operations	Store, integration circuits, active rule checksums, event backlog, audit count. Job history. Run reconciliation, retention or relay.	GET /api/ops/status , /jobs , POST /api/ops/jobs/:kind	ops:read (+ ops:run_jobs)	Admin, support

1.2 Navigation by role (what each demo user sees)

Role (demo user)	Home	Inbox	Leads	Voice	Claims	Journeys	Partners	Rules	DQ	Audit	Users	Ops
admin (admin)	✓							✓ (read)		✓	✓	✓
executive (exec)	✓											
campaign_ manager (campaig n)	✓	✓ (read)	✓	✓		✓		✓ (read)				
telesales_a gent (agent.h n , agent.hc m)		✓ (lands here)	✓	✓								
telesales_su pervisor (supervis or)	✓	✓	✓	✓								
rule_author (author)	✓							✓ (autho r)				
rule_approv er (approve r)	✓							✓ (appro ve)		✓		
compliance_ officer (complian ce)	✓							✓ (appro ve)		✓ (+DS AR)		
data_stewar d (steward)	✓		✓						✓			
claims_han dler (claims)					✓ (lands here)							
partner_ma nager (partner s)	✓						✓					
auditor (auditor)	✓							✓ (read)		✓		
support_eng ineer (support)												✓ (land s here)

Customer 360 has no menu entry. It opens from Leads, the Telesales inbox, Data quality or a search, for roles with `profile:read`.

2. Information architecture — customer app (/app/) and certificate check




Certificate check (/verify/<certNo>) is public, has no sign-in and shows no personal data. It shows valid or not valid, status, certificate number, product, **masked plate**, insurer, start and end dates (GET /api/public/certificates/:certNo).

3. Key task flows with click counts

Counting convention: a **tap/click** is a deliberate activation (button, link, toggle). Typing into a field is not counted but is listed. Opening the link from a notification counts as entry (tap 0).

3.1 Customer: renew TND5 in ≤ 3 taps (target)



Step	Taps	What the customer sees
Open link	0	Cover status card with plate, expiry, days left, one primary button
"Gia hạn ngay"	1	Review card: product (Bảo hiểm TNDS bắt buộc ô tô), period (starts the day after current expiry), premium incl. VAT ("Phí theo quy định Nhà nước, giống mọi nơi"), up to 3 benefits, optional add-on toggles
"Thanh toán bằng ví VETC"	2	Payment progress
Wallet confirmation (VETC app, production)	3	E-certificate with QR, "Đã cấp giấy chứng nhận", "Lưu vào ứng dụng"

With add-on (accident cover per seat): +1 toggle tap on the review card, for **4 taps** total. Physical damage shows a quote (sum insured input); binding in production goes through the inspection flow, so it is not part of the one-tap path.

If expiry is uncertain (confidence < 0.75, `needsConfirmation`): the cover card first asks "Ngày hết hạn bảo hiểm hiện tại của bạn là 05/11/2026?", with [Đúng] / [Sửa ngày]. Confirming is 1 tap and repairs the data (`customer.expiry_declared`). Renewal then continues as above.

3.2 Telesales agent: claim → call → quote → issue (or send link)

#	Action	Clicks	Notes
1	Open Telesales inbox (landing page for agents)	0	Open handoffs in the agent's region, newest first, hot first
2	Claim on the handoff card	1	Status <code>open</code> → <code>claimed</code> , assigned to the agent. Card shows talking points, trust/price flags, verified plate.
3	Open customer (Customer 360)	2	Full record (PII visible for agents), score breakdown, benefits, history
4	Call from the official hotline (click-to-call through the telephony integration, or dial manually in v1)	3	Reference the assistant call. Never ask for OTP or payment details.
5	Quote : TNDS pre-selected; tick add-on (PA per seat) if accepted	4 (+1 per add-on)	<code>POST /api/quotes</code> (channel <code>telesales</code>)
6a	Send one-tap link (preferred)	5	Customer pays in their VETC app
6b	or Issue (only if the customer confirms the payment in their VETC app)	5	<code>POST /api/orders</code> with Idempotency-Key. Certificate number shown.
7	Record outcome : Won / Lost / Callback with a note	6	Stops or reschedules journeys

Target: ≤ **6 clicks** from inbox to recorded outcome, and handoff first contact ≤ 2 business hours (proposed).

3.3 Rule change (maker-checker)

#	Actor	Action	Clicks
1	Author	Rules studio → select kind (for example <code>scoring</code>) → New draft (copy of active)	2
2	Author	Edit JSON → Validate (inline errors with JSON paths)	1

#	Actor	Action	Clicks
3	Author	Simulate → choose customer → see current vs candidate (score, tier, NBA, journey, benefits)	2
4	Author	Save draft (description required) → Submit	2
5	Approver	Rules studio → Pending tab → open the draft → review diff and simulation	2
6	Approver	Approve (comment) → confirm; the previous version is retired automatically	2

Target lead time from draft to active: ≤ 1 business day (proposed).

3.4 Other flows (summary)

Flow	Actor	Clicks (target)
Resolve a DQ issue with expiry correction	Data steward	Data quality → issue → Open customer → Correct expiry (date + evidence) → Save → Resolve (≈ 5)
Acknowledge a claim	Claims handler	Claims → claim → Acknowledge → confirm (3)
Onboard a partner and issue a key	Partner manager	Partners → New → fill → Save → Issue key → Copy → "Tôi đã lưu khóa" (≈ 6)
DSAR access export	Compliance	Audit → search customer → DSAR → Export → Download (≈ 4)
Report accident	Customer	Bồi thường → Báo tai nạn → choose policy, date, description → Gửi (3)
Change consent	Customer	Tài khoản → toggle → Lưu (3)
Verify a certificate	Anyone	Scan QR → page opens (0)

4. Journey maps

4.1 Customer — TASCO renewal (retention journey)

Journey definition: `renewal` in `config/rules/journeys.json` (anchor: expiry date).

Stage	D-45 Verify	D-30 First reminder	D-21 Value	D-14 Voice bot	D-7 Urgent	D-3 Telesales	D0 Expiry day
Touchpoint	Push/ZNS <code>verify_expiry</code> (service)	Push/ZNS/SMS <code>first_reminder</code>	ZNS/push <code>value_reminder</code>	AI call (hot, warm)	Push/ZNS/SMS <code>urgent_reminder</code>	Human call (hot)	Push/ZNS/SMS <code>expiry_day</code> (service)
Customer doing	Confirms or corrects expiry in app	Notices; may tap to renew	Learns benefits	Verifies plate, asks price, chooses link or advisor	Renews in app	Talks to advisor	Last chance
Thinking / feeling	"Is this real? How do they know?" → reassured by the VETC app context	"Convenient — I'm already in the app"	"Same price everywhere — what else do I get?"	Suspicion → trust (disclosure, never asks OTP)	Mild urgency	Wants help or reassurance	Worry about fines

Stage	D-45 Verify	D-30 First reminder	D-21 Value	D-14 Voice bot	D-7 Urgent	D-3 Telesales	D0 Expiry day
Pain points	Wrong date erodes trust	Too many messages (capped: 1/day, 3/week)	Generic benefits	ASR mishears plate	Payment friction	Feels like a sales call	
Opportunities / design response	Data repair in 1 tap	One-tap renew, ≤ 3 taps	Relevant benefits ("why for you")	Plate-first, max 3 attempts, link option	Wallet one-tap, idempotent	Talking points, trust script	Clear lapse message, no scare tactics
Metrics	Confirmation rate	Click-through, conversion	Conversion	Outcomes, opt-out rate	Conversion	Win rate	Lapse rate

All steps stop once the vehicle has an active TASCO TNDS policy (the touchpoint is cancelled with reason "already insured with TASCO").

4.2 Customer — conquest (insured elsewhere / unknown insurer)

Steps at D-45, -30, -21, -14 (voice bot, hot only) and -7. The `conquest_reminder` template mentions renewing "lần này" (this time) in the VETC app with TASCO, plus the top benefit. **Emotional curve:** indifferent ("I always renew at the inspection centre") → curious (convenience, roadside assistance) → decisive at D-7 if the wallet covers the premium. **Key moment of truth:** the `vetc.wallet_topped_up` trigger (customer is in the app with funds, within 30 days of expiry) sends `first_reminder` by push.

4.3 Customer — uninsured vehicle recovery (lapsed ≤ 60 days)

D0 service notice `lapsed_notice` ("may be driving without compulsory TNDS — if you already bought it, update us"), D+2 voice bot (hot/warm), D+5 telesales (hot). Trigger `vetc.long_trip_started` sends `value_reminder` when an uninsured vehicle starts a long highway trip. **Design note:** tone is helpful, never accusatory. The first action offered is "I already bought it", which repairs the data and stops the reminders.

4.4 Customer — new vehicle onboarding

Trigger `vetc.tag_activated` (new ETC tag ≈ new car) enrolls the vehicle. D+1 welcome (`new_vehicle_welcome`), D+7 verify expiry, D+14 value reminder. **Opportunity:** the dealer or showroom partner may have sold the TNDS. The partner record raises expiry confidence and suppresses unnecessary pitching.

4.5 Customer — cross-sell after purchase

After a TNDS-only purchase **with marketing consent**, the D+1 `cross_sell` message notes that TNDS only protects third parties and offers accident cover per seat or physical damage. It is never sent if add-ons were already bought.

4.6 Telesales agent — a day with the platform

Time	Activity	Platform support	Emotion
08:00	Sign in, check inbox	Agent lands on Telesales inbox, filtered to own region	Neutral
08:15	Claim first hot handoff	Card shows verified plate, "customer asked price", talking points	Confident: "this person asked for me"

Time	Activity	Platform support	Emotion
08:20	Call	Trust script, official hotline	Relief: the customer is expecting the call
08:30	Quote + send link	Quote panel, benefits list, one-tap link	Efficient
08:35	Record outcome	Won / Callback with note	Accomplished
11:00	Callback due	Status callback items	In control
17:00	Review	Supervisor dashboard, wins recorded	Recognised

4.7 Rule author and approver — changing the scoring

Author: idea ("long-distance drivers convert better") → draft → validate → simulate on 5 customers → submit with description → wait. Approver: notified → reviews the diff and simulation → approves with comment → active within seconds → leads recompute. **Pain points designed out:** no IT ticket, no release, no spreadsheets. Self-approval is impossible, and everything is in the audit trail.

5. Content hierarchy rules

1. One primary action per view (customer) or per card (staff).
2. Status first, then action, then detail (progressive disclosure: talking points, lineage and JSON are collapsed by default).
3. Explanations sit next to the thing they explain (score reasons, blocked reasons).
4. Personal data is shown only where needed for the task, and masked otherwise.