



---

# Data Steward Manual

TASCO Insurance × VETC Growth Platform — User Manuals

iorta TechNXT

Version 1.0 · 07 October 2026

## Contents

1. How the golden record works
2. Your daily work: the Data quality queue
3. Correct a policy expiry date
4. Ingest a data batch
5. KPIs (proposed)
6. Troubleshooting

| Document            | Version | Date            | Owner                                    | Status                |
|---------------------|---------|-----------------|------------------------------------------|-----------------------|
| Data Steward Manual | 1.0     | 07 October 2026 | iorta TechNXT — Business Analysis and UX | Issued for submission |

**Role:** `data_steward` · **Demo user:** `steward` · **MFA:** required

**Your permissions:** data-quality issues (`dq:read`, `dq:resolve`), customer records **with personal data** (`profile:read`, `profile:read_pii`), **correct customer data** (`profile:update`), **ingest data batches** (`data:ingest`), leads (`leads:read`), dashboards (`dashboard:read`).

You keep the golden record trustworthy. Only about 1 in 10 source records carries a reliable policy stamp, so the platform infers missing facts and scores its confidence. Your corrections, together with customer and voice bot confirmations, turn estimates into facts.

Read the [Staff User Manual](#) first.

## 1. How the golden record works

1. **Source records** arrive from VETC (accounts, tags, toll class, app activity), TASCO core, partners and telesales files. Each is stored with its batch and lineage.
2. Records are matched **by licence plate**. The plate is normalised, for example "30a-123.45" becomes key `30A12345`, and the province is checked from the plate prefix. Invalid plates are rejected and logged as DQ issues.
3. **Survivorship** picks each field from the most trusted source (`enrichment.sourceTrust`). From highest to lowest: `tasco_core` 1.0, VETC app purchase 0.95, VETC account 0.85, customer declared 0.75, inspection centre 0.65, bank/showroom/fleet 0.6, agent 0.5, telesales CSV 0.4.
4. **Expiry inference** uses evidence: a verified certificate (1.0), customer declared (0.75), a partner policy record (0.7, scaled by source trust), the inspection cycle (0.5), the tag anniversary (0.25). Agreeing evidence within 21 days raises confidence (+0.15 each, max 0.95).
5. **Vehicle category** is inferred from declared seats, use and toll class (decision table), with confidence and the basis shown.
6. A **DQ score** combines completeness (50 %), expiry confidence (35 %) and category confidence (15 %).
7. Facts confirmed **on the platform** (customer declared, voice bot, TASCO-issued, steward corrections) survive later rebuilds when they are more confident.

**Thresholds to remember:** expiry confidence  $< 0.5$  means "not reliable — fix data before selling" (the NBA sends a confirmation request). Customers are asked to confirm in the app when confidence is  $< 0.75$ .

## 2. Your daily work: the Data quality queue

1. Open **Data quality**.
2. **What you will see:** a button per issue type with its count (and **All**), then the open issues with **Issue** (type), **Customer**, **Source** (or batch), **Detected** and **Resolve**.

| Issue type                 | Raised when                                                                    | Typical resolution                                               |
|----------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------|
| <code>invalid_plate</code> | A source record's plate cannot be normalised (format or unknown province code) | Correct it at source, or reject the record. Resolve with a note. |

| Issue type        | Raised when                                                         | Typical resolution                                                                                                  |
|-------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| wrong_person      | The voice bot reached someone who says it's not their car or number | Check the phone. Remove or replace it from a better source. Resolve.                                                |
| plate_mismatch    | The person on the call gave a different plate                       | Check for a sold vehicle, a transfer or a wrong phone link. Resolve.                                                |
| phone / name      | No phone number or name in any source                               | Enrich from a trusted source (VETC account update, partner file), or leave it to journeys (app push needs no phone) |
| reliable_expiry   | Expiry confidence below the usable threshold (0.5)                  | Correct with evidence (section 3), or let the <code>verify_expiry</code> journey step ask the customer              |
| vehicle_category  | Category confidence below 0.6, so the premium may be wrong          | Confirm seats and use from a reliable source and re-ingest. Ask underwriting if unsure.                             |
| current_insurer   | Current insurer unknown                                             | Usually resolved by customer or voice bot confirmation. Correct when evidence exists.                               |
| conflicting_phone | Sources disagree on the phone number                                | Check lineage and keep the most trusted. Remove numbers known to be wrong at source.                                |

3. Select a type button to filter, and work the highest volumes first. Issues tied to hot leads (open the customer to see the tier) come before the rest.

## 2.1 Resolve an issue

1. Select the customer ID in the **Customer** column to open Customer 360, if needed.
2. Investigate (see 2.2) and make any correction.
3. Back on **Data quality**, select **Resolve** on the issue and enter a **Resolution note** (what you found and did, for example "Phone belongs to previous owner; removed per VETC account update 12/10/2026").

**What you will see:** the toast "Resolved", and the issue disappears from the open list. It is audited as `dq.resolved` with your user ID. If new conflicting data arrives later, a new issue may be raised.

## 2.2 Investigate with lineage

1. In Customer 360, open **Data & lineage**.
2. **What you will see:**
  - **Golden record:** the fields, including **Sources** (the source systems that built this profile) and **Data quality** (score and missing fields);
  - **Lineage:** for each field (for example `policy.expiryDate`), the source or rule and the confidence;
  - **Expiry evidence:** each piece of evidence with its date, method and confidence.
3. Decide which evidence is right. When in doubt, prefer TASCO core or a verified certificate.

## 3. Correct a policy expiry date

Use this when you have **evidence**: a certificate photo sent by the customer, a TASCO core record, a partner confirmation or a call note.

1. Open the customer in **Customer 360**.
2. Open the **Data & lineage** tab and scroll to **Correct expiry (data steward)**.

3. Enter:

- **New expiry date;**
- **Insurer** (optional, for example `TASCO`, `OTHER` or the insurer name);
- **Evidence** (required, up to 300 characters): what the evidence is and where it is stored, for example "Certificate photo, ticket SR-5521".

4. Select **Save correction**.

**What you will see:** "Corrected and re-scored". The expiry now shows source `data_steward` with confidence 0.9 ( `stewardCorrectionConfidence` in the `service_levels` rule set). The lead is **recomputed at once**: tier, journey and scheduled touchpoints may change. The audit trail records `profile.expiry_corrected` with your evidence note.

**Do not guess.** A wrong date sends reminders at the wrong time and destroys customer trust. If you have no evidence, leave the customer in the `verify_expiry` path so they confirm it themselves.

## 4. Ingest a data batch

Use this for partner files, telesales lists or corrected extracts. Routine VETC/TASCO feeds run automatically.

1. Prepare the records in the agreed JSON format. Each record **must** have a unique `recordId`. Allowed fields: `recordId`, `source`, `plateRaw`, `phoneRaw`, `fullName`, `tollClass`, `seatsDeclared`, `usageDeclared`, `ownerType`, `tagActivatedAt`, `policy` (`insurer`, `expiryDate`, `verified`), `lastInspectionDate`, `declaredExpiry`, `partnerId`, `firstRegisteredYear`. Any other field is ignored.
2. Submit the batch through the ingestion API, `POST /api/data/ingest` (permission `data:ingest`). The v1 console has no upload screen. Set the **source** name of each record (for example `partner_inspection_center`, `telesales_csv`): it drives source trust.
3. Keep batches to **2,000 records or fewer**. The API accepts up to 5,000 records, but larger batches can exceed the 1 MiB request limit.

**What you will see:** the batch ID ( `B-<date>-...` ), records received, the number rejected (invalid plates), profiles touched and rebuilt, and new DQ issues. Affected leads are re-scored automatically.

Only ingest data that has a lawful basis and a data-sharing agreement. Personal data in source records is encrypted at rest. Raw source records are deleted after 365 days ( `retention` rule set).

## 5. KPIs (proposed)

| KPI                                                  | Target                                                |
|------------------------------------------------------|-------------------------------------------------------|
| Profiles with usable expiry (confidence $\geq 0.5$ ) | Rising every month. $\geq 50$ % of the base at scale. |
| Open DQ issues older than 5 business days            | $\leq 10$ %                                           |
| wrong_person + plate_mismatch per 100 voice calls    | Falling trend                                         |
| Corrections with evidence notes                      | 100 %                                                 |

## 6. Troubleshooting

| Problem                                                | Fix                                                                                                            |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| "records[3].recordId required"                         | Every record needs a string <code>recordId</code>                                                              |
| Error on batch size, or HTTP 413                       | Split into batches of 2,000 records or fewer                                                                   |
| Many <code>invalid_plate</code> issues from one source | Check the source's plate format and province codes. Feed back to the provider.                                 |
| Correction "not found"                                 | The customer may have been anonymised (DSAR erasure)                                                           |
| My correction was overwritten                          | Only a more trusted, more confident source (for example a TASCO-issued policy) can override it. Check lineage. |

See also: [Compliance Officer Manual](#), [Campaign Manager Manual](#).