



Partner API Guide (v1)

TASCO Insurance × VETC Growth Platform — User Manuals

iorta TechNXT

Version 1.0 · 07 October 2026

Contents

1. Authentication
2. Typical flow
3. Endpoints
4. Errors
5. Data protection obligations
6. Testing checklist (sandbox certification)
7. Change log

Document	Version	Date	Owner	Status
Partner API Guide	1.0	07 October 2026	iorta TechNXT — Integration Engineering	Issued for submission

For **developers at partner organisations** (banks, car showrooms, agencies, fleets, inspection centres) who quote and sell TASCO Insurance motor cover through the TASCO Growth Platform.

Item	Value
Base path	/api/partner/v1
Base URL	Sandbox and production URLs are given to you by your TASCO partner manager
Format	JSON over HTTPS (Content-Type: application/json)
Authentication	X-Api-Key header, with scopes per key
Payment	Partner-collected (no VETC wallet debit)
Idempotency	Idempotency-Key header required on POST /orders
Machine-readable spec	GET /api/openapi.json (OpenAPI 3.1; partner operations are tagged Partner API)
Support	Your partner manager. Quote the requestId from any error.

1. Authentication

Every request must carry your API key:


```
X-Api-Key: tpk_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

- Keys start with `tpk_`. They are issued by your TASCO partner manager and **shown only once**. TASCO stores only a hash, so a lost key cannot be recovered. Ask for a new key and the old one will be revoked.
- Keep keys server-side only, in a secret store. **Never** put them in mobile apps, browsers or source code.
- Requests fail with `401` if the key is missing, wrong or revoked, or if your partner account is suspended.
- Each key carries **scopes**, which are enforced on every call: `quote` for `POST /quotes`, `purchase` for `POST /orders`, and `policies:read` for `GET /policies` and `GET /statement`. A call outside your key's scopes fails with `403` ("API key lacks scope ..."). Keys normally carry all three.
- Use separate keys for test and production. Rotate at least yearly.

In the examples below:

```
export BASE="https://<platform-host>"           # provided by TASCO
export KEY="tpk_your_key_here"
```

2. Typical flow



3. Endpoints

3.1 Create a quote: `POST /api/partner/v1/quotes`

Quotes one to five products for a vehicle identified by **licence plate**. If TASCO does not yet know the vehicle, it is **onboarded automatically** (new business) from the data you send. If you send `currentExpiry` or `seats`, those facts are added to the vehicle's record and attributed to you.

Request body

Field	Type	Required	Notes
plate	string (≤ 20)	✓	Any common format: 30A12345, 30A-123.45, 30a 123 45. Must be a valid Vietnamese plate.
products	array (1–5)	✓	Each item { "code": "...", "options": { ... } } (see the table below)
holderName	string (≤ 120)		Policyholder name
phone	string (≤ 20)		Vietnamese mobile (09..., +849...). Validated.
seats	integer 1–60		Declared seats (drives vehicle category and PA pricing)
usage	personal commercial		Declared use
ownerType	individual company		Declared owner type (default individual)
currentExpiry	date YYYY-MM-DD		Expiry of the customer's current TNDs. Cover starts the next day.

Products available on the partner channel

code	Product	options
TNDS_CAR	Compulsory TNDS (car), price-regulated	category (optional override, for example car_under6, car_6_11, pickup_van, commercial_under6, truck_under3t ...), termYears 1–3
PA_SEAT	Driver and passenger personal accident	seats (defaults to the vehicle's seats, or 5), sumInsuredPerSeat: one of 10000000, 20000000, 50000000, 100000000
MOTOR_PD	Voluntary physical damage	sumInsured (VND, ≤ 5,000,000,000 online), deductible: 0, 500000 or 1000000, vehicleAge (years). Requires a recorded vehicle inspection before binding (see section 3.2).

TNDS_MOTORBIKE is not available on the partner channel (VETC app and Zalo only).

Example

```
curl -sS -X POST "$BASE/api/partner/v1/quotes" \
-H "X-API-Key: $KEY" \
-H "Content-Type: application/json" \
-H "X-Request-Id: bank01-req-000123" \
-d '{
  "plate": "30A-123.45",
  "holderName": "Nguyễn Văn An",
  "phone": "0912345678",
  "seats": 5,
  "usage": "personal",
  "currentExpiry": "2026-11-05",
  "products": [
    { "code": "TNDS_CAR", "options": { "termYears": 1 } },
    { "code": "PA_SEAT", "options": { "sumInsuredPerSeat": 20000000 } }
  ]
}'
```

Response 200 (abridged)

```

{
  "id": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f",
  "profileId": "30A12345",
  "plate": "30A-123.45",
  "channel": "partner_api",
  "partnerId": "P-BANK-01",
  "lines": [
    {
      "product": "TNDS_CAR",
      "productName": "Compulsory motor third-party liability (car)",
      "productNameVi": "Bảo hiểm TNDS bắt buộc ô tô",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "termDays": 365,
      "premiumNet": 437000,
      "vat": 43700,
      "total": 480700,
      "priceRegulated": true,
      "breakdown": [{ "label": "Car < 6 seats (non-commercial)", "labelVi": "Xe dưới 6 chỗ (không kinh doanh)", "annual": 437000, "years": 1 }],
      "note": "Premium fixed by regulation – identical at every insurer."
    },
    {
      "product": "PA_SEAT",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "premiumNet": 100000,
      "vat": 0,
      "total": 100000,
      "priceRegulated": false,
      "breakdown": [{ "label": "Personal accident", "seats": 5, "sumInsuredPerSeat": 20000000, "ratePerSeat": 0.001 }],
      "note": "Premium per TASCO filed rates."
    }
  ],
  "total": 580700,
  "benefits": [
    { "id": "roadside_24_7", "title": "24/7 roadside assistance", "titleVi": "Cứu hộ giao thông 24/7", "why": "peace of mind on every trip" }
  ],
  "bundle": "SAFE_DRIVE",
  "status": "open",
  "createdAt": "2026-10-07T03:12:44.120Z",
  "expiresAt": "2026-10-08T03:12:44.120Z"
}

```

Notes:

- Amounts are **integers in VND**. `total` = `premiumNet` + `vat`. Personal accident is VAT -exempt.
- **TNDS premiums are regulated and identical at every insurer**. Do not present any discount on them.
- Rates for `PA_SEAT` and `MOTOR_PD` in the sandbox are **illustrative**. Production uses TASCO's filed rates.
- A quote is valid for **24 hours** (`expiresAt`).
- `bundle` is set when the products match a published bundle (`SAFE_DRIVE` = TNDS + PA, `FULL_MOTOR` = TNDS + PD + PA). Bundle price is the sum of its components.

3.2 Bind (buy) a quote: POST /api/partner/v1/orders

Binds and issues every line of a quote. **Idempotent**: send an `Idempotency-Key` that is unique per purchase attempt and reuse it on retries. A retried request with the same key and quote returns the original completed order and **never issues twice**. Requires the `purchase` scope.

Physical damage: a quote that contains `MOTOR_PD` can be bound only after a TASCO assessor has recorded a passed vehicle inspection on the quote. Until then the order fails with `422` ("Physical damage cover needs a vehicle inspection first — a TASCO assessor will contact you"). Arrange the inspection with your partner manager, or quote `TNDS_CAR` and `PA_SEAT` without `MOTOR_PD`.

Header	Required	Rules
<code>Idempotency-Key</code>	✓	8–100 characters: letters, digits, _ or -. Use a UUID or your own order reference.

Body field	Type	Required
<code>quoteId</code>	string	✓ (must be a quote created with your key)
<code>holderName</code>	string (≤ 120)	Optional override of the policyholder name

```
curl -sS -X POST "$BASE/api/partner/v1/orders" \
  -H "X-Api-Key: $KEY" \
  -H "Content-Type: application/json" \
  -H "Idempotency-Key: bank01-order-2026-000457" \
  -d '{ "quoteId": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f", "holderName": "Nguyễn Văn An" }'
```

Response `200` (first call)

```

{
  "order": {
    "id": "0-9a8b7c6d5e4f3a2b1c0d",
    "quoteId": "Q-6f1c2d9e-3a4b-4c5d-8e9f-0a1b2c3d4e5f",
    "profileId": "30A12345",
    "channel": "partner_api",
    "partnerId": "P-BANK-01",
    "amount": 580700,
    "status": "completed",
    "paymentRef": "PARTNER-P-BANK-01-0-9a8b7c6d5e4f3a2b1c0d",
    "policies": ["TAS-TNDSCA-2026-100001", "TAS-PASEAT-2026-100002"],
    "commission": [
      { "product": "TNDSCAR", "rate": 0.05, "amount": 21850, "ruleId": "tnds_any", "capped":
false },
      { "product": "PA_SEAT", "rate": 0.15, "amount": 15000, "ruleId": "pa", "capped": false
}
    ],
    "completedAt": "2026-10-07T03:13:02.511Z"
  },
  "policies": [
    {
      "certNo": "TAS-TNDSCA-2026-100001",
      "policyNo": "POL-100001",
      "product": "TNDSCAR",
      "plate": "30A-123.45",
      "startDate": "2026-11-06",
      "endDate": "2027-11-06",
      "total": 480700,
      "status": "active",
      "certificateUrl": "https://<platform-host>/verify/TAS-TNDSCA-2026-100001"
    }
  ],
  "idempotentReplay": false
}

```

Retry with the same key returns 200 with "idempotentReplay": true and the original order (the policies array is not repeated; fetch it with GET /policies).

Certificate: certificateUrl is the public verification page. Encode it as a QR code on your documents. Anyone (police, inspectors) can scan it to see validity, product, dates and a **masked** plate. No personal data is shown.

Commission is calculated on **net** premium, capped by statutory limits, and recorded on the order.

Payment settlement. Partner sales are **partner-collected**: binding does not debit the customer's VETC wallet. The order's paymentRef starts with PARTNER-, and the premium is remitted to TASCO according to your partner agreement and reconciled against your commission statement.

Failure handling (read carefully):

Situation	What happened	What to do
Network timeout or no response	Unknown: the order may or may not have completed	Retry with the same Idempotency-Key. You get either the completed order (idempotentReplay: true) or 409 if that attempt failed.

Situation	What happened	What to do
503 UPSTREAM_UNAVAILABLE (TASCO core down)	Nothing was issued. Any line already issued in this attempt was cancelled automatically. The order is flagged for reconciliation.	Wait, then retry with a new Idempotency-Key for the same quote (if it has not expired)
409 CONFLICT "A previous attempt with this Idempotency-Key ended as ... — retry with a new key"	You re-sent the key of an attempt that failed	Retry with a new key. The quote is released after a failure.
409 CONFLICT "This quote is already being paid"	Another request is binding the same quote at this moment	Wait, then fetch GET /policies to check the result before retrying

Only an order with `status: "completed"` means the policies were issued.

3.3 List your policies: GET /api/partner/v1/policies

Returns policies sold through **your** partner account, newest expiry first.

Query	Type	Default
limit	1-500	50
offset	≥ 0	0

```
curl -sS "$BASE/api/partner/v1/policies?limit=100&offset=0" -H "X-Api-Key: $KEY"
```

Response: a JSON array of policy objects (fields as in the order response, plus `premiumNet`, `vat`, `channel`, `partnerId`, `orderId`, `issuedAt`, `insurer`).

3.4 Commission statement: GET /api/partner/v1/statement

Query	Type	Notes
from	date YYYY-MM-DD	Inclusive (order creation date)
to	date YYYY-MM-DD	Inclusive

```
curl -sS "$BASE/api/partner/v1/statement?from=2026-10-01&to=2026-10-31" -H "X-Api-Key: $KEY"
```

```
{
  "partnerId": "P-BANK-01",
  "from": "2026-10-01",
  "to": "2026-10-31",
  "orders": 42,
  "totalCommission": 1287450,
  "lines": [
    { "orderId": "0-9a8b7c6d5e4f3a2b1c0d", "date": "2026-10-07", "product": "TNDS_CAR",
      "rate": 0.05, "amount": 21850, "ruleId": "tnds_any", "capped": false }
  ]
}
```

Only **completed** orders appear. This is the same statement your TASCO partner manager sees.

4. Errors

All errors use one format:

```
{
  "error": {
    "code": "VALIDATION_FAILED",
    "message": "Invalid licence plate",
    "details": null,
    "requestId": "bank01-req-000123"
  }
}
```

- `requestId` echoes your `X-Request-Id` header (8–64 characters: letters, digits, `_`, `-`) or is generated. It is also returned in the `X-Request-Id` response header. **Log it and quote it to support.**
- `details` may list field-level problems for validation errors.

HTTP	code	Typical cause	What to do
400	VALIDATION_FAILED	Missing or invalid field; invalid plate or phone; missing or badly formed Idempotency-Key; unknown product; unsupported <code>sumInsuredPerSeat</code> or <code>deductible</code> ; malformed JSON	Fix the request. Do not retry unchanged.
401	UNAUTHENTICATED	Missing, invalid or revoked <code>X-API-Key</code> ; partner suspended	Check the key. Contact your partner manager.
403	FORBIDDEN	Key lacks the scope for this operation ("API key lacks scope ..."); origin not allowed (CORS)	Contact your partner manager
404	NOT_FOUND	Quote not found or created by another partner ; wrong path	Check the ID and path
405	METHOD_NOT_ALLOWED	Wrong HTTP method	Fix the method
409	CONFLICT	Idempotency-Key of a failed attempt re-sent; quote already being paid; concurrent update	Use a new Idempotency-Key, or wait and check
415	UNSUPPORTED_MEDIA_TYPE	Body sent without <code>Content-Type: application/json</code>	Set the header
422	BUSINESS_RULE_VIOLATION	Product not sold on this channel; quote expired; quote already bought ("Quote is converted"); <code>sum insured</code> above the online limit; physical damage without a recorded inspection	Re-quote or change the request
429	RATE_LIMITED	Too many requests (default 300 per minute per client IP)	Wait for the <code>Retry-After</code> seconds, then retry with back-off
503	UPSTREAM_UNAVAILABLE	TASCO core temporarily unavailable	Retry with exponential back-off. For orders, use a new Idempotency-Key (see Failure handling in section 3.2).
500	INTERNAL_ERROR	Unexpected error	Retry once. If it persists, contact support with the <code>requestId</code> .

Retry policy (recommended)

- Retry only `429`, `503`, network timeouts and the `409` cases above. Use exponential back-off with jitter (1 s, 2 s, 4 s, 8 s; maximum 5 attempts).
- For `POST /orders`, reuse the same `Idempotency-Key` only when the outcome is **unknown** (timeout). After a definite failure (`503`, or `409` for a failed attempt), use a **new** key.
- Never retry `400`, `401`, `403`, `404` or `422` without changing something.

5. Data protection obligations

- Send personal data (name, phone) only when needed for the policy, and only with a lawful basis under Vietnam's personal data protection rules (Decree 13/2023/ND-CP and the PDP Law).
- The v1 API does not collect marketing consent for TASCO/VETC. Do not imply to customers that they will receive TASCO/VETC marketing.
- Do not store certificate data longer than your agreement allows. Do not scrape the public verification page.
- Never present TNDS with discount, rebate or cashback wording.

6. Testing checklist (sandbox certification)

1. Quote TNDS for a known plate and for a new plate (with `currentExpiry` and `seats`).
2. Quote TNDS + PA (expect bundle `SAFE_DRIVE`).
3. Order with an `Idempotency-Key`. Repeat the same call and expect `idempotentReplay: true`, `order.status: "completed"` and no second issuance.
4. Order an expired quote and expect `422`.
5. Use another partner's quote ID and expect `404`.
6. Missing `Idempotency-Key`: expect `400`. Missing or invalid API key: expect `401`. A key without the `purchase` scope on `POST /orders`: expect `403`.
7. Simulate a failed order (sandbox issuance outage), then re-send the same `Idempotency-Key`: expect `409`. Retry with a new key: expect success.
8. Quote `MOTOR_PD` and order it before an inspection is recorded: expect `422`.
9. Fetch policies and the statement for the test period. Check that commission matches the rates.
10. Scan the `certificateUrl` QR and check that the verification page shows **valid** and a masked plate.

Your partner manager signs off sandbox certification before issuing a production key.

7. Change log

Version	Date	Change
v1	October 2026	First release: quotes, orders (idempotent, partner-collected), policies, statement, scoped keys