



User Acceptance Test (UAT) Plan — TASCO Growth Platform

TASCO Insurance × VETC Growth Platform — Quality Engineering

iorta TechNXT

Version 1.0 · 07 October 2026

Contents

1. Approach
2. Business scenarios by persona
3. Entry criteria
4. Exit criteria
5. Defect triage
6. Sign-off sheet
7. Schedule
8. Roles

Document	Version	Date	Owner	Status
UAT Plan	1.0	07 October 2026	TASCO Product Owner (accountable); iorta TechNXT QA Lead (facilitation)	Issued for submission

Item	Value
Sign-off authority	TASCO Business Owner (overall); TASCO Compliance (compliance scenarios); VETC Product Owner (customer app and VETC channels)
Window	11–19 January 2027 (Project Plan Phase 3, week T2, plus re-test); sign-off by 22 January 2027 (gate G3)
Environment	Formal UAT: PostgreSQL, <code>DEMO_MODE=false</code> , real adapters pointing at the VETC, TASCO and Zalo UAT endpoints; synthetic and partner test identities; no production PII
Hosted UAT (preparation)	https://tasco-growth-api-uat.up.railway.app (Railway, <code>NODE_ENV=uat</code> , PostgreSQL, sandbox adapters, <code>DEMO_MODE=true</code>). Used for tester training, persona walkthroughs and early business feedback before the formal window. Access and the UAT password are distributed in the UAT access workbook, never in documents
Scripts	Persona manuals in <code>docs/manuals/</code> and the scenarios below; test cases in the Test Case Catalogue ; results recorded in <code>TASCO-Test-Cases-and-Results.xlsx</code>

1. Approach

UAT confirms that the platform supports TASCO's and VETC's business processes end to end and is fit for the pilot in Hà Nội and TP. Hồ Chí Minh. The method is **scenario-based**, per persona:

- Real users of each role run business scenarios: telesales agents from the pilot squads, campaign managers, compliance, data stewards, claims handlers, partner managers, a partner's integration developer, and VETC CX staff acting as customers on test devices.
- Each scenario has explicit acceptance criteria and maps to automated test cases. UAT does not repeat automated functional testing; it confirms the business outcome.
- The business date is **pinned** with `SIM_TODAY` on the UAT environment for the journey scenarios, so reminders fall due on the planned days. Contact-window scenarios run at the real time of day in the formal UAT, because the `at` and `date` overrides of `POST /api/journeys/run` and `POST /api/voice/campaign` are honoured only when `DEMO_MODE=true` (KI-33 fixed); on the hosted UAT they can be simulated with `at`.
- Usability observation runs alongside, per the Usability Testing Plan (`docs/ux/usability-testing-plan.pdf`): task success, time on task and the SUS questionnaire.



1.1 UAT user accounts

The formal UAT uses **named** accounts created by the admin through `POST /api/users`, not the demo users. MFA is mandatory for `admin`, `rule_approver`, `compliance_officer` and `data_steward` (`MFA_REQUIRED_ROLES`). Each user self-enrols their authenticator at first sign-in (the QR code is shown only to the user; administrators never see seeds) and must change the initial password. A locked-out user, or one who lost their authenticator, is unlocked or reset by the admin with `POST /api/users/:id/reset {unlock, resetMfa}`. Regions follow the pilot: telesales agents and supervisors are region-bound (Hà Nội, TP. Hồ Chí Minh).

On the hosted UAT the demo accounts are used instead. `DEMO_ACCOUNT_SYNC=true` unlocks and resets them at every start-up, `DEMO_TOTP_SEED` gives the MFA demo users published authenticator keys, and the MFA screen offers "Sign in with demo code (UAT)". The login page has no role shortcut buttons.

1.2 UAT data

Data set	Source	Volume
Vehicle base	Synthetic generator (SEED fixed per UAT cycle) + reference profiles (below)	50,000
Reference profiles (UAT-REF-01 ... 12)	Hand-crafted for deterministic scenarios	12
Customer test identities	VETC test accounts with test wallets, Zalo test accounts, test SIMs	20
Partner keys	P-BANK-UAT, P-SHOWROOM-UAT, issued in UAT	2

Ref	Profile characteristics	Used in
UAT-REF-01	HN car < 6 seats, TASCO-insured, expiry today + 30, verified, all consents	UAT-CM-01, UAT-CU-01
UAT-REF-02	HCM car, other insurer, expiry today + 14, confidence 0.7, call consent	UAT-TS-01, UAT-VB-01
UAT-REF-03	HN, expiry unknown (confidence < 0.5)	UAT-CU-02, UAT-DS-01
UAT-REF-04	HN, lapsed 10 days	UAT-CM-02
UAT-REF-05	DNC customer	UAT-CO-03
UAT-REF-06	No marketing consent, call consent only	UAT-CO-02
UAT-REF-07	Company-owned fleet vehicle	UAT-CM-03
UAT-REF-08	Expired policy, no active cover, has messages and calls (erasure candidate)	UAT-CO-05
UAT-REF-09	Active TASCO policy (DSAR erasure must be refused)	UAT-CO-05
UAT-REF-10	New ETC tag activated 3 days ago	UAT-CM-04
UAT-REF-11	Conflicting phones across two sources	UAT-DS-02
UAT-REF-12	Unknown plate (not in base), for partner onboarding	UAT-PA-01

2. Business scenarios by persona

Status values in the execution log: Not run / Pass / Pass with minor defects / Fail / Blocked.

2.1 Campaign manager (`campaign_manager`)

ID	Scenario	Acceptance criteria	Related TCs
UAT-CM-01	Review the renewal pipeline for the pilot cities and understand why a lead is hot	Lead queue filters by tier, journey and expiry; score reasons are understandable without technical help; benefits shown match the customer's usage	TC-042, TC-049
UAT-CM-02	Review the daily journey run (scheduled at 08:15 ICT) or run it manually inside the contact window	POST <code>/api/journeys/run</code> summary (done, skipped, deferred, cancelled by channel and journey) matches expectations for the reference profiles; skipped reasons are clear	TC-050–TC-059

ID	Scenario	Acceptance criteria	Related TCs
UAT-CM-03	Confirm fleet and company vehicles are routed to B2B and not called	NBA route_b2b; excluded from voice campaigns	TC-045
UAT-CM-04	A VETC ecosystem event (tag activated, inspection booked) triggers the right journey or message	Correct template; service versus marketing classification agreed with Compliance	TC-063
UAT-CM-05	Read the overview dashboard and economics block	KPIs reconcile with the scenario actions performed; costs use costs.json values	—

2.2 Telesales agent (telesales_agent) and supervisor (telesales_supervisor)

ID	Scenario	Acceptance criteria	Related TCs
UAT-TS-01	Agent claims a hot handoff from the voice bot, reads the summary and talking points, calls the customer and sends the one-tap link	Summary has a masked phone, plate verified by the customer, and price and trust signals; the claim sets assignedTo; the note is saved; status moves to won after purchase	TC-070, TC-025
UAT-TS-02	Agent quotes TNDS + PA per seat over the phone (POST /api/quotes) and sends the quote to the customer's VETC app / Zalo (POST /api/quotes/:id/send); the customer opens it and pays in the app while on the call	Regulated TNDS premium exact; no discount wording anywhere; the agent has no way to take payment; the customer pays once (idempotent on double tap); e-certificate QR verifies	TC-072, TC-073, TC-074, TC-156, TC-157
UAT-TS-06	Agent quotes physical damage cover (MOTOR_PD)	Payment is blocked until a vehicle inspection is recorded (POST /api/quotes/:id/inspection); the customer app explains this	TC-163
UAT-TS-03	Agent in Hà Nội tries to open a TP.HCM customer	Access denied with a clear message	TC-024
UAT-TS-04	Supervisor reassigns work between agents and sees the whole squad queue	Assignment works for the supervisor only; audit entry created	TC-026
UAT-TS-05	Agent runs a console voice-bot session to rehearse the script	Script is disclosure-first and plate-first; the transcript shows vi + en gloss	TC-064, TC-148

2.3 Voice bot campaign (operated by the campaign manager, observed by Compliance)

ID	Scenario	Acceptance criteria	Related TCs
UAT-VB-01	Campaign over 20 hot leads with the real voice vendor on test SIMs	Calls only within 08:00–20:00 ICT and only with call consent (enforced by voice.canCall; the at override is ignored outside demo mode); outcomes recorded; handoffs created	TC-135, TC-154, TC-162
UAT-VB-02	Tester says a wrong plate	Call ends politely; no personal data disclosed; DQ issue raised	TC-066
UAT-VB-03	Tester asks to stop calls	Opt-out confirmed by the bot; the profile becomes DNC; no further calls or marketing	TC-068
UAT-VB-04	Tester says the plate the way the bot instructs ("ba mươi A, ..."), and a motorbike plate	Verified (KI-25 fixed)	TC-065

2.4 Customer (VETC app / Zalo mini app; VETC CX testers on test devices)

ID	Scenario	Acceptance criteria	Related TCs
UAT-CU-01	Receive a renewal reminder (push or ZNS), open the link and renew in ≤ 3 taps with the VETC wallet	Link opens the right vehicle; premium matches the regulation; payment once; e-certificate shown; confirmation message received; reminders stop	TC-073, TC-059, TC-150
UAT-CU-02	Confirm the current expiry date (the "fix data" flow)	Expiry saved; needsConfirmation cleared; lead re-evaluated	TC-035
UAT-CU-03	Change consent in the consent centre (marketing off, calls off)	Takes effect immediately; no marketing or calls afterwards; service messages still allowed	TC-053, TC-054
UAT-CU-04	Report an accident (FNOL) with photos	Claim reference shown; status visible; SLA communicated	TC-100
UAT-CU-05	Download my data	Export complete and readable	TC-105
UAT-CU-06	Scan the certificate QR as a third party (traffic police)	Validity, product, period and masked plate shown; no name or phone	TC-074
UAT-CU-07	Accessibility walk-through with a screen reader on iOS and Android	Flow completable; WCAG 2.2 AA issues logged	TC-145

2.5 Rule author (rule_author), rule approver (rule_approver) and compliance officer (compliance_officer)

ID	Scenario	Acceptance criteria	Related TCs
UAT-RU-01	Author changes the scoring weights, simulates on UAT-REF-01..04, submits; the approver approves	Simulation shows current versus candidate; approval activates the new version; the previous version is retired; audit trail complete; replicas pick it up within 15 s	TC-093, TC-097, TC-099
UAT-RU-02	Author tries to add "giảm giá" or "hoàn tiền" wording to a template or benefit	Rejected with a clear copy-guard error	TC-095
UAT-RU-03	Admin tries to give one person both author and approver roles; author tries to approve their own change	Role combination refused (separation of duties); approval refused (no permission / maker-checker)	TC-027, TC-090
UAT-RU-04	Wrong rule activated → rollback	Rollback creates a draft that needs approval; the old behaviour returns after approval	TC-094
UAT-RU-05	Commission rule above the statutory cap	Rejected	TC-084

2.6 Compliance officer — regulatory controls

ID	Scenario	Acceptance criteria	Related TCs
UAT-CO-01	Review every active customer-facing template, voice script and benefit text (vi)	Signed content inventory; no discount, rebate or cashback language; disclosures present	TC-147, TC-061
UAT-CO-02	Marketing contact attempted at 07:30 and 20:15 ICT, and to a customer without marketing consent	Blocked with the correct reasons	TC-050, TC-052, TC-053
UAT-CO-03	Any contact with a DNC customer	Blocked on every channel; voice session refused	TC-055

ID	Scenario	Acceptance criteria	Related TCs
UAT-CO-04	Frequency caps	No more than 1 marketing message per day and 3 per week; ≤ 2 call attempts per week	TC-056, TC-057
UAT-CO-05	DSAR: erasure request for UAT-REF-09 (active policy) and UAT-REF-08	REF-09 refused with the legal-obligation message; REF-08 anonymised; audit entries present	TC-106, TC-107
UAT-CO-06	Audit trail review and chain verification	GET /api/audit/verify → ok; actions traceable to named users	TC-110
UAT-CO-07	Benefits pending legal review do not reach customers	loyalty_points not visible in the app	TC-041

2.7 Data steward (data_steward)

ID	Scenario	Acceptance criteria	Related TCs
UAT-DS-01	Correct a customer's expiry with evidence	Saved with evidence in the audit; lead recomputed	TC-037
UAT-DS-02	Work the DQ queue (conflicting phone, invalid plate, plate mismatch from the bot)	Issues visible by type; resolution recorded	TC-034, TC-038
UAT-DS-03	Ingest a partner extract (masked) and review lineage	Counts reconcile; lineage visible per field	TC-032, TC-040, TC-112

2.8 Partner manager (partner_manager) and partner integration developer

ID	Scenario	Acceptance criteria	Related TCs
UAT-PA-01	Onboard a partner, issue a key, and let the partner quote an unknown plate and bind it	Key shown once; quote and order succeed; the policy appears in the partner's list	TC-083, TC-086
UAT-PA-02	Partner tries to bind another partner's quote	Refused (not found)	TC-081
UAT-PA-03	Commission statement for a period	Totals match orders and capped rates; agreed by TASCO Finance	TC-085
UAT-PA-04	Suspend the partner / revoke the key	Next call refused immediately	TC-089
UAT-PA-05	Partner developer integrates from the OpenAPI document alone	Integration completed without undocumented behaviour	TC-133

2.9 Claims handler (claims_handler)

ID	Scenario	Acceptance criteria	Related TCs
UAT-CL-01	Work the FNOL queue: acknowledge → assessor assigned → ... → paid	Only valid transitions allowed; history visible to the customer	TC-103, TC-104

2.10 Executive, auditor, admin and production support

ID	Scenario	Acceptance criteria	Related TCs
UAT-EX-01	Executive reviews growth and adoption dashboards	Figures reconcile with the UAT activity log; read-only	—
UAT-AU-01	Auditor searches the audit trail by entity, actor and action	Results complete; no PII in audit details	TC-110

ID	Scenario	Acceptance criteria	Related TCs
UAT-AD-01	Admin creates, changes and disables users (offboarding)	Disabled user locked out immediately; admin cannot see customer PII	TC-011, TC-022
UAT-OP-01	Support engineer checks <code>/api/ops/status</code> , runs reconciliation and the relay, reads job history	Matches the runbook; <code>compensation_failed</code> and <code>payment_failed</code> orders are flagged; results understandable	TC-113
UAT-AD-02	Admin unlocks a locked user and forces MFA re-enrolment for a user who lost their phone	<code>POST /api/users/:id/reset</code> works; the user re-enrols at the next sign-in; the admin never sees a seed and cannot reset their own account; <code>audit user.reset</code>	TC-010

3. Entry criteria

#	Criterion	Evidence
E1	SIT exit met (all P1 SIT cases passed; no open Sev 1/2 interface defects)	SIT report (M6, 08 January 2027)
E2	UAT environment deployed from a release candidate tag; <code>/health/ready 200</code> ; <code>GET /api/audit/verify</code> ok	Deployment record
E3	UAT data loaded, including reference profiles; <code>SIM_TODAY</code> set and documented	Data load checklist
E4	Named accounts created, MFA enrolled, region assignments confirmed	Admin export of <code>GET /api/users</code>
E5	Testers trained (1 h per persona) on the manuals	Attendance list
E6	Known issues relevant to UAT are fixed and regression-tested (KI-01, KI-02, KI-25, KI-28, KI-31, KI-32, KI-33, together with KI-06, KI-09 and KI-29); remaining open items are listed in the UAT briefing with workarounds	Known issues register (Test Strategy, Appendix A)
E7	Zalo ZNS templates approved for UAT (or a test OA in use); VETC test wallets funded	Partner confirmations

4. Exit criteria

#	Criterion
X1	100 % of scenarios executed; ≥ 95 % passed
X2	0 open Sev 1 and 0 open Sev 2 defects (or Sev 2 waived in writing by the Business Owner with a fix date before pilot full volume on 15 February 2027)
X3	All compliance scenarios (UAT-CO-*, UAT-RU-02/03/05, UAT-VB-01/03) passed. No waiver possible
X4	Usability: task success ≥ 90 % on UAT-TS-01/02 and UAT-CU-01; SUS ≥ 70
X5	Sign-off sheet (§6) signed by every persona lead and the Business Owner

5. Defect triage

- **Daily triage at 16:30 ICT (30 min):** TASCO PO (chair), QA lead, tech lead, VETC representative, Compliance when a compliance defect is open.
- Severity follows the [Test Strategy](#) §7.1. Business priority is set by the PO.

- Defects carry the `X-Request-Id` from the screen or API response, the persona, the scenario ID and the reference profile, **never customer PII**.
- Fix deployments to UAT: at most **one per day**, at 08:00 ICT, with release notes listing the defects fixed. Re-test the same day.
- Change requests (behaviour working as specified but not as wanted) go to the PO backlog. They are not UAT defects.

Severity	Response in UAT	Fix target
Sev 1	Same day; testing of the affected scenario stops	Next daily build
Sev 2	Next triage	Within 2 business days
Sev 3	Next triage	Before go-live or waived
Sev 4	Backlog	BAU

6. Sign-off sheet

Persona / area	Scenarios	Executed / passed	Open defects (Sev) and waivers	Persona lead	Decision (Accept / Accept with conditions / Reject)	Signature and date
Campaign manager	UAT-CM-01 – 05					
Telesales agent and supervisor	UAT-TS-01 – 06					
Voice bot campaign	UAT-VB-01 – 04					
Customer (VETC app / Zalo)	UAT-CU-01 – 07			VETC Product Owner		
Rules (author / approver)	UAT-RU-01 – 05					
Compliance	UAT-CO-01 – 07		Waivers: none permitted	TASCO Compliance Officer		
Data steward	UAT-DS-01 – 03					
Partners	UAT-PA-01 – 05					
Claims	UAT-CL-01					
Executive / auditor / admin / ops	UAT-EX-01, UAT-AU-01, UAT-AD-01, UAT-AD-02, UAT-OP-01					
Overall UAT acceptance	48 scenarios			TASCO Business Owner		

Conditions attached to an "Accept with conditions" decision are copied to the [Production Readiness Checklist](#) with an owner and due date.

7. Schedule

Date (2027)	Activity
Thursday 7 – Friday 8 January	UAT environment prepared; data load; accounts; entry criteria review (E1–E7)
Monday 11 January	Kick-off (09:00); training sessions per persona; start of execution
Monday 11 – Friday 15 January	Execution: day 1 campaign, rules and compliance; day 2 telesales and voice; day 3 customer app (VETC CX) and partners; day 4 data steward, claims and ops; day 5 catch-up and usability sessions
Monday 18 – Tuesday 19 January	Fix and re-test window; regression of fixed areas
Wednesday 20 January	Final triage; sign-off sheet completed per persona
Thursday 21 January	UAT report to the PO and Business Owner
Friday 22 January	Gate G3 go/no-go at SteerCo (UAT, security and compliance sign-offs)

8. Roles

Role	Name / organisation	Responsibility
UAT manager	TASCO PO	Plan owner, triage chair, sign-off coordination
UAT facilitator	iorta TechNXT QA Lead	Environment, data, scripts, defect logging, daily report
Persona leads	TASCO business units, VETC CX	Execute scenarios, sign per persona
Compliance reviewer	TASCO Compliance	Compliance scenarios and content inventory sign-off
Support on call	iorta TechNXT dev + ops	Fix deployment, environment issues (via the Runbook and Support Guide)