



Design System — TASCO Growth Platform (v1 UI)

TASCO Insurance × VETC Growth Platform — User Experience

iorta TechNXT

Version 1.0 · 07 October 2026

Contents

1. Design principles
2. Brand
3. Design tokens
4. Components
5. Content style guide
6. Iconography
7. Governance of the design system

Document	Version	Date	Owner	Status
Design System	1.0	07 October 2026	iorta TechNXT — UX Lead	Issued for submission

The design system covers three surfaces:

Surface	URL	Users	Primary device
Staff console	/	TASCO / VETC staff (telesales, campaign, compliance, data, claims, partners, admin, executives)	Desktop and laptop (≥ 1280 px), usable on tablet
Customer app	/app/ (in the VETC app webview or Zalo, opened from a signed renewal link)	VETC drivers	Mobile (360–430 px)
Certificate check	/verify/<certNo>	Police, inspectors, anyone scanning the QR code	Mobile

Implementation: CSS custom properties in `public/css/tokens.css`, shared components in `public/css/components.css`, and surface styles in `console.css` and `customer.css`. Strings are in `public/js/shared/i18n.js` and contextual help in `public/js/console/help.js`.

1. Design principles

#	Principle	What it means in practice	Example
1	Consumer-grade	Staff tools should feel as easy as a good consumer app. No training should be needed for the common path.	The telesales inbox shows one primary action per card: "Claim".
2	Trust-first	Every customer touch proves it is genuine and respects privacy. Staff see only what they need.	The customer app opens only from a signed, expiring link or VETC SSO. Payment happens only in the customer's app, never through staff. The certificate check shows a masked plate and no personal data. PII is masked for roles without <code>profile:read_pii</code> .
3	Low-click	Renewal in ≤ 3 taps from the link. Agent "claim → call → quote → send to the customer" in ≤ 6 clicks.	Renew flow with add-ons as options on the same step. A quote sent by an agent is confirmed with one tap on Home.
4	Mobile-first (customer) / keyboard-first (staff)	Customer layouts are designed at 360 px and scale up. Staff power users can do everything from the keyboard.	44 px tap targets. Skip link. Visible focus.
5	Explain, don't just show	Scores, actions and blocked sends always carry a reason.	Lead score shows its factor breakdown. A skipped touchpoint shows "outside allowed contact hours".
6	Value, never discount	TNDS pricing is regulated, so we sell service value. Copy never implies price reduction.	The benefits card lists roadside assistance, e-certificate and auto-renew. "Phí theo quy định Nhà nước, giống mọi nơi."

#	Principle	What it means in practice	Example
7	Guided	The next best action is always one obvious button. Help is one key away.	NBA button on lead and Customer 360. "?" opens the help drawer.
8	Inclusive	WCAG 2.2 AA. Readable by older drivers in sunlight. Works in both themes.	Base font 16 px. Contrast $\geq 4.5:1$. Dark mode.

2. Brand

Element	Usage
TASCO Insurance logo (<code>public/assets/tasco-logo-tight.png</code> , tightly cropped; full version <code>tasco-logo.png</code>)	Top-left of the staff console, the sign-in brand panel (on a white rounded tile) and the header of the customer app and certificate check. Minimum height 28 px on mobile and 32 px on desktop. Clear space equals the height of the "T". Never recolour or stretch it. On dark surfaces, place it on a white rounded tile (<code>--radius-sm</code>).
TASCO navy #213368	Primary brand colour: header, primary buttons, active navigation. Sampled from the logo (close to the brief's #1B2A6B).
TASCO teal #70CAC8	Brand accent: highlights, illustrations, progress, success moments (e-certificate). Not for text on white (contrast too low). Use <code>--brand-teal-ink</code> #0B6B66 for teal text. Sampled from the logo (close to the brief's #6CCFC6).
VETC co-brand	In the customer app the header shows the TASCO Insurance logo and "Bảo hiểm xe · VETC". The sign-in brand panel reads "TASCO Insurance × VETC". Messages start with "VETC:" because they are sent from VETC channels.
iorta TechNXT credit	Footer of the staff console and the sign-in page: "Built by iorta TechNXT" ("Phát triển bởi" in Vietnamese) with the logo (<code>public/assets/iorta-technxt-logo-tight.png</code>) at 24 px height in the console footer and 30 px on the sign-in page, <code>--text-muted</code> . Not shown in the customer app or on the certificate check, where the customer relationship belongs to TASCO and VETC.

3. Design tokens

Tokens are CSS custom properties defined on `:root` and redefined for dark mode. Dark mode applies either automatically through `prefers-color-scheme: dark`, unless the user forced light with `data-theme="light"`, or explicitly through `:root[data-theme="dark"]`. The theme toggle in the top bar sets `data-theme` and remembers the choice per browser.

3.1 Colour

Token	Light	Dark	Use	Contrast (on white)
<code>--brand-navy</code>	#213368	#213368	Logo areas, header band	$\approx 12:1$ on white
<code>--brand-navy-600</code>	#2C4386	—	Primary hover	$\approx 9.3:1$
<code>--brand-teal</code>	#70CAC8	#70CAC8	Decorative accent only	1.9:1 (non-text only)
<code>--brand-teal-ink</code>	#0B6B66	—	Teal text and links on light	$\approx 6.3:1$
<code>--bg</code>	#F5F7FB	#0D1324	Page background	—

Token	Light	Dark	Use	Contrast (on background)
--surface	#FFFFFF	#141C33	Cards, tables, drawers	—
--surface-2	#EEF2F8	#1B2542	Zebra rows, input backgrounds, hover	—
--border	#D5DCE8	#2C3A60	Dividers, input borders (with a 3:1 focus/hover state)	—
--text	#121A33	#E9EEFB	Body text	≈ 17:1 / 14.6:1
--text-muted	#4A5573	#A9B4D0	Secondary text, captions	≈ 7.4:1 / 8.2:1
--primary	navy	#8FA6FF	Primary buttons, links, active nav	≥ 4.5:1
--primary-contrast	#FFFFFF	#0D1324	Text on primary	≥ 4.5:1
--accent	#0B6B66	#7FDCD8	Secondary emphasis	≥ 4.5:1
--focus	#1E6FFF	#1E6FFF	Focus ring (2 px outline + 2 px offset)	≥ 3:1 against adjacent colours
--ok / --ok-bg	#11734B / #E2F5EC	#5FD39C / #12352A	Success, active policy, "valid"	≥ 4.5:1
--warn / --warn-bg	#8A5300 / #FFF1D6	#FFC266 / #3B2A0D	Warnings, expiring soon, low confidence	≥ 4.5:1
--danger / --danger-bg	#B3261E / #FDE7E6	#FF8A80 / #3D1614	Errors, lapsed cover, destructive	≥ 4.5:1
--info / --info-bg	#1B4FA8 / #E3EDFF	#9CBCFF / #152648	Information, help	≥ 4.5:1
--hot / --warm / --nurture	danger / warn / muted	same mapping	Lead tier badges (always paired with a text label)	≥ 4.5:1

Rules:

- Colour is **never the only signal**. Tier badges read "Hot", "Warm" and "Nurture". Status badges have text and an icon.
- Charts use the categorical palette navy, teal-ink, #8A5300, #6B3FA0, #B3261E, #4A5573, with a direct label or legend and a data table alternative.

3.2 Typography

Font stack: "Be Vietnam Pro", "Segoe UI", system-ui, -apple-system, Roboto, "Helvetica Neue", Arial, sans-serif. Be Vietnam Pro was designed for Vietnamese diacritics, which stack (ê, ô, ù). The system fallbacks render Vietnamese correctly. Monospace (--mono) is used for plates, certificate numbers, IDs and JSON in the Rules studio.

Token	Size	Line height	Weight	Use
--fs-xs	12 px (0.75 rem)	1.5	500	Badges, table meta. Never for body copy.
--fs-sm	14 px	1.5	400	Table cells, helper text
--fs-md	16 px	1.5	400	Body (customer app minimum)
--fs-lg	18 px	1.4	600	Card titles, customer app primary values
--fs-xl	22 px	1.3	700	Page titles (h1)
--fs-2xl	28 px	1.2	700	KPI values, the customer app's cover status

Text sizes are in `rem`, so browser zoom and OS font scaling are honoured up to 200 % without loss of content. Plates use tabular numbers and `letter-spacing: 0.02em`.

3.3 Spacing (4-point scale)

Token	Value	Typical use
<code>--sp-1</code>	4 px	Icon to label
<code>--sp-2</code>	8 px	Inside badges, dense tables
<code>--sp-3</code>	12 px	Form field gap
<code>--sp-4</code>	16 px	Card padding (mobile), page gutter on phones
<code>--sp-5</code>	24 px	Card padding (desktop), section gap
<code>--sp-6</code>	32 px	Page sections
<code>--sp-7</code>	48 px	Hero / empty-state spacing

3.4 Radius

Token	Value	Use
<code>--radius-sm</code>	6 px	Inputs, badges, small buttons
<code>--radius</code>	10 px	Buttons, cards, table containers
<code>--radius-lg</code>	16 px	Customer app cards, modals, drawers, bottom sheets

3.5 Elevation

Token	Value (light)	Use
<code>--shadow-1</code>	<code>0 1px 2px rgba(18,26,51,.08), 0 1px 3px rgba(18,26,51,.06)</code>	Cards, sticky headers
<code>--shadow-2</code>	<code>0 6px 24px rgba(18,26,51,.14)</code>	Drawers, modals, toasts, menus

Dark mode uses stronger, neutral shadows (`rgba(0,0,0,.4/.5)`) and relies on surface steps (`--surface` → `--surface-2`) for hierarchy.

3.6 Motion

Token	Value	Use
<code>--motion</code>	<code>160ms cubic-bezier(0.2, 0, 0, 1)</code>	Hover, drawer and toast entry, accordion
Reduced motion	<code>0ms linear</code> under <code>prefers-reduced-motion: reduce</code>	All animations are disabled. Skeleton shimmer becomes static.

Motion is functional only: it shows where something came from. There is no parallax, autoplay or animation longer than 300 ms. The success moment (certificate issued) uses a 300 ms teal check animation that is skipped when reduced motion is on.

3.7 Sizing

Token	Value	Use
--tap	44 px	Minimum target size for all interactive elements in the customer app. Staff console minimum 32 px with ≥ 8 px spacing (WCAG 2.2 2.5.8 requires 24 px).

4. Components

Each component lists anatomy, variants, states and accessibility notes. States for every interactive component are default, hover, focus-visible, active, disabled and loading.

4.1 Buttons

Variant	Use	Style
Primary	One per view: the main action ("Gia hạn ngay", "Claim", "Approve")	--primary background, --primary-contrast text
Secondary	Alternative actions ("Send to customer", "Simulate")	--surface with a --primary border and text
Ghost / tertiary	Low-emphasis ("Cancel", "Show details")	Text only, underline on hover
Danger	Destructive or irreversible ("Reject", "Revoke key", "Erase data")	--danger. Always confirmed in a modal that names the object.
NBA (guided action)	Next best action on Leads and Customer 360	Primary style with a leading lightbulb icon and the reason as helper text underneath
Icon button	Help "?", theme, close	40 × 40 px (44 in customer app), aria-label mandatory

Rules: labels are verbs ("Gửi đường dẫn", not "OK"). While loading, the button keeps its width, shows a spinner and sets `aria-busy="true"`, and is disabled to prevent double submit. Purchase buttons also send an `Idempotency-Key`, so a retried tap never double-charges.

4.2 Inputs and forms

- A label is always visible above the field (no placeholder-only labels). Helper text sits under the label and is linked by `aria-describedby`.
- Plate input:** uppercase, mono, accepts any format ("30a12345", "30A-123.45") and normalises it; the example is shown as helper text "Ví dụ: 30A-123.45".
- Phone input:** `inputmode="tel"`; accepts +84, 84 or 0 prefixes.
- Date input:** native date picker on mobile. Shown as `dd/mm/yyyy` (sent as ISO `yyyy-mm-dd`).
- Money:** read-only display `480.700 đ`. Users never type premiums.
- Errors:** inline under the field in `--danger` with an icon and the text "Lỗi: ...". The field gets `aria-invalid="true"`. On submit, an error summary at the top of the form links to each field, and focus moves to the summary.
- Required fields are marked "(bắt buộc)" in text, not just with an asterisk.

4.3 Cards

- Standard card:** `--surface`, `--radius`, `--shadow-1`, padding `--sp-5` (desktop) or `--sp-4` (mobile). Title `--fs-lg`.

- **Cover status card (customer app):** large status ("Còn 12 ngày", "Đã hết hạn", "Đang hiệu lực đến 05/11/2027"), coloured left border (ok/warn/danger) **plus** an icon and text, the masked plate and the primary action.
- **Benefit card:** icon, title (vi), one-line description, "why this matters to you" (from the `why` expression). Shows only benefits with `LegalStatus: approved`. The staff view flags pending items with a "Chờ pháp chế duyệt / pending legal review" badge.
- **Handoff card (telesales inbox; in v1 a list row with a detail panel):** masked phone, plate with a "verified by customer" check when `plateVerifiedByCustomer`, days to expiry, premium, score, outcome, trust/price flags, talking points (collapsed), primary "Claim".

4.4 KPI tiles

Label (`--fs-sm`, muted), value (`--fs-2xl`, tabular), optional delta with arrow **and** text (" +12 % so với tuần trước"), optional sparkline with `aria-hidden` and the numbers available in a table toggle. A tile can link to the filtered list behind it.

4.5 Tables

- Sticky header, zebra rows (`--surface-2`), right-aligned numbers, mono for IDs.
- Sortable columns use `<button>` in the header with `aria-sort`.
- Row click is matched by an explicit "Open" link in the first column, so it works for keyboard and screen readers.
- Pagination: "Trước / Tiếp" plus the count "1–50 / 2.431". The default page size is 50 (API max 500).
- On narrow screens tables collapse into stacked cards. Data is never hidden without a "show more".

4.6 Badges

Badge	Values	Style
Tier	Hot ≥ 70 , Warm ≥ 45 , Nurture (thresholds from scoring rules)	<code>--hot/--warm/--nurture</code> text on a tinted background, with the text label
Handoff status	open, claimed, callback, won, lost	info, primary, warn, ok, muted
Rule status	draft, pending_approval, active, retired, rejected	muted, warn, ok, muted-strikethrough, danger
Claim status	submitted, acknowledged, assessor_assigned, under_assessment, approved, paid, rejected	Progress colours, with the SLA countdown chip when before acknowledgement
Data confidence	≥ 0.75 "Đã xác minh", $0.5-0.75$ "Ước tính", < 0.5 "Chưa chắc chắn"	ok / warn / danger
Legal status	approved, pending_legal_review	ok / warn
PII	"Đã che / Masked"	info. Shown wherever data is masked for the user's role.

4.7 Stepper

Used for customer renewal (Xác nhận → Thanh toán → Giấy chứng nhận), claims status and the rule lifecycle (Draft → Submitted → Approved/Active). Steps have a number and label, with `aria-current="step"` on the current step. Completed steps show a check icon and the text "(đã xong)" for screen readers.

4.8 Toasts

Top-right on desktop, bottom on mobile (above the tab bar). Variants: ok, info, warn, danger. Toasts sit in an `aria-live="polite"` region (danger uses `assertive`). They auto-dismiss after 6 s, except danger, which needs dismissal. Toasts are never the only place a critical result is shown: an issued certificate also renders on the page.

4.9 Drawer

Right-side drawer (480 px on desktop, full screen on mobile) for the contextual help ("?"), transcript detail and rule diff. `role="dialog"`, `aria-modal="true"`, labelled by its title. Focus is trapped while open, Esc closes it and focus returns to the trigger.

4.10 Modal

Used only for confirmations and short forms: approve/reject with a comment, revoke a key, DSAR erase, show the API key once. Confirmation text names the object ("Thu hồi khóa K-1a2b3c4d của Partner Bank?"). Destructive confirmation needs typing or explicit selection for irreversible actions (DSAR erase). The API-key modal has a "Copy" button, the warning "Khóa chỉ hiển thị một lần" and needs the explicit acknowledgement "Tôi đã lưu khóa" before it closes.

4.11 Empty states

Illustration (teal, decorative, `aria-hidden`), a one-line explanation and a next step. For example, the telesales inbox empty state reads "Không có việc đang chờ. Trợ lý gọi tự động sẽ chuyển khách hàng quan tâm vào đây." Filtered empty states offer "Đặt lại bộ lọc".

4.12 Skeletons and loading

Skeleton blocks matching the layout appear for loads over 300 ms, with `aria-busy="true"` on the region and a visually hidden "Đang tải...". Shimmer is disabled under reduced motion. For loads over 10 s, show a message with retry.

4.13 Navigation

- **Staff left navigation:** grouped as Work (Home, Telesales inbox, Leads, Voice bot, Claims), Growth (Journeys, Partners), Governance (Rules studio, Data quality, Audit) and Administration (Users, Operations). Items are filtered by permission. `aria-current="page"` marks the active item. Below 1024 px it collapses behind the ☰ menu button.
- **Top bar:** menu button (narrow screens), logo, the user's name, roles and region (from 720 px), help "?", theme toggle (🌑), language button ("English" / "Tiếng Việt"), change password (🔑) and **Sign out**. Icon-only buttons carry a visually hidden label.
- **Customer bottom tab bar:** Trang chủ, Mua / Gia hạn, Bồi thường, Tài khoản. 4 tabs, icons with labels, 56 px tall.

4.14 Explainability widgets

- **Score breakdown:** a horizontal bar per factor (urgency, data confidence, engagement, reachability, relationship) with points and the reason text from the `scoring` rule. A total with tier badge.
- **Lineage chip:** next to fields in Customer 360, "Nguồn: vetc_account · 85 %", which opens field lineage.
- **Blocked reason:** inline warn text on touchpoints and messages ("copy guard: giảm giá").

4.15 Sign-in screen

The staff sign-in screen is a **split screen** (from 900 px wide) that introduces the platform and keeps the form simple:

Area	Content and rules
Brand panel (left, about 55 %)	Navy gradient background (#14204A → --brand-navy #213368 → #121D45), the TASCO Insurance logo on a white rounded tile, the kicker "TASCO Insurance x VETC" in light teal, a headline ("Bảo vệ mọi hành trình của 6 triệu chủ xe VETC"), three value points with teal check marks, and the TASCO hero illustration (public/assets/login-hero.svg) filling the space below the copy. The illustration is decorative (alt="") and never sits behind text.
Sign-in panel (right)	Language button at the top right, then the card: title "Đăng nhập hệ thống", one line on who may sign in, Username and Password fields with visible labels, the primary Đăng nhập button and the security note "🔒 Kết nối được mã hóa. Mọi truy cập đều được ghi nhật ký kiểm toán." The "Built by iorta TechNXT" credit sits at the bottom.
Two-step verification	Replaces the card content: title, help text, the enrolment QR code with "Cannot scan? Enter the key manually" at first sign-in, the 6-digit code field (autocomplete="one-time-code") and Xác minh . In UAT only, a dashed separator and Đăng nhập bằng mã demo (UAT) follow.
Narrow screens	Below 900 px the brand panel is hidden and the sign-in panel shows the TASCO logo at the top.

There are **no role shortcut or demo user buttons** on the sign-in screen. Errors appear in a `role="alert"` region under the fields, the password field is cleared after a failed attempt, and focus returns to it.

5. Content style guide

5.1 Voice and tone

- **Vietnamese-first.** All customer content is written in Vietnamese first, with English for staff review only. Staff UI defaults to Vietnamese with an EN toggle.
- **Polite and warm.** Address customers as "Quý khách" in formal and voice contexts and "bạn" in app microcopy (VETC app convention). Be consistent within a screen.
- **Plain language.** Short sentences (≤ 20 words), everyday words. Explain "TNDS" once as "bảo hiểm trách nhiệm dân sự bắt buộc".
- **Reassuring and honest about security:** "VETC không bao giờ yêu cầu mã OTP hay thanh toán qua điện thoại."

5.2 No discount wording (mandatory)

The copy guard (`config/rules/copy_guard.json`) blocks these phrases in customer-facing rule content and at send time: **giảm giá, chiết khấu, hoàn tiền, khuyến mãi phí, rẻ hơn, discount, cashback, rebate, % off, cheaper, lower premium, price cut**. UI copy hard-coded in the front end must follow the same rule. It is reviewed in design review, because the guard only checks rule content.

Don't	Do
"Giảm 10 % khi gia hạn qua VETC"	"Gia hạn qua VETC: cứu hộ 24/7 và giấy chứng nhận điện tử ngay"
"Rẻ hơn mua ngoài"	"Phí theo quy định Nhà nước, giống mọi nơi"

Don't	Do
"Hoàn tiền vào ví"	"Thanh toán bằng ví VETC, nhận giấy chứng nhận ngay"
"Tích điểm khi xác nhận ngày hết hạn" (while loyalty is pending legal review)	"Xác nhận ngày hết hạn để được nhắc đúng lúc"

Loyalty points or referral copy may appear **only** after the benefit's `legalStatus` is `approved` (and `referral.enabled` is true).

5.3 Formats

Item	Format	Example
Date	dd/mm/yyyy	05/11/2026
Date and time	HH:mm dd/mm/yyyy (24-hour, ICT)	14:30 05/11/2026
Money	VND, dot as thousands separator, "đ" or "đồng" (voice)	480.700 đ
Plate	Display format from normalisation	30A-123.45
Phone (masked)	First 4 + *** + last 3	0912***678
Name (masked)	Initials + last name	N. V. An
Percent	No space in Vietnamese	85%

5.4 Microcopy patterns

- Buttons: verb + object ("Gia hạn ngay", "Gửi đường dẫn", "Nhận việc").
- Confirmations: past tense + what happens next ("Đã cấp giấy chứng nhận. Bạn có thể tra cứu bằng mã QR.").
- Errors: what happened + how to fix it, without blame (see section 9 of the UX Standards and Accessibility document).
- Product names: use the `nameVi` from the `products` rule set. Do not invent new names.

5.5 Terminology (vi ↔ en)

Vietnamese	English	Notes
Bảo hiểm TNDS bắt buộc	Compulsory third-party liability (TNDS)	
Giấy chứng nhận điện tử	E-certificate	
Gia hạn	Renew	
Hết hạn	Expiry / expires	
Cứu hộ giao thông 24/7	24/7 roadside assistance	
Đăng kiểm	Vehicle inspection	
Báo tai nạn	Report an accident (FNOL)	
Bảo hiểm tai nạn người ngồi trên xe	Driver and passenger accident cover	PA_SEAT
Bảo hiểm vật chất xe	Physical damage cover	MOTOR_PD
VÍ VETC	VETC wallet	

Vietnamese	English	Notes
Hộp việc telesales	Telesales inbox	
Hành động đề xuất	Next best action	
Quy tắc nghiệp vụ	Rules studio	

6. Iconography

- **Style:** outline, 1.5 px stroke, 24 px grid (20 px in dense tables), rounded joins, `currentColor`.
- **Library:** a single open-source outline set (for example Lucide, ISC licence) bundled locally under `public/vendor/`, never loaded from a third-party CDN at runtime. The v1 console uses Unicode glyphs as placeholders, to be replaced with the icon set.
- **Accessibility:** decorative icons get `aria-hidden="true"`. Icon-only buttons have an `aria-label` in the current language.
- **Core icon map:**

Concept	Icon
Home / dashboard	layout - dashboard
Telesales inbox	phone - incoming
Leads	star
Voice bot	mic
Claims	life - buoy
Journeys	route
Partners	handshake
Rules studio	scale
Data quality	badge - check
Audit	link (chain)
Users	users
Operations	settings
Roadside assistance	truck
E - certificate	qr - code
Auto renew	refresh - cw
Inspection	clipboard - check
Help	circle - help
PII masked	eye - off

7. Governance of the design system

- The UX Lead owns it. Changes are proposed in the weekly design review and versioned in this file and `public/css/tokens.css` together.
- New components need: a use case, all states, light and dark variants, keyboard behaviour, screen-reader behaviour, and vi/en copy.
- Contrast is checked for every new token pairing, light and dark (target AA: 4.5:1 for text, 3:1 for UI components and focus indicators).