



Journey Maps and Information Architecture (v1 UI)

TASCO Insurance × VETC Growth Platform — User Experience

iorta TechNXT

Version 1.0 · 07 October 2026

Contents


1. Information architecture — staff console (/)
2. Information architecture — customer app (/app/) and certificate check
3. Key task flows with click counts
4. Journey maps
5. Content hierarchy rules

Document	Version	Date	Owner	Status
Journey Maps and Information Architecture	1.0	07 October 2026	iorta TechNXT — UX Lead	Issued for submission

This document defines **where things live** (information architecture and sitemaps), **how key tasks flow** (task flows with click counts) and **how people experience the end-to-end journeys** (journey maps). It reflects the v1 UI: staff console at [/](#), customer app at [/app/](#), certificate check at [/verify/<certNo>](#).

1. Information architecture — staff console (/)

Navigation is grouped and **filtered by permission**. The server enforces the same permission on every API call. Routes are hash-based (for example [#/leads](#), [#/customer/<id>](#)).



Global elements on every page: skip link, top bar (menu button on narrow screens, logo, name with roles and region, "?" help drawer, theme, language button, change password, sign out), and the left navigation.

1.1 Page inventory

Page	Purpose	Main API	Permission	Primary users
Home	Key indicators (base, expiring, uninsured, new - business leads, policies sold and GWP, hot leads, open data issues, voice bot saving), journey mix, next best actions, DQ issues, messages by channel, voice outcomes, sales by journey, channel economics	GET /api/dashboard/overview	dashboard:read	Exec, campaign, supervisor, author, approver, compliance, steward, partners, auditor, admin

Page	Purpose	Main API	Permission	Primary users
Telesales inbox	Handoff queue: filter by status and "mine", detail panel with talking points, claim, note, outcome (assignment by supervisors through the API in v1)	GET/PATCH /api/handoffs	handoff:read (+ handoff:work, handoff:assign)	Agents, supervisors, campaign (read)
Leads	Prioritised list: filters tier, journey and next best action; sort by score or expiry; paging	GET /api/leads	leads:read	Campaign, agents, supervisors, stewards
Customer 360	Tabs: Overview (score breakdown, NBA, benefits), Data & lineage (golden record, lineage, expiry evidence, expiry correction), Journey, Messages, Sell (quote, inspection, send to customer; policies), Activity	GET /api/customers/:id, PATCH /expiry, POST /api/quotes, /inspection, /send	profile:read (+ profile:read_pii, quote:create, profile:update)	Agents, supervisors, campaign, stewards, compliance, claims
Voice bot	Console session (type customer utterances as ASR text or use quick replies), transcript with Vietnamese and English gloss, outcome and handoff link; automated campaign card (journeys:run)	POST /api/voice/sessions, /turns, POST /api/voice/campaign	voice:operate	Campaign, agents, supervisors
Claims	FNOL queue with SLA countdown and status transitions	GET/PATCH /api/claims	claims:read / claims:update	Claims handlers
Journeys	Journey definitions (active rule set), next scheduled touchpoints, "Run due touchpoints", simulate ecosystem event	GET /api/touchpoints, POST /api/journeys/run, POST /api/ecosystem/events	journeys:run	Campaign managers
Partners	List and onboard partners, suspend or activate, issue API keys (revocation through the API in v1), commission statement	/api/partners*	partners:manage	Partner managers
Rules studio	All rule kinds and versions, detail, JSON editor with validation, simulate, submit, approve/reject, rollback	/api/rules*	rules:read (+ rules:author, rules:approve)	Authors, approvers, compliance, auditors, campaign/admin (read)
Data quality	Open DQ issues by type, resolve with a note, open the affected customer (batch ingestion through the API)	/api/dq/issues*	dq:read (+ dq:resolve)	Data stewards
Audit	Hash-chain status, governance figures (voice bot, rule sets, disclosure), search by entity, actor and action (DSAR through the API in v1)	GET /api/audit, /api/dashboard/governance	audit:read	Compliance, approvers, auditors, admin
Users	List, create (with roles, region, MFA), enable or disable (roles, region, unlock and MFA reset through the API in v1)	/api/users*	users:manage	Admin


Page	Purpose	Main API	Permission	Primary users
Operations	Store, audit count, integration circuits, event backlog, active rule checksums, job history; run reconciliation, retention or relay	GET /api/ops/status, /jobs, POST /api/ops/jobs/:kind	ops:read (+ ops:run_jobs)	Admin, support

1.2 Navigation by role (what each demo user sees)

Role (demo user)	Lands on	Pages in the navigation
admin (admin)	Home	Home, Rules studio (read), Audit, Users, Operations
executive (exec)	Home	Home
campaign_manager (campaign)	Home	Home, Telesales inbox (read), Leads, Voice bot, Journeys, Rules studio (read)
telesales_agent (agent.hn, agent.hcm)	Telesales inbox	Telesales inbox, Leads, Voice bot
telesales_supervisor (supervisor)	Home	Home, Telesales inbox, Leads, Voice bot
rule_author (author)	Home	Home, Rules studio (author)
rule_approver (approver)	Home	Home, Rules studio (approve), Audit
compliance_officer (compliance)	Home	Home, Rules studio (approve, including restricted kinds), Audit
data_steward (steward)	Home	Home, Leads, Data quality
claims_handler (claims)	Claims	Claims
partner_manager (partners)	Home	Home, Partners
auditor (auditor)	Home	Home, Rules studio (read), Audit
support_engineer (support)	Operations	Operations

Customer 360 has no menu entry. It opens from Leads, the Telesales inbox, Data quality or Journeys, for roles with `profile:read`.

2. Information architecture — customer app (/app/) and certificate check




Certificate check (/verify/<certNo>) is public, has no sign-in and shows no personal data. It shows the status (in force, issued and starting later, expired or not valid), certificate number, product, **masked plate** and validity dates (GET /api/public/certificates/:certNo).

3. Key task flows with click counts

Counting convention: a **tap/click** is a deliberate activation (button, link, toggle). Typing into a field is not counted but is listed. Opening the link from a notification counts as entry (tap 0).

3.1 Customer: renew TND5 in ≤ 3 taps (target)



Step	Taps	What the customer sees
Open link	0	Cover status card with plate, expiry, days left and one primary button
"Gia hạn ngay"	1	Chọn bảo hiểm: Bảo hiểm TND5 bắt buộc (selected), term (1–3 years), optional add-ons

Step	Taps	What the customer sees
"Xem phí"	2	Kiểm tra thông tin: product, period (starts the day after current expiry), total incl. VAT, included benefits
"Thanh toán bằng ví VETC"	3	Payment, then "🎉 Thành công!" with the e-certificate and QR code. In production the VETC wallet adds its own confirmation step.

With add-on (accident cover per seat): +1 tap on the option, for **4 taps** total. Physical damage shows a quote (vehicle value input); payment is blocked until a TASCO assessor records the inspection, so it is not part of the one-tap path.

Quote sent by an agent: after a telesales call, the quote appears at the top of Home under **Báo giá chờ bạn xác nhận**. One tap on **Xác nhận & thanh toán bằng ví VETC** pays and issues it (**1 tap**).

If expiry is uncertain (`needsConfirmation`): Home shows "Giúp chúng tôi nhắc đúng hạn: xác nhận ngày hết hạn (chỉ 10 giây)". The customer opens the link, enters the date and insurer and taps **Lưu** (2 taps). This repairs the data (`customer.expiry_declared`). Renewal then continues as above.

3.2 Telesales agent: claim → call → quote → send to the customer

#	Action	Clicks	Notes
1	Open Telesales inbox (landing page for agents)	0	Open handoffs in the agent's region
2	Select the handoff row, then Claim	2	Status <code>open</code> → <code>claimed</code> , assigned to the agent. The detail shows talking points, trust and price flags, verified plate.
3	Quote & issue → (Customer 360), then the Sell tab	4	Full record (PII visible for agents), score breakdown, benefits, history
4	Call from the official hotline (click-to-call through the telephony integration, or dial manually in v1)	—	Reference the assistant call. Never ask for OTP or payment details.
5	Get quote: TNDS always included; accident cover ticked by default	5 (+1 per option change)	POST <code>/api/quotes</code> (channel <code>telesales</code>)
6	Send to customer's VETC app to confirm & pay	6	POST <code>/api/quotes/:id/send</code> . The customer pays in their app. Physical damage needs Record vehicle inspection first (+1).
7	Back in the inbox: Won / Lost / Callback with a note	8	Stops or reschedules journeys

Target: **≤ 8 clicks** from inbox to recorded outcome in v1 (design target ≤ 6), and handoff first contact ≤ 2 business hours (proposed). Staff never take payment.

3.3 Rule change (maker-checker)

#	Actor	Action	Clicks
1	Author	Rules studio → select kind (for example <code>scoring</code>) → New draft (copy of active)	2
2	Author	Edit JSON → Validate (inline errors with JSON paths)	1
3	Author	Simulate → choose customer → see current vs candidate (score, tier, NBA, journey, benefits)	2

#	Actor	Action	Clicks
4	Author	Save draft (description required) → Submit	2
5	Approver	Rules studio → Pending tab → open the draft → review diff and simulation	2
6	Approver	Approve (comment) → confirm; the previous version is retired automatically	2

Target lead time from draft to active: ≤ 1 business day (proposed).

3.4 Other flows (summary)

Flow	Actor	Clicks (target)
Resolve a DQ issue with expiry correction	Data steward	Data quality → customer link → Data & lineage → Correct expiry (date + evidence) → Save correction → back → Resolve (≈ 6)
Acknowledge a claim	Claims handler	Claims → acknowledged in the Next column (1)
Onboard a partner and issue a key	Partner manager	Partners → fill Onboard partner → Create → Issue API key → copy the key (≈ 3)
DSAR access export	Compliance	Through the API in v1 (POST /api/dsar/:id/export); console flow planned (≈ 4)
Report accident	Customer	Bồi thường → choose policy, date, location, description → Gửi (2)
Change consent	Customer	Tài khoản → tick or untick (saved immediately) (2)
Verify a certificate	Anyone	Scan QR → page opens (0)

4. Journey maps

4.1 Customer — TASCO renewal (retention journey)

Journey definition: `renewal` in `config/rules/journeys.json` (anchor: expiry date).

Stage	Touchpoint	Customer is doing	Thinking / feeling	Pain points	Design response	Metrics
D-45 Verify	Push/ZNS verify_expiry (service)	Confirms or corrects expiry in app	"Is this real? How do they know?" → reassured by the VETC app context	Wrong date erodes trust	Data repair in 10 seconds	Confirmation rate
D-30 First reminder	Push/ZNS/SMS first_reminder	Notices; may tap to renew	"Convenient — I'm already in the app"	Too many messages (capped: 1/day, 3/week)	Renew in ≤ 3 taps	Click-through, conversion
D-21 Value	ZNS/push value_reminder	Learns benefits	"Same price everywhere — what else do I get?"	Generic benefits	Relevant benefits ("why for you")	Conversion
D-14 Voice bot	AI call (hot, warm)	Verifies plate, asks price, chooses link or advisor	Suspicion → trust (disclosure, never asks OTP)	ASR mishears plate	Plate-first, max 3 attempts, link option	Outcomes, opt- out rate
D-7 Urgent	Push/ZNS/SMS urgent_reminder	Renews in app	Mild urgency	Payment friction	Wallet one-tap, idempotent	Conversion
D-3 Telesales	Human call (hot)	Talks to advisor	Wants help or reassurance	Feels like a sales call	Talking points, trust script, quote sent to the app (no payment by phone)	Win rate
D0 Expiry day	Push/ZNS/SMS expiry_day (service)	Last chance	Worry about fines	—	Clear lapse message, no scare tactics	Lapse rate

All steps stop once the vehicle has an active TASCO TNDS policy (the touchpoint is cancelled with reason "already insured with TASCO").

4.2 Customer — conquest (insured elsewhere / unknown insurer)

Steps at D-45, -30, -21, -14 (voice bot, hot only) and -7. The `conquest_reminder` template mentions renewing "lần này" (this time) in the VETC app with TASCO, plus the top benefit. **Emotional curve:** indifferent ("I always renew at the inspection centre") → curious (convenience, roadside assistance) → decisive at D-7 if the wallet covers the premium. **Key moment of truth:** the `vetc.wallet_topped_up` trigger (customer is in the app with funds, within 30 days of expiry) sends `first_reminder` by push.

4.3 Customer — uninsured vehicle recovery (lapsed ≤ 60 days)

D0 service notice `lapsed_notice` ("may be driving without compulsory TNDS — if you already bought it, update us"), D+2 voice bot (hot/warm), D+5 telesales (hot). Trigger `vetc.long_trip_started` sends `value_reminder` when an uninsured vehicle starts a long highway trip. **Design note:** tone is helpful, never accusatory. The first action offered is "I already bought it", which repairs the data and stops the reminders.

4.4 Customer — new vehicle onboarding

Trigger `vetc.tag_activated` (new ETC tag ≈ new car) enrolls the vehicle. D+1 welcome (`new_vehicle_welcome`), D+7 verify expiry, D+14 value reminder. **Opportunity:** the dealer or showroom partner may have sold the TNDS. The partner record raises expiry confidence and suppresses unnecessary pitching.

4.5 Customer — cross-sell after purchase

After a TNDS-only purchase **with marketing consent**, the D+1 `cross_sell` message notes that TNDS only protects third parties and offers accident cover per seat or physical damage. It is never sent if add-ons were already bought.

4.6 Telesales agent — a day with the platform

Time	Activity	Platform support	Emotion
08:00	Sign in, check inbox	Agent lands on Telesales inbox, filtered to own region	Neutral
08:15	Claim first hot handoff	Detail shows verified plate, "customer asked about price", talking points	Confident: "this person asked for me"
08:20	Call	Trust script, official hotline	Relief: the customer is expecting the call
08:30	Quote + send to the customer's app	Sell tab, benefits list, "Send to customer's VETC app to confirm & pay"	Efficient: the customer pays in the app while still on the call
08:35	Record outcome	Won / Callback with note	Accomplished
11:00	Callback due	Status <code>callback</code> items	In control
17:00	Review	Supervisor dashboard, wins recorded	Recognised

4.7 Rule author and approver — changing the scoring

Author: idea ("long-distance drivers convert better") → draft → validate → simulate on 5 customers → submit with description → wait. Approver: notified → reviews the diff and simulation → approves with comment → active within seconds → leads recompute. **Pain points designed out:** no IT ticket, no release, no spreadsheets.

Self-approval is impossible, and everything is in the audit trail.

5. Content hierarchy rules

1. One primary action per view (customer) or per card (staff).
2. Status first, then action, then detail (progressive disclosure: talking points, lineage and JSON are collapsed by default).
3. Explanations sit next to the thing they explain (score reasons, blocked reasons).
4. Personal data is shown only where needed for the task, and masked otherwise.