1. Table of Contents (This Page)
   Created on Sat Aug 24 21:10:13 2013
2. component
3. solder
4. outline
5. plated-drill
6. componentmask
7. soldermask
8. topsilk
9. bottomsilk
10. toppaste
11. topassembly
12. bottomassembly
13. fab



top, scale = 1:1.000
ckt-lt3495.pcb



bottom (mirrored), scale = 1:1.000
ckt-lt3495.pcb



outline, scale = 1:1.000
ckt-lt3495.pcb



plated-drill, scale = 1:1.000
ckt-lt3495.pcb



topmask, scale = 1:1.000
ckt-lt3495.pcb

bottommask (mirrored), scale = 1:1.000
ckt-lt3495.pcb



topsilk, scale = 1:1.000
ckt-lt3495.pcb

bottomsilk (mirrored), scale = 1:1.000
ckt-lt3495.pcb



toppaste, scale = 1:1.000
ckt-lt3495.pcb



topassembly, scale = 1:1.000
ckt-lt3495.pcb



bottomassembly (mirrored), scale = 1:1.000
ckt-lt3495.pcb

fab, scale = 1:1.000
ckt-lt3495.pcb

There are 2 different drill sizes used in this layout, 12 holes total

Symbol	Diam. (Inch)	Count	Plated?
x	0.020	8	YES
+	0.038	4	YES

Title: (unknown) - Fabrication Drawing
Author: Michael Petersen
Date: Sun 25 Aug 2013 03:10:13 AM GMT UTC



Board outline is the centerline of this path