1. Table of Contents (This Page)
   Created on Wed Aug 19 20:40:23 2020
2. top
3. bottom
4. outline
5. plated-drill
6. unplated-drill
7. componentmask
8. soldermask
9. topsilk
10. bottomsilk
11. toppaste
12. bottompaste
13. topassembly
14. bottomassembly
15. fab



top, scale = 1:1.000
ckt-irsense-panel.pcb

bottom (mirrored), scale = 1:1.000
ckt-irsense-panel.pcb



outline, scale = 1:1.000
ckt-irsense-panel.pcb



plated-drill, scale = 1:1.000
ckt-irsense-panel.pcb



unplated-drill, scale = 1:1.000
ckt-irsense-panel.pcb



topmask, scale = 1:1.000
ckt-irsense-panel.pcb



bottommask (mirrored), scale = 1:1.000
ckt-irsense-panel.pcb



topsilk, scale = 1:1.000
ckt-irsense-panel.pcb

bottomsilk (mirrored), scale = 1:1.000
ckt-irsense-panel.pcb



toppaste, scale = 1:1.000
ckt-irsense-panel.pcb



bottompaste (mirrored), scale = 1:1.000
ckt-irsense-panel.pcb



topassembly, scale = 1:1.000
ckt-irsense-panel.pcb



bottomassembly (mirrored), scale = 1:1.000
ckt-irsense-panel.pcb

There are 4 different drill sizes used in this layout, 504 holes total

Symbol	Diam. (Inch)	Count	Plated?
˅	0.012	180	YES
+	0.014	156	YES
×	0.031	132	NO
•	0.039	36	NO

Title: (unknown) - Fabrication Drawing
Author: Michael Petersen
Date: Thu 20 Aug 2020 02:40:23 AM GMT UTC



Metal pads on this side should be coincident with board edge (<5mil).
Please do NOT pull back metal!

Board outline is the centerline of this path

fab, scale = 1:1.000
ckt-irsense-panel.pcb