1. Table of Contents (This Page)
   Created on Wed Apr 3 22:22:17 2013
2. component
3. solder
4. plated-drill
5. componentmask
6. soldermask
7. topsilk
8. bottomsilk
9. toppaste
10. topassembly
11. bottomassembly
12. fab



top, scale = 1:1.000
mrb-gio.pcb



bottom (mirrored), scale = 1:1.000
mrb-gio.pcb



plated-drill, scale = 1:1.000
mrb-gio.pcb



topmask, scale = 1:1.000
mrb-gio.pcb



bottommask (mirrored), scale = 1:1.000
mrb-gio.pcb



topsilk, scale = 1:1.000
mrb-gio.pcb



bottomsilk (mirrored), scale = 1:1.000
mrb-gio.pcb



toppaste, scale = 1:1.000
mrb-gio.pcb



topassembly, scale = 1:1.000
mrb-gio.pcb



bottomassembly (mirrored), scale = 1:1.000
mrb-gio.pcb

fab, scale = 1:1.000
mrb-gio.pcb

There are 7 different drill sizes used in this layout, 103 holes total

Symbol	Diam. (Inch)	Count	Plated?
ᵞ	0.020	56	YES
+	0.030	8	YES
×	0.038	6	YES
°	0.045	3	YES
□	0.048	24	YES
⍒	0.128	2	YES
⌖	0.129	4	YES

Title: (unknown) - Fabrication Drawing
Author: Michael Petersen
Date: Thu 04 Apr 2013 04:22:17 AM GMT UTC
Maximum Dimensions: 2930.000000 mils wide, 1210.000000 mils high



Board outline is the centerline of this 8.000000 mil rectangle - 0,0 to 2930.000000,1210.000000 mils