




- 1. Table of Contents (This Page) Created on Wed Aug 29 21:25:25 2012
- 2. component
- 3. solder
- 4. plated-drill
- 5. componentmask
- 6. soldermask
- 7. topsilk
- 8. bottomsilk
- 9. toppaste
- 10. topassembly
- 11. bottomassembly
- 12. fab


























ing C de, 1758 mils high		
nut, 136 holes total Title: (unknown) - Fabrication Drawing Huthor: Michael Petersen Date: Thu Rug 30 893-25-25 2012 UTC Maximum Rimensions: 2250 mils high		Board outline is the centerline of this 10 mil rectangle – 0.9 to 2259,1750 mils
here are 8 different drill sizes used in this layout, 136 holes total ymbol Diam. (Inch) Count Plated? ✓ 0.828 71 YES ✓ 0.828 12 YES ✓ 0.832 28 YES □ 0.838 11 YES □ 0.838 11 YES □ 0.848 3 YES Hothor: (funknown) - F ▼ 0.863 1 YES Hothor: (Inchael Pe	X	reclangle
es used in thi Plated? YES YES YES YES YES	#	of this 10 mil
rent drill siz nch) Count 114 12 28 11 11 11	× × × + + + + + + + + + + + + + + + + +	ne centerline
are 8 different of Diam. (Inch) of 0.028 0.024 0.028 0.032 0.032 0.038 0.048	*	d outline is th
The state of the	x * * *, * , ++++ x	Board