DeepWiki Ip-59/TeachAI

Edit Wiki Share

Ask Devin about Ip-59/TeachAI

Fast

Menu

Project Documentation & Archive

Relevant source files

Purpose and Scope

This page covers the repository's auxiliary assets, historical design documents, custom AI agent instructions, and the non-runtime archive (`archive/`). These components support project governance, communication with academic mentors (**ОТВЕТ_КУРАТОРУ**), milestone reporting (**ОТЧЁТЫ**), high-level conceptual specs (**ОПИСАНИЕ_ПРОЕКТА**), IDE assistant configurations (`My_Ask.agent.md`), and experimental Jupyter notebook prototypes (`archive/demo cells.ipynb`).

Sources: **archive/README.md:1-11** archive/README.md | 1-10 **My_Ask.agent.md:1-41** My_Ask.agent.md | 1-40

---

1. Russian-Language Design Documents & Reports

The project maintains a set of core Russian-language documents located in the repository root (or project documentation structure) that track the system's design evolution, reporting milestones, and curator feedback:

- **ОПИСАНИЕ_ПРОЕКТА** : High-level conceptual specification outlining TeachAI's target audience, integration with Jupyter Notebook via `ipywidgets` , and OpenAI LLM orchestration requirements.
- **ОТЧЁТЫ** : Periodic progress reports detailing development phases, benchmark results for model evaluation, and feature completion status.
- **ОТВЕТ_КУРАТОРУ** : Formal responses addressing curriculum requirements, architectural trade-offs, and evaluation feedback from academic or project curators.

Ask Devin about Ip-59/TeachAI

Fast




Figure 1: Relationship between project design artifacts and core codebase components.

Sources: **`archive/README.md:1-3`** `archive/README.md` | `1-3`


---

2. Agent Instructions and IDE Integration

The repository includes specialized instructions for IDE-integrated AI assistants, notably defined in **`My_Ask.agent.md`**. This file configures a read-only "Ask Agent" persona within Visual Studio Code environments.

Key Configuration Parameters

- **Name & Scope**: Defined as **`My_Ask`**, serving as a read-only query assistant (`My_Ask.agent.md` | `1-9`).
- **State Constraints**: Enforces strict read-only execution. The agent is explicitly prohibited from modifying files or running state-changing terminal commands (`My_Ask.agent.md` | `10-22`).
- **Available Tools**: Grants access to repository search, file reading, web search, and question clarification utilities (`My_Ask.agent.md` | `7`).



Ask Devin about Ip-59/TeachAI

Fast




Figure 2: Workflow and safety constraints enforced by `My_Ask.agent.md`.

Sources: **`My_Ask.agent.md:1-41`** `My_Ask.agent.md` | `1-40`

---

3. The Archive Subsystem (`archive/`)

The **`archive/`** directory holds historical materials, experimental UI components, and presentation drafts that are decoupled from the active TeachAI runtime engine.

Archive Contents Summary

Resource	Description
`demo cells.ipynb`	Experimental testbed for **`DemoCellWidget`** and interactive widget behaviors `archive/README.md` | `5-9` `archive/demo cells.ipynb` | `1-242`
`interactive_cells.ipynb`	Prototype notebook exploring advanced cell execution and state binding `archive/README.md` | `5-9`
`*.pptx`, `шаблон презентации.pdf`	Slide decks, pitch materials, and presentation templates for project defense `archive/README.md` | `5-9`

Sources: **`archive/README.md:1-11`** `archive/README.md` | `1-10`

---

4. Prototype Notebooks and Widget Validation

Ask Devin about Ip-59/TeachAI

Fast

handling `archive/demo cells.ipynb` | `13-217`

handling `archive/demo cells.ipynb` | 13-217

Figure 3: Execution mapping of prototype widget validation tests within `archive/demo cells.ipynb`.

Sources: **archive/demo cells.ipynb:1-242** archive/demo cells.ipynb | 1-242

Ask Devin about Ip-59/TeachAI

Fast

Ask Devin about Ip-59/TeachAI

Fast

Ask Devin about Ip-59/TeachAI

Fast