e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com

META DATA EXTRACTOR FOR IMAGES

Pannala Deekshitha Reddy*1, Poturi Vanshika Reddy*2, Gourentala Siddarth Reddy*3, Thangeda Vishnu Teja*4, Yamini Chouhan*5

*1,2,3,4B.Tech Scholar, Siddhartha Institute Of Technology And Sciences, Hyderabad, Telangana, India.

*5Head Of The Department (Software Engineering), Siddhartha Institute Of Technology And Sciences, Hyderabad, Telangana, India.

DOI: https://www.doi.org/10.56726/IRJMETS81649

ABSTRACT

The **Image Metadata Extractor** is a Flask-based web application that enables users to analyze and extract metadata from uploaded image files. Designed for ease of use and robust performance, the tool processes images in-memory using Python's PIL (Pillow) library. It extracts and displays both basic image properties—such as format, resolution, and color depth—and advanced EXIF metadata, including camera settings and GPS coordinates.

A standout feature is its GPS metadata handling, where coordinates stored in degrees, minutes, and seconds are accurately converted to human-readable decimal values, accounting for hemispheric direction. This makes the tool particularly valuable for users needing precise location data, such as photographers, journalists, and investigators.

The application includes strong error handling to manage unsupported formats, corrupted images, and missing EXIF data. Real-time user feedback is provided via Flask's messaging system, and processed images are saved to a static directory for easy access and display.

The app is modular and maintainable, with separate functions for metadata extraction, EXIF parsing, and GPS conversion. It also includes AJAX support for future client-side improvements. The Image Metadata Extractor combines a clean user interface with powerful backend logic, making it ideal for image analysis, digital forensics, and media management applications.

I. INTRODUCTION

The **Image Metadata Extractor** is a Flask-based web application developed to simplify the process of extracting and interpreting metadata from image files. Digital images captured by smartphones and cameras often contain embedded metadata, especially EXIF (Exchangeable Image File Format) data, which holds valuable information such as camera settings, date and time of capture, and GPS coordinates. While this metadata can be extremely useful for professionals in fields like photography, journalism, and digital forensics, accessing and understanding it can be challenging without technical tools or expertise.

This project addresses that need by offering a web-based platform that uses Python's PIL (Pillow) library for in-memory image processing. It extracts both basic image properties (like resolution, format, and color depth) and detailed EXIF data. A key feature is its ability to decode GPS metadata into accurate latitude and longitude values in decimal degrees, accounting for hemispheres.

The application ensures secure file handling, provides real-time user feedback via Flask's messaging system, and includes error handling for various edge cases. Its modular structure—comprising functions for metadata extraction, EXIF parsing, and GPS formatting—promotes maintainability and makes the tool extensible for integration into larger systems. Moreover, this project serves as an educational resource by demonstrating practical skills in Flask web development, image processing, and metadata analysis. Overall, the Image Metadata Extractor offers a powerful yet accessible solution for extracting critical image data in real-time.


II. METHODOLOGY

The Image Metadata Extractor was developed using the Flask framework with Python's Pillow (PIL) library for in-memory image processing. The application accepts image uploads, validates file types, and extracts metadata including format, resolution, and EXIF data like camera settings and GPS coordinates. GPS data is converted into human-readable decimal format by accounting for hemispheric references. A modular code

e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com

structure with separate functions for metadata extraction, EXIF parsing, and GPS conversion ensures maintainability. The frontend uses HTML, CSS, and AJAX to provide a dynamic, user-friendly interface with real-time feedback. Robust error handling and logging were implemented to manage unsupported formats and corrupted files. All metadata is displayed in a structured format alongside the uploaded image, making the tool reliable, secure, and suitable for educational or professional use.

III. MODELING AND ANALYSIS



The Image Metadata Extractor was modeled as a client-server web application, where the client (frontend) interacts with the server (Flask backend) to upload images and retrieve metadata. The system architecture follows the MVC (Model-View-Controller) pattern for clarity and maintainability. The model layer handles image processing and metadata extraction using Python libraries, while the view is responsible for displaying the image and metadata in a user-friendly format. The controller manages user requests, validation, and routing between different components.

Functionality was broken down into distinct modules: image upload and validation, metadata extraction, EXIF data parsing, GPS coordinate conversion, error handling, and result display. Flowcharts and sequence diagrams were used during the design phase to visualize interactions between components and ensure smooth data flow.

The analysis focused on ensuring accuracy and performance. The GPS conversion logic was carefully designed to interpret degrees, minutes, and seconds while accounting for hemispheric directions. Edge cases such as missing EXIF tags, corrupted images, or unsupported formats were tested and handled gracefully. User interface responsiveness was enhanced using AJAX to avoid full page reloads.

IV. EXISTING SYSTEM

The Image Metadata Extractor is a Flask-based web application that securely extracts and presents image metadata using Python's Pillow library. It focuses on EXIF data like camera settings and GPS coordinates and offers a user-friendly interface with real-time feedback and in-memory processing.

Existing tools like ExifTool, ImageMagick, and research scripts offer powerful metadata parsing but lack user-friendly interfaces or web integration. Commercial tools like Adobe Bridge, Photo Mechanic, and FTK Imager provide advanced features but are costly, desktop-bound, and inaccessible to non-professional users. Free desktop tools like XnView MP, digiKam, Metadata++, and GeoSetter support metadata viewing and GPS handling but lack web access, extensibility, and forensic-level error handling.

The Image Metadata Extractor addresses these limitations by combining accessibility, security, and extensibility. It features human-readable GPS decoding, robust error handling, AJAX-based real-time updates, and modular design. Unlike desktop tools, it is lightweight, cross-platform, and accessible via the web, making it ideal for photographers, journalists, and forensic investigators. It fills the gap between command-line tools and complex commercial systems by delivering a secure, web-based, open-source solution for image metadata analysis.

e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com

V. PROPOSED SYSTEM

The Image Metadata Extractor is a Flask-based web application designed to extract and present metadata from uploaded image files using Python's Pillow library. It supports common formats (JPEG, PNG, TIFF) and extracts both basic image properties (format, resolution, color depth) and advanced EXIF metadata (camera settings, GPS coordinates). The system processes files in-memory for security, decodes GPS data into human-readable format, and displays results through a responsive web interface enhanced by AJAX for real-time updates.

The system uses a modular client-server architecture. The front-end, built with HTML, CSS, Bootstrap, and Jinja2, features an upload form, results display, flash messaging, and dynamic content updates. The Flask-based back-end handles file validation, metadata extraction, GPS decoding, and error logging. Uploaded images are temporarily stored in a static folder, with operations logged for traceability.

Key functionalities include secure image upload, structured metadata parsing, GPS coordinate conversion, and error handling with user feedback. Security measures cover file type validation, filename sanitization, in-memory processing, and XSS prevention.


The system is lightweight, user-friendly, and extensible. It is ideal for digital forensics, journalism, and photo management. Future enhancements include batch processing, cloud storage integration, map visualization, REST API support, and advanced metadata analysis (IPTC/XMP).

In conclusion, the Image Metadata Extractor delivers a secure, real-time, and accessible solution for metadata analysis, bridging the gap between technical capability and usability for a wide range of users.

VI. UML DIAGRAMS


Unified Modeling Language (UML) is a standardized visual language used in object-oriented software development to design and document system structures and behaviors. Created by the Object Management Group (OMG), UML provides a common way to model software components, making complex systems easier to understand and communicate. It is independent of any programming language and supports extension and customization. UML uses graphical diagrams to represent different aspects of a system, such as user interactions, class relationships, process flows, and system architecture. Common UML diagrams include use case diagrams, class diagrams, sequence diagrams, activity diagrams, component diagrams, and deployment diagrams. Overall, UML helps developers and stakeholders visualize, plan, and manage software projects more effectively.

USECASE DIAGRAM




e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com


CLASS DIAGRAM



SEQUENCE DIAGRAM



COMPONENT DIAGRAM



e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com

VII. RESULTS AND DISCUSSION



The **Image Metadata Extractor** is a web-based application designed to analyze and extract hidden metadata from image files. Built using Python and Flask, the system processes images uploaded by users or linked via URLs, retrieving embedded metadata such as image resolution, format, color depth, camera settings, and GPS coordinates. It uses the Pillow library to extract EXIF data and convert GPS tags into human-readable locations. The application features a user-friendly interface that allows users to preview uploaded images and view detailed metadata in a structured format. Real-time feedback and interactive elements, such as AJAX-based updates and error alerts, enhance the overall usability. This project addresses the limitations of existing tools by providing a lightweight, accessible, and secure solution suitable for both technical and non-technical users. It is especially useful for journalists, photographers, and digital forensic investigators who need to verify image authenticity or source. Compared to traditional command-line tools or heavy desktop applications, this extractor is cross-platform, faster to use, and more adaptable for integration into web workflows. With added features like GPS decoding, logging, and modular back-end design, the tool ensures both functionality and flexibility. Future enhancements may include batch processing, API integration, and cloud storage support.

VIII. CONCLUSION

The Image Metadata Extractor successfully bridges the gap between usability and technical accuracy in metadata analysis. By integrating a clean web interface with powerful back-end processing using Python and Flask, the tool offers a secure, efficient, and user-friendly solution for extracting and interpreting image metadata. Its support for EXIF and GPS data, error handling, and modular architecture make it ideal for real-world applications in photography, journalism, digital forensics, and archival work. With potential for future expansion into cloud storage, batch processing, and API integration, the system provides a scalable foundation for broader image analysis workflows.

ACKNOWLEDGEMENTS

Any endeavor in the field of development is a person's intensive activity. A successful project is a fruitful culmination of efforts by many people, some directly involved and some others who have quietly encouraged and supported. Salutation to be beloved and highly esteemed institute SIDDHARTHA INSTITUTE OF TECHNOLOGY AND SCIENCES for grooming us into Computer Science and Engineering(Software Engineering) graduate, We wish to thank PRINCIPAL **DR. M. JANARDHAN** for providing a great learning environment. We wish to express profound gratitude to **Mrs.YAMINI CHOUHAN**, Assistant Professor and head of department**,** CSE (Software Engineering), for her continuous encouragement to ensure successful results in all my endeavors. We would like to thank **Mrs.YAMINI CHOUHAN**, Assistant Professor, Department of Software Engineering, who patiently guided and helped us throughout our Real-time Research project.

e-ISSN: 2582-5208
International Research Journal of Modernization in Engineering Technology and Science
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
Volume:07/Issue:07/July-2025 Impact Factor- 8.187 www.irjmets.com

IX. REFERENCES

[1] Pillow Documentation Python Imaging Library (Pillow)– Official Documentation https://pillow.readthedocs.io/en/stable/

[2] Flask Documentation Flask – Python Web Framework Documentation https://flask.palletsprojects.com/

[3] EXIF Metadata Standard Exchangeable Image File Format (EXIF) Specification https://www.cipa.jp/std/documents/e/DC-008-2012_E.pdf

[4] GPS EXIF Metadata Guide ExifTool GPS TagsDocumentation https://exiftool.org/TagNames/GPS.html

[5] Image Metadata and Digital Forensics Casey, E. (2011). Digital Evidence and Computer Crime: Forensic Science, Computers and the Internet. Academic Press.

[6] AJAX Web Technology Mozilla Developer Network (MDN) – AJAX Guide https://developer.mozilla.org/en-US/docs/Web/Guide/AJAX

[7] Real Python: Flask by Example https://realpython.com/flask-by-example-part-1-project-setup/