

Let's start building, iram

\$200 in credits remaining

Upgrade to pay-as-you-go

Create a resource



Virtual Machine

Run full operating systems with maximum control over your compute environment.



Storage account

Store and access files or backups reliably without running any compute.



SQL Database

Store structured data with relational guarantees and transactions.



Container apps

Run containerized apps without managing servers or orchestration.



Function App

Run code on demand in response to events, without managing infrastructure.



Web App

Host web applications and APIs with built-in scaling.

Home > Resource Manager

Resource Manager | Resource groups Summarize my costs by service How to manage changes with deployment tools? Export resource groups using Bicep or Terraform

- Search
- Resource Manager
 - All resources
 - Favorite resources
 - Recent resources
 - Resource groups
 - Tags
 - Organization
 - Tools
 - Deployments
 - Help

+ Create Manage view Refresh Export to CSV Open query Assign tags Add to service group Group by none

Filter for any field... Subscription equals all Location equals all Add filter

☐	Name ↑	Subscription	Location
☐	rg-mlab1-iram15	Azure subscription 1	East US

Home > Azure Machine Learning

Azure Machine Learning

Create a machine learning workspace

Validation passed

- Basics
- Inbound Access
- Outbound Access
- Encryption
- Identity
- Tags
- Review + create

Subscription	Azure subscription 1
Resource group	rg-mlab1-iram15
Region	East US
Name	mlw-lab1-iram15
Storage account	(new) mlwlab1iram152606256493
Key vault	(new) mlwlab1iram151030151340
Application insights	(new) mlwlab1iram155230222237
Container registry	None
Connectivity method	Enable public access from all networks
Network isolation	Public

mlw-lab1-iram15 Azure Machine Learning workspace

Search

Download config json Delete

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Events
- Settings
- Monitoring
- Automation
- Support + troubleshooting

Essentials

Resource group	: rg-mlab1-iram15	Studio web URL	: https://ml.azure.com?tid=49846e27-c663-482f-abaa-3a8090365231&vsid=...
Location	: East US	Container Registry	: ...
Subscription	: Azure subscription 1	Key Vault	: mlwlab1iram152708731420
Storage	: mlwlab1iram151001683223	Application Insights	: mlwlab1iram150628243326
Provisioning State	: Succeeded	MLflow tracking URI	: azureml://eastus.api.azureml.ms/mlflow/v1.0/subscriptions/f3366df5-0550-43...

JSON View



Work with your models in Azure Machine Learning Studio

The Azure Machine Learning Studio is a web app where you can build, train, test, and deploy ML models. Launch it now to start exploring, or learn more about the Azure Machine Learning studio

Launch studio

- All workspaces
- Home
- Model catalog
- Authoring
 - Notebooks
 - Automated ML
 - Designer
 - Prompt flow
- Assets
 - Data
 - Jobs
 - Components
 - Pipelines
 - Environments

mlw-lab1-iram15

Generative AI with Prompt flow

Generative AI models

**muse-glimmer-30b**
Chat completion

**gpt-live-1**
Audio generation

**rerank-2.5-lite**
Text classification

**DeepSeek-V4.1-Flash**
Chat completion

Notebook samples

**Get started: Train and deploy a model**
Train and deploy a sample image classification model.

Start25 minutes

**Index and search your own data with GPT**
Bring your own data to look up using GPT with LangChain

Start20 minutes

**Distributed GPU training**
Run a sample multi-GPU image classification experiment.

Start30 minutes

**Automate with Pipelines**
Create a production pipeline for credit default prediction.

Start30 minutes

- Model catalog
- Authoring
 - Notebooks
 - Automated ML
 - Designer
 - Prompt flow
- Assets
 - Data
 - Jobs
 - Components
 - Pipelines
 - Environments
 - Models
 - Endpoints
- Manage
 - Compute
 - Monitoring
 - Data Labeling
 - Linked Services
 - Connections

Create compute instance

- Required settings
- Scheduling
- Security
- Applications
- Tags
- Review

Configure required settings
Select the name and virtual machine size you would like to use for your compute instance

Compute name *
ci-iram15-lab1

Virtual machine type

☒ CPU ☐ GPU

Virtual machine size

☒ Select from recommended options ☐ Select from all options

Name	Category	Workload types	Available quota	Cost
☒ Standard_DS11_v2 2 cores, 14GB RAM, 28GB storage	Memory optimized	Development on Notebooks (or other IDE) and light weight testing	6 cores	\$0.18/hr
☐ Standard_DS3_v2 4 cores, 14GB RAM, 28GB storage	General purpose	Classical ML model training on small datasets	6 cores	\$0.29/hr
☐ Standard_E4ds_v4 4 cores, 32GB RAM, 150GB storage	Memory optimized	Data manipulation and training on medium-sized datasets (1-10GB)	4 cores	\$0.29/hr
☐ Standard_F4s_v2 4 cores, 60GB RAM, 32GB storage	Compute optimiz...	Data manipulation and training on large datasets (>10 GB)	6 cores	\$0.17/hr

- Model catalog
- Authoring
 - Notebooks
 - Automated ML
 - Designer
 - Prompt flow
- Assets
 - Data
 - Jobs
 - Components
 - Pipelines
 - Environments
 - Models
 - Endpoints
- Manage
 - Compute
 - Monitoring
 - Data Labeling
 - Linked Services
 - Connections

Default Directory > mlw-lab1-iram15 > Compute

Compute

The "Kubernetes clusters" tab is now where you can access previous versions of "inference clusters" (also known as "AKS clusters") and "attached Kubernetes" compute types along with any previously created compute targets using those types. Learn more about Kubernetes clusters.

Compute instances Compute clusters Kubernetes clusters Attached computes Serverless instances

Choose from a selection of CPU or GPU instances preconfigured with popular tools such as VS Code, JupyterLab, Jupyter, and RStudio, ML packages, deep learning frameworks, and GPU drivers. Learn more about compute instances

+ New Refresh Start Stop Restart Schedule and idle shutdown Delete Reset view View quota

Name	State	Idle shutdown	Applications	Size	Created on	Assigned to
cli-iram15-lab1	Running	30 minutes	JupyterLab Jupyter VS Code (Web)	Standard_DS11_v2	Sep 29, 2026 2:02 PM	iram shahzadi

← → ↺

ml.azure.com/compute/list/training?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearn...

🔍 ☆ 👤

Microsoft Foundry | Azure Machine Learning

🏠 Home

📖 Model catalog

📝 Authoring

📓 Notebooks

🔧 Automated ML

🎨 Designer

🔗 Prompt flow

📦 Assets

📊 Data

👤 Jobs

🧩 Components

🔗 Pipelines

🌐 Environments

🔗 Models

🔗 Endpoints

📦 Manage

🖥️ Compute

📊 Monitoring

📄 Data Labeling

🔗 Linked Services

🔗 Connections

Default Directory / mlv-8

Compute

Create a single or multi node
Alternatively, you can now run

Create compute cluster

Virtual Machine

Advanced Settings

Configure Settings

Configure compute cluster settings for your selected virtual machine size

Name	Category	Cores	Available quota	RAM	Storage	Cost/Node
Standard_DS11_V2	Memory optimized	2	4 cores	14 GB	28 GB	\$0.18/hr

Compute name *

cc-lab1

Minimum number of nodes *

0

Maximum number of nodes *

2

Idle seconds before scale down *

120

Enable SSH access

Advanced settings

Add tags

Name

:

Value

Add

No tags

Back

Create

Download a template for automation.

Cancel

Windows Security



Save your passkey



iramshahzadishahzadi892@gmail.com

Passkey for iramshahzadishahzadi892@gmail.com



Scan this QR code with your phone or tablet



This will be saved to your phone or tablet.

[Change](#)

Cancel

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner * **Repository name ***

 Iram-Shahzadi / azureml-knn-maintenance

azureml-knn-maintenance is available.

Great repository names are short and memorable. How about [bookish-carnival](#)?

Description

KNN predictive maintenance on Azure ML

38 / 350 characters

2 Configuration

Choose visibility *
Choose who can see and commit to this repository

 Public

Add README
READMEs can be used as longer descriptions. [About READMEs](#)

On ☒

Add .gitignore
.gitignore tells git which files not to track. [About ignoring files](#)

 Python

Add license
Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

github.com/settings/tokens/new

Settings / Developer Settings

Search

GitHub Apps

OAuth Apps

Personal access tokens

Fine grained tokens

Tokens (classic)

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

azureml-lab1

What's this token for?

Expiration

30 days (Oct 29, 2026)

The token will expire on the selected date.

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

☒ repo

Full control of private repositories

☐ repostatus

Access commit status

☐ repo_deployment

Access deployment status

☐ public_repo

Access public repositories

☐ repo:invite

Access repository invitations

☐ security_events

Read and write security events

☐ workflow

Update GitHub Action workflows

☐ write:packages

Upload packages to GitHub Package Registry

☐ read:packages

Download packages from GitHub Package Registry

☐ delete:packages

Delete packages from GitHub Package Registry

☐ admin:org

Full control of orgs and teams; read and write org projects

☐ write:org

Read and write org and team membership; read and write org projects

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files

Samples

Users

iramchahzadishahzadi892

1:ci-iram15-lab1

Compute: ci-iram15-lab1 - Running

Welcome to the Azure Machine Learning terminal

Enter "git clone [url]" to clone a repo

Enter "git --help" to learn about Git CLI. To learn more about integrating Git with the Azure Machine Learning terminal, navigate here:
<https://learn.microsoft.com/en-us/azure/machine-learning/concept-train-model-git-integration#clone-git-repositories-into-your-workspace-file-system>

Enter "az ml --help" to learn about Azure ML CLI v2

Note: Use "az login --identity" instead of "az login" to avoid device code authentication

(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramchahzadishahzadi892

← → ↺

ml.azure.com/fileexplorerAzNB?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearning...

🔍 ☆ 👤 ⋮

Microsoft Foundry | Azure Machine Learning

🏠 Home

📖 Model catalog

📝 Authoring

📁 Notebooks

🔧 Automated ML

🎨 Designer

⏏ Prompt flow

📦 Assets

📊 Data

🔧 Jobs

📦 Components

🔗 Pipelines

🌐 Environments

📦 Models

🔗 Endpoints

🔧 Manage

🖥 Compute

🔍 Monitoring

📄 Data Labeling

🔗 Related Services

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files Samples

1:ci-iram15-lab1

⌵ ⌵ ? ⌵

● Compute: ci-iram15-lab1 - Running ⌵ ⌵ ⌵

Command 'create' not found, did you mean:
command 'pcreate' from deb pbuilder-scripts (22)
Try: sudo apt install <deb name>
bash: syntax error near unexpected token `azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance#'
Username: command not found
Command 'Password' not found, did you mean:
command 'assword' from deb assword (0.12.2-1)
Try: sudo apt install <deb name>
remote:: command not found
fatal:: command not found
bash: syntax error near unexpected token `azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance#ghp_rDSmYh7Xbqwd0Ew9lWakp707eKfVA090cCH'
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push origin main
Username for 'https://github.com': Iram-Shahzadii
Password for 'https://Iram-Shahzadii@github.com':
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push origin main
Username for 'https://github.com': Iram-Shahzadii
Password for 'https://Iram-Shahzadii@github.com':
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push https://Iram-Shahzadii:ghp_zJOCK7K5kKtRjHmP8DLm0v0SLxNu20Fe9Up@github.com/Iram-Shahzadii/azureml-knn-maintenance.git main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 2 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 659 bytes | 25.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Iram-Shahzadii/azureml-knn-maintenance.git
11698e5..9eaf027 main -> main
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ ^C
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push https://Iram-Shahzadii:ghp_gwqij0527rIwFHPceWpIe97mFyyjMr4aXBRC@github.com/Iram-Shahzadii/azureml-knn-maintenance.git mai^C
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push origin main
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Iram-Shahzadii/azureml-knn-maintenance.git/'
(azureml_py38) azureuser@ci-iram15-lab1:~/cloudfiles/code/Users/iramshahzadishahzadi892/azureml-knn-maintenance\$ git push origin main
Username for 'https://github.com': Iram-Shahzadii
Password for 'https://Iram-Shahzadii@github.com':

 **azureml-knn-maintenance** Public

[🔗 Pin](#) [👁 Watch 0](#) [🍴 Fork 0](#) [☆ Star 0](#)

[main](#) [1 Branch](#) [0 Tags](#)

[Add file](#) [Code](#)

 Iram-Shahzadii	Lab 1: project structure and requirements	9ee927 · 20 minutes ago	🔖 2 Commits
📁 automl	Lab 1: project structure and requirements	20 minutes ago	
📁 data	Lab 1: project structure and requirements	20 minutes ago	
📁 deployment	Lab 1: project structure and requirements	20 minutes ago	
📁 designer	Lab 1: project structure and requirements	20 minutes ago	
📁 notebooks	Lab 1: project structure and requirements	20 minutes ago	
📁 screenshots	Lab 1: project structure and requirements	20 minutes ago	
📄 .gitignore	Lab 1: project structure and requirements	20 minutes ago	
📄 README.md	Initial commit	41 minutes ago	
📄 requirements.txt	Lab 1: project structure and requirements	20 minutes ago	

[📖 README](#)

azureml-knn-maintenance

About

KNN predictive maintenance on Azure ML

- 📖 Readme
- 🔔 Activity
- ☆ 0 stars
- 👁 0 watching
- 🍴 0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors 1

 Iram-Shahzadii Iram Shahzadi

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files Samples

Users

iramshahzadishahzadi092

azureml-knn-maintenance

data

deployment

designer

notebooks

00_prepare_data.ipynb

screenshots

.gitignore

ML README.md

requirements.txt

1:ci-iram15-lab1 x

00_prepare_data.ipynb x

edit in VS Code

Compute: ci-iram15-lab1 - Running

Python 3.10 - SDK v2

You need to be authenticated to the compute to use any Azure SDK. Please use the authenticate button to get authenticated.

Authenticate

ci-iram15-lab1 - Kernel launching

Last saved a few seconds ago

Python 3.10 - SDK V2

MI

1

ml.azure.com/fileexplorer/AzNB?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearning...

Microsoft Foundry | Azure Machine Learning

Default Directory > mw.lab1-iram15 > Notebooks

Notebooks

Files Samples

- Users
 - iramshahzadishahzadi892
 - azureml-knn-maintenance
 - automi
 - data
 - deployment
 - designer
 - notebooks
 - 00_prepare_data.ipynb
 - screenshots
 - .gitignore
 - ML README.md
 - requirements.txt

1:ci-iram15-lab1 x 00_prepare_data.ipynb x

Compute: ci-iram15-lab1 - Running Python 3.10 - SDK v2

Successfully authenticated to the compute. You can now use any Azure SDK

ci-iram15-lab1 - Kernel idle Last saved a few seconds ago Python 3.10 - SDK v2

```
dtype: object

Target balance (share of rows):
0    0.9661
1    0.0339
Name: machine_failure, dtype: float64
```

```
1 df.to_csv("../data/a141_clean.csv", index=False)
2 print("Saved", df.shape, "to data/a141_clean.csv")
```

[In] ✓ <1 sec

saved (10000, 7) to data/a141_clean.csv

```
1
```

1:ci-iram15-lab1 x 00_prepare_data.ipyn x

Files Samples

Notebooks

Default Directory > mlw-lab1-iram15 > Notebooks

1:ci-iram15-lab1 - Kernel idle Last saved a few seconds ago

Compute: ci-iram15-lab1 - Running

1 from azure.ai.ml.entities import Data
2 from azure.ai.ml.constants import AssetTypes
3
4 table_asset = Data(
5 name="ai4i-maintenance-table",
6 version="1",
7 type=AssetTypes.MLTABLE,
8 path="../data/mltable_ai4i",
9 description="AI4I 2020 predictive maintenance as MLTable for AutoML",
10)
11 table_asset = ml_client.data.create_or_update(table_asset)
12 print("Registered:", table_asset.name, "version", table_asset.version)

[12] ✓ 3 sec

... Uploading mltable_ai4i (0.3 MBs): 100%|██████████| 295336/295336 [00:00<00:00, 7000363.76it/s]

Registered: ai4i-maintenance-table version 1

1

Users

- iramshahzadishahzadi892
 - azureml-knn-maintenance
 - automi
 - data
 - mltable_ai4i
 - ai4i_clean.csv
 - deployment
 - designer
 - notebooks
 - 00_prepare_data.ipynb
 - screenshots
 - .gitignore
 - ML README.md
 - requirements.txt

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Default Directory > mlw-lab1-iram15 > Data

Data

Data assets

Datasources

Data import

Data connections

Data assets are immutable references to your data that can be created from datasources, local files, public URLs, or Open Datasets. Data assets created with AzureML v2 APIs cannot be deleted, but you can up-version or archive them for easy referencing and reuse in machine learning tasks. Deleting data assets created with v1 APIs will permanently delete the data asset and all metadata. [Learn more about data assets](#)

+ Create

Refresh

Archive

Reset view

Show latest version only

Include archived

View my data

Search

Filter

Columns

Name	☆	Ver...	Data source	Created on	Modified on	Type	Propert...	Created by	Tags
ai4i-maintenance-table		1	workspaceblobstore	Sep 29, 2026 3:32 PM	Sep 29, 2026 3:32 PM	Table		iram shahzadi	
ai4i-maintenance-csv		1	workspaceblobstore	Sep 29, 2026 3:20 PM	Sep 29, 2026 3:20 PM	File		iram shahzadi	

<<

<

Page 1 of 1

>

>>

25/Page

← → ↻ raw.githubusercontent.com/Iram-Shahzadii/azureml-knn-maintenance/main/data/ai4i_clean.csv

```
type,air_temp_k,process_temp_k,rpm,torque_nm,tool_wear_min,machine_failure
M,298.1,308.6,1551,42.8,0,0
L,298.2,308.7,1408,46.3,3,0
L,298.1,308.5,1498,49.4,5,0
L,298.2,308.6,1433,39.5,7,0
L,298.2,308.7,1408,40.0,9,0
M,298.1,308.6,1425,41.9,11,0
L,298.1,308.6,1558,42.4,14,0
L,298.1,308.6,1527,40.2,16,0
M,298.3,308.7,1667,28.6,18,0
M,298.5,309.0,1741,28.0,21,0
H,298.4,308.9,1782,23.9,24,0
H,298.6,309.1,1423,44.3,29,0
M,298.6,309.1,1339,51.1,34,0
M,298.6,309.2,1742,30.0,37,0
L,298.6,309.2,2035,19.6,40,0
L,298.6,309.2,1542,48.4,42,0
M,298.6,309.2,1311,46.6,44,0
M,298.7,309.2,1410,45.6,47,0
H,298.8,309.2,1306,54.5,50,0
M,298.9,309.3,1632,32.5,55,0
H,298.9,309.3,1375,42.7,58,0
L,298.8,309.3,1450,44.8,63,0
M,298.9,309.3,1581,30.7,65,0
L,299.0,309.4,1758,25.7,68,0
M,299.0,309.4,1561,37.3,70,0
L,299.0,309.5,1861,23.3,73,0
L,299.1,309.5,1512,39.0,75,0
H,299.1,309.4,1811,24.6,77,0
L,299.1,309.4,1439,44.2,82,0
L,299.0,309.4,1693,30.1,84,0
M,299.1,309.5,1339,48.2,86,0
L,299.0,309.4,1798,25.5,89,0
```

ml.azure.com/fileexplorerAzNB?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearning...

Microsoft Foundry | Azure Machine Learning

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files Samples

00_prepare_data.ipynb x Terminal x 2ci-iram15-lab1 x 01_knn_notebook.ipynb x


Edit in VS Code Compute: ci-iram15-lab1 - Running Python 3.10 - SDK v2

ci-iram15-lab1: Kernel idle Last saved a minute ago Python 3.10 - SDK v2



```
1 fig, axes = plt.subplots(1, 5, figsize=(20, 4))
2 for ax, col in zip(axes, NUM_COLS):
3     sns.boxplot(data=df, x=TARGET, y=col, ax=ax)
4     ax.set_title(col)
5 plt.tight_layout()
6 plt.show()
```

[3] ✓ 1 sec



air_temp_k

process_temp_i

rpm

torque_nm

tool_wear_rm

ml.azure.com/fileexplorerAzNB?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearning...

Microsoft Foundry | Azure Machine Learning

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files Samples

- Users
 - iramshahzadishahzad1892
 - azureml-knn-maintenance
 - automl
 - data
 - deployment
 - designer
 - notebooks
 - 00_prepare_data.ipynb
 - 01_knn_notebook.ipynb
 - screenshots
 - .gitignore
 - ML README.md
 - requirements.txt

00_prepare_data.ipynb x Terminal x 2x ci-iram15-lab1 x 01_knn_notebook.ipynb x

ci-iram15-lab1 - Kernel: Idle Edit in VS Code Compute: ci-iram15-lab1 - Running Python 3.10 - SDK v2

Last saved a few seconds ago

```
4 X_train, X_test, y_train, y_test = train_test_split(
5     X, y, test_size=0.1, stratify=y, random_state=42)
6 print("Train:", X_train.shape, "failure rate", round(y_train.mean(), 4))
7 print("Test: ", X_test.shape, "failure rate", round(y_test.mean(), 4))
```

[5] ✓ <1 sec

Train: (8000, 6) failure rate 0.0339
Test: (2000, 6) failure rate 0.034

```
1 def make_pipeline(scale=True, k=5):
2     num_step = StandardScaler() if scale else "passthrough"
3     prep = ColumnTransformer([
4         ("num", num_step, NUM_COLS),
5         ("cat", OneHotEncoder(handle_unknown="ignore"), CAT_COLS),
6     ])
7     return Pipeline([("prep", prep), ("knn", KNeighborsClassifier(n_neighbors=k))])
8
9 for scale in [False, True]:
10     model = make_pipeline(scale=scale).fit(X_train, y_train)
11     pred = model.predict(X_test)
12     print(f"Scaling={str(scale):5} accuracy={accuracy_score(y_test, pred):.3f} "
13           f"recall={recall_score(y_test, pred):.3f} F1={f1_score(y_test, pred):.3f}")
```

[6] ✓ <1 sec

Scaling=False accuracy=0.970 recall=0.206 F1=0.313
Scaling=True accuracy=0.974 recall=0.294 F1=0.435

1 |

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw lab1-iram15 > Notebooks

Notebooks

Files Samples

Users

iramshahzadshahadi892

szuremi knn maintenance

automi

data

deployment

designer

notebooks

00_prepare_data.ipynb

01_knn_notebook.ipynb

screenshots

gitignore

ML README.md

requirements.txt

00_prepare_data.py x

Terminal x

z:cl-iram15 lab1 x

01_knn_notebook.py x

Best cross-validated F1: 0.500

Compute: cl-iram15 lab1 - Running

Python 3.10 SDK v2

cl-iram15 lab1: Kernel idle

Last saved a few seconds ago

```
1 res = pd.DataFrame(grid.cv_results_)
2 res = res[res["param_knn_p"] == grid.best_params_["knn_p"]]
3 for w in ["uniform", "distance"]:
4     sub = res[res["param_knn_weights"] == w]
5     plt.plot(sub["param_knn_n_neighbors"].astype(int),
6             sub["mean_test_score"], marker="o", label=w)
7 plt.xlabel("K (number of neighbours)")
8 plt.ylabel("Mean cross-validated F1")
9 plt.title("Choosing K")
10 plt.legend()
11 plt.grid(True)
12 plt.show()
```

Choosing K

K (number of neighbours)	uniform	distance
1	0.50	0.50
2	0.48	0.48
3	0.46	0.46
4	0.44	0.44
5	0.42	0.42
6	0.40	0.40
7	0.38	0.38
8	0.36	0.36
9	0.34	0.34
10	0.32	0.32
11	0.30	0.30
12	0.28	0.28
13	0.26	0.26
14	0.24	0.24
15	0.22	0.22
16	0.20	0.20
17	0.18	0.18
18	0.16	0.16
19	0.15	0.15
20	0.14	0.14
21	0.13	0.13

- All workspaces
- Home
- Model catalog
- Authoring
- Notebooks
- Automated ML
- Designer
- Prompt flow
- Assets
- Data
- Jobs
- Components
- Pipelines
- Environments
- Models
- Endpoints
- Manage
- Compute
- Monitoring
- Data Labeling

Default Directory > mlw-lab1-iram15 > Notebooks

Notebooks

Files Samples

Users

iramshahzadishahzadi092

azureml-knn-maintenance

automi

data

deployment

designer

notebooks

00_prepare_data.ipynb

01_knn_notebook.ipynb

screenshots

.gitignore

ML README.md

requirements.txt

*00_prepare_data.ipynb x Terminal x 2:ci-iram15-lab1 x 01_knn_notebook.ipynb x

ci-iram15-lab1 - Kernel idle Last saved a few seconds ago

```
19 fig.savefig('confusion_matrix.png', bbox_inches='tight')
20 plt.show()
[10] ✓ <1 sec
...
{'accuracy': 0.964, 'precision': 0.453, 'recall': 0.353, 'f1': 0.397, 'auc': 0.669}
```

	precision	recall	f1-score	support
OK	0.98	0.98	0.98	1932
Failure	0.45	0.35	0.40	68
accuracy			0.96	2000
macro avg	0.72	0.67	0.69	2000
weighted avg	0.96	0.96	0.96	2000

KNN confusion matrix (test set)

True label \ Predicted label	OK	Failure
	1903	29
Failure	44	24

← → ↺

ml.azure.com/model/list?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegroups/rg-mlab1-iram15/providers/Microsoft.MachineLearningServic...

🔍 ☆ 👤

Microsoft Foundry | Azure Machine Learning

🏠 Home

📖 Model catalog

✍️ Authoring

📓 Notebooks

🔧 Automated ML

🎨 Designer

📄 Prompt flow

📦 Assets

📊 Data

👤 Jobs

🧩 Components

🔗 Pipelines

🌐 Environments

📦 Models

📶 Endpoints

🔧 Manage

💻 Compute

🕒 Monitoring

🏷️ Data Labeling

🔗 Linked Services

🔗 Connections

Default Directory > mlv-lab1-iram15 > Models

Model List

+ Register

↺ Refresh

🗑️ Delete

📦 Archive

▶️ Use this model

⚖️ Compare

🔄 Reset view

☒ Show latest versions only

☐ Include archived

🔍 Search

Filter

Columns

Name	☆	Version	Type	Source	Experiment	Job (Run ID)	Created on	Tags	Properties
lrm-maintenance-notebook		1	MLFLOW	This workspace	lrm-predictive-maintenance	9753c05b-fe8f-4fe9-a392-1fa8...	Sep 25, 2025 11:02 PM		azureml.artifa...

< PREV

NEXT >

25 / Page

All workspaces

Home
Model catalog

Authoring

Notebooks
Automated ML
Designer
Prompt flow

Assets

Data
Jobs
Components
Pipelines
Environments
Models
Endpoints

Manage

Computes
Monitoring

Default Directory > mlw-lab1-iram15 > Training job

Submit an Automated ML job

- Training method
- Basic settings
- Task type & data
- Task settings
- Compute
- Review

Basic settings

Let's start with some basic information about your training job.

Job name *

Experiment name *

☐ Select existing ☒ Create new

New experiment name *

Description

Tags

:

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Accounts

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw-lab1-iram15 > Training job

Submit an Automated ML job

Training method

Basic settings

Task type & data

Task settings

Compute

Review

Task settings

Task type

Classification

Data

aidi-maintenance-table (View data)

Target column *

machine_failure (String)

Classification settings

Enable deep learning

View additional configuration settings

View featurization settings

Limits

Validate and test

You can choose a validation type and select test data as an optional step.

Validation type

Automatic

Test data

None

Back

Next

Additional configuration

Primary metric

AUCWeighted

Explain best model

Enable ensemble stacking

Use all supported models

Allowed models

KNN

Positive class label

Positive class label

Save

Close

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw-lab1-iram15 > Training job

Submit an Automated ML job

Training method

Basic settings

Task type & data

Task settings

Compute

Review

Metric score threshold ⓘ

Enter metric score threshold

Experiment timeout (minutes) ⓘ

30

Iteration timeout (minutes) ⓘ

15

☒ Enable early termination ⓘ

Validate and test

You can choose a validation type and select test data as an optional step.

Validation type ⓘ

k-fold cross validation

Number of cross validations * ⓘ

5

Test data ⓘ

Train-test split

Percentage test of data * ⓘ

20

Automated ML recommends that between 10 and 30 percent of data is held out for test.

Back

Next

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data labeling

Linked Services

Connections

Default Directory > mla-lab1-iram15 / Jobs > knn-automi-fixed > hungry_ear_sk80gs8hk7

hungry_ear_sk80gs8hk7    Completed

Overview Data guardrails Models + child jobs Outputs + logs Child jobs

 Refresh  Edit and submit (preview)  Register model  Cancel  Delete  Compare

Properties

Status	Completed	Created by	iram shahzadi
Created on	Sep 30, 2026 7:50 AM	Job type	Automated ML
Start time	Sep 30, 2026 7:50 AM	Experiment	knn-automi-fixed
Duration	15m 11.49s	Arguments	None
Compute duration	15m 11.49s	See all properties	
Name	hungry_ear_sk80gs8hk7	 Raw JSON	
Script name	--	See YAML job definition	
		 Job YAML	

Tags

_azureml.ComputeTargetType

fit_time_000 : 0.072800199999999990.516832.0.0453036000000000000.0.016553999999999990.0.0807514.0.462071000000000.10.0711858000000.0001.0.087906400000000010.1492934.6

iteration_000 : 0:1:23:4:5:6:7:8:9

Inputs

Input name: training_data
Data asset: aili-maintenance-fixed:1
Asset URI: [azuremlaid-maintenance-fixed:1](#)

Outputs

Output name: best_model
Model: azureml.hungry_ear_sk80gs8hk7_9_output_mflow_log_model.1137969638:1
Asset URI: [azureml.azureml.hungry_ear_sk80gs8hk7_9_output_mflow_log_model.1137969638:1](#)

Best model summary

Algorithm name
[VotingEnsemble](#)

Ensemble details
[View ensemble details](#)

AUC weighted
0.97330 [View all other metrics](#)

Sampling
100.00 % 

Registered models
No registration yet

Deploy status
No deployment yet

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Accents

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Default Directory > mla-lab1-iram15 > Jobs > kan-automl-fitted > hungry_ear_sk80gs8hk7

hungry_ear_sk80gs8hk7

Completed

Overview

Data guardrails

Models + child jobs

Outputs + logs

Child jobs

Refresh

Edit and submit (preview)

Register model

Cancel

Delete

Data guardrails are run by Automated ML when automatic featurization is enabled. This is a sequence of checks over the input data to ensure high quality data is being used to train model.

Type	Status	Description
Class balancing detection	Alerted	Imbalanced classes were detected in your inputs. Learn more about imbalanced data.
+ View additional details		
Missing feature values imputation	Passed	No feature missing values were detected in the training data. Learn more about missing value imputation.
High cardinality feature detection	Passed	Your inputs were analyzed and no high cardinality features were detected. Learn more about high cardinality feature detection.

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Assets

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlab1-iram15 > Jobs > kan-automl-fixed > hungry_ear_sk80gs8hk7

hungry_ear_sk80gs8hk7

Completed

Overview

Data guardrails

Models + child jobs

Outputs + logs

Child jobs

Refresh

Deploy

Download

Explain model

View generated code

Reset view

Search

Filter

Columns

Algorithm name	Responsible AI	AUC weighted	Sampling	Created on	Duration	Hyperparameter
VotingEnsemble		0.97330	100.00 %	Sep 30, 2026 8:04 AM	50s	algorithm : [LightGBM, XGBoost]
MaxAbsScaler, LightGBM		0.97125	100.00 %	Sep 30, 2026 7:57 AM	33s	min_data_in_leaf : 20
MaxAbsScaler, XGBoostClassifier		0.97006	100.00 %	Sep 30, 2026 7:57 AM	33s	tree_method : auto
MaxAbsScaler, RandomForest		0.95542	100.00 %	Sep 30, 2026 7:57 AM	30s	bootstrap : true class_weight :
StandardScalerWrapper, LightGBM		0.9662	100.00 %	Sep 30, 2026 7:57 AM	36s	boosting_type : gbdt colsample :
SparseNormalizer, XGBoostClassifier		0.93510	100.00 %	Sep 30, 2026 7:57 AM	30s	booster : gbtree colsample_by :
SparseNormalizer, XGBoostClassifier		0.93398	100.00 %	Sep 30, 2026 7:57 AM	33s	booster : gbtree colsample_by :
StandardScalerWrapper, XGBoostClassifier		0.92909	100.00 %	Sep 30, 2026 7:57 AM	31s	booster : gbtree colsample_by :
SparseNormalizer, RandomForest		0.92324	100.00 %	Sep 30, 2026 7:57 AM	39s	bootstrap : true class_weight :
MaxAbsScaler, RandomForest		0.89734	100.00 %	Sep 30, 2026 7:57 AM	37s	bootstrap : true class_weight :

<<


<

Page 1 of 1

>

>>

25/



ci-iram15-lab1.eastus.instances.azureml.ms/lab

File Edit View Run Kernel Tabs Settings Help

02_deploy_endpoint.ipynb

Python 3.10 - SDK v2

```

    "columns": [
        "air_temp_k",
        "process_temp_k",
        "rpm",
        "torque_nm",
        "cool_wear_min",
        "type",
    ],
    "data": [
        [298.1, 308.6, 1551.0, 42.8, 5.0, "H"]
    ],
}

body = str.encode(json.dumps(input_data))
headers = {
    "Content-Type": "application/json",
    "Authorization": f"Bearer {primary_key}",
}

req = urllib.request.Request(scoring_uri, body, headers)

try:
    response = urllib.request.urlopen(req)
    result = response.read().decode("utf-8")
    print("Prediction Response:", result)
except urllib.error.HTTPError as error:
    print(f"Request failed with status code: {error.code}")
    print(error.read().decode("utf-8"))

Prediction Response: {"prediction": [0]}
```

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw-lab1-iram15 > Endpoints > knn-maint-iram15-v3

knn-maint-iram15-v3

Details Test Consume Monitoring PREVIEW Logs

Deployment

blue

Review the original model card to understand the inputs, outputs, data used to train the model, evaluation metrics, license, intended uses, limitations, and bias before using the model.

[View model](#)

Sample inference

Input *

Test

- All workspaces
- Home
- Model catalog
- Authoring
 - Notebooks
 - Automated ML
 - Designer
 - Prompt flow
- Assets
 - Data
 - Jobs
 - Components
 - Pipelines
 - Environments
 - Models
- Endpoints
- Manage
 - Compute
 - Monitoring
 - Data Labeling
 - Linked Services
 - Connections

knn-maint-iram15-v3

Details Test Consume Monitoring PREVIEW Logs

Basic consumption info

REST endpoint

https://knn-maint-iram15-v3.eastus.inference.ml.azure.com/score

Authentication

Primary key

.....

Regenerate

Secondary key

.....

Regenerate

Consumption option

Consumption types

JavaScript Python C# JSON

```
1 // Request data goes here
2 // The example below assumes JSON formatting which may be updated
3 // depending on the format your endpoint expects.
4 // More information can be found here:
5 // https://docs.microsoft.com/azure/machine-learning/how-to-deploy-advanced-entry-script
6 const requestBody = '{}';
7
8 const requestHeaders = new Headers({"Content-Type" : "application/json"});
9
10 // Replace this with the primary/secondary key, AMLToken, or Microsoft Entra ID token for the endpoint
11 const apiKey = "";
12 if (!apiKey)
13 {
```

Microsoft Foundry | Azure Machine Learning

ml.azure.com/visualinterface/authoring/Normal/dace90aa-6d8e-4596-94c9-54b3a2b2fe88?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegro...

Default Directory > mlw-lab1-iram15 > Designer > Authoring

Search by name, tags and description

Tags: All Add filter

Data Component

1 Last update: 9/30/2026

You can find the prebuilt sample data under Component tab. Click here

az4i-maintenance-fixed Version 1

iram shahzadi

Fixed target column data

9/30/2026

Pipeline interface

Inputs

no inputs

Outputs

no outputs

Set up pipeline job

Basics

Inputs & outputs

Runtime settings

Review + Submit

Runtime settings

Default compute

Select compute type

Compute cluster

Select Azure ML compute cluster

tr-lab1-Succeeded-Standard_DS11_v2_2_vCPUs (cores), 14 GB, 38 GB (memory), \$1

Create Azure ML compute cluster Refresh Compute

Identity

Default datastore

Select datastore *

workspaceblobstore

Advanced settings

☒ Continue on step failure

Review + Submit Back Next Close

ml.azure.com/visualinterface/authoring/Normal/dace90aa-6d8e-4596-94c9-54b3a2b2fe88?wsid=/subscriptions/f3366df5-0550-438c-b31e-e437667ba4b0/resourcegro...

Microsoft Foundry | Azure Machine Learning

Default Directory > mlw-lab1-iran15 > Designer > Authoring

Undo Redo Validate Show lineage Clone AutoSave

Search by name, tags and description

Tags: Add filter

Data Component

1 Last update... 1

You can find the prebuilt sample data under Component tab. Click here

ai4i-maintenance-fixed Version 1

Fixed target column date 9/30/2026

ai4i-maintenance-fixed

ai4i-maintenance-fixed

Data output

ai4i-maintenance-...

Parameters Outputs

Data name: ai4i-maintenance-fixed

ID: e0c1adb6-b945-473e-b954-eba50bb1dfc2

Data type: Tabular

Description: Fixed target column data

Datasource name: workspaceblobstore

Relative path: UI/2020-09-30_140335_UTC/ai4i_clean.csv

Created time: Sep 30, 2026 7:10 AM

Modified time: Sep 30, 2026 7:10 AM

Version: 1

Set as pipeline input

Input name

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Enopoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw-lab1-iram15 > Designer > Authoring

Undo

Redo

Validate

Show lineage

Clone

AutoSave

Configure & Submit

Execute Python Script

Tags: All Add filter

Data Component

1 + Most relevant

Execute Python Script

Microsoft

Python script from an Azure Machine Learning designer pipeline. [Learn More](https://aka.ms/azml-designer-pipeline)

azureml/DesignerTool

3/20/2025

knn-designer-iram

ai4i-maintenance-fixed

ai4i-maintenance-fixed

Data output

Dataset

Split Data

split data

Results dataset...

Results dataset...

Dataset1

Dataset2

Script b...

Execute Python script

execute python script

Result dataset...

Result dataset...

Parameters

Execute Python Script

```
6 import pandas as pd
7
8 # The entry point function MUST have two input arguments.
9 # If the input port is not connected, the corresponding
10 # dataframe argument will be None.
11 # Paramdataframe1: a pandas.DataFrame
12 # Paramdataframe2: a pandas.DataFrame
13 def azureml_main(dataframe1 = None, dataframe2 = None):
14
15     # Execution logic goes here
16     print(f'Input pandas.DataFrame #1: {dataframe1}')
17
18     # If a zip file is connected to the third input port,
19     # it is unzipped under "./Script Bundle". This directory is added
20     # to sys.path. Therefore, if your zip file contains a Python file
21     # mymodule.py you can import it using:
22     # import mymodule
23
24     # Return value must be of a sequence of pandas.DataFrame
25     # E.g.
```

Edit code

Output settings

Input settings

Run settings

Node information

Component information

Navigator

100%

Microsoft Foundry | Azure Machine Learning

Default Directory > mlx-lab1-iram15 > Jobs > knn-predictive-maintenance > knn-designer-iram

Refresh Clone Resubmit View profiling Publish Schedule Show lineage Show compare list Create inference pipeline Delete Cancel

Share Add to compare Job overview

Completed

Outline

Type node name, comment or comp...

Add filter

knn-designer-iram

- ai4i-maintenance-fixed
- split_data
- execute_python_script

ai4i-maintenance-fixed

Data Output

Dataset

Split Data

split data

Results dataset... Results dataset...

Dataset1 Dataset2 Script to...

Execute Python Script

execute python script

Result dataset... Result dataset...

Navigator 100%

Microsoft Foundry | Azure Machine Learning

All workspaces

Home

Model catalog

Authoring

Notebooks

Automated ML

Designer

Prompt flow

Assets

Data

Jobs

Components

Pipelines

Environments

Models

Endpoints

Manage

Compute

Monitoring

Data Labeling

Linked Services

Connections

Default Directory > mlw-lab1-iram15 > Data > fbef1cb2-3b8f-4fdc-83a5-f7f02cbaa423

fbef1cb2-3b8f-4fdc-83a5-f7f02cbaa423

Details

Consuma

Explore

Models

Jobs

Refresh

Register

Preview

Number of files: 6 (sampled)

Path	File Name	Modified Time	Created Time	File Size	File Format
/azureml/dla15038-48ce-4a5...	_meta.yaml	2026-09-30 16:42:48	2026-09-30 16:42:48	0.2188 KB	yaml
/azureml/dla15038-48ce-4a5...	_samples.json	2026-09-30 16:42:48	2026-09-30 16:42:48	0.5029 KB	json
/azureml/dla15038-48ce-4a5...	data.dataset	2026-09-30 16:42:48	2026-09-30 16:42:48	0.8213 KB	dataset
/azureml/dla15038-48ce-4a5...	data.dataset.parquet	2026-09-30 16:42:48	2026-09-30 16:42:48	50.63 KB	parquet
/azureml/dla15038-48ce-4a5...	data.visualization	2026-09-30 16:42:48	2026-09-30 16:42:48	27.09 KB	visualization
/azureml/dla15038-48ce-4a5...	_schema.json	2026-09-30 16:42:48	2026-09-30 16:42:48	1.321 KB	json

>>

Preview

```
1 type: DataFrameDirectory
2 visualization:
3   - type: Visualization
4     path: data.visualization
5     extension:
6       DataFileMeta: data.dataset
7     format: Parquet
8     data: data.dataset.parquet
9     samples: _samples.json
10    schema: schema/_schema.json
11
```

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

iramshanzadishahzadi8...
DEFAULT DIRECTORY (RAMSHA...

Home > Resource Manager | Resource groups

Resource Manager | Resource groups

Default Directory

Search

CreateManage view

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Tools

Deployments

Help

Name ↑

rg-mlab1-iram15

Showing 1 - 1 of 1. Display count

rg-mlab1-iram15

Resource group

Search

Overview

Activity log

Access control (IAM)

Tags

Analyze (Preview)

Resource visualizer

Events

Settings

Cost Management

Monitoring

Automation

Help

Delete a resource group

The following resource group and all its dependent resources will be permanently deleted.

Resource group to be deleted

rg-mlab1-iram15

12 resources being deleted across 1 subscriptions. 1 resource groups

All dependent resources, including hidden types, are shown

Name	Resource type	Subscription	Resource Group
Application insights Smart Detection	Action group	Azure subscription 1	rg-mlab1-iram15
blue (mlw-lab1-iram15/knn-maint-iram15-v3/blue	Machine learning online deployment	Azure subscription 1	rg-mlab1-iram15
e924bdabd40e4e9196267a930adb00c	Container registry	Azure subscription 1	rg-mlab1-iram15
knn-maint-iram15 (mlw-lab1-iram15/knn-maint-li	Machine learning online endpoint	Azure subscription 1	rg-mlab1-iram15
knn-maint-iram15-v2 (mlw-lab1-iram15/knn-mair	Machine learning online endpoint	Azure subscription 1	rg-mlab1-iram15
knn-maint-iram15-v3 (mlw-lab1-iram15/knn-mair	Machine learning online endpoint	Azure subscription 1	rg-mlab1-iram15
knn-maint-iram15b (mlw-lab1-iram15/knn-maint-	Machine learning online endpoint	Azure subscription 1	rg-mlab1-iram15
mlw-lab1-iram15	Azure Machine Learning workspace	Azure subscription 1	rg-mlab1-iram15
mlwlab1iram152381727715	Log Analytics workspace	Azure subscription 1	rg-mlab1-iram15

Enter resource group name to confirm deletion *