




Screen1

- spacerHorizontalAr
- HorizontalArrangen
 - happyButton
 - angryButton
 - sadButton
- HorizontalArrangen
 - bargraphic
 - barData2D1
 - spacerHorizontalAr
- HorizontalArrangen
 - piegraphic
 - pieData2D2

Rename Delete

Media

Upload File ...

Privacy Policy and Terms of Use Accessibility: accessibility.mit.edu

```

when Screen1.Initialize
do
  set barData2D1 to Colors to 1 make a list
  set pieData2D2 to Colors to 1 make a list

initialize global happyButtonTotal to 0
initialize global angryButtonTotal to 0
initialize global sadButtonTotal to 0

when happyButton.Click
do
  set global happyButtonTotal to get global happyButtonTotal + 1
  call UpdateCharts

when sadButton.Click
do
  set global sadButtonTotal to get global sadButtonTotal + 1
  call UpdateCharts

when angryButton.Click
do
  set global angryButtonTotal to get global angryButtonTotal + 1
  call UpdateCharts

when resetButton.Click
do
  call barData2D1.Clear
  call pieData2D2.Clear
  set global angryButtonTotal to 0
  set global happyButtonTotal to 0
  set global sadButtonTotal to 0

to updateCharts
do
  call barData2D1.Clear
  call barData2D1.ImportFromList
  list make a list make a list 1
  make a list 2 get global happyButtonTotal
  make a list 3 get global angryButtonTotal
  get global sadButtonTotal
  call barData2D1.Clear
  call pieData2D2.ImportFromList
  list make a list make a list Happy
  make a list get global happyButtonTotal
  make a list Angry
  make a list get global angryButtonTotal
  make a list Sad
  get global sadButtonTotal
  
```

0 0

Show Warnings