

Laporan W3School



Pertemuan 4

JQuery

Nama : Irawati Devi

NIM : 2007991/SIK B

1. JQuery Selectors



← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors1

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓Exercise 2 ✓Exercise 3 ✓Exercise 4 ✓Exercise 5 ✓Exercise 6 ✓[Go to jQuery Selectors Tutorial](#)

jQuery Events ✓jQuery Hide and Show ✓jQuery FadejQuery SlidejQuery AnimatejQuery StopjQuery Get

Exercise:

Use the correct selector to hide all <p> elements.

Correct!

Next >

Next Exercise >

← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors2

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓Exercise 2 ✓Exercise 3 ✓Exercise 4 ✓Exercise 5 ✓Exercise 6 ✓[Go to jQuery Selectors Tutorial](#)

jQuery Events ✓jQuery Hide and Show ✓jQuery FadejQuery SlidejQuery AnimatejQuery StopjQuery Get

Exercise:

Use the correct selector to hide an element with id="test".

```
$("#test").hide();
```

Show Answer

Submit Answer >

← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors2

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓Exercise 2 ✓Exercise 3 ✓Exercise 4 ✓Exercise 5 ✓Exercise 6 ✓[Go to jQuery Selectors Tutorial](#)

jQuery Events ✓jQuery Hide and Show ✓jQuery FadejQuery SlidejQuery AnimatejQuery StopjQuery Get

Exercise:

Use the correct selector to hide an element with id="test".

Correct!

Next >

Next Exercise >

← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors3

Completed 18 of 60 Exercises:

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all elements with class="test".

```
$(".test").hide();
```

Show Answer

Submit Answer >

← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors3

Completed 18 of 60 Exercises:

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all elements with class="test".

Correct!

Next >

Next Exercise >

← → ↺ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors4

Completed 18 of 60 Exercises:

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Website Templates

Exercise:

Use the correct selector to hide all elements in the document.

```
$("#*").hide();
```

Show Answer

Submit Answer >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors4

🔍 ⭐ 👤 ⋮

🏠 🗑 ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

Exercise 6 ✓

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Website Templates

🖼 🖼 🖼

🖼 🖼 🖼

Exercise:

Use the correct selector to hide all elements in the document.

Correct!

Next >

Next Exercise >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors5

🔍 ⭐ 👤 ⋮

🏠 🗑 ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

Exercise 6 ✓

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all elements with an href attribute.

```
$("#[href]").hide();
```

Show Answer

Submit Answer >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_selectors5

🔍 ⭐ 👤 ⋮

🏠 🗑 ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

Exercise 6 ✓

Go to jQuery Selectors Tutorial

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all elements with an href attribute.

Correct!

Next >

Next Exercise >

Completed 18 of 60 Exercises:

jQuery Selectors

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all odd table rows in a table.

```
$("tr:odd").hide();
```

Submit Answer >

Show Answer

Completed 18 of 60 Exercises:

jQuery Selectors

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise:

Use the correct selector to hide all odd table rows in a table.

Correct!

Next >

Next Exercise >

2. JQuery Events

← → ↻ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events1

🏠 🗑️ ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

Use the correct event to hide all <p> elements with a "click".

```
$("p").click(function(){
  $(this).hide();
});
```

Show Answer

Submit Answer >

← → ↻ w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events1

🏠 🗑️ ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

Use the correct event to hide all <p> elements with a "click".

Correct!

Next >

Next Exercise >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events2

🔍 ⭐ 👤 ⋮

🏠 🗑️ ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

Use the correct event to hide all <p> elements with a "double-click".

```
$("p").dblclick(function(){
  $(this).hide();
});
```

Show Answer

Submit Answer >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events2

🔍 ⭐ 👤 ⋮

🏠 🗑️ ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

Use the correct event to hide all <p> elements with a "double-click".

Correct!

Next >

Next Exercise >

← → ↺

w3schools.com/jquery/exercise_jq.asp?filename=exercise_jq_events3

🔍 ⭐ 👤 ⋮

🏠 🗑️ ✕

👤

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

Exercise 1 ✓

Exercise 2 ✓

Exercise 3 ✓

Exercise 4 ✓

Exercise 5 ✓

[Go to jQuery Events Tutorial](#)

jQuery Hide and Show ✓

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

When the mouse pointer enters a <p> element, it should be hidden. Use the correct event to do so.

```
$("p").mouseenter(function(){
  $(this).hide();
});
```

Show Answer

Submit Answer >

Completed 18 of 60 Exercises:

jQuery Selectors

jQuery Events

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Go to jQuery Events Tutorial

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

When the mouse pointer enters a <p> element, it should be hidden. Use the correct event to do so.

Correct!

Next >

Next Exercise >

Completed 18 of 60 Exercises:

jQuery Selectors

jQuery Events

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Go to jQuery Events Tutorial

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise:

Use the `on()` method to attach a click event handler to all <p> elements.

```
$("p").on("click", function(){  
    $(this).hide();  
});
```

Show Answer

Submit Answer >

Type here to search

30°C

9:07

03/10/2021

3. JQuery Hide and show

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Messaging apps take the podium as the CX winner

SEE THE DATA

VONAGE

Exercise:

Use a jQuery method to hide a <p> element when it is clicked on.

```
$("#p").click(function(){
    $(this).hide();
});
```

Show Answer

Submit Answer >

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to hide a <p> element when it is clicked on.

Note: The speed should be "slow".

```
$("#p").click(function(){
    $(this).hide("slow");
});
```

Show Answer

Submit Answer >

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to toggle between hiding and showing a <p> element.

```
$("#button").click(function(){
    $("#p").toggle();
});
```

Show Answer

Submit Answer >

4. JQuery Fade

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to JQuery Fade Tutorial](#)

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to fade out a <div> element.

```
$("#div").fadeOut();
```

Show Answer

Submit Answer >

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to JQuery Fade Tutorial](#)

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to fade out a <div> element.

Note: The duration of the effect should be "slow".

```
$("#div").fadeOut("slow");
```

Show Answer

Submit Answer >

Completed 18 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to JQuery Fade Tutorial](#)

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to toggle between fading in and out a <div> element, when clicking on a button.

Note: The duration of the effect should be 1000 milliseconds.

```
$("#button").click(function(){
    $("#div").fadeToggle(1000);
});
```

Show Answer

Submit Answer >

5. JQuery Slide

Completed 19 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to JQuery Slide Tutorial](#)

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to slide up a <div> element.

```
$("#div").slideUp();
```

Submit Answer >

Show Answer

Completed 20 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to JQuery Slide Tutorial](#)

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to slide up a <div> element.

Note: The duration of the effect should be "slow".

```
$("#div").slideUp("slow");
```

Submit Answer >

Show Answer

Completed 22 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to JQuery Slide Tutorial](#)

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to toggle between sliding up and down a <div> element, when clicking on a button.

```
$("#button").click(function(){
    $("#div").slideToggle();
});
```

Submit Answer >

Show Answer

6. JQuery Animate

Completed 23 of 60 Exercises:

JQuery Selectors ✓

JQuery Events ✓

JQuery Hide and Show ✓

JQuery Fade ✓

JQuery Slide ✓

JQuery Animate

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to JQuery Animate Tutorial](#)

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

Completed 24 of 60 Exercises:

JQuery Selectors ✓

JQuery Events ✓

JQuery Hide and Show ✓

JQuery Fade ✓

JQuery Slide ✓

JQuery Animate

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to JQuery Animate Tutorial](#)

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

Completed 26 of 60 Exercises:

JQuery Selectors ✓

JQuery Events ✓

JQuery Hide and Show ✓

JQuery Fade ✓

JQuery Slide ✓

JQuery Animate

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to JQuery Animate Tutorial](#)

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

Exercise:

Use the `animate()` method to move a `<div>` element 250 pixels to the right.

```
$("#div").animate({left: '250px'});
```

Show Answer

Submit Answer >

Exercise:

Use the `animate()` method to set the height of a `<div>` element to 500 pixels.

```
$("#div").animate({height: '500px'});
```

Show Answer

Submit Answer >

Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

Note: The duration of the effect should be "slow".

```
$("#div").animate({fontSize: '100px'}, "slow");
```

Show Answer

Submit Answer >

7. JQuery Stop

Completed 27 of 60 Exercises:

jQuery Selectors

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

Exercise 1

Go to jQuery Stop Tutorial

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

Exercise:

Use a jQuery method to stop the animation effect of a <div> element.

```
$("#div").stop();
```

Show Answer

Submit Answer >

8. JQuery Get

Completed 30 of 60 Exercises:

jQuery Selectors

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to jQuery Get Tutorial

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to return the HTML content of a <div> element.

```
$("#div").html();
```

Show Answer

Submit Answer >

Completed 31 of 60 Exercises:

jQuery Selectors

jQuery Events

jQuery Hide and Show

jQuery Fade

jQuery Slide

jQuery Animate

jQuery Stop

jQuery Get

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to jQuery Get Tutorial

jQuery Set

jQuery Add

Exercise:

Use a jQuery method to return the URL address of a link.

```
$("#a").attr("href");
```

Show Answer

Submit Answer >

9. JQuery Set

Completed 32 of 60 Exercises:

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to JQuery Set Tutorial

JQuery Add

JQuery Remove

JQuery CSS Classes

JQuery CSS

JQuery Dimensions

JQuery Traversing

Messaging apps take the podium as the CX winner

SEE THE DATA

VONAGE

Exercise:

Use a jQuery method to change the text of a <div> element to "Hello World".

```
$("#div").text("Hello world");
```

Show Answer

Submit Answer >

Completed 33 of 60 Exercises:

JQuery Selectors

JQuery Events

JQuery Hide and Show

JQuery Fade

JQuery Slide

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to JQuery Set Tutorial

JQuery Add

Exercise:

Use a jQuery method to change the value of an input field to "John Doe".

```
$("#input").val("John Doe");
```

Show Answer

Submit Answer >

Completed 3 of 60 Exercises:

JQuery Selectors

JQuery Events

JQuery Hide and Show

JQuery Fade

JQuery Slide

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to JQuery Set Tutorial

JQuery Add

JQuery Remove

JQuery CSS Classes

Exercise:

Use jQuery to change the text of a link to "Demo", and change the value of href's attribute value to "www.demo.com".

```
$("#myLink").text("Demo");  
$("#myLink").attr("href", "https://www.demo.com");
```

Show Answer

Submit Answer >

10. JQuery Add

Completed 4 of 60 Exercises:

JQuery Fade

JQuery Slide

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

Exercise 1

Exercise 2

[Go to JQuery Add Tutorial](#)

JQuery Remove

JQuery CSS Classes

JQuery CSS

JQuery Dimensions

JQuery Traversing

Menunggu http.casalemedia.com...

Exercise:

Use a jQuery method to insert the text "YES!" at the end of a <p> element.

```
$("#p").append("YES!");
```

Show Answer

Submit Answer >

Completed 5 of 60 Exercises:

JQuery Selectors

JQuery Events

JQuery Hide and Show

JQuery Fade

JQuery Slide

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

Exercise 1

Exercise 2

[Go to JQuery Add Tutorial](#)

JQuery Remove

JQuery CSS Classes

JQuery CSS

Menunggu http.casalemedia.com...

Exercise:

Use a jQuery method to insert the text "YES!" at the beginning of a <p> element.

```
$("#p").prepend("YES!");
```

Show Answer

Submit Answer >

11. JQuery Remove

Completed 39 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

✓ Exercise 1

Exercise 2

Exercise 3

Menunggu onetag-sys.com...

Exercise:

Use a jQuery method to only remove the child elements of a <div> element.

```
$("#div").empty();
```

Show Answer

Submit Answer >

Completed 40 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

✓ Exercise 1

✓ Exercise 2

Exercise 3

[Go to jQuery Remove Tutorial](#)

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise:

Use a jQuery method to remove all <div> elements with class="test" and class="demo".

```
$("#div").remove(".test, .demo");
```

Show Answer

Submit Answer >

12. JQuery Css classes

Completed 41 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes

Exercise 1

Exercise 2

Exercise 3

Exercise:

Use a jQuery method to add the "important" class to a <p> element.

```
$("#p").addClass("important");
```

Show Answer

Submit Answer >

Completed 42 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery CSS Classes Tutorial](#)

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise:

Use a jQuery method to add both the "important" and "test" class to a <p> element.

```
$("#p").addClass("important test");
```

Show Answer

Submit Answer >

Completed 44 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to jQuery CSS Classes Tutorial](#)

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise:

Use a jQuery method to toggle between adding and removing the "important" class from the <p> element on click.

```
$("#p").click(function(){
    $(this).toggleClass("important");
});
```

Show Answer

Submit Answer >

13. JQuery Css

Completed 45 of 60 Exercises:

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

JQuery Remove

JQuery CSS Classes

JQuery CSS

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to JQuery CSS Tutorial

JQuery Dimensions

JQuery Traversing

Exercise:

Use the `css()` method to add a pink background color to a `<p>` element.

```
$("#p").css("background-color", "pink");
```

Show Answer

Submit Answer >

Completed 46 of 60 Exercises:

JQuery Animate

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

JQuery Remove

JQuery CSS Classes

JQuery CSS

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Go to JQuery CSS Tutorial

JQuery Dimensions

JQuery Traversing

Exercise:

Use the `css()` method to add a 5 pixels red dotted border to a `<p>` element.

```
$("#p").css("border", "5px dotted red");
```

Show Answer

Submit Answer >

Completed 48 of 60 Exercises:

JQuery Stop

JQuery Get

JQuery Set

JQuery Add

JQuery Remove

JQuery CSS Classes

JQuery CSS

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

Go to JQuery CSS Tutorial

JQuery Dimensions

JQuery Traversing

Exercise:

Use the `css()` method to set the following styles for `<p>`:
Green background color, white text color, 25 pixels font size and a padding of 15 pixels.

```
$("#p").css({  
  "background-color": "green",  
  "color": "white",  
  "font-size": "25px",  
  "padding": "15px"  
});
```

Show Answer

Submit Answer >

14. JQuery Dimensions

Completed 49 of 60 Exercises:

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to jQuery Dimensions Tutorial](#)

jQuery Traversing



Exercise:

Use jQuery methods to set the height and width of <div> to 500 pixels.

```
$("#div").height(500).width(500);
```

Show Answer

Submit Answer >



Completed 50 of 60 Exercises

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to jQuery Dimensions Tutorial](#)


Exercise:

Use a jQuery method to get the height of a `<div>` element, excluding padding, border and margin.

```
$("#div").height()
```

Show Answer

Submit Answer >


vivo 2in1 Special Promo
 Dilengkapi dengan NFC Multifunctions, siap dukung produktivitasmu sehari-hari.

Exercise:

Use a jQuery method to get the height of a <div> element, including padding (not border and margin).

```
$("div").innerHeight()
```

[Show Answer](#)

[Submit Answer ➔](#)

Completed 52 of 60 Exercises:

jQuery Stop

✓

jQuery Get

✓

jQuery Set

✓

jQuery Add

✓

jQuery Remove

✓

jQuery CSS Classes

✓

jQuery CSS

✓

jQuery Dimensions

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

Exercise 5

[Go to jQuery Dimensions Tutorial](#)

jQuery Traversing

qb instant quickbooks

Buy Now & Save 50%

Exercise:

Use a jQuery method to get the height of a <div> element, including padding and border.

\$("div").outerHeight()

Show Answer

Submit Answer >

Completed 53 of 60 Exercises:

jQuery Get

✓

jQuery Set

✓

jQuery Add

✓

jQuery Remove

✓

jQuery CSS Classes

✓

jQuery CSS

✓

jQuery Dimensions

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to jQuery Dimensions Tutorial](#)

jQuery Traversing

qb instant quickbooks

Buy Now & Save 50%

Exercise:

Use a jQuery method to get the height of a <div> element, including padding, border and margin.

\$("div").outerHeight(true)

Show Answer

Submit Answer >

15. JQuery Traversing

Completed 54 of 60 Exercises:

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Exercise:

Use a jQuery method to get the direct parent of a `` element.

```
$("#span").parent();
```

Show Answer

Submit Answer >

Menunggu securepubads.g.doubleclick.net...

Completed 55 of 60 Exercises:

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Traversing Tutorial](#)

Exercise:

Use a jQuery method to get all ancestors of a `` element.

```
$("#span").parents();
```

Show Answer

Submit Answer >

Completed 56 of 60 Exercises:

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Traversing Tutorial](#)

Exercise:

Use a jQuery method to get all direct children of a `<div>` element.

```
$("#div").children();
```

Show Answer

Submit Answer >

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Go to jQuery Traversing Tutorial

Exercise:

Use a jQuery method to get all `` elements that are descendants of `<div>`.

```
$("#div").find("span");
```

Show Answer

Submit Answer >

Completed 58 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Go to jQuery Traversing Tutorial

Exercise:

Use a jQuery method to get all siblings elements of an `<h2>` element.

```
$("#h2").siblings();
```

Show Answer

Submit Answer >

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Go to jQuery Traversing Tutorial

Exercise:

Use a jQuery method to get the first `<div>` element in the document.

```
$("#div").first();
```

Show Answer

Submit Answer >