# Web and Mobile Application Development

Module – 01

Class-04

Saylani Mass IT Training Faisalabad

## Tags

- ✓ Div Tag <div></div>
- ✓ Secion Tag <section></section>
- ✓ ID #
- ✓ Class
- ✓ Button <button></button>
- ✓ Navabr <nav></nav>
- ✓ Header Footer

<link rel="stylesheet" type="text/css" href="styles.css" />

## Inline vs Block elements

#### Inline:

- An inline element does not start on a new line
- An inline element only takes up as much width as necessary.
- ✓ Span
- ✓ b

#### **Block Level:**

- ✓ A block-level element always starts on a new line, and the browsers automatically add some space (a margin) before and after the element.
- ✓ A block-level element always takes up the full width available (stretches out to the left and right as far as it can).
- ✓ Div
- ✓ p

### **Block Level Elements**



- Section>
- 1
- □ <tfoot>
- < video>

## Inline Elements

- <u> <abbr></u>
- <a href="mailto:square;"><a href="mailto:squar
- <<u><</u>b><

- <button>
- <u> <code></u>

- **♦** <<u>i></u>
- ♦ <input>
- ♦ <|abel>
- <object>
- < <output>

- <script>
- <select>

- <span>
- <strong>
- ♦ <SUD>
- < <textarea>
- <<rp><</pre>
- **♦** <††>

## **FORMS**

- <form>....<form>
- Action: where to send
- Method: how to send Get, Post
- Input , placeholders , disabled ,checked size , max length ,autofocus
- Submit ,Reset
- Password , Month , Mail
- Radio buttons , Time , Date
- <fieldset><legend>Form</legend></fieldset>

## **FORMS**

- Range (max,min), Checkbox, File
- ❖ Number (min,max,step)
- text > Value, maxlenght
- Text area <textarea></textarea>, Color
- Select (options) > slected
- <select> <option></option></select>
- <Optgropup > label attribute
- Label For linked with ID
- <input list="browsers">
- <datalist><option value="" ></datalist>