## **Cucumber Report**

Jun. 23, 2022, 11:21:40 a.m. **Duration** : 0.996 s Start: Jun. 23, 11:21:38.495 a.m. End: Jun. 23, 11:21:39.491 a.m. Scenarios **Features** Steps PASSED - 1 PASSED - 1 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 10 10 90

<b>Feature</b>			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
database_read_feature	0.996 s	1	1	0	0	4	4	0	0


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@db_customer_ssn	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	database_read_feature	1	1	0	0	0.996 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	database_read_feature	TC01_read_customer_ssn_information	4	4	0	0	0.991 s	

DETAILED SECTION -- 6 --

## database\_read\_feature

Scenarios		Steps	
Total - 1		Total - 4	
Pass - 1	1	Pass - 4	4
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 1 Pass - 1 Fail - 0	Total - 1 Pass - 1 Fall - 0	Total - 1 Pass - 1 Fail - 0  Total - 4 Pass - 4 Fail - 0

## TC01\_read\_customer\_ssn\_information



#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	0.717 s
2	And user gets the "*" from "tp_customer" table	PASSED	0.185 s
3	And user reads all of the "ssn" column data	PASSED	0.065 s
4	Then close the database connection	PASSED	0.007 s