

The Fundamental Principles Governing the Pathophysiology of Cancer

Cancer is fundamentally a disease of evolution occurring within the body. It represents Darwinian selection among somatic cells. Cells acquire heritable changes, and those changes that improve survival, reproduction, or adaptation allow certain clones to expand.

Cancer is therefore not simply uncontrolled cell growth. It is a dynamic evolutionary process occurring within a complex biological ecosystem.

Principle 1: Cancer Is Evolution by Natural Selection Within the Body

The single most important concept in cancer biology is that cancer represents evolution occurring among somatic cells.

For evolution to occur, three conditions must exist:

- 1 **Variation** — Cells acquire genetic and epigenetic changes that create diversity.
- 2 **Heritability** — These changes are passed to daughter cells during division.
- 3 **Selection** — Cells with advantageous characteristics survive and expand.

A cell acquires a mutation that provides a survival advantage. That clone expands. As the population grows, additional alterations occur. Some new clones gain further advantages and eventually dominate.

This explains why cancers become:

- genetically diverse
- progressively aggressive
- resistant to therapy

Cancer is therefore not a static disease. It is an evolving population of cells.

Principle 2: Cancer Hijacks Normal Physiology

Cancer does not create new biological mechanisms. Instead, it exploits pathways that normally regulate growth, repair, development, and survival.

Examples:

- **EGFR signaling** normally promotes epithelial repair after injury. Cancer cells can activate this pathway continuously to drive proliferation.

- **VEGF** normally promotes blood vessel formation during wound healing. Tumors exploit VEGF to create their own blood supply.
- **Telomerase** normally maintains stem cell populations. Cancer cells reactivate telomerase to achieve unlimited replication.
- **PD-L1** normally helps prevent excessive immune activation. Tumors use PD-L1 signaling to suppress immune destruction.

Cancer represents normal biology operating without appropriate regulation.

Principle 3: Cancer Is Fundamentally a Disease of Information

DNA is the information system that controls cellular behavior.

Cancer develops when this information becomes corrupted through:

- point mutations
- gene amplification
- deletions
- chromosomal rearrangements
- abnormal DNA methylation
- altered chromatin regulation

These changes alter the instructions that determine:

- when cells divide
- when cells die
- how cells respond to signals
- how cells interact with their environment

The behavior of a cancer reflects the accumulated changes in its biological information system.

Principle 4: The Hallmarks of Cancer Are Interconnected

Cancer characteristics such as:

- uncontrolled proliferation
- resistance to cell death
- genomic instability
- immune escape
- angiogenesis
- invasion

- metastasis

are not independent processes. They are interconnected consequences of disrupted cellular regulation.

A single mutation can influence multiple cancer behaviors. For example, **TP53 loss** can result in:

- impaired DNA repair
- reduced apoptosis
- genomic instability
- increased mutation accumulation
- enhanced tumor evolution

Similarly, **KRAS activation** can promote:

- cellular proliferation
- altered metabolism
- angiogenesis
- inflammatory signaling
- immune suppression

Cancer biology is therefore a network of interacting processes rather than a collection of isolated abnormalities.

Principle 5: The Tumor Microenvironment Is Part of the Cancer

A tumor is not composed only of malignant cells. It includes:

- fibroblasts
- immune cells
- endothelial cells
- extracellular matrix
- signaling molecules
- metabolic factors

These components interact continuously with cancer cells. Tumors actively reshape their environment to support:

- growth
- invasion
- angiogenesis
- immune suppression
- resistance to treatment

Examples: Pancreatic cancer depends heavily on its dense fibrotic stroma. Lymphomas depend on interactions with their immune and stromal niches.

The behavior of a tumor is determined by both the malignant cells and the ecosystem surrounding them.

Principle 6: Cancer Exists Under Constant Selective Pressure

Tumors are continuously exposed to pressures including:

- oxygen limitation
- nutrient scarcity
- immune surveillance
- chemotherapy
- radiation
- targeted therapy

These pressures act as evolutionary filters. Sensitive cells are eliminated. Resistant cells survive and expand.

This explains why:

- cancers relapse after initially successful treatment
- metastatic disease differs from the original tumor
- resistance develops over time

Every therapy creates a new environment in which cancer cells must adapt.

Principle 7: Cancer Is a Disease of Metabolic Adaptation

Cancer cells must generate sufficient energy and cellular building blocks to support continuous growth. To accomplish this, tumors alter:

- glucose metabolism
- amino acid metabolism
- lipid synthesis
- mitochondrial function
- nutrient sensing pathways

The Warburg effect, in which cancer cells preferentially use glycolysis despite available oxygen, is one example of metabolic adaptation.

Different cancers develop different metabolic dependencies, which can create therapeutic vulnerabilities.

Principle 8: Genomic Instability Accelerates Cancer Evolution

Many cancers develop defects in mechanisms that normally maintain genomic integrity. Examples include:

- TP53 dysfunction
- BRCA1 and BRCA2 defects
- mismatch repair deficiency

These abnormalities increase the rate at which new genetic changes occur.

Advantages:

- faster adaptation
- increased diversity
- ability to escape therapy

Disadvantages:

- excessive instability can impair survival

Cancer evolution depends on maintaining enough instability to adapt while preserving enough cellular function to survive.

Principle 9: The Cell of Origin Matters

The same mutation can produce different cancers depending on the tissue in which it occurs. For example, KRAS mutations occur in:

- pancreatic cancer
- colorectal cancer
- lung cancer

However, these cancers behave differently because each tissue has unique:

- cellular programs
- epigenetic patterns
- stem cell populations
- hormonal influences
- immune environments

Cancer is therefore the interaction between: **genetic alteration + cell of origin + tissue environment**

Principle 10: Cancer Cells Become Dependent on Specific Drivers

Although tumors contain many mutations, only some are essential for maintaining malignant behavior. These critical alterations are called driver mutations.

Examples:

- BCR-ABL fusion in chronic myeloid leukemia
- EGFR mutations in certain lung cancers
- HER2 amplification in breast cancer
- KIT mutations in gastrointestinal stromal tumors

This dependence is called **oncogene addiction**. Targeted therapies exploit these vulnerabilities by blocking pathways that cancer cells depend upon.

However, tumors can evolve resistance by:

- acquiring secondary mutations
 - activating alternative pathways
 - changing their cellular identity
-

An Integrative Framework of Cancer Evolution

Cancer progression follows a recurring pattern:

- 1 **Initiation** — A normal cell acquires an alteration that provides a survival advantage.
 - 2 **Clonal Expansion** — The altered cell population grows larger.
 - 3 **Diversification** — Additional genetic and epigenetic changes create new subpopulations.
 - 4 **Selection** — Environmental pressures favor the most adaptable clones.
 - 5 **Microenvironment Remodeling** — The tumor recruits and modifies surrounding cells to support growth.
 - 6 **Dissemination** — Some clones acquire the ability to invade and metastasize.
 - 7 **Therapeutic Selection** — Treatment eliminates sensitive cells while resistant populations survive.
 - 8 **Relapse** — Resistant clones expand and produce recurrent disease.
-

A Unifying Insight

Cancer is the progressive evolution of somatic cells that escape the cooperative rules of multicellular life by accumulating heritable alterations that provide selective advantages within their tissue ecosystem.

All major features of cancer, including uncontrolled growth, angiogenesis, immune evasion, metastasis, metabolic adaptation, and treatment resistance, represent different strategies that allow evolving cell populations to survive and expand.

Understanding these fundamental principles provides the foundation for understanding every individual cancer, from leukemia to pancreatic adenocarcinoma to melanoma.