## Task 2. Postman, GIT.

Postman.

```
endpoint_1: object_info_1
method: GET
request_params:
  1) age (int)
 2) weight (int)
 3) name (str)
response:
{'name': name,
      'age': age,
      'daily_food': weight * 0.012,
      'daily_sleep': weight * 2.5}
endpoint_2: object_info_2
method: GET
request_params:
  1) age (int)
 2) salary (int)
 3) name (str)
response:
{'start_qa_salary': salary,
      'ga_salary_after_6_months': salary * 2,
      'qa_salary_after_12_months': salary * 2.7,
      'qa_salary_after_1.5_year': salary * 3.3,
      'qa_salary_after_3.5_years': salary * 3.8,
      'person': {'u_name': [user_name, salary, age],
             'u_age': age,
             'u_salary_5_years': salary * 4.2}
```

```
}
========
endpoint_3: object_info_3
method: GET
request_params:
  1) age (int)
 2) salary (int)
  3) name (str)
response:
result = {'name': name,
      'age': age,
      'salary': salary,
      'family': {'children': [['Alex', 24], ['Kate', 12]],
              'pets': {'cat':{'name':'Sunny',
                        'age': 3},
                   'dog':{'name':'Luky',
                        'age': 4}},
              'u_salary_1_5_year': salary * 4}
      }
endpoint_4: object_info_4
method: GET
request_params:
  1) age (int)
 2) name (str)
  3) salary (int)
response:
result = {'name': name,
      'age': int(age),
```

```
'salary': [salary, str(salary * 2), str(salary * 3)]}
```

\_\_\_\_\_

```
endpoint_5: user_info_1
method: POST
form_params:
  1) age (int)
 2) weight (int)
 3) name (str)
response:
{'name': name,
      'age': age,
      'daily_food': weight * 0.012,
      'daily_sleep': weight * 2.5}
endpoint 6: user_info_2
method: POST
form params:
  1) age (int)
 2) salary (int)
  3) name (str)
response:
{'start_qa_salary': salary,
      'qa_salary_after_6_months': salary * 2,
      'qa_salary_after_12_months': salary * 2.7,
      'qa_salary_after_1.5_year': salary * 3.3,
      'qa_salary_after_3.5_years': salary * 3.8,
      'person': {'u_name': [user_name, salary, age],
             'u_age': age,
             'u_salary_5_years': salary * 4.2}
      }
```

```
=======
```

```
endpoint_7: user_info_3
method: POST
form_params:
  1) age (int)
  2) salary (int)
  3) name (str)
response:
result = {'name': name,
      'age': age,
      'salary': salary,
      'family': {'children': [['Alex', 24], ['Kate', 12]],
             'u_salary_1_5_year': salary * 4}
      }
========
endpoint_8: user_info_4
method: POST
form_params:
  1) age (int)
 2) name (str)
  3) salary (int)
response:
result = {'name': name,
      'age': int(age),
      'salary': [salary, str(salary * 2.5), str(salary * 3.5)]}
```