

First Github Task

commit A

```
PS D:\gitflow-project\PROJECT> git init
Initialized empty Git repository in D:\gitflow-project\PROJECT/.git/
PS D:\gitflow-project\PROJECT> echo "" >> README.md
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "add README.md"
[master (root-commit) 98975c9] add README.md
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
PS D:\gitflow-project\PROJECT> git status
On branch master
nothing to commit, working tree clean
```

commit B

```
PS D:\gitflow-project\PROJECT> git checkout -b develop
Switched to a new branch 'develop'
PS D:\gitflow-project\PROJECT> echo "" >> fileA.txt
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "add fileA.txt"
[develop feb0775] add fileA.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fileA.txt
```

commit C

```

PS D:\gitflow-project\PROJECT> git checkout -b feature1
Switched to a new branch 'feature1'
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "feature 1 wip"
[feature1 554c61c] feature 1 wip
1 file changed, 0 insertions(+), 0 deletions(-)

```

commit D

```

PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "add feature 1"
[feature1 d14e7b6] add feature 1
1 file changed, 0 insertions(+), 0 deletions(-)

```

commit E

```

PS D:\gitflow-project\PROJECT> git checkout develop
Switched to branch 'develop'
PS D:\gitflow-project\PROJECT> git merge --no-ff -m "Merge branch 'feature1' into develop" feature1
Merge made by the 'ort' strategy.
fileA.txt | Bin 6 -> 44 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\gitflow-project\PROJECT> git log --oneline --graph --all
1
* 1f2650c (HEAD -> develop) Merge branch 'feature1' into develop
|\
| * d14e7b6 (feature1) add feature 1
| * 554c61c feature 1 wip
|/
* feb0775 add fileA.txt

```

```
* 98975c9 (master) add README.md
PS D:\gitflow-project\PROJECT> git branch -d feature1
Deleted branch feature1 (was d14e7b6).
```

commit F

```
PS D:\gitflow-project\PROJECT> git checkout -b feature2
Switched to a new branch 'feature2'
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "feature 2 wip"
[feature2 5720505] feature 2 wip
1 file changed, 0 insertions(+), 0 deletions(-)
```

commit G

```
PS D:\gitflow-project\PROJECT> git checkout release1
M      fileA.txt
Already on 'release1'
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "fix feature 1 bug X"
[release1 9a640de] git checkout release1
1 file changed, 0 insertions(+), 0 deletions(-)
```

commit H

```
PS D:\gitflow-project\PROJECT> git checkout master
Switched to branch 'master'
PS D:\gitflow-project\PROJECT> git merge --no-ff -m "Merge branch 'release1'" release1

Merge made by the 'ort' strategy.
```

```

fileA.txt | Bin 0 -> 42 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fileA.txt
PS D:\gitflow-project\PROJECT> git log --oneline --graph --all
l
*   ffb8c15 (HEAD -> master) Merge branch 'release1'
| \
| * 9a640de (release1) git checkout release1
| * 5720505 (feature2) feature 2 wip
| * 1f2650c (develop) Merge branch 'feature1' into develop
| | \
| | * d14e7b6 add feature 1
| | * 554c61c feature 1 wip
| | /
| * feb0775 add fileA.txt
| /
* 98975c9 add README.md
PS D:\gitflow-project\PROJECT> git tag -a v1.00 ffb8c15 -m "tag 'v1.00'"

```

commit I

```

PS D:\gitflow-project\PROJECT> git checkout develop
Switched to branch 'develop'
PS D:\gitflow-project\PROJECT> git merge --no-ff -m "Merge branch 'release1' into develop" release1
Merge made by the 'ort' strategy.
fileA.txt | Bin 44 -> 42 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\gitflow-project\PROJECT> git branch -d release1
Deleted branch release1 (was 9a640de).

```

commit F1

```
PS D:\gitflow-project\PROJECT> git checkout feature2
Already on 'feature2'
PS D:\gitflow-project\PROJECT> git rebase develop
Successfully rebased and updated refs/heads/feature2.
```

commit K

```
PS D:\gitflow-project\PROJECT> git checkout develop
Switched to branch 'develop'
PS D:\gitflow-project\PROJECT> git checkout -b hotfix1
Switched to a new branch 'hotfix1'
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git commit -m "fix feature 1 bug Y"
[hotfix1 c88782e] fix feature 1 bug Y
1 file changed, 0 insertions(+), 0 deletions(-)
```

commit L

```
PS D:\gitflow-project\PROJECT> git checkout master
Switched to branch 'master'
PS D:\gitflow-project\PROJECT> git merge --no-ff -m "Merge branch 'hotfix1'" hotfix1
Merge made by the 'ort' strategy.
fileA.txt | Bin 42 -> 20 bytes
1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\gitflow-project\PROJECT> git log --oneline
67ee230 (HEAD -> master) Merge branch 'hotfix1'
c88782e (hotfix1) fix feature 1 bug Y
101c16b (develop) Merge branch 'release1' into develop
ffb8c15 (tag: v1.00) Merge branch 'release1'
9a640de git checkout release1
```

```
5720505 feature 2 wip
1f2650c Merge branch 'feature1' into develop
d14e7b6 add feature 1
554c61c feature 1 wip
feb0775 add fileA.txt
98975c9 add README.md
PS D:\gitflow-project\PROJECT> git tag -a v1.01 67ee230 -m "tag 'v1.01'"
```

commit M

```
PS D:\gitflow-project\PROJECT> git checkout develop
Switched to branch 'develop'
PS D:\gitflow-project\PROJECT> git merge --no-ff -m "Merge branch 'hotfix1' into develop" hotfix1
Merge made by the 'ort' strategy.
 fileA.txt | Bin 42 -> 20 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
PS D:\gitflow-project\PROJECT> git branch -d hotfix1
Deleted branch hotfix1 (was c88782e).
```

commit F2

```
PS D:\gitflow-project\PROJECT> git switch feature2
Already on 'feature2'
PS D:\gitflow-project\PROJECT> git rebase develop
warning: Cannot merge binary files: fileA.txt (HEAD vs. ba80c77 (feature 2 wip))
Auto-merging fileA.txt
CONFLICT (content): Merge conflict in fileA.txt
error: could not apply ba80c77... feature 2 wip
hint: Resolve all conflicts manually, mark them as resolved with
```

```
hint: "git add/rm <conflicted_files>", then run "git rebase -
-continue".
hint: You can instead skip this commit: run "git rebase --ski
p".
hint: To abort and get back to the state before "git rebase",
run "git rebase --abort".
hint: Disable this message with "git config set advice.mergeC
onflict false"
Could not apply ba80c77... # feature 2 wip
PS D:\gitflow-project\PROJECT> git switch develop
fatal: cannot switch branch while rebasing
Consider "git rebase --quit" or "git worktree add".
PS D:\gitflow-project\PROJECT> git rebase --continue
fileA.txt: needs merge
You must edit all merge conflicts and then
mark them as resolved using git add
PS D:\gitflow-project\PROJECT> git add .
PS D:\gitflow-project\PROJECT> git rebase --continue
[detached HEAD a024672] feature 2 wip
 1 file changed, 0 insertions(+), 0 deletions(-)
Successfully rebased and updated refs/heads/feature2.
```