## 8. Starry smooth-hound (Mustelus asterias)

Sensitivity Assessment

**Table A11.8. Sensitivity assessment for starry smooth-hound (***Mustelus asterias***).** Associated sectors include activities related to offshore renewable energy (O), Fishing (F), or shipping (S). NR = not relevant, NA = not assessed, NEv = no evidence, H = high, M = medium, L = low, NS = not sensitive.

			Resistance				Resilience				Sensitivity				References
Classification	Pressure type	sector(s)	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	
Physical	Physical loss (to land or freshwater habitat)	0	М	L	L	NR	М	L	L	NR	М	L	L	NR	-
	Physical change (to another seabed type)	O, F	М	М	Н	NR	М	М	Н	NR	М	М	Н	NR	2
	Physical change (to another sediment type)	O, F	М	М	Н	NR	М	M	Н	NR	М	M	Н	NR	11

Pressures		Associated Resistance sector(s)					Resilience	2			Sensitivit	References			
Classification	Pressure type	sector(s)	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	
	Habitat structure change-removal of substratum (extraction)	0	М	М	Н	Н	М	М	Н	Н	М	М	Н	Н	2, 3, 11
	Abrasion/disturbance of substratum surface or seabed	O, F	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Penetration or disturbance of substratum subsurface	O, F	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Changes in suspended solids (water clarity)	O, F	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-

Pressures		Associated sector(s)	Resistance				Resilience				Sensitivity				References
Classification	Pressure type		Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	
Physical	Smothering and siltation changes (light)	0	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Smothering and siltation changes (heavy)	0	М	L	L	NR	М	L	L	NR	М	L	L	NR	-
	Underwater noise	O, F, S	Н	L	L	NR	Н	L	L	NR	NS	L	L	NR	-
	Electromagnetic energy	0	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Barrier to species movement	O, F	М	L	L	NR	н	L	L	NR	L	L	L	NR	-
	Death or injury by collision	O, F, S	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-

Pressures		Associated sector(s)	Resistanc		Resilienc	е			Sensitivity				References		
Classification	Pressure type	300101(3)	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	
Hydrological	Water flow changes	О	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
Chemical	Transition elements & organo-metal contamination	O, F, S	NEv	М	L	NR	Н	M	L	NR	Sensitive	NEv	М	L	-
	Hydrocarbon & PAH contamination	O, F, S	NEv	М	М	NR	Н	М	М	NR	Sensitive	М	М	NR	9
	Synthetic compound contamination	O, F, S	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Introduction of other substances	O, F, S	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-
	Deoxygenation	0	NEv	NR	NR	NR	NEv	NR	NR	NR	NEv	NR	NR	NR	-

Pressures		Associated sector(s)	Resistance				Resilience				Sensitivity				References
Classification	Pressure type	300001(3)	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	Score	QoE	AoE	DoC	
Biological	Introduction or spread of invasive non-indigenous species	O, F, S	н	Н	М	NR	н	Н	Н	NR	NS	Н	М	NR	6
	Removal of target species	F	L	Н	Н	Н	L	Н	Н	Н	н	Н	Н	Н	2, 3, 4, 5, 10, 12, 14
	Removal of non-target species	F	L	Н	Н	Н	М	Н	Н	Н	М	Н	Н	Н	1, 2, 7, 8, 10, 13, 14

## References for sensitivity assessment

- 1. Berrow, S. (1994). Incidental capture of elasmobranchs in the bottom-set gill-net fishery off the south coast of Ireland. *Journal of the Marine Biological Association of the United Kingdom*, 74(4), 837–847. https://doi.org/10.1017/S0025315400090081
- 2. Biton-porsmoguer, S. (2022). Diet strategies of starry smooth-hound *Mustelus asterias* and tope shark *Galeorhinus galeus* (Carcharhiniformes: Triakidae) in the Eastern English Channel: Implication for conservation. *Cahiers De Biologie Marine*, 63(2), 129–137. https://doi.org/10.21411/CBM.A.8EF00B6F
- 3. Brevé, N., Winter, H., Overzee, H., Farrell, E., & Walker, P. (2016). Seasonal migration of the starry smooth-hound shark *Mustelus asterias* as revealed from tag-recapture data of an angler-led tagging programme: Seasonal migration of *Mustelus asterias*. *Journal of Fish Biology,* 89. https://doi.org/10.1111/jfb.12994
- 4. Colloca, F., Carrozzi, V., Simonetti, A., & Di Lorenzo, M. (2020). Using Local Ecological Knowledge of Fishers to Reconstruct Abundance Trends of Elasmobranch Populations in the Strait of Sicily. *Frontiers in Marine Science*, 7. <a href="https://doi.org/10.3389/fmars.2020.00508">https://doi.org/10.3389/fmars.2020.00508</a>
- 5. Farrell, E., Clarke, M., & Mariani, S. (2009). A simple genetic identification method for Northeast Atlantic smoothhound sharks (Mustelus spp.). *ICES Journal of Marine Science*, 66(3), 561–565. https://doi.org/10.1093/icesjms/fsn218
- 6. Gerard, C., Herve, M., Hamel, H., Gay, M., Barbier, M., & Barreau, T. (2022). Metazoan parasite community as a potential biological indicator in juveniles of the starry smooth-hound *Mustelus asterias* Cloquet, 1819 (Carcharhiniformes Triakidae). *Aquatic Living Resources*, 35. https://doi.org/10.1051/alr/2022002
- 7. Griffiths, C., Wright, S., Silva, J., Ellis, J., Righton, D., & Phillips, S. (2020). Horizontal and vertical movements of starry smooth-hound *Mustelus asterias* in the northeast Atlantic. *PLOS ONE*, 15(10). https://doi.org/10.1371/journal.pone.0239480
- 8. Henderson, P. (2017). Long-term temporal and spatial changes in the richness and relative abundance of the inshore fish community of the British North Sea Coast. *Journal of Sea Research*, 127, 212–226. https://doi.org/10.1016/j.seares.2017.06.011
- 9. Mezzetta, S., Cirlini, M., Ceron, P., Tecleanu, A., Caligiani, A., Palla, G., & Sansebastiano, G. (2011). Concentration of DL-PCBs in fish from market of Parma city (north Italy): Estimated human intake. *Chemosphere*, 82(9), 1293–1300. https://doi.org/10.1016/j.chemosphere.2010.12.028

- 10. Phillips, S., & Ellis, J. (2015). Reproductive characteristics and life-history relationships of starry smooth-hound *Mustelus asterias* in British waters. *Journal of Fish Biology*, 87(6), 1411–1433. https://doi.org/10.1111/jfb.12826
- 11. Phillips, S., Grant, A., & Ellis, J. (2020). Diet composition of starry smooth-hound *Mustelus asterias* and methodological considerations for assessing the trophic level of predatory fish. *Journal of Fish Biology*, 96(3), 590–600. <a href="https://doi.org/10.1111/jfb.14245">https://doi.org/10.1111/jfb.14245</a>
- 12. Quero, J. C. (1998). Changes in the Euro-Atlantic fish species composition resulting from fishing and ocean warming. *Italian Journal of Zoology*, *65*(S1), 493-499. https://doi.org/10.1080/11250009809386873
- 13. Silva, J. F., & Ellis, J. R. (2019). Bycatch and discarding patterns of dogfish and sharks taken in English and Welsh commercial fisheries. Journal of Fish Biology, 94(6), 966–980. https://doi.org/10.1111/jfb.13899
- 14. Biton-Porsmoguer, S., & Lloret, J. (2023). Estimating the effects of recreational fisheries on sharks in the English Channel and adjacent seas using social networks. *Regional Studies in Marine Science*, *62*, 102978. https://doi.org/10.1016/j.rsma.2023.102978

Literature search

## Web of Science search terms

AB=("Mustelus asterias" OR "M. asterias" OR "starry smoothhound\*" OR "starry smooth-hound\*")

AND AB=("angl\*" OR "beam" OR "bottom trawl\*" OR "by-catch" OR "dredge\*" OR "fish\*" OR "gear"

OR "gillnet\*" OR "hook\*" OR "injury" OR "net\*" OR "otter trawl\*" OR "remov\*" OR "aggregate\*" OR

"anchor\*" OR "ballast" OR "barrier\*"OR "beach\*" OR "launch\*" OR "moor\*" OR "noise" OR "ship\*"

OR "steaming" OR "collision\*" OR "construction" OR "electro\*" OR "turbine\*"OR "renewable\*" OR

"wave" OR "wind" OR "wind farm\*" OR "anoxia" OR "copper" OR "current\*" OR "disease\*" OR

"disturbance" OR "endocrine disru\*" OR "eutrophication" OR "exposure" OR "heavy metals" OR

"hydrocarbon" OR "hypoxia" OR "litter" OR "nitrate\*" OR "nitrite\*" OR "noise" OR "radionuclide" OR

"nutrient\*" OR "oil" OR "oil" OR "PAH\*" OR "pathogen\*" OR "PCB\*" OR "plastic\*" OR "regime" OR

"salinity" OR "sedimentation" OR "silt\*" OR "temperatur\*" OR "translocation" OR "tributyltin" OR

"turbid\*" OR "visual" OR "warm\*")

## **Database**

ISI Web of Science

Search date

3rd March 2023 - 24 results

8th April 2024 - 26 results

Search output and screening process

Abstracts screened for relevance i.e. must describe starry smooth-hound sharks and mention of one

of the listed sectors and/or pressures from MARESA. Workflow follows the Rapid Evidence

Assessment approach. The title and all auxiliary information (including abstract) were downloaded

from ISI Web of Science in a .ris and excel format. In Excel, abstracts were read and listed to either

pass or fail the initial screening process with a reason provided.

Outcome from screening: 2023 review

14 (58%) abstracts passed initial screening. Of these 14, two (14%) could not be accessed and

therefore applicability could not be determined. Sensitivity assessments were therefore made based

on evidence provided by the resultant 12 papers.

Outcome from screening: 2024 review

16 (61%) abstracts passed initial screening. Of these 16, two (12%) could not be accessed and

therefore applicability could not be determined. Sensitivity assessments were therefore made based

on evidence provided by the resultant 14 papers.