35. Sabellaria spinulosa reefs

Sensitivity Assessment

Sensitivity scores for three *Sabellaria spinulosa* reef biotopes were obtained from MarLIN website (www.marlin.ac.uk). See case report (Appendix 10) for details of *Sabellaria spinulosa* reef biotopes used to assess this feature. The resistance, resilience and sensitivity scores for each pressure comprise those scores for the *Sabellaria spinulosa* reef biotope(s) most sensitive to that pressure.

Table A11.35. Sensitivity assessment for *Sabellaria spinulosa* **reefs.** Associated sectors include activities related to offshore renewable energy (O), Fishing (F), or shipping (S). NR = not relevant, NA = not assessed, NEv = no evidence, H = high, M = medium, L = low, VL = very low, N = none, NS = not sensitive. Refs = References.

| Pressures | | Associated | | | | | Resilier | nce | | | Sensitiv | ity | | biotope associated | Refs | |
|----------------|---|------------|-------|-----|-----|-----|----------|-----|-----|-----|----------|-----|-----|-----------------------|------|---------|
| Classification | Pressure type | sector(s) | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | | |
| Physical | Physical loss (to land or freshwater habitat) | 0 | N | Н | Н | Н | VL | Н | Н | Н | Н | Н | Н | Н | All | 1, 2, 3 |
| | Physical change (to another seabed type) | O, F | N | L | NR | NR | VL | Н | Н | Н | Н | L | L | L | All | 1, 2, 3 |

| Pressures | | Associated | | | | | Resilie | nce | | | Sensiti | vity | | biotope associated | Refs | |
|----------------|---|------------|-------|-----|-----|-----|---------|-----|-----|-----|---------|------|-----|-----------------------|------------|---------|
| Classification | Pressure type | sector(s) | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | with score | |
| | Physical change (to another sediment type) | O, F | N | М | L | NR | М | Н | L | Н | М | М | М | М | 2 | 2 |
| | Habitat structure change-removal of substratum (extraction) | 0 | N | Н | Н | Н | М | Н | Н | Н | М | Н | Н | Н | 2 | 2 |
| | Abrasion/disturbance of substratum surface or seabed | O, F | L | L | NR | NR | М | М | М | М | М | L | L | L | AII | 1, 2, 3 |
| Physical | Penetration or disturbance of substratum subsurface | O, F | N | М | Н | Н | М | М | М | М | M | М | М | М | 2 | 2 |

| Pressures | | Associated | Resista | nce | | | Resilie | nce | | | Sensitiv | vity | | biotope associated | Refs | |
|----------------|---|------------|---------|-----|-----|-----|---------|-----|-----|-----|----------|------|-----|-----------------------|------------|---------|
| Classification | Pressure type | sector(s) | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | with score | |
| | Changes in suspended solids (water clarity) | O, F | Н | Н | L | Н | Н | Н | Н | Н | NS | Н | М | L | All | 1, 2, 3 |
| | Smothering and siltation changes (light) | | Н | Н | M | NR | Н | Н | Н | Н | NS | Н | М | L | All | 1, 2, 3 |
| | Smothering and siltation changes (heavy) | 0 | N | L | NR | NR | М | Н | L | Н | М | L | L | L | All | 1, 2, 3 |
| | Underwater noise | O, F, S | NEv | NR | NR | NR | NEv | NR | NR | NR | NEv | NR | NR | NR | All | 1, 2, 3 |
| | Electromagnetic energy | О | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | All | 1, 2, 3 |
| | Barrier to species movement | O, F | М | L | NR | NR | Н | М | L | М | L | L | L | L | All | 1, 2, 3 |

| Pressures | | Associated | Resista | nce | | | Resilie | nce | | | Sensiti | vity | | biotope associated | Refs | |
|----------------|--|------------|---------|-----|-----|-----|---------|-----|-----|-----|---------|------|-----|-----------------------|------------|---------|
| Classification | Pressure type | sector(s) | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | with score | |
| | Death or injury by collision | O, F, S | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | NR | All | 1, 2, 3 |
| Hydrological | Water flow changes | 0 | Н | Н | L | Н | Н | Н | Н | Н | NS | Н | L | Н | All | 1, 2, 3 |
| Chemical | Transition elements & organo-metal contamination | O, F, S | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | All | 1, 2, 3 |
| | Hydrocarbon & PAH contamination | O, F, S | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | All | 1, 2, 3 |
| | Synthetic compound contamination | O, F, S | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | All | 1, 2, 3 |
| Chemical | Introduction of other substances | O, F, S | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | All | 1, 2, 3 |
| | Deoxygenation | 0 | NEv | NA | NA | NA | NEv | NA | NA | NA | NEv | NA | NA | NA | All | 1, 2, 3 |

| Pressures | | Associated | | | | | Resilier | nce | | | Sensitiv | vity | | biotope associated | Refs | |
|----------------|---|------------|-------|-----|-----|-----|----------|-----|-----|-----|----------|------|-----|-----------------------|------------|---------|
| Classification | Pressure type | sector(s) | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | Score | QoE | AoE | DoC | with score | |
| Biological | Introduction or spread of invasive non-indigenous species | 0 | NEv | NR | NR | NR | NEv | NR | NR | NR | NEv | NR | NR | NR | All | 1, 2, 3 |
| | Removal of target species | O, F, S | Н | L | NR | NR | Н | Н | Н | Н | NS | L | L | L | All | 1, 2, 3 |
| | Removal of non-target species | F | L | L | NR | NR | М | М | М | М | М | L | L | L | All | 1, 2, 3 |

References for Sabellaria spinulosa reefs sensitivity assessment

- Tillin, H.M., Gibb, N.,, Garrard, S.L.,, Lloyd, K.A., & Watson, A. (2023a). Circalittoral Sabellaria reefs (on rock). In Tyler-Walters H. (ed) Marine Life Information Network: Biology and Sensitivity Key Information Reviews, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 25-04-2024].
 - Available from: https://www.marlin.ac.uk/habitats/detail/225
- Tillin, H.M., Marshall, C.E., Garrard, S.L., & Gibb, N. (2023b). Sabellaria spinulosa on stable circalittoral mixed sediment. In Tyler-Walters, H. & Hiscock, K. (eds) Marine Life Information Network: Biology and Sensitivity Key Information Reviews, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 12-04-2024].
 - Available from: https://www.marlin.ac.uk/habitats/detail/377
- 3. Tillin, H.M., Marshall, C.E., Gibb, N.,, Lloyd, K.A., & Watson, A. (2023c). *Sabellaria spinulosa* encrusted circalittoral rock. In Tyler-Walters H. (ed) *Marine Life Information Network: Biology and Sensitivity Key Information Reviews*, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 25-04-2024].

Available from: https://www.marlin.ac.uk/habitats/detail/1169