

Android■■■■



■■■■■ WhiteNews■■■■■

■■■■■ ■■■■■

■ ■■ _____

■ ■■ _____

■ ■■ _____

■■■■■ _____




- □ □ □ □ □ □ □

[illegible]

□□	□□□□	□□□
□□□□	□□□□□□□□□□	■
□□□□	□□□□□□□□□□□□	■
□□□□	□□□□□□□□	■
□□□□	□□□□□□□□	■
□□□□	□□□□□□□□	■

■■■■■■■■■■

- 
- 



3.1 ■■■■■■

■■■■■MVC■■Model-View-Controller■■■■■■■■■■■■■■■■■■■■

- **Model** ■■■■■■ ■ UserInfo ■ NewsInfo ■ HistoryInfo ■■■■■■■■■■ ■ UserDbHelper ■ HistoryDbHelper ■
- **View** ■■ XML ■■■■■■■■■■■■■■■■■■■■
- **Controller** ■■ Activity ■ Fragment ■■■■■■■■■■■■■■


3.2 ■■■■■

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

表名	主键	字段	数据类型
user_table	user_id	username, password, nickname	varchar, int, varchar
history_table	history_id	username, uniquekey, view_time	varchar, int, int
news_table	uniquekey	title, category, author_name	varchar, int, varchar

3.3 E-R

■■■■■■■■■■■■■■■■■■■■User■■■■■■News■■■■■■History■■■■■■Category■■■■■■■■■■■■■■■■■■■■
■■■

- 1:N
- N:1
- N:1



4.1 ■■■■■■

□ □ □ □ □ □ □ □ □ □ □ □

- 3-166-20
- +
- 
- UserInfo

4.2 ■■■■■■

TabLayout+ViewPager2 RecyclerView 11

4.3 ■■■■■■

[illegible]

- username
- username+uniquekey
- 



□□□□	□□□□	□□□□□	□□
□□□□□	□□□□	23	□□/□□□□□+□□□
□□□□□	□□□□	18	L9(3□)□□□
□□□□	□□□□□	8	CRUD□□□□
□□□□	□□□□	6	□□□□□□□

5.2 ■■■■■■■■■■

- ■■■■■■■■■■3-16■■■■■■■■■■6-20■

[illegible]

5.3

[illegible]

- A
- B



6.1 ■■■

- **Android**
- **SQLite**
- **OkHttp** **API**
- **Material Design UI**
-

6.2 ■■■

- 
- 
- 
- 
- 

6.3 ■■

Two horizontal bar charts comparing the number of Android and iOS apps. The top chart shows 100 Android apps and 100 iOS apps. The bottom chart shows 10 Android apps and 10 iOS apps.



- [1] Android Developers. Android Developer Guide. <https://developer.android.com/>
- [2] 极客学院. API 文档. <https://www.juhe.cn/docs>
- [3] OkHttp. HTTP Client for Android. <https://square.github.io/okhttp/>
- [4] Robolectric. Android Unit Testing. <https://robolectric.org/>
- [5] JUnit. Java 单元测试. <https://junit.org/junit5/>