Key

Style 5

- Truth and Nil 6
- Arithmetic 16
- Constants and Chance 38
- Number Theory 49
- Polynomials and Roots 56
- Matrices 63
- Arrays 71
- Boxes 87
- Sets and Membership 98
- Trains 107
- Functions 126
- Errors 137
- Classes and Properties 148
- The Virtual 159

Dungeon 165

- Places 166
- Classes 170
- Objects 176
- Entities 181
- Food 184
- Species inheritance 203

Index 243

- English Index 244
- Glyph Index 251

Contents

Style 5

Truth and Nil 6

Niladic 6

Monadic 8

Dyadic 10

Arithmetic 16

Niladic 16

Monadic 20

Dyadic 31

Constants and Chance 38

Niladic 38

Monadic 43

Dyadic 46

Number Theory 49

Monadic 49

Dyadic 52

Polynomials and Roots 56

Monadic 56

Dyadic 59

Matrices 63

Niladic 63
Monadic 65
Dyadic 68
Arrays 71
Niladic 71
Monadic 74
Dyadic 82
Boxes 87
Niladic 87
Monadic 89
Dyadic 93
Sets and Membership 98
Niladic 98
Monadic 100
Dyadic 103
Trains 107
Niladic 107
Monadic 111
Dyadic 123
Functions 126
Niladic 126
Monadic 128
Dyadic 133
Errors 137
Niladic 137
Monadic 143
Classes and Properties 148
Niladic 148

Monadic 152
Dyadic 155
The Virtual 159
Niladic 159
Monadic 162
Dungeon 165
Places 166
Classes 170
Objects 176
Entities 181
Food 184
Species inheritance 203
Index 243
English Index 244
Glyph Index 251

Style

Truth and Nil: Niladic

Wuxia

俠

The Hero

U+4FA0

Nil



The empty set — quiet failure value; absorbs; Nil⊡function → Nil

U+2205

Truth

⊤

Verum — first-class truth; no true anymore

U+22A4

Truth and Nil: Monadic

Invert

~

Invert — monadic only (tilde). Scalar: ~ 0 → 1, ~ 1 → 0 (user wording to confirm). Unary scalar verbs operate on array back ranks (new 2026-10-11)

U+007E

Not

¬

Not — monadic boolean not: ¬ Truth yields Nil, ¬ Nil yields Truth (new 2026-10-14)

U+00AC

Congruent

≡

Ambivalent: monadic binds train to lhs⊡function

U+2261

Truth and Nil: Dyadic

Less Than



Less Than — dyadic < A B yields Truth when A < B, Nil otherwise (new 2026-10-14)

U+003C

Match



Match — dyadic ≗ A B yields Truth when A and B are identical in shape, depth, values, and type, recursively throughout; Nil otherwise (Dyalog's dyadic ≡; glyph reassigned from Unbox 2026-10-20, Unbox remaining at ⊐)

U+2257


Congruent



Ambivalent: dyadic ≡ A B yields Truth when A and B have the same binding (same location in the system tables), Nil otherwise

U+2261

IsAt



IsAt — dyadic ≣ X Y yields Truth when X and Y share the same pointer address, Nil otherwise (new 2026-10-14)

U+2263

Equality



Equality — dyadic = A B yields Truth when A = B, Nil otherwise (new 2026-10-14)

U+003D

Greater Than



Greater Than — dyadic > A B yields Truth when A > B, Nil otherwise (new 2026-10-14)

U+003E

Less Or Equal



Less Or Equal — dyadic ≤ A B yields Truth when A ≤ B, Nil otherwise (new 2026-10-14)

U+2264


Greater Or Equal



Greater Or Equal — dyadic ≥ A B yields Truth when A ≥ B, Nil otherwise (new 2026-10-14)

U+2265

Implies



Implies — logical implication; ∅ ⇒ ∅ → ⊤

U+21D2

Approx



Approx — dyadic ≈ A B yields Truth when|A - B|is within 1e-6, Nil otherwise (new 2026-10-14)

U+2248

UnApprox



UnApprox — dyadic ≉ A B: sugar for ¬ ≈ A B (boolean Not of Approx) (new 2026-10-14)

U+2249

Unequal



Unequal — dyadic ≠ A B: sugar for ¬ = A B (boolean Not of Equality) (new 2026-10-14)

U+2260


forall



Train quantifier — every element must evaluate non-nil. Idiom: dyadic NAND is ¬ ∀ 𝕀𝕀 X Y

U+2200

Forsome



Existential — at least one element evaluates non-nil

U+2203

Fornone



Not-forsome — defined as ~Forsome

U+2204

Arithmetic: Niladic

Signum / Plus

+

Ambivalent: Niladic + yields 0.
(Was ∓ U+2213, retired 2026-10-12

U+002B

Negate / Subtract

−

Niladic - yields 0 (new 2026-10-11

U+002D

Plus (Complex)

⨢

Plus (Complex), aka Sum Complex, Add Complex —; Niladic: sugar for ℿ 0 0, the complex zero (new 2026-10-14)

U+2A22

Times (Complex)

⨣

Times (Complex) —; Niladic: sugar for ℿ 1 0, the complex one (new 2026-10-14)

U+2A30

Minus (Complex)



Minus (Complex) —; Niladic: sugar for ⨿ 0 0, the complex zero (new 2026-10-14)

U+235B

Times (Polar)



Times (Polar) —; Niladic: the polar one, 2×1 [1; 0] (new 2026-10-14)

U+2A02

Divide (Complex)



Divide (Complex) —; Niladic: sugar for ⨿ 1 0, the complex one (new 2026-10-14)

U+2A2C

Divide (Polar)



Divide (Polar) —; Niladic: the polar one, 2×1 [1; 0] (new 2026-10-14)

U+2A38

Factorial

!

Factorial —; Niladic ! yields 1 (new 2026-10-12)

U+0021

Percent

%

Percent —; Niladic % is 0 (new 2026-10-12

U+0025

Square



Square — ⊠ X is X squared.; Niladic ⊠ yields 1, derived from Multiply (new 2026-10-12)

U+22A0

Multiply



*Multiply —; Niladic ⨯ yields empty array. Replaces Star * U+002A (new 2026-10-12; boxed forms 2026-10-12*

U+2A2F

Arithmetic: Monadic

Signum

+

Ambivalent: monadic Signum (less than zero yields −1, greater than zero yields 1, zero yields 0; back-rank scalar unary)

U+002B

Negate

-

Negate (monadic - X, unary minus)

U+002D

Conjugate

⊶

Conjugate — monadic ⊶X: complex conjugate; negates the imaginary part, preserving orientation (on [r,i] yields [r,−i]; on [r;i] yields [r;−i]) (new 2026-10-15)

U+22B6

Double

+2

Double — monadic +⍨X yields 2 × X (new 2026-10-15)

U+2A27

Sum

∑

Sum — sugar for reduce-addition: ∑ X means / + X (redefined 2026-10-12)

U+2211

Square Root

√

Square Root — monadic √ X yields the square root of X (new 2026-10-15)

U+221A

Plus (Complex)

⨁

Plus (Complex), aka Sum Complex, Add Complex —; Monadic: if X is scalar, sugar for ℙ X 0 (promote to complex); else identity, yields X.

U+2A22

Times (Complex)

⨂

Times (Complex) —; Monadic: if X is scalar, sugar for ℙ X 0 (promote to complex); else identity, yields X.

U+2A30

Minus (Complex)



Minus (Complex) —; Monadic: if X is scalar, sugar for ℚ X 0 (promote to complex); else identity, yields X.

U+235B

Times (Polar)



Times (Polar) —; Monadic: if X is scalar, promote to polar 2×1; else identity, yields X.

U+2A02

Divide (Complex)



Divide (Complex) —; Monadic: if X is scalar, sugar for ℚ X 0 (promote to complex); else identity, yields X.

U+2A2C

Divide (Polar)



Divide (Polar) —; Monadic: if X is scalar, promote to polar 2×1; else identity, yields X.

U+2A38

Percent



Percent —; monadic % X is absolute value, a back-rank operator.; monadic redefined 2026-10-12)

U+0025


Star



*Star — exponentiate: monadic * X is 1, because the missing exponent Y is assumed 0, giving X^0 (new 2026-10-12). Idiom: X-th root of Y is * Y ÷ 1 X*

U+002A

Quotient



Quotient —; Monadic ÷ X: if X is a square array, yields the matrix inverse; else reciprocal, a back-rank scalar operator (new 2026-10-12)

U+00F7

Multiply



Multiply —; Monadic × X yields X when X numeric; on boxed X, catenates once.; monadic redefined 2026-10-12)

U+2A2F

Ceiling



Ceiling —; monadic ⌈X rounds up
(from APL; new 2026-10-12)

U+2308

Floor



Floor —; monadic ⌊X rounds down
(from APL; new 2026-10-12)

U+230A

Sine



Sine (new 2026-10-12)

U+25DD

Cosine



Cosine (new 2026-10-12)

U+25DE

Arccosine



Arccosine (new 2026-10-12)

U+25F6

Arcsine



Arcsine (new 2026-10-12)

U+25F7

Tangent



Tangent (new 2026-10-12)

U+2AD7

Arctangent



Arctangent (new 2026-10-12)

U+2AD8

Hyperbolic Sine



Hyperbolic Sine (new 2026-10-12)

U+2AA6

Hyperbolic Cosine



Hyperbolic Cosine (new 2026-10-12)

U+2AA7

Hyperbolic Arcsine



Hyperbolic Arcsine (new 2026-10-12)

U+2ABD

Hyperbolic Tangent



Hyperbolic Tangent (new 2026-10-12)

U+2AD1

Natural Log



Natural Log —; monadic ⍁ X is ln X.; Monadic ⍁ on a polar 2×1 yields the rectangular complex pair [ln r, θ].

U+237C

Antilog



Antilog — sugar for Star: ⍋̇ X is e raised to the X. Monadic ⍋̇ on a rectangular complex pair yields the polar 2×1 [e^a; b] (new 2026-10-12; glyph was 𝒆 U+1D58A until 2026-10-14)

U+29CA

Hyperbolic Arctangent



Hyperbolic Arctangent (new 2026-10-12)

U+2A4D

Hyperbolic Arccosine



Hyperbolic Arccosine (new 2026-10-12)

U+2ABE

Factorial

!

Factorial —; monadic ! X is X factorial

U+0021

Fourier



Fourier — monadic F X: FFT of X (new 2026-10-15)

U+03DC

InverseFourier



InverseFourier — monadic ⅁ X: inverse FFT of X (new 2026-10-15)

U+2132

Base Ten Log



Base Ten Log — ⍙ X is log base 10 of X, sugar for ⍦ 10 X (new 2026-10-12)

U+2A5F

Magnitude



Magnitude — monadic ⍫X: absolute value of X (new 2026-10-16)

U+2357

Arithmetic: Dyadic

Plus



Ambivalent: dyadic + X Y yields X + Y (addition).; dyadic 2026-10-15)

U+002B

Subtract

Subtract (dyadic - X Y yields X - Y, first minus second), the subtract that works with the / right-fold Reduce.; dyadic 2026-10-12)

U+002D

Plus (Complex)



Plus (Complex), aka Sum Complex, Add Complex —; dyadic: sum of complex numbers (1×2 rectangular), per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before adding.

U+2A22

Times (Complex)



Times (Complex) —; dyadic: product of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before multiplying.

U+2A30

Minus (Complex)



Minus (Complex) —; dyadic: difference of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before subtracting.

U+235B

Times (Polar)



Times (Polar) —; dyadic: product of polar numbers; uses the 2×1 oriented vector to hold magnitude and direction: magnitudes multiply, angles add; if either or both X and Y are scalar, promote to polar 2×1 before multiplying.

U+2A02

Divide (Complex)



Divide (Complex) —; dyadic: quotient of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before dividing.

U+2A2C

Divide (Polar)



Divide (Polar) —; dyadic: quotient of polar numbers; uses the 2×1 oriented vector to hold magnitude and direction: magnitudes divide, angles subtract; if either or both X and Y are scalar, promote to polar 2×1 before dividing.

U+2A38

Percent



Percent —; dyadic % X Y yields the remainder of X divided by Y

U+0025


Star



*Star — exponentiate: dyadic * X Y is X to the power Y (left=base, right=exponent)*

U+002A

Quotient



Quotient —; dyadic ÷ X Y divides X by Y, yielding a real; division by zero yields infinity, except 0/0 which yields Nil.

U+00F7

Multiply



Multiply —; dyadic multiplies its arguments; when X is boxed, ⍪X Y catenates X repeated Y times.

U+2A2F

Factorial

!

Factorial —; dyadic ! X Y is the binomial coefficient Y choose X.

U+0021

Ceiling

⌈

Ceiling —; dyadic ⌈ X Y is maximum

U+2308

Floor

⌊

Floor —; dyadic ⌊ X Y is minimum

U+230A

Natural Log



Natural Log —; Dyadic ⍟ X Y is log base X of Y, sugar for ÷ ⍟ Y ⍟ X (new 2026-10-12)

U+237C

Square



Square — ⊠ X is X squared.; Dyadic ⊠ X Y squares X Y times.

U+22A0

Constants and Chance: Niladic

Half

½

Half —; niladic: 0

U+00BD

Time



Time — an IO intrinsic. The underlying mathematical event: its value is computer era plus microseconds. Every event is a read at this coordinate, and the reading never comes back Nil (2026-10-20)

U+231A

Bell

𝔅

Bell —; niladic: random point in (-1, 1), exclusive

U+1D56D

Real

ℜ

Real — niladic: random real number between 0 and 1; sugar for ½ + 1 𝔅 (new 2026-10-13)

U+1D57D


Gamma



Gamma — niladic γ: Euler-Mascheroni constant (new 2026-10-14)

U+03B3


Pi



Pi — niladic π: value of pi (new 2026-10-14)

U+03C0

Golden



Golden — niladic φ: golden mean (new 2026-10-14)

U+03C6

Euler



Euler — niladic ℇ: Euler's constant (new 2026-10-14)

U+2107

D2



D2 — niladic: a single 2-sided die (1-2); sugar for 𝔇2; the die face U+2681 (2026-10-20)

U+2681

D4



D4 — niladic: a single 4-sided die (1-4); sugar for 𝔇4; the die face U+2683 (2026-10-20)

U+2683

D6



D6 — niladic: a single 6-sided die (1-6); sugar for 𝔇6; the die face U+2685 (2026-10-20)

U+2685

Dice



Dice —; niladic: single 6-sided die (1-6)

U+1D56F

Dice Percentile

‰

*Dice Percentile — niladic, intrinsic: A gets D10, B gets D10, yields + B * 10 A; the per mille sign U+2030 (2026-10-20)*

U+2030

D10



D10 — niladic: a single 10-sided die (1-10); sugar for 𝔇10; the circled ten U+2469 (2026-10-20)

U+2469

D12



D12 — niladic: a single 12-sided die (1-12); sugar for 𝔇12; the circled twelve U+246B (2026-10-20)

U+246B

Pick



Pick —; niladic: Nil

U+2A03

Constants and Chance: Monadic

Half

½

Half —; monadic ½ X: X divided by 2; array → sugar for ⊞(⍴ X); train → floor(length/2) index; dictionary → Nil (new 2026-10-13)

U+00BD

Pick

⍤

Pick —; monadic ⍤X: scalar → same scalar; train → use Dice of size train to select element; array → use Dice of sides from shape to select element; dictionary → random {key:value} pair (new 2026-10-13)

U+2A03

Bell

𝔅

Bell —; monadic 𝔅μ: bell curve point with mean μ (μ in (-1,1))

U+1D56D

Dice

𝔇

Dice —; monadic 𝔇X: single X-sided die (1-X)

U+1D56F

Deal



Deal — given a scalar, works as expected; given an array, fills the entire back rank with limited values. Concrete examples and summary TBD (new 2026-10-11)

U+003F

Constants and Chance: Dyadic

Bell

𝔅

Bell —; dyadic 𝔅 μ σ: bell curve point with mean μ and stddev σ (σ ≤ 1/3) (new 2026-10-13)

U+1D56D

Dice

𝔇

Dice —; dyadic 𝔇 X N: N X-sided dice; all sugar via ℜ (hence 𝔅) (new 2026-10-13; die face U+2685 tried and reverted 2026-10-20)

U+1D56F

Number Theory: Monadic

Divisible



Divisible —; monadic ⍱ X yields Truth when X is divisible by 2, Nil otherwise

U+23A2

Indivisible



Indivisible —; monadic ⍲ X: sugar for ¬ ⍱ X (the Odd test)

U+2AEE

Primes



Primes — monadic 𝒫X yields the prime factors of X, per J's q:. (new 2026-10-18)

U+1D4AB

Prime



Prime — monadic 𝔓 N yields the Nth prime, per J's p: (zero-indexed: 𝔓 0 is 2). (new 2026-10-18)

U+1D513

Prime



Prime — monadic ⌽ X: sugar for ⍵⍵/ X ⍳2 ⌊√ X ⍸ ≤ X 1 (new 2026-10-15)

U+23C0

Factor



Factor — factorization verb (new 2026-10-16)

U+27D2

Combinatoric



Combinatoric —; monadic ## X: factorial of X

U+2A69

Number Theory: Dyadic

LCM



LCM — dyadic ⍜ X Y: least common multiple of X and Y (new 2026-10-16)

U+238A

Divisible



Divisible —; dyadic ⍱ X Y yields Truth when X is divisible by Y, Nil otherwise (new 2026-10-15)

U+23A2

GCD



GCD — dyadic ⫻ X Y: greatest common divisor of X and Y (new 2026-10-16)

U+2980

Indivisible



Indivisible —; dyadic ⍲ X Y: sugar for ¬ ⍱ X Y (boolean Not of Divisible) (new 2026-10-15)

U+2AEE

Combinatoric



Combinatoric —; dyadic ⋕ X Y: binomial X choose Y (new 2026-10-16)

U+2A69

Polynomials and Roots: Monadic

NextLocal



NextLocal — the Roots division step: given P, yields [R prime, P prime] where R prime is Local(P) and P prime is P deflated by synthetic division of R prime. (new 2026-10-19)

U+2113

Roots



Roots — sugar: ℞ P is ℜ ℓ P (Reveal NextLocal over P); yields all polynomial roots. (new 2026-10-18; factored via Reveal 2026-10-19)

U+211E

Differentiate



Differentiate — train verb ∂ T yields symbolically differentiated version of train T of coefficients, multiplying constants as needed; same order as Polynomial (new 2026-10-13)

U+2202

Integrate



Integrate — train verb ∫ T yields symbolically integrated version of train T of coefficients, dividing constants as needed; same order as Polynomial (new 2026-10-13)

U+222B

Solve

&

Solve — monadic & A: array → vector of polynomial coefficients; missing input row is all zeroes (new 2026-10-13)

U+0026

Optimize

𝔅

*Optimize —; monadic 𝔅 V: vector → polynomial; searches free variable with delta = 0.01 * domain, epsilon defaults to 1e-6*

U+214B

Local

𝔏

Local — monadic ⍵ V is 𝔅 ⫴𝔏 & V (FixedPoint Optimize Triple Solve V); approximates best x for a local minimal of V (new 2026-10-13)

U+1D50F

Polynomials and Roots: Dyadic

Reveal



Reveal — intrinsic. Dyadic ℜ P Y yields the successive application of P upon Y as Y shrinks to Nil. Epsilon from P has two elements: an alpha to apply P to next Y, and the next Y. (new 2026-10-18)

U+211C

Optimize



Optimize —; dyadic 𝔅 V ε: recurse into smaller domains until change in c < ε (new 2026-10-13)

U+214B

Integer Division



Integer Division — dyadic ⫽ X Y divides X by Y, yielding an integer (replaces Slash / integer division from manual p.19; / is now Reduce). Vector form: ⫽ V X where V is vector yields synthetic quotient of V by X (new 2026-10-14)

U+2AFD

Evaluate



Evaluate — dyadic 𝒇X T evaluates train T of coefficients upon X (new 2026-10-13)

U+1D58B

FixedPoint



Fixed point — dyadic ꞇø V guess: refine guess until epsilon < 1e-6 (max 100 steps); failure to converge returns infinity (new 2026-10-13)

U+AB44

Matrices: Niladic

Outer Product



Outer Product —; Niladic ⊗ yields 1 (new 2026-10-12)

U+2297

Inner Product



Inner Product —; Niladic · yields 1 (new 2026-10-12; matrix case 2026-10-14)

U+22C5

Multiply Matrices



Multiply Matrices —; Niladic ⋈ yields the 1×1 identity matrix (new 2026-10-14)

U+22C8

Matrices: Monadic

Outer Product



Outer Product —; Monadic ⊗ X yields X.

U+2297

Inner Product



Inner Product —; Monadic ⋅ X yields X.

U+22C5

Multiply Matrices



Multiply Matrices —; Monadic ⋈ X yields X.

U+22C8

L Factor



L Factor — monadic: the L (lower triangular, 1s on diagonal) factor of the LU decomposition of a rank-2 array (new 2026-10-14)

U+1D577

Determinant



Determinant — monadic ⌹X: determinant of square matrix X (new 2026-10-16)

U+233C

U Factor



U Factor — monadic: the U (upper triangular) factor of the LU decomposition of a rank-2 array (new 2026-10-14)

U+1D580

Matrices: Dyadic

Outer Product



Outer Product —; dyadic ⊗ X Y yields the outer product matrix where entry [i,j] is ⍺ X[i] Y[j]; shape is the concatenation of the shapes of X and Y.

U+2297

Inner Product



Inner Product —; dyadic ⋅ X Y: for vectors X, Y, the dot product (sum of pairwise products); for matrices, the Frobenius inner product: a scalar, the sum of all pairwise products.

U+22C5

Multiply Matrices



Multiply Matrices —; dyadic ⋈ X Y: matrix multiplication, (⋈ X Y)[i;j] = ⋅ X[i;] (⌽ Y)[j;]; inner dimensions must agree, non-square fine.

U+22C8

Arrays: Niladic

Pee

ℙ

Pee — Where⊡Pee yields Where [0, 1
(first two coordinates)

U+2119

Zee

ℤ

Zee — the last position of a slice
(Where⊡Zee yields Where [-1)

U+2124

Exx

𝕏

Exx — the zero position of a slice
(Where [0)

U+1D54F

Wye

𝕐

Wye — the midposition of a slice

U+1D550


Extend



Extend —; niladic ⊢: sugar for ⊂ Nil

U+213E

Catenate



Catenate —; niladic ⊣: sugar for ⊂ Nil

U+213F

Grade Up



Grade Up — ⍋X yields the indices that sort X ascending. Niladic ⍋ yields 0 (from APL; new 2026-10-12)

U+234B

Grade Down



Grade Down — ⍒X yields the indices that sort X descending. Niladic ⍒ yields Nil (from APL; new 2026-10-12)

U+2352

Arrays: Monadic

Rank



Rank — monadic # X yields the number of dimensions in X; zero when scalar. (new 2026-10-18)

U+22D5

Permute



Permute —; monadic ⍨ X and dyadic X ⍨ Y work as in J's C.. Both modes intrinsic. (new 2026-10-19)

U+2A0A

Laminate



Laminate —; monadic ⍪ X: adds a leading singleton axis

U+2A5E

Anagram



Anagram — permutation index/parity (J's A.). Both modes intrinsic. (new 2026-10-19)

U+1D49C

Enumerate

№

Enumerate — monadic № X: sugar for ⍕⍳≢⍴X; yields index-value pairs for X (new 2026-10-18)

U+2116

Reflect

÷

Reflect — monadic ÷X: sugar for ⍕⌽-⌽∘⍳X (new 2026-10-15)

U+223B

Count

77

⍳

U+2373

Kount

⍳̂

Kount — monadic ⍳̂B: takes a vector of T or Nil; returns a vector counting the T, turning each Nil to 0. Intrinsic. (new 2026-10-18)

U+2A23

⍳ Count

U+2373

Count — magical: when given a shape, fills an array matching shape. Scalar: behaves as normal. Array: fills array with next dimension limited by scalar from back rank — e.g. ⍳ 2 3 → rows of 0 1 2 (origin 0; last axis counts, outer axes replicate) (new 2026-10-11)

Mix



Mix — monadic ⥣ X yields an array formed from the items of X, opened one level and stacked along a new first axis: a vector of k items each of shape S yields shape k,S; mismatched items pad with fill (Dyalog's monadic ↑; new 2026-10-21)

U+21D1

Depth



Depth — monadic ⍦ X yields the nesting depth of X: a scalar has depth 0, an array of scalars has depth 1, and each further layer of nesting or boxing adds one, the deepest chain governing: Dyalog's definition of monadic ≡, on a Wuxia glyph (new 2026-10-20)

U+228D

Reverse



Reverse —; monadic ⌽ X reverses elements along the last axis

U+233D

Transpose



Transpose — monadic ⍉ X reverses the order of axes (from APL; new 2026-10-12)

U+2349

Catenate



Catenate —; monadic ⎍ X: catenates X to itself

U+213F

Split



Split — monadic ⥣ X yields a vector of the items of X along its first axis, each item having the shape of X without its first element; the inverse of Mix (Dyalog's monadic ↓; new 2026-10-21)

U+21D3

RavelRows



RavelRows — monadic ⍪X: yields the rows of X as a vector (Antitable; new 2026-10-15)

U+22F2

Ravel



Ravel — monadic ∊X: flattens array X to vector, row-major (new 2026-10-14)

U+22F3

Shape

ρ

Shape —; monadic ρ X: shape of X; scalar → 0; array → vector of dimensions; train → [1, length of train]; dictionary → [1, pairs present]

U+03C1

Extend



Extend —; monadic ⥣ X: Table X as in APL, adds trailing axis of length 1

U+213E

Sight



Sight — takes 2D array, finds center, returns vector location of nearest non-zero scalar; ties pick one (new 2026-10-13)

U+2388

Rotate



Rotate —; monadic ⟲ X: rotate X toward origin by 1

U+29BD

Cardinality



Cardinality — "how big is this?"; scalar → -1; array → number of elements held; dictionary → number of pairs; train → length of train (new 2026-10-13)

U+2210

Center



Center — takes a shape, returns its integer halves expressed as a vector (e.g. [10, 6] → [5, 3]) (new 2026-10-13)

U+229E

Arrays: Dyadic

Put



Put — ⫤⊨ X P A: value at coordinate P of array A becomes X (new 2026-10-18)

U+27DA

Permute



Permute —

U+2A0A

Laminate



Laminate —; dyadic ⩝ A B: yields [A; B]; when A and B are both scalars, yields A B (new 2026-10-17)

U+2A5E


Anagram



Anagram — permutation index/parity (J's A.). Both modes intrinsic. (new 2026-10-19)

U+1D49C

Catenate



Catenate —; dyadic ⊓ X Y: catenate X and Y as in APL; variadic ⊓ A ... Z: catenate A through Z left to right (new 2026-10-14)

U+213F

Take



Take — ↑ X Y takes the first X elements of Y (last X if X is negative); X may be a vector for per-axis counts (from APL; new 2026-10-12)

U+2191

Drop



Drop — ↓ X Y drops the first X elements of Y (last X if X is negative); X may be a vector for per-axis counts (from APL; new 2026-10-12)

U+2193

Reverse



Reverse —; dyadic ⌽ X Y rotates Y by X positions (from APL; new 2026-10-12)

U+233D

Shape

ρ

Shape —; dyadic ρ S X: reshape X to shape S (per APL) (new 2026-10-13)

U+03C1

Extend



Extend —; dyadic ⍋ X N: extends by N axes (new 2026-10-14)

U+213E

Rotate



Rotate —; dyadic ⌽̂ X Y: rotate X by Y (Y positive toward origin, negative away) (new 2026-10-16)

U+29BD

Boxes: Niladic

Box



Box —; Niladic ⊂ yields Truth
(from APL Enclose; new 2026-10-12)

U+2282

Unbox



Unbox —; Niladic ⊃ yields Nil
(from APL Disclose; new 2026-10-12)

U+2283

Summarize



Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar; niladic ⊚ is the 1,1 vector containing zero.

U+229A

Boxes: Monadic

Box



Box — monadic ⍀ A: wraps A in a box so it travels as a single element (new 2026-10-17)

U+2256

Zip

91



U+22B0

Catalogue



Catalogue —; monadic ⊚ X: cartesian product of the boxed lists in vector X (new 2026-10-17)

U+2A37

Raze



Raze — monadic ⫻ A: sugar for Ravel Map Unbox A; opens every box and joins the contents into one vector (new 2026-10-17)

U+2AF5



Zip

`U+22B0`

Zip — takes a train of vectors and zips them: ⍭ V1 V2 ... Vn yields an m×n matrix (m = vector length, n = train length); the resulting width is the length of the train; a scalar in the train expands into a column to fit the others; a container in the train contributes only its origin scalar, recursively (the summary effect); mismatched lengths Nil-pad (consistent with Diction); zips along the back rank for higher-rank arrays; ⍭ 1 2 yields the column [1;2] (new 2026-10-12; recycles the retired AntiSignum glyph)

Box



Box —; monadic ⊂X encloses X into a scalar box.

U+2282

Unbox



Unbox —; monadic ⊃X yields X.

U+2283

Summarize



Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar

U+229A

Boxes: Dyadic

Summarize

95



U+229A

Fetch



Fetch — dyadic ⊸V X: applies V as search vector into X's items; follows path V down through nested boxes (new 2026-10-17)

U+22B8

Catalogue



Catalogue —; dyadic ⊗A B: yields [[A0,B0] ... [A1,B1]] ... [[AN,B0] ... [AN,BN]], the outer product matrix of pairs

U+2A37

Link



Link — dyadic ⫢X Y: sugar for Catenate Map Box X Y; boxes X and Y into a two-element list (new 2026-10-17)

U+2AE9



Summarize

U+229A

Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar; Dyadic D ⊚ A: D (Direction) is a rank-1 array of coordinates; summarization starts at A[D], then proceeds as monadic; a scalar Direction s means start at (s, 0); Zip summarizes each train element (new 2026-10-12)

Box



Box —; Dyadic ⊂ X Y encloses X by Y levels; Y=0 leaves X unchanged.

U+2282

Unbox




Unbox —; Dyadic ⊃ X Y picks element X from Y.

U+2283

Sets and Membership: Niladic


Intersection



Intersection —; niladic ∩: sugar for ⊂ Nil

U+2229

Union




Union —; niladic ∪: sugar for ⊂ Nil

U+222A

Sets and Membership: Monadic


Intersection



Intersection —; monadic ∩ A: is A

U+2229

Union



Union —; monadic ∪X: unique as in APL

U+222A

InOf



InOf — the curry of In: ⇔InOf ⍷∈ X; monadic predicate testing membership in X. (new 2026-10-18)

U+22F8

Where



Where — monadic ⍸Y: returns vector of indices of all elements of array Y that are Truth (new 2026-10-18)

U+2A42

Enlist



Enlist —; monadic ∈Y: as defined in APL (deep flatten to vector)

U+220A

Sets and Membership: Dyadic

In

∈

In — dyadic ∈ Y X yields Truth when X is in Y, Nil otherwise (J's e.). (new 2026-10-18)

U+2208

Bucket

∐

Bucket — dyadic ∐ X Y: yields index of interval in X that Y falls into (new 2026-10-18)

U+2210

InLast



InLast — dyadic ∈̇ X Y: yields the index of the last occurrence of X in Y; yields length of Y if not found (new 2026-10-18)

U+22F5

InAt



InAt — dyadic ⋲ X Y: yields the index of Y whose value equals X; yields length of Y if not found (new 2026-10-18)

U+22F9


In



Enlist —; dyadic ∈ X Y: find/membership as defined in APL (new 2026-10-13)

U+220A


Intersection



Intersection —; dyadic ∩ A B: as in APL, elements in both (new 2026-10-14)

U+2229

Union



Union —; dyadic ∪ X Y: union as in APL (new 2026-10-14)

U+222A

Set Difference



Set Difference — dyadic ⍠A B: elements in A but not in B (new 2026-10-14)

U+2A43

Trains: Niladic

Reduce



Reduce — / F V: start at the highest index (its scalar is the initial result), step down toward origin; at each step result = F(scalar, result). Right fold.; Niladic / returns 0 (new 2026-10-12)

U+002F

Map



Map — ⍬ A B executes function A with zero arguments upon all scalars of B, as a back rank operator; usual back scalar rules.; Niladic ⍬ yields Truth, same as niladic 𝔗 (new 2026-10-12)

U+226C

Reduce (forward)



⌿ F V: start at the origin (its scalar is the initial result), step up toward the highest index; at each step result = F(result, scalar). Left fold, the reversed scan.

U+233F

Identity



Identity — 𝔗 V yields V unchanged; on a train, yields the train unchanged. Niladic 𝔗 yields Truth (new 2026-10-12)

U+1D574

Backstroke



Backstroke — Scan: the running Reduce, paired with /. \ F V on a length-n V yields a length-n vector where element i is / F (right fold) applied to the first i elements of V.; Niladic \ yields 0 (new 2026-10-12)

U+005C

Stop



Stop — statement separator; separates statements on one line. A carriage return is sugar for Stop, and end of file is also sugar for Stop (2026-10-20)

U+22C4

Backstroke (forward)



Backstroke (forward) — Reverse Scan, paired with ⌿. ⍀ F V on a length-n V yields a length-n vector where element i is ⌿F (left fold) applied to the first i elements of V.

U+2340

Strip



Strip —; niladic: removes the train from head up to but not including the first Stop encountered

U+2ACF

Keyboard



Keyboard — an IO intrinsic; a blocking verb with no argument: the train waits inside it until a key lands, and it returns that key as a glyph (2026-10-20)

U+2328

Comment



Comment — disregards the entire following train, up to and including Stop (2026-10-20)

U+270C

Trains: Monadic


Meter

113



U+2214

Atomize



Atomize — monadic ∴A: reads up to the first 32 elements of A (origin to end) and prepares them for use by train elements ahead (new 2026-10-14)

U+2237

Duplicate



Duplicate — copies a train to a train twice as long: ⊷A B C → A B C A B C (was ==U+2A75, then ∶ U+2236 — settled 2026-10-12)

U+22B7

Caboose



Caboose — picks up the train from head to Stop, then converts boxed contents to a vector (inverse of Atomize) (new 2026-10-15)

U+2A78



Meter

U+2214

Meter — measures its argument: ∔ V is ≺ + ⊷ V (zip the needle with the signal); yields M, a sequence of (needle, signal) pairs, needle ∈ -/0/+. M works in place of V in all Collate modes: the needle selects the function, the function transforms the signal (was ±, corrected to ≺ 2026-10-12)

Reduce



Reduce — / F V: start at the highest index (its scalar is the initial result), step down toward origin; at each step result = F(scalar, result). Right fold.; Monadic / V yields a linear array of the scalars ripped from V, highest to lowest indices.

U+002F

Map



Map — ⍁ A B executes function A with zero arguments upon all scalars of B, as a back rank operator; usual back scalar rules.; Monadic ⍁ B is identical to Identity 𝔉 B.

U+226C

Reduce (forward)



⌿ F V: start at the origin (its scalar is the initial result), step up toward the highest index; at each step result = F(result, scalar). Left fold, the reversed scan.; Monadic ⌿ V and niladic ⌿ behave identically to / (new 2026-10-12)

U+233F

Zero



Zero — on a train, replaces all values with zeroes while keeping shapes (new 2026-10-12). As a noun, 𝟛 is the zero array (2026-10-20)

U+1D585

Backstroke

116



U+005C

Duplicate Head



Duplicate Head — ⥣ A ... yields A A ...; duplicates head of train, aka duplicate/dup (new 2026-10-14)

U+2161

Backstroke (forward)



Backstroke (forward) — Reverse Scan, paired with ⫻. ⍀ F V on a length-n V yields a length-n vector where element i is ⫻F (left fold) applied to the first i elements of V.; Monadic ⍀ V and niladic ⍀ behave identically to \ (new 2026-10-12)

U+2340

Pipeline



Pipeline —

U+2AF7



Backstroke

`U+005C`

Backstroke — Scan: the running Reduce, paired with /. \ F V on a length-n V yields a length-n vector where element i is / F (right fold) applied to the first i elements of V.; Monadic \ V yields a linear array of the scalars ripped from V, lowest to highest indices.

Head



Head — sugar for ⊐1 (new 2026-10-15)

U+2991

Tail



Tail — sugar for ⊐-2 (new 2026-10-15)

U+2992

Duplicate Tail



Duplicate Tail — ⧟... A yields ... A A; duplicates tail of train (new 2026-10-13)

U+29DE

Strip

118




U+2ACF

⊐ Strip

U+2ACF

Strip —; monadic ⊐ X: removes the train from position X (0 is head) up to but not including the first Stop encountered; when X < 0, strips from position X in reverse order back to head, where −1 is the final tail position adjacent to the first Stop encountered (new 2026-10-15)

Swap



Swap — ⇋A B ... yields B A ...; swaps head two of train. Single: ⇋ A Stop X yields X. Bare: ⇋ Stop X yields X (new 2026-10-13)

U+21CB

Replicate

120



U+232C

Rotate Head



Rotate Head — ⟲A B C ... yields B C ... A; rotates head to tail (new 2026-10-13)

U+27F2

Rotate Tail



Rotate Tail — ⟳ ... A B C yields C ... A B; rotates tail to head (new 2026-10-13)

U+27F3



Replicate

U+232C

Replicate — ⌬ N X Stop yields X replicated N times; e.g. ⌬ 5 A Stop gives A A A A A. Zero case: ⌬ 0 A Stop X yields X. Negative N is antireplicate: ⌬ -1 A A A A A Stop yields A A A A. Empty antireplicate: ⌬ -1 Stop X yields X. Bare: ⌬ Stop X yields X (new 2026-10-13)

Nip



Nip — ↢ A B ... yields A ...; drops second, keeps head (new 2026-10-13)

U+21F7

Tuck



Tuck — ↣ A B ... yields A B A ...; copies head under second (new 2026-10-13)

U+21F8

Reverse Train



Reverse Train — reverses order of train (new 2026-10-13)

U+21F9

Over



Over — ⤺ A B ... yields B A B ...; copies second to head (new 2026-10-13)

U+293A

Triple

Ⅲ

Triple — Ⅲ X yields X X X; triplicates top of stack (new 2026-10-13)

U+2162

Fork

⫛

Fork — ⫛ F G H X: sugar for G H Swap F Dup X (J fork; new 2026-10-14)

U+22D4

Clock



Clock — an IO intrinsic; monadic blocking verb: Clock N blocks the train for N tenths of a second. It repeats: Clock is the event for People providing service, the heartbeat a service Person blocks on, wakes to serve, and blocks on again (2026-10-20)

U+23F1

Drop Train



Drop Train — sugar for reverse, replicate -1, reverse; drops head of train (new 2026-10-13)

U+291A

Trains: Dyadic

Applyself



Applyself — ⍣⍤1 f n a applies f n times to a; sugar for ⫷a ⍵⊂⍣⍺⍵ f n (from APL power; new 2026-10-12)

U+2363

Pipeline



Pipeline —; dyadic ⫷X Y applies vector Y, readable as a train of monadic functions, in sequence to X (new 2026-10-12)

U+2AF7

Functions: Niladic

Unquote Triple

»

Unquote Triple — »: the closing mate of Quote Triple; it stays in the train, and its later execution transforms the parse buffer into the Temporary Vector ~~e~~, a temporary vector of characters (new 2026-10-21)

U+00BB

Unquote Single

’

Unquote Single — ’: the closing mate of Quote Single; it stays in the train, and its later execution transforms the parse buffer into the Temporary Vector ~~e~~, a temporary vector of characters (new 2026-10-21)

U+2019

Unquote Double

”

Unquote Double — ”: the closing mate of Quote Double; it stays in the train, and its later execution transforms the parse buffer into the Temporary Vector ~~e~~, a temporary vector of characters (new 2026-10-21)

U+201D

Functions: Monadic

Diction

¡

Diction — dict-backed decision-table constructor (was Vectorize, renamed 2026-10-11). ¡ A B → {A:B}; ¡ A B C D → {A:B,C:D}; monadic ¡ (a b c) self-maps into a set. Membership sugar: X member Y → ⊤(X ¿ (¡ Y))

U+00A1

Glyph

®

Glyph — the name for a single character value. Glyph ← ≡ ※: Glyph's function is the literalize train (via monadic ≡) — to make a Glyph, literalize

U+00AE

Decide

130

¿

U+00BF

Function

∇

Function — gets glyph del (∇, nabla): the function-definition operator. Monadic ∇Y executes array Y as an FSA. (monadic 2026-10-19)

U+2207



Decide

U+00BF

Decide — first-match generalized switch/match over n×2k train tables (was When, 2026-10-11). n×2 returns 1×1 (scalar); n×4 returns 1×2; generally n×2k returns 1×k. An explicit trailing C is unmatched-result filler, not an else branch; without filler, unmatched returns Nil without logging an error. Canonical: R ← X ¿ ¡ A B C

Quote Triple

«

Quote Triple — « performs as Quote Single for the triple pair: parses the train into the parse buffer until » U+00BB is encountered; the U+00BB (Unquote Triple) stays for later execution (new 2026-10-21)

U+00AB

Quote Single

‘

Quote Single — ‘ parses the train into the parse buffer until ’ U+2019 is encountered; the U+2019 (Unquote Single) stays for later execution (new 2026-10-21)

U+2018

Quote Double

“

Quote Double — “ performs as Quote Single for the double pair: parses the train into the parse buffer until ” U+201D is encountered; the U+201D (Unquote Double) stays for later execution (new 2026-10-21)

U+201C

(literalize)

※

Literalize next nonspace char, or ※0x???? by codepoint

U+2A33


Lambda



Lambda — lambda abstraction (new 2026-10-13)

U+039B

Print



Print — the quad-colon verb: prints the value from its right, then passes that value to its left (new 2026-10-11)

U+2360

Rail



Rail — monadic ⌐¯X yields a vector of symbols from train X (train-to-array conversion). (new 2026-10-19)

U+2ACD

Lay




Lay — monadic ¯⌐V yields the train laid down from origin to limit of vector V (array-to-train, inverse of Rail). (new 2026-10-19)

U+2ACE

Functions: Dyadic

Collate



Collate — executes one of three trains upon a value: for less than zero, for zero, or for greater than zero (was AntiSignum ≺ U+22B0, renamed 2026-10-12; complement to signum)

U+00B1

Curry

135



U+1D49E



Curry


U+1D49E

Curry — intrinsic. Partial application: turns a dyadic verb into a monadic predicate by binding an argument, e.g. making = X from =. Semantics: Gets Q Curry P args: args to omega prime, omega prime shifts into alpha prime (binding the leftmost argument, textbook curry order), Q X makes X alpha, gets slice -1 of omega prime A, then call P; Q alpha yields P evaluated upon alpha prime, omega prime, and alpha as arguments in that order. Omega becomes nil upon Q's execution. Principle: Gets Q Curry P train is the principle for creating curries (Q is an example name assigned to the curried function, not a verb). (new 2026-10-18)

Errors: Niladic

Silence

139



U+22B9

Compress

140



U+22D6

Errline



Last error: which line

U+274C

Errmsg



Last error: what (type)

U+274E



Silence

U+22B9

Silence — ⊹ Z V drops all nonzero values; Z transforms the zero contents in sequence. ⊹ Z M on metered M: a nonzero needle drops the pair; a zero needle selects Z (applied to the signal).; Niladic ⊹ yields boxed Nil, a trial vector for enclosing operators to work on for starts (the dual of Compress; new 2026-10-12)



Compress

U+22D6

Compress — ⋖ P V applies transform P to each nonzero content of V; zero contents are eliminated; sequence order preserved. ⋖ P M on metered M: a nonzero needle selects P (applied to the signal); a zero needle drops the pair.; Niladic ⋖ yields boxed Truth, a trial vector for enclosing operators to work on for starts (a comprehension filter; new 2026-10-12)

Cut

Cut —; niladic: on error, erases the error and returns Nil

U+22EE

Debugger

✔⋄ *enters debugger iff error registers set*

U+2714

Errdmd

Last error: diamond position in line

U+2727

Succeed

Succeed — like Cut, except returns Truth (new 2026-10-15)

U+2999

Anticut




Anticut — on error throws to debugger; on return from debugger, returns Nil

U+22EF

Errors: Monadic

Silence

145



U+22B9

Compress

146



U+22D6

Cut



Cut —; monadic ⁝ X: checks X for Truth before returning

U+22EE



Silence

U+22B9

Silence — ⊹ Z V drops all nonzero values; Z transforms the zero contents in sequence. ⊹ Z M on metered M: a nonzero needle drops the pair; a zero needle selects Z (applied to the signal).; Monadic ⊹ V or ⊹ M means Z is identity: keep zeros (or zero-needle signals) as-is, drop nonzeros.



Compress

U+22D6

Compress — ⋖ P V applies transform P to each nonzero content of V; zero contents are eliminated; sequence order preserved. ⋖ P M on metered M: a nonzero needle selects P (applied to the signal); a zero needle drops the pair.; Monadic ⋖ V or ⋖ M means P is identity: pure filter, no transform.

Classes and Properties: Niladic

Constant

150

α

U+03B1

Epsilon

ε

Epsilon — holds the result of any getter, setter, or nabla when no explicit return glyph is used

U+03B5

Omega

ω

Omega — the vector of arguments passed to a setter (◅)

U+03C9

Person



Person — a callable class that emulates a person, like Muse, on the other end of a pipe: the factoring point for callbacks based in the person's responses (2026-10-20)

U+4EBA

α Constant

U+03B1

Constant — declares a class constant: X α name ← value names a constant for class X. α is also the original (pre-override) value: read-only, may not be changed directly; trying registers an error. As the original value α is an ad hoc constant — contextual to the setter, not a declared class constant

Temporary Vector



Temporary Vector — ꝺ: holds the temporary vector of characters that Unquote Single delivers from the parse buffer; a train-local value (new 2026-10-21)

U+1D7F

Classes and Properties: Monadic


Increment



Increment —; monadic ⊕ D: invokes D's setter with nabla + 1 as the xthrement.

U+2295

Decrement



Decrement —; monadic ⊖ D: invokes D's setter with nabla - 1 as the xthrement.

U+2296

Multiply By



Multiply By —; monadic ⊛ D: invokes D's setter with nabla × 2 as the xthrement (double).

U+229B

Property



Property —; Monadic ⋘ D: yields the result of D's class call in get mode. There are no separate getters and setters: the class method gets and sets; if the method is Identity, getting and setting is transparent (2026-10-20)

U+22D8

Divide By



Divide By —; monadic ⊘ D: invokes D's setter with nabla ÷ 2 as the xthrement (halve).

U+2298

Classes and Properties: Dyadic


Increment



Increment —; Dyadic ⊕ D X: invokes D's setter with nabla + X as the xthrement (new 2026-10-14)

U+2295

Decrement



Decrement —; Dyadic ⊖ D X: invokes D's setter with nabla - X as the xthrement (new 2026-10-14)

U+2296

Multiply By



Multiply By —; Dyadic ⊛ D X: invokes D's setter with nabla ⨯ X as the xthrement (new 2026-10-14)

U+229B

Property



Property —; dyadic ⋘ I D: invokes D's class call in get mode, then invokes I's class call in set mode with the result as argument; yields the assigned data as a pass-through.

U+22D8

Divide By



Divide By —; Dyadic ⊘ D X: invokes D's setter with nabla ÷ X as the xthrement (new 2026-10-14)

U+2298

(method binding)



Binds method to object: X⊡function

U+22A1

Gets



Gets — ⇔A G: A stored in symbols[G], G stored in instances[A]; bidirectional binding (new 2026-10-13)

U+2B04

The Virtual: Niladic

Trapdoor



Trapdoor — the assembly trap door: invokes machine code at a given address (installed via ctypes; proven 2026-10-14).

U+1D21D

VirtualSpace



VirtualSpace — the VR coordinate space: navel origin, forward half-sphere, [r;θ;φ], angles ±32767, distance in mm (new 2026-10-15)

U+1D4E5

Prim



Prim — base VR primitive: name, position, collision machinery; posted via Virtual (new 2026-10-16)

U+1D7D8

Raster



Raster — VR prim ⊑ Prim: array of pels, rank 4 [Y,X,1,3] (new 2026-10-16)

U+1D7D9

Point



Point — VR prim ⊑ Prim: dot prim, [N,6] (H,V,D,RGB) (new 2026-10-16)

U+1D7DA

Triangle



Triangle — VR prim ⊑ Prim: 9 points × 2 thetas + D + RGB = 22 numbers, [N,22] (new 2026-10-16)

U+1D7DB

The Virtual: Monadic

Trapdoor

164



U+1D21D

⊂ Trapdoor

`U+1D21D`

Trapdoor — the assembly trap door: invokes machine code at a given address (installed via ctypes; proven 2026-10-14).; Monadic ⊂ A: puts the address of A into the accumulator before calling. ⇔ X ⊂ ∇ assembly ∇: X gets the address of the compiled assembly script. If X is so bound, niladic X calls the code. ε maps to the accumulator. The call yields ε

Dungeon

Dungeon: Places

Where

@

Where the hero is — bound to '@', the roguelike player glyph. Where⊡Zee yields Where [-1 (last); Where⊡Wye yields Where [1 (midposition — middle of 3 coords); Where⊡Exx yields Where [0 (zero). INDICES START AT ZERO

U+0040

Dungeon

£

The Dungeon — literally the set of all levels

U+00A3

Screen

§

The Screen — intrinsic 20×60 array (16 play + 4 I/O rows)

U+00A7

Level

¶

Level — the pilcrow: a single dungeon level, member of £ Dungeon

U+00B6

Cell

¢

A dungeon cell — the cent sign joins the family: § £ ¢. Cell⊡location ← £ Where: the cell's location is the Dungeon at Where. A dungeon square IS a dictionary of instances (the ⓘ registry's entries present at that square)

U+00A2

Up



Up — the upward/north movement. Where⊡up yields ∅ when Where⊡Zee is 0, else Where with Zee decremented (refined 2026-10-10: boundary-checked — top edge is a quiet Nil, not a negative index)

U+25B2

Down



Down — the downward/south movement, counterpart to Up. Where⊡down yields ∅ when Where⊡Zee ≥ Dungeon⊡Zee (bottom edge), else Where⊡Zee + 1 (confirmed 2026-10-10)

U+25BC

Dungeon: Classes


Class



Class — the circled dot. X⊡Class gets a RANK-2 ARRAY OF TRAINS: a class IS a decision table made of trains. Class instances are callable; the train defaults to Nil (∅)

U+2299

Classes



Classes — the set of all classes (plural of Class), parallel to £ Dungeon as the set of all levels. Implementation: a single twin (bidirectional word↔glyph) dictionary at global scope

U+24B8

Instances

172



U+24BE

Instance



Instance — the INDIVIDUAL instance (singular), distinct from Ⓘ the table. Joins the blackboard family (𝕏 𝕐 ℤ ℙ 𝕆). Carries the (glyph, hash-at-creation) identity tuple

U+1D540



Instances

U+24BE

Instances — the TABLE/set of all instances (plural), parallel to Ⓒ Classes. Implementation: a single twin (bidirectional word ↔ glyph) dictionary at global scope. Instance identity is the (glyph, hash-at-creation) tuple, used as the key field in both the global instance dictionary and each square (Cell) dictionary

Interpreter



Interpreter — the Wuxia interpreter (new 2026-10-15)

U+203D

Inherits



Inherits — the inheritance operator (square subset of)

U+2291

Isa



Isa — the is-a / instantiation operator (2026-10-10). Monadic ⋹ Y: Y is a class to copy data from; new instance.ε = Y.ε. Dyadic X ⋹ Y X: X is a class, optional initializer; new instance.ε = X.ε (new 2026-10-14)

U+22FF

Object



Object — a DUNGEON object, not a generic OOP object. The blackboard O joins the projection family (𝕏 𝕐 ℤ ℙ): the root of the dungeon's object hierarchy, what every dungeon entity inherits from

U+1D546


VirtualDistance



VirtualDistance — distance in VirtualSpace, 0-512 (new 2026-10-15)

U+27F0

Angle



Angle — a VR angle (theta/phi) (new 2026-10-15)

U+29B5

VirtualHorizontal



VirtualHorizontal — horizontal angle in VirtualSpace (new 2026-10-15)

U+29D3

VirtualVertical



VirtualVertical — vertical angle in VirtualSpace (new 2026-10-15)

U+29D7

Dungeon: Objects

Ring



Ring — the blackboard R: a dungeon object (ring), third of the dungeon entity glyphs

U+211D

Wand



Wand — left tack: a dungeon object (wand)

U+22A3

Armor



Armor — the blackboard A: a dungeon object (armor), first of the dungeon entity glyphs

U+1D538

Weapon



Weapon — the blackboard W: a dungeon object (weapon), second of the dungeon entity glyphs

U+1D54E

Amulet



Amulet — eight-petalled floret: a dungeon object (amulet). (Was U+1DF76, tofu on device — swapped 2026-10-10)

U+2741

Food



Food — the blackboard F: a dungeon object (food)

U+1D53D


Scroll



Scroll — the blackboard S: a dungeon object (scroll)

U+1D54A


Tool



Tool — the blackboard T: a dungeon object (tool)

U+1D54B

Gem



Gem — solid black circle: a dungeon object (gem). (Was U+2733 — swapped 2026-10-10)

U+25CF

Potion



Potion — heavy exclamation: a dungeon object (potion)

U+2757

Dungeon: Entities

Player



Player — black smiling face: the dungeon's player entity. Inherits Monster plus a few extra fields Monster does not have

U+263B

Monster



Monster — the blackboard M: a dungeon monster, first of the monster glyphs

U+1D544

Dungeon: Food

Tin



Tin — circled white star: a dungeon food item (tin), first of the object species

U+272A

RefriedBeans



RefriedBeans — dark-encircled six: grants teleportation

U+277B

Spinach



Spinach — dark-encircled seven: Popeye strength

U+277C


Sushi



Sushi — circled congratulation: the sushi/sashimi food category. (Was U+2722 — swapped 2026-10-11)

U+3297


CarpSashimi



CarpSashimi — circled kanji: sushi item

U+3280

WhaleSashimi



WhaleSashimi — circled kanji: sushi item

U+3281

EelSashimi



EelSashimi — circled kanji: sushi item

U+3282

SalmonSashimi



SalmonSashimi — circled kanji: sushi item

U+3283

TunaSashimi



TunaSashimi — circled kanji: sushi item

U+3284

CrabSashimi



CrabSashimi — circled kanji: sushi item

U+3285

DragonSashimi



DragonSashimi — circled kanji: sushi item

U+3286

TurtleSashimi



TurtleSashimi — circled kanji: sushi item

U+3287


Oyster



Oyster — circled kanji: sushi item

U+3288

Uni



Uni — circled kanji: sushi item

U+3289

Gyuniku



Gyuniku — circled kanji: sushi item

U+328A

Asian



Asian — squared hand: the Asian food category. (Was U+328C — swapped 2026-10-11)

U+1F210

Ramen



Ramen — squared cjk unified ideograph-5b57: Asian food

U+1F211

FortuneCookie



FortuneCookie — squared cjk unified ideograph-53cc: Asian food

U+1F212


Kelp



Kelp — squared katakana de: Asian food

U+1F213

Dumplings



Dumplings — squared cjk unified ideograph-4e8c: Asian food

U+1F214

BowlOfRice



BowlOfRice — squared cjk unified ideograph-591a: Asian food

U+1F215

SpringRolls



SpringRolls — squared cjk unified ideograph-89e3: Asian food

U+1F216

Tofu



Tofu — squared cjk unified ideograph-5929: Asian food

U+1F217

PreservedEgg



PreservedEgg — squared cjk unified ideograph-4ea4: Asian food

U+1F218

Soup

⑳

Soup — circled twenty: the soup category

U+2473

Deli

❖

Deli — black diamond minus white X: the delicatessen food category (the 25 staples, names lost 2026-10-10 — rebuild pending)

U+2756

Fruit

🁢

Fruit — domino tile back: the fruit food category

U+1F030

CantoneseDuck



CantoneseDuck — squared cjk unified ideograph-6620: Asian food

U+1F219

Egg

Ø

Egg — o with stroke: the egg. (Was U+2800 — swapped 2026-10-11)

U+00F8

Meat



Meat — CJK beautiful: the meat category

U+4E3D

Creature



Creature — o with long stroke overlay: the monster-shuffle category

U+A74B

Candy



Candy — mahjong joker: the candy category

U+1F02A

Goodbar



Goodbar — mahjong east wind: candy

U+1F000

Honee



Honee — mahjong south wind: candy

U+1F001

DRation



DRation — mahjong west wind: candy

U+1F002

DoveBar



DoveBar — mahjong north wind: candy

U+1F003

AcidBroth

❶

AcidBroth — dark-encircled number: soup

U+2776

GoldenSoup

❷

GoldenSoup — dark-encircled number: soup

U+2777

StonedSoup

❸

StonedSoup — dark-encircled number: soup

U+2778

CrowBar



CrowBar — mahjong winter: candy

U+1F029



MoldySoup

MoldySoup — dark-encircled number: soup

U+2779



Manwich

Manwich — dark-encircled number: soup

U+277A



CreamOfAlgaeSoup

CreamOfAlgaeSoup — dark-encircled number: soup

U+277E



ChickenNoodleSoup

ChickenNoodleSoup — dark-encircled number: soup

U+277F

Apple



Apple — domino tile: fruit, inherits Fruit

U+1F032

Orange



Orange — domino tile: fruit, inherits Fruit

U+1F033

Pear



Pear — domino tile: fruit, inherits Fruit

U+1F034

Melon



Melon — domino tile: fruit, inherits Fruit

U+1F035


Banana



Banana — domino tile: fruit, inherits Fruit

U+1F036

Carrot



Carrot — domino tile: fruit, inherits Fruit

U+1F037

Fig



Fig — domino tile: fruit, inherits Fruit

U+1F038

Lemon



Lemon — domino tile: fruit, inherits Fruit

U+1F039


Tomb



Tomb — circled 10 on black square: safe-row tin, now Sundry

U+3248

Sundry



Sundry — circled ideograph: the sundry/miscellaneous category

U+3267

Lime



Lime — domino tile: fruit, inherits Fruit

U+1F03A

Grapes



Grapes — domino tile: fruit, inherits Fruit

U+1F03B

Pesto



Pesto — circled 20 on black square: safe-row tin, now Sundry

U+3249

KelpFrond



KelpFrond — circled water: sundry item (kelp is seaweed)

U+328C

EucalyptusLeaf



EucalyptusLeaf — circled wood: sundry item

U+328D


CandyBar



CandyBar — circled metal: sundry item

U+328E

LembasWafer



LembasWafer — circled earth: sundry item

U+328F

CramRation



CramRation — circled sun: sundry item

U+3290

FoodRation



FoodRation — circled medicine: sundry item

U+32A9

KRation



KRation — circled religion: sundry item

U+32AA

CloveOfGarlic



CloveOfGarlic — circled attention: sundry item

U+329F

SprigOfWolfsbane



SprigOfWolfsbane — circled item: sundry item

U+32A0

LumpOfRoyalJelly



LumpOfRoyalJelly — circled copy: sundry item

U+32A2

CRation



CRation — circled study: sundry item

U+32AB

Dungeon: Species inheritance

EarthElemental



⊏ Elementals — Species inherits its category (2026-10-10)

U+2295

FireElemental



⊏ Elementals — Species inherits its category (2026-10-10)

U+229B

AirElemental



⊏ Elementals — Species inherits its category (2026-10-10)

U+2A37


WaterElemental



⊏ Elementals — Species inherits its category (2026-10-10)

U+2A38

PurpleWorm



⊑ Worms — Species inherits its category (2026-10-10)

U+22A4

BabyPurpleWorm



⊑ Worms — Species inherits its category (2026-10-10)

U+22A6

LongWorm



⊑ Worms — Species inherits its category (2026-10-10)

U+2A53

BabyLongWorm



⊑ Worms — Species inherits its category (2026-10-10)

U+2A55

LargeKobold



⊑ Kobolds — Species inherits its category (2026-10-10)

U+049C

Kobold



⊑ Kobolds — Species inherits its category (2026-10-10)

U+049D

MasterMindFlayer



⊑ Mindflayers — Species inherits its category (2026-10-10)

U+04F4

MindFlayer



⊑ Mindflayers — Species inherits its category (2026-10-10)

U+04F5

StoneGiant

G˙

⊑ Giants — Species inherits its category (2026-10-10)

U+0120

Giant

Ģ

⊑ Giants — Species inherits its category (2026-10-10)

U+0122

KoboldLord

Ќ

⊑ Kobolds — Species inherits its category (2026-10-10)

U+040C

KoboldShaman

Ҝ

⊑ Kobolds — Species inherits its category (2026-10-10)

U+049B

Ĝ

FireGiant

⊑ *Giants — Species inherits its category (2026-10-10)*

U+011C

Ğ

HillGiant

⊑ *Giants — Species inherits its category (2026-10-10)*

U+011E

Ɠ

FrostGiant

⊑ *Giants — Species inherits its category (2026-10-10)*

U+0193

G ˇ

Ettin

⊑ *Giants — Species inherits its category (2026-10-10)*

U+01E6

VampireBat

ƀ

⊑ Vampires — Species inherits its category (2026-10-10)

U+0180

StormGiant

Ǧ

⊑ Giants — Species inherits its category (2026-10-10)

U+01E4

Vampire

Ỿ

⊑ Vampires — Species inherits its category (2026-10-10)

U+1E7F

Titan

⅁

⊑ Giants — Species inherits its category (2026-10-10)

U+2141

HumanMummy



⊑ Undead — Species inherits its category (2026-10-10)

U+046A

ElfMummy



⊑ Undead — Species inherits its category (2026-10-10)

U+046A

VampireLeader



⊑ Vampires — Species inherits its category (2026-10-10)

U+1E7D

Nosferatu



⊑ Vampires — Species inherits its category (2026-10-10). In this mod, Vlad becomes Nosferatu: Vlad is deleted and his versicle Ṽ U+2123 is Nosferatu's (2026-10-20)

U+2123

DwarfMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

GnomeMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

OrcMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

KoboldMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

GiantMummy



⊑ Undead — Species inherits its category (2026-10-10)

U+046A

EttinMummy



⊑ Undead — Species inherits its category (2026-10-10)

U+046A

KoboldZombie



⊑ Undead — Species inherits its category (2026-10-10)

U+2124

GnomeZombie



⊑ Undead — Species inherits its category (2026-10-10)

U+2124

OrcZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

DwarfZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

ElfZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

HumanZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

Ghoul

𝑔

⊑ Undead — Species inherits its category (2026-10-10)

U+210A

GiantZombie

ℤ

⊑ Undead — Species inherits its category (2026-10-10)

U+2124

EttinZombie

ℤ

⊑ Undead — Species inherits its category (2026-10-10)

U+2124

WoodElf



⊑ Elves — Species inherits its category (2026-10-10)

U+2618

GreenElf



⊑ Elves — Species inherits its category (2026-10-10)

U+2618

GreyElf



⊑ Elves — Species inherits its category (2026-10-10)

U+2618

Elf



⊑ Elves — Species inherits its category (2026-10-10)

U+2618

ElfNoble



⊑ Elves — Species inherits its category (2026-10-10)

U+2E19

Centipede

¢

⊑ Spiders — Species inherits its category (2026-10-10)

U+00A2

Dragon

Δ

⊑ Dragons — Species inherits its category (2026-10-10)

U+0394

BabyDragon

δ

⊑ Dragons — Species inherits its category (2026-10-10)

U+03B4

ElvenMonarch



⊑ Elves — Species inherits its category (2026-10-10)

U+2F40

CaveSpider

¤

⊑ Spiders — Species inherits its category (2026-10-10)

U+00A4

Scorpion

±

⊑ Spiders — Species inherits its category (2026-10-10)

U+00B1

GiantSpider

Ø

⊑ Spiders — Species inherits its category (2026-10-10)

U+00D8

Mastodon

Ψ

⊑ Beasts — Species inherits its category (2026-10-10)

U+03A8

Mumak

Ψ

⊑ Beasts — Species inherits its category (2026-10-10)

U+03A8

Baluchitherium

ϒ

⊑ Beasts — Species inherits its category (2026-10-10)

U+03D2

Minotaur

Ṁ

⊑ Beasts — Species inherits its category (2026-10-10)

U+1E40

Titanothere

ℴ

⊑ Beasts — Species inherits its category (2026-10-10)

U+213A

Wumpus

¿

⊑ Beasts — Species inherits its category (2026-10-10)

U+00BF

Bugbear

ö

⊑ Beasts — Species inherits its category (2026-10-10)

U+00F6

Owlbear

ø

⊑ Beasts — Species inherits its category (2026-10-10)

U+00F8

Trapper

Й̆

⊑ Beasts — Species inherits its category (2026-10-10)

U+048A

Jabberwock

Ƨ

⊑ Beasts — Species inherits its category (2026-10-10)

U+01B8

Rothe

ȣ

⊑ Beasts — Species inherits its category (2026-10-10)

U+0222

Leocrotta

ł

⊑ Beasts — Species inherits its category (2026-10-10)

U+023D

LurkerAbove



⊑ Lurkers — Species inherits its category (2026-10-10)

U+214F

Shade

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

Skeleton

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

Foocubus

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

Stalker

Ǝ

⊑ Lurkers — Species inherits its category (2026-10-10)

U+042D

MountainNymph

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

WoodNymph

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

WaterNymph

@

⊑ Guises — Species inherits its category (2026-10-10)

U+0040

MerfolkRoyal

ϐ

⊑ Merfolk — Species inherits its category (2026-10-10)

U+03D0

Shopkeeper

§

⊑ Specials — Species inherits its category (2026-10-10)

U+00A7

MerfolkWitch

o´

⊑ Merfolk — Species inherits its category (2026-10-10)

U+03CC

MerfolkCommon

ȯ

⊑ Merfolk — Species inherits its category (2026-10-10)

U+1F40

MerfolkNoble

ȫ

⊑ Merfolk — Species inherits its category (2026-10-10)

U+1F42

WizardOfYendor

¥

⊑ Specials — Species inherits its category (2026-10-10)

U+00A5

Tin



⊑ Food — Tin inherits Food — first object species joins the hierarchy (2026-10-10)

U+272A

AcidBroth



⊑ Soup — Soup inherits Soup (2026-10-10)

U+2776

GrandMaster

父

⊑ Specials — Species inherits its category (2026-10-10)

U+7236



GoldenSoup

⊑ Soup — Soup inherits Soup (2026-10-10)

U+2777



StonedSoup

⊑ Soup — Soup inherits Soup (2026-10-10)

U+2778



MoldySoup

⊑ Soup — Soup inherits Soup (2026-10-10)

U+2779



Manwich

⊑ Soup — Soup inherits Soup — the human-flesh tin (2026-10-10)

U+277A



RefriedBeans

⊑ Soup — Soup item inherits Soup — grants teleportation (2026-10-11)

U+277B



CreamOfAlgaeSoup

⊑ Soup — Soup inherits Soup (2026-10-10)

U+277E



ChickenNoodleSoup

⊑ Soup — Soup inherits Soup (2026-10-10)

U+277F




Sushi

⊑ Food — Sushi inherits Food — the sushi food category (2026-10-10)

U+3297


CarpSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3280

WhaleSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3281

EelSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3282

SalmonSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3283

TunaSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3284

CrabSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3285

DragonSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3286

TurtleSashimi



⿸ Sushi — Individual sushi
inherits Sushi (2026-10-10)

U+3287


Oyster



⊑ Sushi — Individual sushi inherits Sushi (2026-10-10)

U+3288

Uni



⊑ Sushi — Individual sushi inherits Sushi (2026-10-10)

U+3289

Gyuniku



⊑ Sushi — Individual sushi inherits Sushi (2026-10-10)

U+328A

Asian



⊑ Food — Asian inherits Food — the Asian food category (2026-10-10)

U+1F210

Ramen



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F211

FortuneCookie



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F212


Kelp



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F213

Dumplings



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F214

BowlOfRice



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F215

SpringRolls



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F216

Tofu



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F217

PreservedEgg



⿺ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F218

Deli



⿾ Food — Deli inherits Food — the delicatessen food category (2026-10-10)

U+2756

KelpFrond



⿾ Sundry — Sundry item inherits Sundry (2026-10-10)

U+328C

EucalyptusLeaf



⿾ Sundry — Sundry item inherits Sundry (2026-10-10)

U+328D

CantoneseDuck



⿾ Asian — Individual Asian food inherits Asian (2026-10-10)

U+1F219


CandyBar



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+328E

LembasWafer



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+328F

CramRation



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+3290

FoodRation



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+32A9

CloveOfGarlic



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+329F

SprigOfWolfsbane



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+32A0

KRation



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+32AA


CRation



⿸ Sundry — Sundry item inherits Sundry (2026-10-10)

U+32AB

Sundry



⊏ Deli — Sundry is part of Deli (2026-10-10)

U+3267

LumpOfRoyalJelly



⊏ Sundry — Sundry item inherits Sundry (2026-10-10)

U+32A2

Fruit



⊏ Food — Fruit inherits Food — the fruit food category (2026-10-10)

U+1F030

Apple



⊏ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F032

Orange



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F033

Pear



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F034

Melon



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F035


Banana



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F036

Carrot



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F037

Fig



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F038

Lemon



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F039

Lime



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F03A

Soup



⊑ Tin — Soup inherits Tin — the soup category (2026-10-11)

U+2473

Goodbar



⊑ Candy — Goodbar inherits Candy (2026-10-11)

U+1F000

Candy



⊑ Food — Candy inherits Food — the candy category (2026-10-11)

U+1F02A

Grapes



⊑ Fruit — Fruit item inherits Fruit (2026-10-10)

U+1F03B

Honee



⊑ Candy — Honee inherits Candy
(2026-10-11)

U+1F001

DRation



⊑ Candy — DRation inherits Candy
(2026-10-11)

U+1F002

DoveBar



⊑ Candy — DoveBar inherits Candy
(2026-10-11)

U+1F003

CrowBar



⊑ Candy — CrowBar inherits Candy
(2026-10-11)

U+1F029

Spinach



⊑ Soup — Spinach (NetHack tin filling, Popeye strength) inherits Soup (2026-10-11)

U+277C

Tomb



⊑ Sundry — Tomb inherits Sundry (2026-10-11)

U+3248

Pesto



⊑ Sundry — Pesto inherits Sundry (2026-10-11)

U+3249

Meat



⊑ Creature — Meat inherits Creature — the meat category (2026-10-11)

U+4E3D


Egg

Ø

⊏ Creature — Egg inherits Creature (2026-10-11)

U+00F8

Angle



⊑ Integer — Angle inherits Integer (IntegerBounded removed 2026-10-20) (new 2026-10-15)

U+29B5

VirtualHorizontal



⊑ Angle — VirtualHorizontal inherits Angle (new 2026-10-15)

U+29D3

Creature



⊏ Tin — Creature inherits Tin — the creature-meat tin category; the category that shuffles monsters as consumables (tins of monster meat) (2026-10-11)

U+A74B

Egg

Ø

Egg stays empty till use — populated by the Creature monster-shuffle at runtime (2026-10-11)

U+00F8

VirtualDistance



⊑ Integer — VirtualDistance inherits Integer (IntegerBounded removed 2026-10-20) (new 2026-10-15)

U+27F0

VirtualVertical

⧗

⊑ Angle — VirtualVertical inherits Angle (new 2026-10-15)

U+29D7

Meat



Meat stays empty till use — populated by the Creature monster-shuffle at runtime (2026-10-11)

U+4E3D

Index

English Index

AcidBroth 194-1
AcidBroth 224-3
AirElemental 204-3
Amulet 178-1
Anagram 75-4
Anagram 83-4
Angle 174-2
Angle 241-2
Anticut 142-1
Antilog 28-2
Apple 196-1
Apple 235-4
Applyself 124-1
Approx 13-2
Arccosine 26-1
Arcsine 26-2
Arctangent 26-4
Armor 177-3
Asian 188-4
Asian 229-4
Atomize 112-2
BabyDragon 216-3
BabyLongWorm 205-4
BabyPurpleWorm 205-2
Backstroke 109-1
Backstroke 115-1
Backstroke (forward) 109-3
Backstroke (forward) 115-3
Baluchitherium 218-2
Banana 197-1
Banana 236-4
Base Ten Log 29-4
Bell 39-3
Bell 44-3
Bell 47-1
BowlOfRice 190-1
BowlOfRice 231-1
Box 88-1
Box 90-1
Box 92-1
Box 96-1
Bucket 104-2
Bugbear 219-2
Caboose 112-4
Candy 192-4
Candy 238-3
CandyBar 199-4
CandyBar 233-1
CantoneseDuck 191-4
CantoneseDuck 232-4
Cardinality 81-1
CarpSashimi 186-1
CarpSashimi 227-1
Carrot 197-2
Carrot 237-1
Catalogue 90-3
Catalogue 94-3
Catenate 73-2
Catenate 79-1
Catenate 84-1
CaveSpider 217-1
Ceiling 25-1
Ceiling 35-2
Cell 168-1
Center 81-2
Centipede 216-1
ChickenNoodleSoup 195-4
ChickenNoodleSoup 226-3
Class 171-1
Classes 171-2
Clock 122-3
CloveOfGarlic 201-1
CloveOfGarlic 234-1
Collate 134-1
Combinatoric 51-3
Combinatoric 54-1

Comment 110-2
Compress 138-2
Compress 144-2
Congruent 9-3
Congruent 11-3
Conjugate 21-3
Constant 149-1
Cosine 25-4
Count 76-3
CrabSashimi 187-2
CrabSashimi 228-2
CramRation 200-2
CramRation 233-3
CRation 201-4
CRation 234-4
CreamOfAlgaeSoup 195-3
CreamOfAlgaeSoup 226-2
Creature 192-3
Creature 241-4
CrowBar 194-4
CrowBar 239-4
Curry 134-2
Cut 141-1
Cut 144-3
D10 42-2
D12 42-3
D2 41-1
D4 41-2
D6 41-3
Deal 45-1
Debugger 141-2
Decide 129-3
Decrement 153-2
Decrement 156-2
Deli 191-2
Deli 232-1
Depth 78-2
Determinant 67-1
Dice 41-4
Dice 44-4
Dice 47-2
Dice Percentile 42-1
Diction 129-1
Differentiate 57-3
Divide (Complex) 18-3
Divide (Complex) 23-3
Divide (Complex) 33-3
Divide (Polar) 18-4
Divide (Polar) 23-4
Divide (Polar) 33-4
Divide By 154-1
Divide By 157-1
Divisible 50-1
Divisible 53-2
Double 21-4
DoveBar 193-4
DoveBar 239-3
Down 168-3
Dragon 216-2
DragonSashimi 187-3
DragonSashimi 228-3
DRation 193-3
DRation 239-2
Drop 84-3
Drop Train 122-4
Dumplings 189-4
Dumplings 230-4
Dungeon 167-2
Duplicate 112-3
Duplicate Head 115-2
Duplicate Tail 117-3
DwarfMummy 211-1
DwarfZombie 213-2
EarthElemental 204-1
EelSashimi 186-3
EelSashimi 227-3
Egg 192-1
Egg 241-1
Egg 242-1
Elf 215-3
ElfMummy 210-2
ElfNoble 215-4
ElfZombie 213-3
ElvenMonarch 216-4

Enlist 102-1
Enumerate 76-1
Epsilon 149-2
Equality 12-1
Errdmd 141-3
Errline 138-3
Errmsg 138-4
Ettin 208-4
EttinMummy 212-2
EttinZombie 214-3
EucalyptusLeaf 199-3
EucalyptusLeaf 232-3
Euler 40-4
Evaluate 60-4
Extend 73-1
Extend 80-2
Extend 85-2
Exx 72-3
Factor 51-2
Factorial 19-1
Factorial 29-1
Factorial 35-1
Fetch 94-2
Fig 197-3
Fig 237-2
FireElemental 204-2
FireGiant 208-1
FixedPoint 61-1
Floor 25-2
Floor 35-3
Foocubus 221-3
Food 178-2
FoodRation 200-3
FoodRation 233-4
forall 14-1
Fork 122-2
Fornone 14-3
Forsome 14-2
FortuneCookie 189-2
FortuneCookie 230-2
Fourier 29-2
FrostGiant 208-3
Fruit 191-3
Fruit 235-3
Function 129-4
Gamma 40-1
GCD 53-3
Gem 179-1
Gets 157-3
Ghoul 214-1
Giant 207-2
GiantMummy 212-1
GiantSpider 217-3
GiantZombie 214-2
Glyph 129-2
GnomeMummy 211-2
GnomeZombie 212-4
Golden 40-3
GoldenSoup 194-2
GoldenSoup 225-1
Goodbar 193-1
Goodbar 238-2
Grade Down 73-4
Grade Up 73-3
GrandMaster 224-4
Grapes 198-4
Grapes 238-4
Greater Or Equal 12-4
Greater Than 12-2
GreenElf 215-1
GreyElf 215-2
Gyuniku 188-3
Gyuniku 229-3
Half 39-1
Half 44-1
Head 117-1
HillGiant 208-2
Honee 193-2
Honee 239-1
HumanMummy 210-1
HumanZombie 213-4
Hyperbolic Arccosine 28-4
Hyperbolic Arcsine 27-3
Hyperbolic Arctangent 28-3

Hyperbolic Cosine 27-2
Hyperbolic Sine 27-1
Hyperbolic Tangent 27-4
Identity 108-4
Implies 13-1
In 104-1
In 105-1
InAt 104-4
Increment 153-1
Increment 156-1
Indivisible 50-2
Indivisible 53-4
Inherits 173-2
InLast 104-3
Inner Product 64-2
Inner Product 66-2
Inner Product 69-2
InOf 101-3
Instance 171-4
Instances 171-3
Integer Division 60-3
Integrate 57-4
Interpreter 173-1
Intersection 99-1
Intersection 101-1
Intersection 105-2
InverseFourier 29-3
Invert 9-1
Isa 173-3
IsAt 11-4
Jabberwock 220-1
Kelp 189-3
Kelp 230-3
KelpFrond 199-2
KelpFrond 232-2
Keyboard 110-1
Kobold 206-2
KoboldLord 207-3
KoboldMummy 211-4
KoboldShaman 207-4
KoboldZombie 212-3
Kount 76-4
KRation 200-4
KRation 234-3
L Factor 66-4
Lambda 132-1
Laminate 75-3
Laminate 83-3
LargeKobold 206-1
Lay 132-4
LCM 53-1
LembasWafer 200-1
LembasWafer 233-2
Lemon 197-4
Lemon 237-3
Leocrotta 220-3
Less Or Equal 12-3
Less Than 11-1
Level 167-4
Lime 198-3
Lime 237-4
Link 94-4
(literalize) 131-4
Local 58-3
LongWorm 205-3
LumpOfRoyalJelly 201-3
LumpOfRoyalJelly 235-2
LurkerAbove 220-4
Magnitude 30-1
Manwich 195-2
Manwich 225-4
Map 108-2
Map 114-2
MasterMindFlayer 206-3
Mastodon 217-4
Match 11-2
Meat 192-2
Meat 240-4
Meat 242-4
Melon 196-4
Melon 236-3
MerfolkCommon 223-3
MerfolkNoble 223-4
MerfolkRoyal 222-4

MerfolkWitch 223-2
Meter 112-1
(method binding) 157-2
MindFlayer 206-4
Minotaur 218-3
Minus (Complex) 18-1
Minus (Complex) 23-1
Minus (Complex) 33-1
Mix 78-1
MoldySoup 195-1
MoldySoup 225-3
Monster 182-2
MountainNymph 222-1
Multiply 19-4
Multiply 24-4
Multiply 34-4
Multiply By 153-3
Multiply By 156-3
Multiply Matrices 64-3
Multiply Matrices 66-3
Multiply Matrices 69-3
Mumak 218-1
Natural Log 28-1
Natural Log 35-4
Negate 21-2
Negate / Subtract 17-2
NextLocal 57-1
Nil 7-2
Nip 121-1
Nosferatu 210-4
Not 9-2
Object 173-4
Omega 149-3
Optimize 58-2
Optimize 60-2
Orange 196-2
Orange 236-1
OrcMummy 211-3
OrcZombie 213-1
Outer Product 64-1
Outer Product 66-1
Outer Product 69-1
Over 121-4
Owlbear 219-3
Oyster 188-1
Oyster 229-1
Pear 196-3
Pear 236-2
Pee 72-1
Percent 19-2
Percent 24-1
Percent 34-1
Permute 75-2
Permute 83-2
Person 149-4
Pesto 199-1
Pesto 240-3
Pi 40-2
Pick 42-4
Pick 44-2
Pipeline 115-4
Pipeline 124-2
Player 182-1
Plus 32-1
Plus (Complex) 17-3
Plus (Complex) 22-3
Plus (Complex) 32-3
Point 161-1
Potion 179-2
PreservedEgg 190-4
PreservedEgg 231-4
Prim 160-3
Prime 50-4
Prime 51-1
Primes 50-3
Print 132-2
Property 153-4
Property 156-4
PurpleWorm 205-1
Put 83-1
Quote Double 131-3
Quote Single 131-2
Quote Triple 131-1
Quotient 24-3

Quotient 34-3
Rail 132-3
Ramen 189-1
Ramen 230-1
Rank 75-1
Raster 160-4
Ravel 79-4
RavelRows 79-3
Raze 90-4
Real 39-4
Reduce 108-1
Reduce 114-1
Reduce (forward) 108-3
Reduce (forward) 114-3
Reflect 76-2
RefriedBeans 185-2
RefriedBeans 226-1
Replicate 119-2
Reveal 60-1
Reverse 78-3
Reverse 84-4
Reverse Train 121-3
Ring 177-1
Roots 57-2
Rotate 80-4
Rotate 85-3
Rotate Head 119-3
Rotate Tail 119-4
Rothe 220-2
SalmonSashimi 186-4
SalmonSashimi 227-4
Scorpion 217-2
Screen 167-3
Scroll 178-3
Set Difference 105-4
Shade 221-1
Shape 80-1
Shape 85-1
Shopkeeper 223-1
Sight 80-3
Signum 21-1
Signum / Plus 17-1
Silence 138-1
Silence 144-1
Sine 25-3
Skeleton 221-2
Solve 58-1
Soup 191-1
Soup 238-1
Spinach 185-3
Spinach 240-1
Split 79-2
SprigOfWolfsbane 201-2
SprigOfWolfsbane 234-2
SpringRolls 190-2
SpringRolls 231-2
Square 19-3
Square 36-1
Square Root 22-2
Stalker 221-4
Star 24-2
Star 34-2
StonedSoup 194-3
StonedSoup 225-2
StoneGiant 207-1
Stop 109-2
StormGiant 209-2
Strip 109-4
Strip 117-4
Subtract 32-2
Succeed 141-4
Sum 22-1
Summarize 88-3
Summarize 92-3
Summarize 94-1
Sundry 198-2
Sundry 235-1
Sushi 185-4
Sushi 226-4
Swap 119-1
Tail 117-2
Take 84-2
Tangent 26-3
Temporary Vector 151-1

Time 39-2
Times (Complex) 17-4
Times (Complex) 22-4
Times (Complex) 32-4
Times (Polar) 18-2
Times (Polar) 23-2
Times (Polar) 33-2
Tin 185-1
Tin 224-2
Titan 209-4
Titanothere 218-4
Tofu 190-3
Tofu 231-3
Tomb 198-1
Tomb 240-2
Tool 178-4
Transpose 78-4
Trapdoor 160-1
Trapdoor 163-1
Trapper 219-4
Triangle 161-2
Triple 122-1
Truth 7-3
Tuck 121-2
TunaSashimi 187-1
TunaSashimi 228-1
TurtleSashimi 187-4
TurtleSashimi 228-4
U Factor 67-2
UnApprox 13-3
Unbox 88-2
Unbox 92-2
Unbox 96-2
Unequal 13-4
Uni 188-2
Uni 229-2
Union 99-2
Union 101-2
Union 105-3
Unquote Double 127-3
Unquote Single 127-2
Unquote Triple 127-1
Up 168-2
Vampire 209-3
VampireBat 209-1
VampireLeader 210-3
VirtualDistance 174-1
VirtualDistance 242-2
VirtualHorizontal 174-3
VirtualHorizontal 241-3
VirtualSpace 160-2
VirtualVertical 174-4
VirtualVertical 242-3
Wand 177-2
WaterElemental 204-4
WaterNymph 222-3
Weapon 177-4
WhaleSashimi 186-2
WhaleSashimi 227-2
Where 101-4
Where 167-1
WizardOfYendor 224-1
WoodElf 214-4
WoodNymph 222-2
Wumpus 219-1
Wuxia 7-1
Wye 72-4
Zee 72-2
Zero 114-4
Zip 90-2

Glyph Index

!	(U+0021)	19-1, 29-1, 35-1
%	(U+0025)	19-2, 24-1, 34-1
&	(U+0026)	58-1
*	(U+002A)	24-2, 34-2
+	(U+002B)	17-1, 21-1, 32-1
-	(U+002D)	17-2, 21-2, 32-2
/	(U+002F)	108-1, 114-1
<	(U+003C)	11-1
=	(U+003D)	12-1
>	(U+003E)	12-2
?	(U+003F)	45-1
@	(U+0040)	167-1, 220-1, 221-2, 221-3, 222-1, 222-2, 222-3
\	(U+005C)	109-1, 115-1
~	(U+007E)	9-1
¡	(U+00A1)	129-1
¢	(U+00A2)	168-1, 216-1
£	(U+00A3)	167-2
¤	(U+00A4)	217-1
¥	(U+00A5)	224-1
§	(U+00A7)	167-3, 223-1
«	(U+00AB)	131-1
¬	(U+00AC)	9-2
®	(U+00AE)	129-2
±	(U+00B1)	134-1, 217-2
¶	(U+00B6)	167-4
»	(U+00BB)	127-1
½	(U+00BD)	39-1, 44-1
¿	(U+00BF)	129-3, 219-1
Ø	(U+00D8)	217-3
ö	(U+00F6)	219-2
÷	(U+00F7)	24-3, 34-3
ø	(U+00F8)	152-1, 219-3, 241-1, 242-1
Ĝ	(U+011C)	208-1
Ğ	(U+011E)	208-2
Ġ	(U+0120)	207-1
Ģ	(U+0122)	207-2
ƀ	(U+0180)	209-1
Ɠ	(U+0193)	208-3
Ƹ	(U+01B8)	220-1
Ǥ	(U+01E4)	209-2
Ǧ	(U+01E6)	208-4
Ȣ	(U+0222)	220-2
Ƚ	(U+023D)	220-3
Δ	(U+0394)	216-2
Λ	(U+039B)	132-1
Ψ	(U+03A8)	217-4, 218-1
α	(U+03B1)	149-1
γ	(U+03B3)	40-1
δ	(U+03B4)	216-3
ε	(U+03B5)	149-2
π	(U+03C0)	40-2
ρ	(U+03C1)	80-1, 85-1
ϕ	(U+03C6)	40-3
ω	(U+03C9)	149-3
ό	(U+03CC)	223-2
ϐ	(U+03D0)	222-4
ϒ	(U+03D2)	218-2
Ϝ	(U+03DC)	29-2
Ќ	(U+040C)	207-3
Э	(U+042D)	221-4
Ѫ	(U+046A)	210-1, 210-2, 211-1, 211-2, 211-3, 211-4, 212-1, 212-2
Й̦	(U+048A)	219-4
ҍ	(U+048D)	207-4
Ҟ	(U+049E)	206-1
ҟ	(U+049F)	206-2
Ӌ	(U+04CB)	206-3
ӌ	(U+04CC)	206-4
ᵷ	(U+1D77)	151-1
Ṁ	(U+1E40)	218-3
ṽ	(U+1E7D)	210-3
ṿ	(U+1E7F)	209-3
ȯ	(U+1F40)	223-3
ȯ	(U+1F42)	223-4
‘	(U+2018)	131-2

’	(U+2019)	127-2
“	(U+201C)	131-3
”	(U+201D)	127-3
‰	(U+2030)	42-1
⁉	(U+203D)	173-1
ℇ	(U+2107)	40-4
ℊ	(U+210A)	214-1
ℓ	(U+2113)	57-1
№	(U+2116)	76-1
ℙ	(U+2119)	72-1
ℜ	(U+211C)	60-1
ℝ	(U+211D)	177-1
℞	(U+211E)	57-2
℣	(U+2123)	210-4
ℤ	(U+2124)	72-2, 212-3, 212-4, 213-1, 213-2, 213-3, 213-4, 214-2, 214-3
℩	(U+2129)	29-3
ℭ	(U+212D)	218-4
ℾ	(U+213E)	73-1, 80-2, 85-2
ℿ	(U+213F)	73-2, 79-1, 84-1
⅁	(U+2141)	209-4
⅋	(U+214B)	58-2, 60-2
⅏	(U+214F)	220-4
Ⅱ	(U+2161)	115-2
Ⅲ	(U+2162)	122-1
↑	(U+2191)	84-2
↓	(U+2193)	84-3
⇋	(U+21CB)	119-1
⇑	(U+21D1)	78-1
⇒	(U+21D2)	13-1
⇓	(U+21D3)	79-2
↤	(U+21F7)	121-1
↦	(U+21F8)	121-2
↮	(U+21F9)	121-3
∀	(U+2200)	14-1
∂	(U+2202)	57-3
∃	(U+2203)	14-2
∄	(U+2204)	14-3
∅	(U+2205)	7-2
∇	(U+2207)	129-4
∈	(U+2208)	104-1
ϵ	(U+220A)	102-1, 105-1

∐	(U+2210)	81-1, 104-2
∑	(U+2211)	22-1
∔	(U+2214)	112-1
√	(U+221A)	22-2
∩	(U+2229)	99-1, 101-1, 105-2
∪	(U+222A)	99-2, 101-2, 105-3
∫	(U+222B)	57-4
∷	(U+2237)	112-2
÷	(U+223B)	76-2
≈	(U+2248)	13-2
≉	(U+2249)	13-3
≠	(U+2256)	90-1
≏	(U+2257)	11-2
≠	(U+2260)	13-4
≡	(U+2261)	9-3, 11-3
≣	(U+2263)	11-4
≤	(U+2264)	12-3
≥	(U+2265)	12-4
⋫	(U+226C)	108-2, 114-2
⊂	(U+2282)	88-1, 92-1, 96-1
⊃	(U+2283)	88-2, 92-2, 96-2
⊍	(U+228D)	78-2
⊑	(U+2291)	173-2
⊕	(U+2295)	153-1, 156-1, 204-1
⊖	(U+2296)	153-2, 156-2
⊗	(U+2297)	64-1, 66-1, 69-1
⊘	(U+2298)	154-1, 157-1
⊙	(U+2299)	171-1
⊚	(U+229A)	88-3, 92-3, 94-1
⊛	(U+229B)	153-3, 156-3, 204-2
⊞	(U+229E)	81-2
☒	(U+22A0)	19-3, 36-1
⊡	(U+22A1)	157-2
⊣	(U+22A3)	177-2
⊤	(U+22A4)	7-3, 205-1
⊢	(U+22A6)	205-2
⊰	(U+22B0)	90-2
⊶	(U+22B6)	21-3
⊷	(U+22B7)	112-3
⊸	(U+22B8)	94-2
⊹	(U+22B9)	138-1, 144-1
⋄	(U+22C4)	109-2

⋅	(U+22C5)	64-2, 66-2, 69-2	▲	(U+25B2)	168-2
⋈	(U+22C8)	64-3, 66-3, 69-3	▼	(U+25BC)	168-3
⋔	(U+22D4)	122-2	●	(U+25CF)	179-1
⋕	(U+22D5)	75-1	◝	(U+25DD)	25-3
⋖	(U+22D6)	138-2, 144-2	◞	(U+25DE)	25-4
⋘	(U+22D8)	153-4, 156-4	◶	(U+25F6)	26-1
⋮	(U+22EE)	141-1, 144-3	◷	(U+25F7)	26-2
⋯	(U+22EF)	142-1	☘	(U+2618)	213-4, 215-1, 215-2, 215-3
⋲	(U+22F2)	79-3	☻	(U+263B)	182-1
⋳	(U+22F3)	79-4	⚁	(U+2681)	41-1
⋵	(U+22F5)	104-3	⚃	(U+2683)	41-2
⋸	(U+22F8)	101-3	⚅	(U+2685)	41-3
⋹	(U+22F9)	104-4	✌	(U+270C)	110-2
⋿	(U+22FF)	173-3	✔	(U+2714)	141-2
⌈	(U+2308)	25-1, 35-2	✧	(U+2727)	141-3
⌊	(U+230A)	25-2, 35-3	✪	(U+272A)	185-1, 224-2
⌚	(U+231A)	39-2	❁	(U+2741)	178-1
⌨	(U+2328)	110-1	❌	(U+274C)	138-3
⌬	(U+232C)	119-2	❎	(U+274E)	138-4
⍃	(U+233C)	67-1	❖	(U+2756)	191-2, 232-1
⍊	(U+233D)	78-3, 84-4	❗	(U+2757)	179-2
⍟	(U+233F)	108-3, 114-3	❶	(U+2776)	194-1, 224-3
⍤	(U+2340)	109-3, 115-3	❷	(U+2777)	194-2, 225-1
⍉	(U+2349)	78-4	❸	(U+2778)	194-3, 225-2
⍋	(U+234B)	73-3	❹	(U+2779)	195-1, 225-3
⍒	(U+2352)	73-4	❺	(U+277A)	195-2, 225-4
⍗	(U+2357)	30-1	❻	(U+277B)	185-2, 226-1
⍰	(U+235B)	18-1, 23-1, 33-1	❼	(U+277C)	185-3, 240-1
⍠	(U+2360)	132-2	❾	(U+277E)	195-3, 226-2
⍣	(U+2363)	124-1	❿	(U+277F)	195-4, 226-3
⍳	(U+2373)	76-3	⟒	(U+27D2)	51-2
⍷	(U+237C)	28-1, 35-4	⟛	(U+27DB)	83-1
⎈	(U+2388)	80-3	⟰	(U+27F0)	174-1, 242-2
⎊	(U+238A)	53-1	⟲	(U+27F2)	119-3
⎢	(U+23A2)	50-1, 53-2	⟳	(U+27F3)	119-4
⏀	(U+23C0)	51-1	⤚	(U+291A)	122-4
⏱	(U+23F1)	122-3	⤺	(U+293A)	121-4
⑩	(U+2469)	42-2	⦀	(U+2980)	53-3
⑫	(U+246B)	42-3	⦉	(U+2991)	117-1
⑳	(U+2473)	191-1, 238-1	⦊	(U+2992)	117-2
Ⓒ	(U+24B8)	171-2	⦙	(U+2999)	141-4
Ⓘ	(U+24BE)	171-3	⦵	(U+29B5)	174-2, 241-2

⦽	(U+29BD)	80-4, 85-3
⧊	(U+29CA)	28-2
⧓	(U+29D3)	174-3, 241-3
⧗	(U+29D7)	174-4, 242-3
⧾	(U+29DE)	117-3
⨂	(U+2A02)	18-2, 23-2, 33-2
⨃	(U+2A03)	42-4, 44-2
⨊	(U+2A0A)	75-2, 83-2
⨢	(U+2A22)	17-3, 22-3, 32-3
⨣	(U+2A23)	76-4
⨧	(U+2A27)	21-4
⨬	(U+2A2C)	18-3, 23-3, 33-3
⨯	(U+2A2F)	19-4, 24-4, 34-4
⨰	(U+2A30)	17-4, 22-4, 32-4
⨳	(U+2A33)	131-4
⨷	(U+2A37)	90-3, 94-3, 204-3
⨸	(U+2A38)	18-4, 23-4, 33-4, 204-4
⩁	(U+2A42)	101-4
⩃	(U+2A43)	105-4
⩋	(U+2A4D)	28-3
⩓	(U+2A53)	205-3
⩛	(U+2A55)	205-4
⩡	(U+2A5E)	75-3, 83-3
⩤	(U+2A5F)	29-4
⩷	(U+2A69)	51-3, 54-1
⩸	(U+2A78)	112-4
⪆	(U+2AA6)	27-1
⪇	(U+2AA7)	27-2
⪍	(U+2ABD)	27-3
⪎	(U+2ABE)	28-4
⫍	(U+2ACD)	132-3
⫎	(U+2ACE)	132-4
⫏	(U+2ACF)	109-4, 117-4
⫑	(U+2AD1)	27-4
⫓⊂	(U+2AD7)	26-3
⫘	(U+2AD8)	26-4
⫩	(U+2AE9)	94-4
⫮	(U+2AEE)	50-2, 53-4
⫵	(U+2AF5)	90-4
⫷	(U+2AF7)	115-4, 124-2
⫽	(U+2AFD)	60-3
⬄	(U+2B04)	157-3
⸩	(U+2E19)	215-4
支	(U+2F40)	216-4
⑩	(U+3248)	198-1, 240-2
⑳	(U+3249)	199-1, 240-3
㉾	(U+3267)	198-2, 235-1
㊀	(U+3280)	186-1, 227-1
㊁	(U+3281)	186-2, 227-2
㊂	(U+3282)	186-3, 227-3
㊃	(U+3283)	186-4, 227-4
㊄	(U+3284)	187-1, 228-1
㊅	(U+3285)	187-2, 228-2
㊆	(U+3286)	187-3, 228-3
㊇	(U+3287)	187-4, 228-4
㊈	(U+3288)	188-1, 229-1
㊉	(U+3289)	188-2, 229-2
㊊	(U+328A)	188-3, 229-3
㊌	(U+328C)	199-2, 232-2
㊍	(U+328D)	199-3, 232-3
㊎	(U+328E)	199-4, 233-1
㊏	(U+328F)	200-1, 233-2
㊐	(U+3290)	200-2, 233-3
㊗	(U+3297)	185-4, 226-4
㊞	(U+329F)	201-1, 234-1
㊠	(U+32A0)	201-2, 234-2
㊢	(U+32A2)	201-3, 235-2
㊩	(U+32A9)	200-3, 233-4
㊪	(U+32AA)	200-4, 234-3
㊫	(U+32AB)	201-4, 234-4
丽	(U+4E3D)	192-2, 240-4, 242-4
人	(U+4EBA)	149-4
侠	(U+4FA0)	7-1
父	(U+7236)	224-4
ꝋ	(U+A74B)	192-3, 241-4
ꬴ	(U+AB44)	61-1
𐐝	(U+1D21D)	160-1, 163-1
𝒜	(U+1D49C)	75-4, 83-4
𝒞	(U+1D49E)	134-2
𝒫	(U+1D4AB)	50-3
𝒱	(U+1D4E5)	160-2
𝔏	(U+1D50F)	58-3
𝔓	(U+1D513)	50-4
𝔸	(U+1D538)	177-3

𝔽	(U+1D53D)	178-2		(U+1F003)	193-4, 239-3
𝕀	(U+1D540)	171-4		(U+1F029)	194-4, 239-4
𝕄	(U+1D544)	182-2		(U+1F02A)	192-4, 238-3
𝕆	(U+1D546)	173-4		(U+1F030)	191-3, 235-3
𝕊	(U+1D54A)	178-3		(U+1F032)	196-1, 235-4
𝕋	(U+1D54B)	178-4		(U+1F033)	196-2, 236-1
𝕎	(U+1D54E)	177-4		(U+1F034)	196-3, 236-2
𝕏	(U+1D54F)	72-3		(U+1F035)	196-4, 236-3
𝕐	(U+1D550)	72-4		(U+1F036)	197-1, 236-4
𝔅	(U+1D56D)	39-3, 44-3, 47-1		(U+1F037)	197-2, 237-1
𝔇	(U+1D56F)	41-4, 44-4, 47-2		(U+1F038)	197-3, 237-2
𝔍	(U+1D574)	108-4		(U+1F039)	197-4, 237-3
𝔈	(U+1D577)	66-4		(U+1F03A)	198-3, 237-4
𝔑	(U+1D57D)	39-4		(U+1F03B)	198-4, 238-4
𝔘	(U+1D580)	67-2	手	(U+1F210)	188-4, 229-4
𝔜	(U+1D585)	114-4	字	(U+1F211)	189-1, 230-1
𝔣	(U+1D58B)	60-4	双	(U+1F212)	189-2, 230-2
𝟘	(U+1D7D8)	160-3	デ	(U+1F213)	189-3, 230-3
𝟙	(U+1D7D9)	160-4	二	(U+1F214)	189-4, 230-4
𝟚	(U+1D7DA)	161-1	多	(U+1F215)	190-1, 231-1
𝟛	(U+1D7DB)	161-2	解	(U+1F216)	190-2, 231-2
	(U+1F000)	193-1, 238-2	天	(U+1F217)	190-3, 231-3
	(U+1F001)	193-2, 239-1	交	(U+1F218)	190-4, 231-4
	(U+1F002)	193-3, 239-2	映	(U+1F219)	191-4, 232-4