# Key


Style 5

- Truth and Nil 6
- Arithmetic 16
- Constants and Chance 38
- Number Theory 48
- Polynomials and Roots 55
- Matrices 62
- Arrays 70
- Boxes 85
- Sets and Membership 96
- Trains 105
- Functions 123
- Errors 132
- Classes and Properties 143
- The Virtual 153

Dungeon 159

- Places 160
- Classes 164
- Objects 170
- Entities 175
- Food 178
- Species inheritance 197

Index 239

- English Index 240
- Glyph Index 247

# Contents


Style 5

Truth and Nil 6

Niladic 6

Monadic 8

Dyadic 10

Arithmetic 16

Niladic 16

Monadic 20

Dyadic 31

Constants and Chance 38

Niladic 38

Monadic 42

Dyadic 45

Number Theory 48

Monadic 48

Dyadic 51

Polynomials and Roots 55

Monadic 55

Dyadic 58

Matrices 62

Niladic 62
Monadic 64
Dyadic 67
Arrays 70
Niladic 70
Monadic 73
Dyadic 80
Boxes 85
Niladic 85
Monadic 87
Dyadic 91
Sets and Membership 96
Niladic 96
Monadic 98
Dyadic 101
Trains 105
Niladic 105
Monadic 108
Dyadic 120
Functions 123
Monadic 123
Dyadic 128
Errors 132
Niladic 132
Monadic 138
Classes and Properties 143
Niladic 143
Monadic 146

Dyadic 149
The Virtual 153
Niladic 153
Monadic 156
Dungeon 159
Places 160
Classes 164
Objects 170
Entities 175
Food 178
Species inheritance 197
Index 239
English Index 240
Glyph Index 247

# Style

# Truth and Nil: Niladic

## Wuxia

俠

*The Hero*

U+4FA0

## Nil



*The empty set — quiet failure value; absorbs; Nil⊡function → Nil*

U+2205

## Truth

⊤

*Verum — first-class truth; no true anymore*

U+22A4

# Truth and Nil: Monadic

## Invert

~

*Invert — monadic only (tilde). Scalar: ~ 0 → 1, ~ 1 → 0 (user wording to confirm). Unary scalar verbs operate on array back ranks (new 2026-10-11)*

U+007E

## Not

¬

*Not — monadic boolean not: ¬ Truth yields Nil, ¬ Nil yields Truth (new 2026-10-14)*

U+00AC

## Congruent

≡

*Ambivalent: monadic binds train to lhs⊡function*

U+2261

# Truth and Nil: Dyadic

## Less Than



*Less Than — dyadic < A B yields Truth when A < B, Nil otherwise (new 2026-10-14)*

U+003C

## Greater Than



*Greater Than — dyadic > A B yields Truth when A > B, Nil otherwise (new 2026-10-14)*

U+003E


## Congruent



*Ambivalent: dyadic ≡ A B yields Truth when A and B have the same binding (same location in the system tables), Nil otherwise*

U+2261

## IsAt



*IsAt — dyadic ≣ X Y yields Truth when X and Y share the same pointer address, Nil otherwise (new 2026-10-14)*

U+2263


## Equality



*Equality — dyadic = A B yields Truth when A = B, Nil otherwise (new 2026-10-14)*

U+003D

## Unequal



*Unequal — dyadic ≠ A B: sugar for ¬ = A B (boolean Not of Equality) (new 2026-10-14)*

U+2260

## Less Or Equal



*Less Or Equal — dyadic ≤ A B yields Truth when A ≤ B, Nil otherwise (new 2026-10-14)*

U+2264


## Greater Or Equal



*Greater Or Equal — dyadic ≥ A B yields Truth when A ≥ B, Nil otherwise (new 2026-10-14)*

U+2265

## Implies



*Implies — logical implication; ∅ ⇒ ∅ → ⊤*

U+21D2

## forall



*Train quantifier — every element must evaluate non-nil. Idiom: dyadic NAND is ¬ ∀ 𝕀𝕀 X Y*

U+2200

## Approx



*Approx — dyadic ≈ A B yields Truth when|A - B|is within 1e-6, Nil otherwise (new 2026-10-14)*

U+2248


## UnApprox



*UnApprox — dyadic ≉ A B: sugar for ¬ ≈ A B (boolean Not of Approx) (new 2026-10-14)*

U+2249

## Forsome



*Existential — at least one element evaluates non-nil*

U+2203

## Fornone



*Not-forsome — defined as ~Forsome*

U+2204

# Arithmetic: Niladic

## Signum / Plus



*Ambivalent: Niladic + yields 0.*
*(Was ∓ U+2213, retired 2026-10-12*

U+002B

## Negate / Subtract



*Niladic - yields 0 (new 2026-10-11*

U+002D

## Plus (Complex)



*Plus (Complex), aka Sum Complex, Add Complex —; Niladic: sugar for ℿ 0 0, the complex zero (new 2026-10-14)*

U+2A22

## Times (Complex)



*Times (Complex) —; Niladic: sugar for ℿ 1 0, the complex one (new 2026-10-14)*

U+2A30

## Minus (Complex)



*Minus (Complex) —; Niladic: sugar for ⨿ 0 0, the complex zero (new 2026-10-14)*

U+235B

## Times (Polar)



*Times (Polar) —; Niladic: the polar one, 2×1 [1; 0] (new 2026-10-14)*

U+2A02

## Divide (Complex)



*Divide (Complex) —; Niladic: sugar for ⨿ 1 0, the complex one (new 2026-10-14)*

U+2A2C

## Divide (Polar)



*Divide (Polar) —; Niladic: the polar one, 2×1 [1; 0] (new 2026-10-14)*

U+2A38

## Factorial

!

*Factorial —; Niladic ! yields 1 (new 2026-10-12)*

U+0021

## Percent

%

*Percent —; Niladic % is 0 (new 2026-10-12*

U+0025

## Square



*Square — ⊠ X is X squared.; Niladic ⊠ yields 1, derived from Multiply (new 2026-10-12)*

U+22A0

## Multiply



*Multiply —; Niladic × yields empty array. Replaces Star * U+002A (new 2026-10-12; boxed forms 2026-10-12*

U+2A2F

# Arithmetic: Monadic

## Signum

+

*Ambivalent: monadic Signum (less than zero yields −1, greater than zero yields 1, zero yields 0; back-rank scalar unary)*

U+002B

## Negate

-

*Negate (monadic - X, unary minus)*

U+002D

## Conjugate

⊶

*Conjugate — monadic ⊶ X: complex conjugate; negates the imaginary part, preserving orientation (on [r,i] yields [r,−i]; on [r;i] yields [r;−i]) (new 2026-10-15)*

U+22B6

## Double

+2

*Double — monadic +⁼ X yields 2 × X (new 2026-10-15)*

U+2A27

## Sum

∑

*Sum — sugar for reduce-addition: ∑ X means / + X (redefined 2026-10-12)*

U+2211

## Square Root

√

*Square Root — monadic √ X yields the square root of X (new 2026-10-15)*

U+221A

## Plus (Complex)

⨁

*Plus (Complex), aka Sum Complex, Add Complex —; Monadic: if X is scalar, sugar for ℙ X 0 (promote to complex); else identity, yields X.*

U+2A22

## Times (Complex)

⨂

*Times (Complex) —; Monadic: if X is scalar, sugar for ℙ X 0 (promote to complex); else identity, yields X.*

U+2A30

## Minus (Complex)



*Minus (Complex) —; Monadic: if X is scalar, sugar for ℚ X 0 (promote to complex); else identity, yields X.*

U+235B

## Times (Polar)



*Times (Polar) —; Monadic: if X is scalar, promote to polar 2×1; else identity, yields X.*

U+2A02

## Divide (Complex)



*Divide (Complex) —; Monadic: if X is scalar, sugar for ℚ X 0 (promote to complex); else identity, yields X.*

U+2A2C

## Divide (Polar)



*Divide (Polar) —; Monadic: if X is scalar, promote to polar 2×1; else identity, yields X.*

U+2A38

## Percent

%

*Percent —; monadic % X is absolute value, a back-rank operator.; monadic redefined 2026-10-12)*

U+0025

## Star

*

*Star — exponentiate: monadic * X is 1, because the missing exponent Y is assumed 0, giving X^0 (new 2026-10-12). Idiom: X-th root of Y is * Y ÷ 1 X*

U+002A

## Quotient

÷

*Quotient —; Monadic ÷ X: if X is a square array, yields the matrix inverse; else reciprocal, a back-rank scalar operator (new 2026-10-12)*

U+00F7

## Multiply

×

*Multiply —; Monadic × X yields X when X numeric; on boxed X, catenates once.; monadic redefined 2026-10-12)*

U+2A2F

## Ceiling



*Ceiling —; monadic ⌈ X rounds up*
*(from APL; new 2026-10-12)*

U+2308

## Floor



*Floor —; monadic ⌊ X rounds down*
*(from APL; new 2026-10-12)*

U+230A

## Sine



*Sine (new 2026-10-12)*

U+25DD

## Cosine



*Cosine (new 2026-10-12)*

U+25DE

## Arccosine



*Arccosine (new 2026-10-12)*

U+25F6

## Arcsine



*Arcsine (new 2026-10-12)*

U+25F7

## Tangent



*Tangent (new 2026-10-12)*

U+2AD7

## Arctangent



*Arctangent (new 2026-10-12)*

U+2AD8

## Hyperbolic Sine



*Hyperbolic Sine (new 2026-10-12)*

U+2AA6

## Hyperbolic Cosine



*Hyperbolic Cosine (new 2026-10-12)*

U+2AA7

## Hyperbolic Arcsine



*Hyperbolic Arcsine (new 2026-10-12)*

U+2ABD

## Hyperbolic Tangent



*Hyperbolic Tangent (new 2026-10-12)*

U+2AD1

## Natural Log



*Natural Log —; monadic ⍁ X is ln X.; Monadic ⍁ on a polar 2×1 yields the rectangular complex pair [ln r, θ].*

U+237C

## Antilog



*Antilog — sugar for Star: ⍋̇ X is e raised to the X. Monadic ⍋̇ on a rectangular complex pair yields the polar 2×1 [e^a; b] (new 2026-10-12; glyph was 𝒆 U+1D58A until 2026-10-14)*

U+29CA

## Hyperbolic Arctangent



*Hyperbolic Arctangent (new 2026-10-12)*

U+2A4D

## Hyperbolic Arccosine



*Hyperbolic Arccosine (new 2026-10-12)*

U+2ABE

## Factorial

!

*Factorial —; monadic ! X is X factorial*

U+0021

## Fourier



*Fourier — monadic F X: FFT of X (new 2026-10-15)*

U+03DC

## InverseFourier



*InverseFourier — monadic ⅁ X: inverse FFT of X (new 2026-10-15)*

U+2132

## Base Ten Log



*Base Ten Log — ⍙ X is log base 10 of X, sugar for ⍦ 10 X (new 2026-10-12)*

U+2A5F

# Magnitude



*Magnitude — monadic ⍫X: absolute value of X (new 2026-10-16)*

U+2357

# Arithmetic: Dyadic

## Plus



*Ambivalent: dyadic + X Y yields X + Y (addition).; dyadic 2026-10-15)*

U+002B

## Subtract



*Subtract (dyadic - X Y yields X - Y, first minus second), the subtract that works with the / right-fold Reduce.; dyadic 2026-10-12)*

U+002D

## Plus (Complex)



*Plus (Complex), aka Sum Complex, Add Complex —; dyadic: sum of complex numbers (1×2 rectangular), per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before adding.*

U+2A22

## Times (Complex)



*Times (Complex) —; dyadic: product of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before multiplying.*

U+2A30

## Minus (Complex)



*Minus (Complex) —; dyadic: difference of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before subtracting.*

U+235B

## Times (Polar)



*Times (Polar) —; dyadic: product of polar numbers; uses the 2×1 oriented vector to hold magnitude and direction: magnitudes multiply, angles add; if either or both X and Y are scalar, promote to polar 2×1 before multiplying.*

U+2A02

## Divide (Complex)



*Divide (Complex) —; dyadic: quotient of complex numbers, per the structural complex convention; if either or both X and Y are scalar, promote via ℿ before dividing.*

U+2A2C

## Divide (Polar)



*Divide (Polar) —; dyadic: quotient of polar numbers; uses the 2×1 oriented vector to hold magnitude and direction: magnitudes divide, angles subtract; if either or both X and Y are scalar, promote to polar 2×1 before dividing.*

U+2A38

## Percent

%

*Percent —; dyadic % X Y yields the remainder of X divided by Y*

U+0025

## Star

*

*Star — exponentiate: dyadic * X Y is X to the power Y (left=base, right=exponent)*

U+002A

## Quotient

÷

*Quotient —; dyadic ÷ X Y divides X by Y, yielding a real; division by zero yields infinity, except 0/0 which yields Nil.*

U+00F7

## Multiply

×

*Multiply —; dyadic multiplies its arguments; when X is boxed, × X Y catenates X repeated Y times.*

U+2A2F

## Factorial

!

*Factorial —; dyadic ! X Y is the binomial coefficient Y choose X.*

U+0021

## Ceiling

⌈

*Ceiling —; dyadic ⌈ X Y is maximum*

U+2308

## Floor

⌊

*Floor —; dyadic ⌊ X Y is minimum*

U+230A

## Natural Log



*Natural Log —; Dyadic ⍦ X Y is log base X of Y, sugar for ÷ ⍦ Y ⍦ X (new 2026-10-12)*

U+237C

# Square



*Square — ⊠ X is X squared.; Dyadic ⊠ X Y squares X Y times.*

U+22A0

# Constants and Chance: Niladic

## Half

½

*Half —; niladic: 0*

U+00BD

## Pi

π

*Pi — niladic π: value of pi (new 2026-10-14)*

U+03C0

## Bell

𝔅

*Bell —; niladic: random point in (-1, 1), exclusive*

U+1D56D

## Real

ℜ

*Real — niladic: random real number between 0 and 1; sugar for ½ + 1 𝔅 (new 2026-10-13)*

U+1D57D

## Gamma

γ

*Gamma — niladic γ: Euler-Mascheroni constant (new 2026-10-14)*

U+03B3

## Golden

ϕ

*Golden — niladic φ: golden mean (new 2026-10-14)*

U+03C6

## Euler

ℇ

*Euler — niladic ℇ: Euler's constant (new 2026-10-14)*

U+2107


## Dice



*Dice —; niladic: single 6-sided die (1-6)*

U+2685

# Pick



*Pick —; niladic: Nil*

U+2A03

# Constants and Chance: Monadic

## Half

½

*Half —; monadic ½ X: X divided by 2; array → sugar for ⊞ (ρ X); train → floor(length/2) index; dictionary → Nil (new 2026-10-13)*

U+00BD


## Dice



*Dice —; monadic ⚅ X: single X-sided die (1-X)*

U+2685

## Pick



*Pick —; monadic ⍤⌿X: scalar → same scalar; train → use Dice of size train to select element; array → use Dice of sides from shape to select element; dictionary → random {key:value} pair (new 2026-10-13)*

U+2A03

## Bell



*Bell —; monadic 𝔅 μ: bell curve point with mean μ (μ in (-1,1))*

U+1D56D

# Deal



*Deal — given a scalar, works as expected; given an array, fills the entire back rank with limited values. Concrete examples and summary TBD (new 2026-10-11)*

U+003F

# Constants and Chance: Dyadic

## Dice



*Dice —; dyadic ⚅ X N: N X-sided dice; all sugar via 𝔑 (hence 𝔅) (new 2026-10-13; glyph changed to the die face U+2685, 2026-10-20)*

U+2685

## Bell



*Bell —; dyadic 𝔅 μ σ: bell curve point with mean μ and stddev σ (σ ≤ 1/3) (new 2026-10-13)*

U+1D56D

# Number Theory: Monadic

## Divisible



*Divisible —; monadic ∣ X yields Truth when X is divisible by 2, Nil otherwise*

U+23A2

## Indivisible



*Indivisible —; monadic ∤ X: sugar for ¬ ∣ X (the Odd test)*

U+2AEE

## Primes



*Primes — monadic ℙ X yields the prime factors of X, per J's q:. (new 2026-10-18)*

U+1D4AB

## Prime



*Prime — monadic 𝔓 N yields the Nth prime, per J's p: (zero-indexed: 𝔓 0 is 2). (new 2026-10-18)*

U+1D513

## Prime



*Prime — monadic ⌽ X: sugar for ⍭⍘ X ⍳ 2 ⌊ √ X ⋮ ≤ X 1 (new 2026-10-15)*

U+23C0

## Factor



*Factor — factorization verb (new 2026-10-16)*

U+27D2

## Combinatoric



*Combinatoric —; monadic ## X: factorial of X*

U+2A69

# Number Theory: Dyadic

## LCM



*LCM — dyadic ⨶ X Y: least common multiple of X and Y (new 2026-10-16)*

U+238A

## Divisible



*Divisible —; dyadic ∣ X Y yields Truth when X is divisible by Y, Nil otherwise (new 2026-10-15)*

U+23A2

## GCD



*GCD — dyadic ⫻ X Y: greatest common divisor of X and Y (new 2026-10-16)*

U+2980

## Indivisible



*Indivisible —; dyadic ⫲ X Y: sugar for ¬ ∣ X Y (boolean Not of Divisible) (new 2026-10-15)*

U+2AEE

# Combinatoric



*Combinatoric —; dyadic ⋕ X Y: binomial X choose Y (new 2026-10-16)*

U+2A69

# Polynomials and Roots: Monadic

## NextLocal



*NextLocal — the Roots division step: given P, yields [R prime, P prime] where R prime is Local(P) and P prime is P deflated by synthetic division of R prime. (new 2026-10-19)*

U+2113

## Roots



*Roots — sugar: ℞ P is ℜ ℓ P (Reveal NextLocal over P); yields all polynomial roots. (new 2026-10-18; factored via Reveal 2026-10-19)*

U+211E

## Differentiate



*Differentiate — train verb ∂ T yields symbolically differentiated version of train T of coefficients, multiplying constants as needed; same order as Polynomial (new 2026-10-13)*

U+2202

## Integrate



*Integrate — train verb ∫ T yields symbolically integrated version of train T of coefficients, dividing constants as needed; same order as Polynomial (new 2026-10-13)*

U+222B

## Solve



*Solve — monadic & A: array → vector of polynomial coefficients; missing input row is all zeroes (new 2026-10-13)*

U+0026

## Optimize



*Optimize —; monadic 𝔅 V: vector → polynomial; searches free variable with delta = 0.01 * domain, epsilon defaults to 1e-6*

U+214B

## Local



*Local — monadic 𝔴 V is 𝔅 𝕀𝕀𝕀 ℒ & V (FixedPoint Optimize Triple Solve V); approximates best x for a local minimal of V (new 2026-10-13)*

U+1D50F

# Polynomials and Roots: Dyadic

## Reveal



*Reveal — intrinsic. Dyadic ℜ P Y yields the successive application of P upon Y as Y shrinks to Nil. Epsilon from P has two elements: an alpha to apply P to next Y, and the next Y. (new 2026-10-18)*

U+211C

## Optimize



*Optimize —; dyadic ϐ V ε: recurse into smaller domains until change in c < ε (new 2026-10-13)*

U+214B

## Integer Division



*Integer Division — dyadic ⫽ X Y divides X by Y, yielding an integer (replaces Slash / integer division from manual p.19; / is now Reduce). Vector form: ⫽ V X where V is vector yields synthetic quotient of V by X (new 2026-10-14)*

U+2AFD

## Evaluate



*Evaluate — dyadic 𝒇 X T evaluates train T of coefficients upon X (new 2026-10-13)*

U+1D58B

# FixedPoint



*Fixed point — dyadic cø V guess: refine guess until epsilon < 1e-6 (max 100 steps); failure to converge returns infinity (new 2026-10-13)*

U+AB44

# Matrices: Niladic

## Outer Product



*Outer Product —; Niladic ⊗ yields 1 (new 2026-10-12)*

U+2297

## Inner Product



*Inner Product —; Niladic · yields 1 (new 2026-10-12; matrix case 2026-10-14)*

U+22C5

## Multiply Matrices



*Multiply Matrices —; Niladic ⋈ yields the 1×1 identity matrix (new 2026-10-14)*

U+22C8

# Matrices: Monadic

## Outer Product



*Outer Product —; Monadic ⊗ X yields X.*

U+2297

## Inner Product



*Inner Product —; Monadic · X yields X.*

U+22C5

## Multiply Matrices



*Multiply Matrices —; Monadic ⋈ X yields X.*

U+22C8

## L Factor



*L Factor — monadic: the L (lower triangular, 1s on diagonal) factor of the LU decomposition of a rank-2 array (new 2026-10-14)*

U+1D577

## Determinant



*Determinant — monadic ⌹X: determinant of square matrix X (new 2026-10-16)*

U+233C

## U Factor



*U Factor — monadic: the U (upper triangular) factor of the LU decomposition of a rank-2 array (new 2026-10-14)*

U+1D580

# Matrices: Dyadic

## Outer Product



*Outer Product —; dyadic ⊗ X Y yields the outer product matrix where entry [i,j] is × X[i] Y[j]; shape is the concatenation of the shapes of X and Y.*

U+2297

## Inner Product



*Inner Product —; dyadic · X Y: for vectors X, Y, the dot product (sum of pairwise products); for matrices, the Frobenius inner product: a scalar, the sum of all pairwise products.*

U+22C5

## Multiply Matrices



*Multiply Matrices —; dyadic ⋈ X Y: matrix multiplication, (⋈ X Y)[i;j] = · X[i;] ( ⍤ Y)[j;]; inner dimensions must agree, non-square fine.*

U+22C8

# Arrays: Niladic

Pee



*Pee — Where⊡Pee yields Where [0, 1*
*(first two coordinates)*

U+2119

Zee



*Zee — the last position of a slice*
*(Where⊡Zee yields Where [-1)*

U+2124

Exx



*Exx — the zero position of a slice*
*(Where [0)*

U+1D54F

Wye



*Wye — the midposition of a slice*

U+1D550


## Extend



*Extend —; niladic ⊢: sugar for ⊂ Nil*

U+213E

## Catenate



*Catenate —; niladic ⊣: sugar for ⊂ Nil*

U+213F

## Grade Up



*Grade Up — ⍋X yields the indices that sort X ascending. Niladic ⍋ yields 0 (from APL; new 2026-10-12)*

U+234B

## Grade Down



*Grade Down — ⍒X yields the indices that sort X descending. Niladic ⍒ yields Nil (from APL; new 2026-10-12)*

U+2352

# Arrays: Monadic

## Rank



*Rank — monadic ⌗ X yields the number of dimensions in X; zero when scalar. (new 2026-10-18)*

U+22D5

## Permute



*Permute —; monadic ⍨ X and dyadic X ⍨ Y work as in J's C.. Both modes intrinsic. (new 2026-10-19)*

U+2A0A

## Laminate



*Laminate —; monadic ⍪ X: adds a leading singleton axis*

U+2A5E

## Anagram



*Anagram — permutation index/parity (J's A.). Both modes intrinsic. (new 2026-10-19)*

U+1D49C

## Enumerate

№

*Enumerate — monadic № X: sugar for ⍕⍳≢⍴X; yields index-value pairs for X (new 2026-10-18)*

U+2116

## Reflect

÷

*Reflect — monadic ÷X: sugar for ⍕⇋-⇋::X (new 2026-10-15)*

U+223B

## Count

76

⍳

U+2373

## Kount

⍭

*Kount — monadic ⍭B: takes a vector of T or Nil; returns a vector counting the T, turning each Nil to 0. Intrinsic. (new 2026-10-18)*

U+2A23

# ⍳ Count

U+2373

Count — magical: when given a shape, fills an array matching shape. Scalar: behaves as normal. Array: fills array with next dimension limited by scalar from back rank — e.g. ⍳ 2 3 → rows of 0 1 2 (origin 0; last axis counts, outer axes replicate) (new 2026-10-11)

## RavelRows



*RavelRows — monadic ⍪ X: yields the rows of X as a vector (Antitable; new 2026-10-15)*

U+22F2

## Ravel



*Ravel — monadic ⍎ X: flattens array X to vector, row-major (new 2026-10-14)*

U+22F3

## Reverse



*Reverse —; monadic ⌽ X reverses elements along the last axis*

U+233D

## Transpose



*Transpose — monadic ⍉ X reverses the order of axes (from APL; new 2026-10-12)*

U+2349

## Shape



*Shape —; monadic ρ X: shape of X; scalar → 0; array → vector of dimensions; train → [1, length of train]; dictionary → [1, pairs present]*

U+03C1

## Extend



*Extend —; monadic ⍮ X: Table X as in APL, adds trailing axis of length 1*

U+213E

## Catenate



*Catenate —; monadic ⍪ X: catenates X to itself*

U+213F

## Rotate



*Rotate —; monadic ⌽ X: rotate X toward origin by 1*

U+29BD

## Cardinality



*Cardinality — "how big is this?"; scalar → -1; array → number of elements held; dictionary → number of pairs; train → length of train (new 2026-10-13)*

U+2210

## Center



*Center — takes a shape, returns its integer halves expressed as a vector (e.g. [10, 6] → [5, 3]) (new 2026-10-13)*

U+229E

## Sight



*Sight — takes 2D array, finds center, returns vector location of nearest non-zero scalar; ties pick one (new 2026-10-13)*

U+2388

# Arrays: Dyadic

## Put



*Put — ⫤⫥ X P A: value at coordinate P of array A becomes X (new 2026-10-18)*

U+27DA

## Permute



*Permute —*

U+2A0A

## Laminate



*Laminate —; dyadic ⩓ A B: yields [A; B]; when A and B are both scalars, yields A B (new 2026-10-17)*

U+2A5E


## Anagram



*Anagram — permutation index/parity (J's A.). Both modes intrinsic. (new 2026-10-19)*

U+1D49C

## Catenate



*Catenate —; dyadic ⎍ X Y: catenate X and Y as in APL; variadic ⎍ A ... Z: catenate A through Z left to right (new 2026-10-14)*

U+213F

## Take



*Take — ↑ X Y takes the first X elements of Y (last X if X is negative); X may be a vector for per-axis counts (from APL; new 2026-10-12)*

U+2191

## Drop



*Drop — ↓ X Y drops the first X elements of Y (last X if X is negative); X may be a vector for per-axis counts (from APL; new 2026-10-12)*

U+2193

## Reverse



*Reverse —; dyadic ⌽ X Y rotates Y by X positions (from APL; new 2026-10-12)*

U+233D

## Shape

ρ

*Shape —; dyadic ρ S X: reshape X to shape S (per APL) (new 2026-10-13)*

U+03C1

## Extend



*Extend —; dyadic ⍋ X N: extends by N axes (new 2026-10-14)*

U+213E

## Rotate



*Rotate —; dyadic ⍜ X Y: rotate X by Y (Y positive toward origin, negative away) (new 2026-10-16)*

U+29BD

# Boxes: Niladic

## Box



*Box —; Niladic ⊂ yields Truth*
*(from APL Enclose; new 2026-10-12)*

U+2282

## Unbox



*Unbox —; Niladic ⊃ yields Nil*
*(from APL Disclose; new 2026-10-12)*

U+2283

## Summarize



*Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar; niladic ⊚ is the 1,1 vector containing zero.*

U+229A

# Boxes: Monadic

## Box



*Box — monadic ⧆ A: wraps A in a box so it travels as a single element (new 2026-10-17)*

U+2256

## Unbox



*Unbox — monadic ⧈ A: opens the box, yielding its contents (new 2026-10-17)*

U+2257

## Catalogue



*Catalogue —; monadic ⊚X: cartesian product of the boxed lists in vector X (new 2026-10-17)*

U+2A37

## Raze



*Raze — monadic ⫻A: sugar for Ravel Map Unbox A; opens every box and joins the contents into one vector (new 2026-10-17)*

U+2AF5

## Box



*Box —; monadic ⊂ X encloses X into a scalar box.*

U+2282

## Unbox



*Unbox —; monadic ⊃ X yields X.*

U+2283

## Summarize



*Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar*

U+229A

## Zip

90



U+22B0



# Zip

`U+22B0`

Zip — takes a train of vectors and zips them: ⍮ V1 V2 ... Vn yields an m×n matrix (m = vector length, n = train length); the resulting width is the length of the train; a scalar in the train expands into a column to fit the others; a container in the train contributes only its origin scalar, recursively (the summary effect); mismatched lengths Nil-pad (consistent with Diction); zips along the back rank for higher-rank arrays; ⍮ 1 2 yields the column [1;2] (new 2026-10-12; recycles the retired AntiSignum glyph)

# Boxes: Dyadic

## Summarize

93



U+229A

## Fetch



*Fetch — dyadic ⊸ V X: applies V as search vector into X's items; follows path V down through nested boxes (new 2026-10-17)*

U+22B8

## Catalogue



*Catalogue —; dyadic ⊗ A B: yields [[A0,B0] ... [A1,B1]] ... [[AN,B0] ... [AN,BN]], the outer product matrix of pairs*

U+2A37

## Link



*Link — dyadic ⫢ X Y: sugar for Catenate Map Box X Y; boxes X and Y into a two-element list (new 2026-10-17)*

U+2AE9



# Summarize

U+229A

Summarize — the summary effect at full power. Array case: find the 0,0 corner; if another array, recurse into the subarray; if a scalar, yield the boxed scalar. Scalar case yields the boxed scalar; Dyadic D ⊚ A: D (Direction) is a rank-1 array of coordinates; summarization starts at A[D], then proceeds as monadic; a scalar Direction s means start at (s, 0); Zip summarizes each train element (new 2026-10-12)

## Box



*Box —; Dyadic ⊂ X Y encloses X by Y levels; Y=0 leaves X unchanged.*

U+2282

## Unbox




*Unbox —; Dyadic ⊃ X Y picks element X from Y.*

U+2283

# Sets and Membership: Niladic


## Intersection



*Intersection —; niladic ∩: sugar for ⊂ Nil*

U+2229

## Union




*Union —; niladic ∪: sugar for ⊂ Nil*

U+222A

# Sets and Membership: Monadic


## Intersection



*Intersection —; monadic ∩ A: is A*

U+2229

## Union



*Union —; monadic ∪ X: unique as in APL*

U+222A

## InOf



*InOf — the curry of In: ⍨InOf ⍷ ∈ X; monadic predicate testing membership in X. (new 2026-10-18)*

U+22F8

## Where



*Where — monadic ⍸Y: returns vector of indices of all elements of array Y that are Truth (new 2026-10-18)*

U+2A42

# Enlist




*Enlist —; monadic ∈ Y: as defined in APL (deep flatten to vector)*

U+220A

# Sets and Membership: Dyadic

## In



*In — dyadic ∈ Y X yields Truth when X is in Y, Nil otherwise (J's e.). (new 2026-10-18)*

U+2208

## Bucket



*Bucket — dyadic ∐ X Y: yields index of interval in X that Y falls into (new 2026-10-18)*

U+2210

## InLast



*InLast — dyadic ∈̇ X Y: yields the index of the last occurrence of X in Y; yields length of Y if not found (new 2026-10-18)*

U+22F5

## InAt



*InAt — dyadic ⋵ X Y: yields the index of Y whose value equals X; yields length of Y if not found (new 2026-10-18)*

U+22F9


## In



*Enlist —; dyadic ∈ X Y: find/membership as defined in APL (new 2026-10-13)*

U+220A


## Intersection



*Intersection —; dyadic ∩ A B: as in APL, elements in both (new 2026-10-14)*

U+2229

## Union



*Union —; dyadic ∪ X Y: union as in APL (new 2026-10-14)*

U+222A

## Set Difference



*Set Difference — dyadic ⍠A B: elements in A but not in B (new 2026-10-14)*

U+2A43

# Trains: Niladic

## Reduce



*Reduce — / F V: start at the highest index (its scalar is the initial result), step down toward origin; at each step result = F(scalar, result). Right fold.; Niladic / returns 0 (new 2026-10-12)*

U+002F

## Map



*Map — ⟠ A B executes function A with zero arguments upon all scalars of B, as a back rank operator; usual back scalar rules.; Niladic ⟠ yields Truth, same as niladic 𝓘 (new 2026-10-12)*

U+226C

## Reduce (forward)



*⌿ F V: start at the origin (its scalar is the initial result), step up toward the highest index; at each step result = F(result, scalar). Left fold, the reversed scan.*

U+233F

## Identity



*Identity — 𝓘 V yields V unchanged; on a train, yields the train unchanged. Niladic 𝓘 yields Truth (new 2026-10-12)*

U+1D574

## Backstroke



*Backstroke — Scan: the running Reduce, paired with /. \ F V on a length-n V yields a length-n vector where element i is / F (right fold) applied to the first i elements of V.; Niladic \ yields 0 (new 2026-10-12)*

U+005C

## Stop



*Stop — statement separator; separates statements on one line*

U+22C4

## Backstroke (forward)



*Backstroke (forward) — Reverse Scan, paired with ⍀. ⍀ F V on a length-n V yields a length-n vector where element i is ⍀F (left fold) applied to the first i elements of V.*

U+2340

## Strip



*Strip —; niladic: removes the train from head up to but not including the first Stop encountered*

U+2ACF

# Trains: Monadic


## Meter

110



U+2214

## Atomize



*Atomize — monadic ∷ A: reads up to the first 32 elements of A (origin to end) and prepares them for use by train elements ahead (new 2026-10-14)*

U+2237

## Duplicate



*Duplicate — copies a train to a train twice as long: ⊷ A B C → A B C A B C (was ==U+2A75, then ⁚ U+2236 — settled 2026-10-12)*

U+22B7

## Caboose



*Caboose — picks up the train from head to Stop, then converts boxed contents to a vector (inverse of Atomize) (new 2026-10-15)*

U+2A78



# Meter

U+2214

Meter — measures its argument: ∔ V is ≺ + ⊷ V (zip the needle with the signal); yields M, a sequence of (needle, signal) pairs, needle ∈ -/0/+. M works in place of V in all Collate modes: the needle selects the function, the function transforms the signal (was ±, corrected to ≺ 2026-10-12)

## Reduce



*Reduce — / F V: start at the highest index (its scalar is the initial result), step down toward origin; at each step result = F(scalar, result). Right fold.; Monadic / V yields a linear array of the scalars ripped from V, highest to lowest indices.*

U+002F

## Map



*Map — ⍁ A B executes function A with zero arguments upon all scalars of B, as a back rank operator; usual back scalar rules.; Monadic ⍁ B is identical to Identity 𝕴 B.*

U+226C

## Reduce (forward)



*⌿ F V: start at the origin (its scalar is the initial result), step up toward the highest index; at each step result = F(result, scalar). Left fold, the reversed scan.; Monadic ⌿ V and niladic ⌿ behave identically to / (new 2026-10-12)*

U+233F

## Zero



*Zero — on a train, replaces all values with zeroes while keeping shapes (new 2026-10-12)*

U+1D585

## Backstroke

113



U+005C

## Duplicate Head



*Duplicate Head — Ⅱ A ... yields A A ...; duplicates head of train, aka duplicate/dup (new 2026-10-14)*

U+2161

## Backstroke (forward)



*Backstroke (forward) — Reverse Scan, paired with ⫻. ⟊ F V on a length-n V yields a length-n vector where element i is ⫻F (left fold) applied to the first i elements of V.; Monadic ⟊ V and niladic ⟊ behave identically to \ (new 2026-10-12)*

U+2340

## Pipeline



*Pipeline —*

U+2AF7



# Backstroke

`U+005C`

Backstroke — Scan: the running Reduce, paired with /. \ F V on a length-n V yields a length-n vector where element i is / F (right fold) applied to the first i elements of V.; Monadic \ V yields a linear array of the scalars ripped from V, lowest to highest indices.

## Head



*Head — sugar for ⊐1 (new 2026-10-15)*

U+2991

## Tail



*Tail — sugar for ⊐-2 (new 2026-10-15)*

U+2992

## Duplicate Tail



*Duplicate Tail — ⧟... A yields ... A A; duplicates tail of train (new 2026-10-13)*

U+29DE

## Strip

115




U+2ACF

# ⊐ Strip

U+2ACF

Strip —; monadic ⊐ X: removes the train from position X (0 is head) up to but not including the first Stop encountered; when X < 0, strips from position X in reverse order back to head, where −1 is the final tail position adjacent to the first Stop encountered (new 2026-10-15)

## Swap



*Swap — ⇋ A B ... yields B A ...; swaps head two of train. Single: ⇋ A Stop X yields X. Bare: ⇋ Stop X yields X (new 2026-10-13)*

U+21CB

## Replicate

117



U+232C

## Rotate Head



*Rotate Head — ⟲ A B C ... yields B C ... A; rotates head to tail (new 2026-10-13)*

U+27F2

## Rotate Tail



*Rotate Tail — ⟳ ... A B C yields C ... A B; rotates tail to head (new 2026-10-13)*

U+27F3



# Replicate

U+232C

Replicate — ⌬ N X Stop yields X replicated N times; e.g. ⌬ 5 A Stop gives A A A A A. Zero case: ⌬ 0 A Stop X yields X. Negative N is antireplicate: ⌬ -1 A A A A A Stop yields A A A A. Empty antireplicate: ⌬ -1 Stop X yields X. Bare: ⌬ Stop X yields X (new 2026-10-13)

## Nip



*Nip — ↤ A B ... yields A ...; drops second, keeps head (new 2026-10-13)*

U+21F7

## Tuck



*Tuck — ↦ A B ... yields A B A ...; copies head under second (new 2026-10-13)*

U+21F8

## Reverse Train



*Reverse Train — reverses order of train (new 2026-10-13)*

U+21F9

## Over



*Over — ⤺ A B ... yields B A B ...; copies second to head (new 2026-10-13)*

U+293A

## Triple

Ⅲ

*Triple — Ⅲ X yields X X X; triplicates top of stack (new 2026-10-13)*

U+2162

## Fork



*Fork — ⋔ F G H X: sugar for G H Swap F Dup X (J fork; new 2026-10-14)*

U+22D4

## Drop Train



*Drop Train — sugar for reverse, replicate -1, reverse; drops head of train (new 2026-10-13)*

U+291A

# Trains: Dyadic

## Applyself



*Applyself — ⍣⍤1 f n a applies f n times to a; sugar for ⫷a ⍵⊂⍣⍺⍵ f n (from APL power; new 2026-10-12)*

U+2363

## Pipeline



*Pipeline —; dyadic ⫷X Y applies vector Y, readable as a train of monadic functions, in sequence to X (new 2026-10-12)*

U+2AF7

# Functions: Monadic

## Diction



*Diction — dict-backed decision-table constructor (was Vectorize, renamed 2026-10-11). ¡ A B → {A:B}; ¡ A B C D → {A:B,C:D}; monadic ¡ (a b c) self-maps into a set. Membership sugar: X member Y → ⊤ (X ¿ (¡ Y))*

U+00A1

## Glyph



*Glyph — the name for a single character value. Glyph ← ≡ ⌧: Glyph's function is the literalize train (via monadic ≡) — to make a Glyph, literalize*

U+00AE

## Decide

125



U+00BF

## Function



*Function — gets glyph del (∇, nabla): the function-definition operator. Monadic ∇ Y executes array Y as an FSA. (monadic 2026-10-19)*

U+2207




# Decide

U+00BF

Decide — first-match generalized switch/match over n×2k train tables (was When, 2026-10-11). n×2 returns 1×1 (scalar); n×4 returns 1×2; generally n×2k returns 1×k. An explicit trailing C is unmatched-result filler, not an else branch; without filler, unmatched returns Nil without logging an error. Canonical: R ← X ¿ ¡ A B C

## Print



*Print — the quad-colon verb: prints the value from its right, then passes that value to its left (new 2026-10-11)*

U+2360

## (literalize)



*Literalize next nonspace char, or ※0x???? by codepoint*

U+2A33

## Rail



*Rail — monadic ⌐¯X yields a vector of symbols from train X (train-to-array conversion). (new 2026-10-19)*

U+2ACD

## Lay



*Lay — monadic ¯¬V yields the train laid down from origin to limit of vector V (array-to-train, inverse of Rail). (new 2026-10-19)*

U+2ACE

# Lambda




*Lambda — lambda abstraction (new 2026-10-13)*

U+039B

# Functions: Dyadic

## Collate



*Collate — executes one of three trains upon a value: for less than zero, for zero, or for greater than zero (was AntiSignum ≺ U+22B0, renamed 2026-10-12; complement to signum)*

U+00B1

## Curry

130



U+1D49E

# $\mathcal{C}$ Curry


U+1D49E

Curry — intrinsic. Partial application: turns a dyadic verb into a monadic predicate by binding an argument, e.g. making = X from =. Semantics: Gets Q Curry P args: args to omega prime, omega prime shifts into alpha prime (binding the leftmost argument, textbook curry order), Q X makes X alpha, gets slice -1 of omega prime A, then call P; Q alpha yields P evaluated upon alpha prime, omega prime, and alpha as arguments in that order. Omega becomes nil upon Q's execution. Principle: Gets Q Curry P train is the principle for creating curries (Q is an example name assigned to the curried function, not a verb). (new 2026-10-18)

# Errors: Niladic

## Silence

134



U+22B9

## Compress

135



U+22D6

## Errline



*Last error: which line*

U+274C

## Errmsg



*Last error: what (type)*

U+274E



# Silence

U+22B9

Silence — ⊹ Z V drops all nonzero values; Z transforms the zero contents in sequence. ⊹ Z M on metered M: a nonzero needle drops the pair; a zero needle selects Z (applied to the signal).; Niladic ⊹ yields boxed Nil, a trial vector for enclosing operators to work on for starts (the dual of Compress; new 2026-10-12)



# Compress

U+22D6

Compress — ⋖ P V applies transform P to each nonzero content of V; zero contents are eliminated; sequence order preserved. ⋖ P M on metered M: a nonzero needle selects P (applied to the signal); a zero needle drops the pair.; Niladic ⋖ yields boxed Truth, a trial vector for enclosing operators to work on for starts (a comprehension filter; new 2026-10-12)

## Cut

*Cut —; niladic: on error, erases the error and returns Nil*

U+22EE

## Debugger

✔⋄ *enters debugger iff error registers set*

U+2714

## Errdmd

*Last error: diamond position in line*

U+2727

## Succeed

*Succeed — like Cut, except returns Truth (new 2026-10-15)*

U+2999

# Anticut




*Anticut — on error throws to debugger; on return from debugger, returns Nil*

U+22EF

# Errors: Monadic

## Silence

140



U+22B9

## Compress

141



U+22D6

## Cut



*Cut —; monadic ⋮ X: checks X for Truth before returning*

U+22EE



# Silence

U+22B9

Silence — ⊹ Z V drops all nonzero values; Z transforms the zero contents in sequence. ⊹ Z M on metered M: a nonzero needle drops the pair; a zero needle selects Z (applied to the signal).; Monadic ⊹ V or ⊹ M means Z is identity: keep zeros (or zero-needle signals) as-is, drop nonzeros.



# Compress

U+22D6

Compress — ⋖ P V applies transform P to each nonzero content of V; zero contents are eliminated; sequence order preserved. ⋖ P M on metered M: a nonzero needle selects P (applied to the signal); a zero needle drops the pair.; Monadic ⋖ V or ⋖ M means P is identity: pure filter, no transform.

# Classes and Properties: Niladic

## Constant

145

α

U+03B1

## Epsilon

ε

*Epsilon — holds the result of any getter, setter, or nabla when no explicit return glyph is used*

U+03B5

## Omega

ω

*Omega — the vector of arguments passed to a setter (⊲)*

U+03C9

# α Constant

`U+03B1`

Constant — declares a class constant: X α name ← value names a constant for class X. α is also the original (pre-override) value: read-only, may not be changed directly; trying registers an error. As the original value α is an ad hoc constant — contextual to the setter, not a declared class constant

# Classes and Properties: Monadic

## Increment



*Increment —; monadic ⊕ D: invokes D's setter with nabla + 1 as the xthrement.*

U+2295

## Setter



*Setter — the setter nabla: defines a property setter, as ∇ defines a function. Generalized: takes an xthrement argument — modifies instance data (increment/decrement generalized) rather than assigning (new 2026-10-14)*

U+22B2

## Getter



*Getter — the getter nabla: defines a property getter, as ∇ defines a function*

U+22B3


## Property



*Property —; Monadic ⋘ D: yields the result of D's getter (getter mode of D's class call) (new 2026-10-14)*

U+22D8

## Decrement



*Decrement —; monadic ⊖ D: invokes D's setter with nabla - 1 as the xthrement.*

U+2296

## Divide By



*Divide By —; monadic ⊘ D: invokes D's setter with nabla ÷ 2 as the xthrement (halve).*

U+2298

## Multiply By



*Multiply By —; monadic ⊛ D: invokes D's setter with nabla × 2 as the xthrement (double).*

U+229B

# Classes and Properties: Dyadic


## Increment



*Increment —; Dyadic ⊕ D X: invokes D's setter with nabla + X as the xthrement (new 2026-10-14)*

U+2295

## Decrement



*Decrement —; Dyadic ⊖ D X: invokes D's setter with nabla - X as the xthrement (new 2026-10-14)*

U+2296

## Multiply By



*Multiply By —; Dyadic ⊛ D X: invokes D's setter with nabla × X as the xthrement (new 2026-10-14)*

U+229B

## Property



*Property —; dyadic ⋘ I D: invokes D's getter (getter mode of D's class call), then invokes I's setter (setter mode of I's class call) with the result as argument; yields the assigned data as a pass-through.*

U+22D8

## Divide By



*Divide By —; Dyadic ⊘ D X: invokes D's setter with nabla ÷ X as the xthrement (new 2026-10-14)*

U+2298

## (method binding)



*Binds method to object: X⊡function*

U+22A1

## Gets



*Gets — ⇔ A G: A stored in symbols[G], G stored in instances[A]; bidirectional binding (new 2026-10-13)*

U+2B04

# The Virtual: Niladic

## IntegerBounded



*IntegerBounded — bounded integer class: min/max enforced on creation, assignment, math; clamp + silent sticky flag on violation (new 2026-10-15)*

U+012A

## Trapdoor



*Trapdoor — the assembly trap door: invokes machine code at a given address (installed via ctypes; proven 2026-10-14).*

U+1D21D

## VirtualSpace



*VirtualSpace — the VR coordinate space: navel origin, forward half-sphere, [r;θ;φ], angles ±32767, distance in mm (new 2026-10-15)*

U+1D4E5

## Prim



*Prim — base VR primitive: name, position, collision machinery; posted via Virtual (new 2026-10-16)*

U+1D7D8

Raster



*Raster — VR prim ⊑ Prim: array of pels, rank 4 [Y,X,1,3] (new 2026-10-16)*

U+1D7D9

Point



*Point — VR prim ⊑ Prim: dot prim, [N,6] (H,V,D,RGB) (new 2026-10-16)*

U+1D7DA

Triangle



*Triangle — VR prim ⊑ Prim: 9 points × 2 thetas + D + RGB = 22 numbers, [N,22] (new 2026-10-16)*

U+1D7DB

# The Virtual: Monadic

Trapdoor

158



U+1D21D

# ⊂ Trapdoor

`U+1D21D`

Trapdoor — the assembly trap door: invokes machine code at a given address (installed via ctypes; proven 2026-10-14).; Monadic ⊂ A: puts the address of A into the accumulator before calling. ⇔ X ⊂ ∇ assembly ∇: X gets the address of the compiled assembly script. If X is so bound, niladic X calls the code. ε maps to the accumulator. The call yields ε

# Dungeon

# Dungeon: Places

## Where

@

*Where the hero is — bound to '@', the roguelike player glyph. Where⊡Zee yields Where [-1 (last); Where⊡Wye yields Where [1 (midposition — middle of 3 coords); Where⊡Exx yields Where [0 (zero). INDICES START AT ZERO*

U+0040

## Dungeon

£

*The Dungeon — literally the set of all levels*

U+00A3

## Screen

§

*The Screen — intrinsic 20×60 array (16 play + 4 I/O rows)*

U+00A7

## Level

¶

*Level — the pilcrow: a single dungeon level, member of £ Dungeon*

U+00B6

## Cell

¢

*A dungeon cell — the cent sign joins the family: § £ ¢. Cell⊡location ← £ Where: the cell's location is the Dungeon at Where. A dungeon square IS a dictionary of instances (the ⓘ registry's entries present at that square)*

U+00A2

## Up



*Up — the upward/north movement. Where⊡up yields ∅ when Where⊡Zee is 0, else Where with Zee decremented (refined 2026-10-10: boundary-checked — top edge is a quiet Nil, not a negative index)*

U+25B2

## Down



*Down — the downward/south movement, counterpart to Up. Where⊡down yields ∅ when Where⊡Zee ≥ Dungeon⊡Zee (bottom edge), else Where⊡Zee + 1 (confirmed 2026-10-10)*

U+25BC

# Dungeon: Classes


## Class



*Class — the circled dot. X⊡Class gets a RANK-2 ARRAY OF TRAINS: a class IS a decision table made of trains. Class instances are callable; the train defaults to Nil (∅)*

U+2299

## Classes



*Classes — the set of all classes (plural of Class), parallel to £ Dungeon as the set of all levels. Implementation: a single twin (bidirectional word ↔ glyph) dictionary at global scope*

U+24B8

## Instances

166



U+24BE

## Instance



*Instance — the INDIVIDUAL instance (singular), distinct from Ⓘ the table. Joins the blackboard family (𝕏 𝕐 ℤ ℙ 𝕆). Carries the (glyph, hash-at-creation) identity tuple*

U+1D540



# Instances

U+24BE

Instances — the TABLE/set of all instances (plural), parallel to Ⓒ Classes. Implementation: a single twin (bidirectional word ↔ glyph) dictionary at global scope. Instance identity is the (glyph, hash-at-creation) tuple, used as the key field in both the global instance dictionary and each square (Cell) dictionary

## Interpreter



*Interpreter — the Wuxia interpreter (new 2026-10-15)*

U+203D

## Inherits



*Inherits — the inheritance operator (square subset of)*

U+2291

## Isa



*Isa — the is-a / instantiation operator (2026-10-10). Monadic ∈ Y: Y is a class to copy data from; new instance.ε = Y.ε. Dyadic ∈ Y X: X is a class, optional initializer; new instance.ε = X.ε (new 2026-10-14)*

U+22FF

## Object



*Object — a DUNGEON object, not a generic OOP object. The blackboard O joins the projection family (𝕏 𝕐 ℤ ℙ): the root of the dungeon's object hierarchy, what every dungeon entity inherits from*

U+1D546


## VirtualDistance



*VirtualDistance — distance in VirtualSpace, 0-512 (new 2026-10-15)*

U+27F0

## Angle



*Angle — a VR angle (theta/phi) (new 2026-10-15)*

U+29B5

## VirtualHorizontal



*VirtualHorizontal — horizontal angle in VirtualSpace (new 2026-10-15)*

U+29D3

## VirtualVertical



*VirtualVertical — vertical angle in VirtualSpace (new 2026-10-15)*

U+29D7

# Dungeon: Objects

## Ring



*Ring — the blackboard R: a dungeon object (ring), third of the dungeon entity glyphs*

U+211D

## Wand



*Wand — left tack: a dungeon object (wand)*

U+22A3

## Armor



*Armor — the blackboard A: a dungeon object (armor), first of the dungeon entity glyphs*

U+1D538

## Weapon



*Weapon — the blackboard W: a dungeon object (weapon), second of the dungeon entity glyphs*

U+1D54E

## Amulet



*Amulet — eight-petalled floret: a dungeon object (amulet). (Was U+1DF76, tofu on device — swapped 2026-10-10)*

U+2741

## Food



*Food — the blackboard F: a dungeon object (food)*

U+1D53D


## Scroll



*Scroll — the blackboard S: a dungeon object (scroll)*

U+1D54A


## Tool



*Tool — the blackboard T: a dungeon object (tool)*

U+1D54B

## Gem



*Gem — solid black circle: a dungeon object (gem). (Was U+2733 — swapped 2026-10-10)*

U+25CF

## Potion



*Potion — heavy exclamation: a dungeon object (potion)*

U+2757

# Dungeon: Entities

## Player



*Player — black smiling face: the dungeon's player entity. Inherits Monster plus a few extra fields Monster does not have*

U+263B

## Monster



*Monster — the blackboard M: a dungeon monster, first of the monster glyphs*

U+1D544

# Dungeon: Food

## Tin



*Tin — circled white star: a dungeon food item (tin), first of the object species*

U+272A

## RefriedBeans



*RefriedBeans — dark-encircled six: grants teleportation*

U+277B

## Spinach



*Spinach — dark-encircled seven: Popeye strength*

U+277C


## Sushi



*Sushi — circled congratulation: the sushi/sashimi food category. (Was U+2722 — swapped 2026-10-11)*

U+3297


## CarpSashimi



*CarpSashimi — circled kanji: sushi item*

U+3280

## WhaleSashimi



*WhaleSashimi — circled kanji: sushi item*

U+3281

## EelSashimi



*EelSashimi — circled kanji: sushi item*

U+3282

## SalmonSashimi



*SalmonSashimi — circled kanji: sushi item*

U+3283

## TunaSashimi



*TunaSashimi — circled kanji: sushi item*

U+3284

## CrabSashimi



*CrabSashimi — circled kanji: sushi item*

U+3285

## DragonSashimi



*DragonSashimi — circled kanji: sushi item*

U+3286

## TurtleSashimi



*TurtleSashimi — circled kanji: sushi item*

U+3287


## Oyster



*Oyster — circled kanji: sushi item*

U+3288

## Uni



*Uni — circled kanji: sushi item*

U+3289

## Gyuniku



*Gyuniku — circled kanji: sushi item*

U+328A

## Asian



*Asian — squared hand: the Asian food category. (Was U+328C — swapped 2026-10-11)*

U+1F210

Ramen



*Ramen — squared cjk unified ideograph-5b57: Asian food*

U+1F211

FortuneCookie



*FortuneCookie — squared cjk unified ideograph-53cc: Asian food*

U+1F212


Kelp



*Kelp — squared katakana de: Asian food*

U+1F213

Dumplings



*Dumplings — squared cjk unified ideograph-4e8c: Asian food*

U+1F214

BowlOfRice



*BowlOfRice — squared cjk unified ideograph-591a: Asian food*

U+1F215

SpringRolls



*SpringRolls — squared cjk unified ideograph-89e3: Asian food*

U+1F216

Tofu



*Tofu — squared cjk unified ideograph-5929: Asian food*

U+1F217

PreservedEgg



*PreservedEgg — squared cjk unified ideograph-4ea4: Asian food*

U+1F218

## Soup



*Soup — circled twenty: the soup category*

U+2473

## Deli



*Deli — black diamond minus white X: the delicatessen food category (the 25 staples, names lost 2026-10-10 — rebuild pending)*

U+2756

## Fruit



*Fruit — domino tile back: the fruit food category*

U+1F030

## CantoneseDuck




*CantoneseDuck — squared cjk unified ideograph-6620: Asian food*

U+1F219

## Egg

Ø

*Egg — o with stroke: the egg. (Was U+2800 — swapped 2026-10-11)*

U+00F8

## Meat



*Meat — CJK beautiful: the meat category*

U+4E3D

## Creature



*Creature — o with long stroke overlay: the monster-shuffle category*

U+A74B

## Candy




*Candy — mahjong joker: the candy category*

U+1F02A

## Goodbar



*Goodbar — mahjong east wind: candy*

U+1F000

## Honee



*Honee — mahjong south wind: candy*

U+1F001

## DRation



*DRation — mahjong west wind: candy*

U+1F002

## DoveBar



*DoveBar — mahjong north wind: candy*

U+1F003

## AcidBroth

❶

*AcidBroth — dark-encircled number: soup*

U+2776

## GoldenSoup

❷

*GoldenSoup — dark-encircled number: soup*

U+2777

## StonedSoup

❸

*StonedSoup — dark-encircled number: soup*

U+2778

## CrowBar




*CrowBar — mahjong winter: candy*

U+1F029



## MoldySoup

*MoldySoup — dark-encircled number: soup*

U+2779



## Manwich

*Manwich — dark-encircled number: soup*

U+277A



## CreamOfAlgaeSoup

*CreamOfAlgaeSoup — dark-encircled number: soup*

U+277E



## ChickenNoodleSoup

*ChickenNoodleSoup — dark-encircled number: soup*

U+277F

## Apple



*Apple — domino tile: fruit, inherits Fruit*

U+1F032

## Orange



*Orange — domino tile: fruit, inherits Fruit*

U+1F033

## Pear



*Pear — domino tile: fruit, inherits Fruit*

U+1F034

## Melon



*Melon — domino tile: fruit, inherits Fruit*

U+1F035


## Banana



*Banana — domino tile: fruit, inherits Fruit*

U+1F036

## Carrot



*Carrot — domino tile: fruit, inherits Fruit*

U+1F037

## Fig



*Fig — domino tile: fruit, inherits Fruit*

U+1F038

## Lemon



*Lemon — domino tile: fruit, inherits Fruit*

U+1F039


## Tomb




*Tomb — circled 10 on black square: safe-row tin, now Sundry*

U+3248

## Sundry



*Sundry — circled ideograph: the sundry/miscellaneous category*

U+3267

## Lime



*Lime — domino tile: fruit, inherits Fruit*

U+1F03A

## Grapes



*Grapes — domino tile: fruit, inherits Fruit*

U+1F03B

## Pesto




*Pesto — circled 20 on black square: safe-row tin, now Sundry*

U+3249

## KelpFrond




*KelpFrond — circled water: sundry item (kelp is seaweed)*

U+328C

## EucalyptusLeaf




*EucalyptusLeaf — circled wood: sundry item*

U+328D

## CandyBar




*CandyBar — circled metal: sundry item*

U+328E

## LembasWafer




*LembasWafer — circled earth: sundry item*

U+328F

## CramRation




*CramRation — circled sun: sundry item*

U+3290

## FoodRation




*FoodRation — circled medicine: sundry item*

U+32A9

## KRation




*KRation — circled religion: sundry item*

U+32AA

## CloveOfGarlic




*CloveOfGarlic — circled attention: sundry item*

U+329F

## SprigOfWolfsbane




*SprigOfWolfsbane — circled item: sundry item*

U+32A0

## LumpOfRoyalJelly




*LumpOfRoyalJelly — circled copy: sundry item*

U+32A2

## CRation




*CRation — circled study: sundry item*

U+32AB

# Dungeon: Species inheritance

## EarthElemental



⊑ *Elementals — Species inherits its category (2026-10-10)*

U+2295

## FireElemental



⊑ *Elementals — Species inherits its category (2026-10-10)*

U+229B

## AirElemental



⊑ *Elementals — Species inherits its category (2026-10-10)*

U+2A37


## WaterElemental



⊑ *Elementals — Species inherits its category (2026-10-10)*

U+2A38

## PurpleWorm



⊑ *Worms — Species inherits its category (2026-10-10)*

U+22A4

## BabyPurpleWorm



⊑ *Worms — Species inherits its category (2026-10-10)*

U+22A6

## LongWorm



⊑ *Worms — Species inherits its category (2026-10-10)*

U+2A53

## BabyLongWorm



⊑ *Worms — Species inherits its category (2026-10-10)*

U+2A55

## LargeKobold



⊑ *Kobolds — Species inherits its category (2026-10-10)*

U+049C

## Kobold



⊑ *Kobolds — Species inherits its category (2026-10-10)*

U+049D

## MasterMindFlayer



⊑ *Mindflayers — Species inherits its category (2026-10-10)*

U+04F4

## MindFlayer



⊑ *Mindflayers — Species inherits its category (2026-10-10)*

U+04F5

## StoneGiant

Ġ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+0120

## Giant

Ģ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+0122

## KoboldLord

Ќ

⊑ *Kobolds — Species inherits its category (2026-10-10)*

U+040C

## KoboldShaman

Ҝ

⊑ *Kobolds — Species inherits its category (2026-10-10)*

U+049B

## FireGiant

Ĝ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+011C

## HillGiant

Ğ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+011E

## FrostGiant

Ǵ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+0193

## Ettin

G ˇ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+01E6

## VampireBat

ƀ

⊑ *Vampires — Species inherits its category (2026-10-10)*

U+0180

## StormGiant

Ǧ

⊑ *Giants — Species inherits its category (2026-10-10)*

U+01E4

## Vampire

Ỿ

⊑ *Vampires — Species inherits its category (2026-10-10)*

U+1E7F

## Titan

⅁

⊑ *Giants — Species inherits its category (2026-10-10)*

U+2141

## VampireLeader



⊑ *Vampires — Species inherits its category (2026-10-10)*

U+1E7D

## VampireLady



⊑ *Vampires — Species inherits its category (2026-10-10)*

U+2047

## VampireLord



⊑ *Vampires — Species inherits its category (2026-10-10)*

U+2047

## Nosferatu



⊑ *Vampires — Species inherits its category (2026-10-10)*

U+2047

## HumanMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## ElfMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## DwarfMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## GnomeMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## OrcMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## KoboldMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## GiantMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## EttinMummy



⊑ *Undead — Species inherits its category (2026-10-10)*

U+046A

## KoboldZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## GnomeZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## OrcZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## DwarfZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## ElfZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## HumanZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## GiantZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## EttinZombie



⊑ *Undead — Species inherits its category (2026-10-10)*

U+2124

## Ghoul

*g*

⊑ *Undead — Species inherits its category (2026-10-10)*

U+210A

## WoodElf



⊑ *Elves — Species inherits its category (2026-10-10)*

U+2618

## GreenElf



⊑ *Elves — Species inherits its category (2026-10-10)*

U+2618

## GreyElf



⊑ *Elves — Species inherits its category (2026-10-10)*

U+2618

## BabyDragon

⁇

⊑ *Dragons — Species inherits its category (2026-10-10)*

U+2047

## Elf



⊑ *Elves — Species inherits its category (2026-10-10)*

U+2618

## ElfNoble



⊑ *Elves — Species inherits its category (2026-10-10)*

U+2E19

## ElvenMonarch

支

⊑ *Elves — Species inherits its category (2026-10-10)*

U+2F40

## Centipede

¢

⊑ *Spiders — Species inherits its category (2026-10-10)*

U+00A2

## CaveSpider

¤

⊑ *Spiders — Species inherits its category (2026-10-10)*

U+00A4

## Scorpion

±

⊑ *Spiders — Species inherits its category (2026-10-10)*

U+00B1

## Dragon

⁇

⊑ *Dragons — Species inherits its category (2026-10-10)*

U+2047

## GiantSpider

Ø

⊑ *Spiders — Species inherits its category (2026-10-10)*

U+00D8

## Mastodon

Ψ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+03A8

## Mumak

Ψ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+03A8

## Baluchitherium

ϒ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+03D2

## Wumpus

¿

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+00BF

## Trapper



⊑ *Beasts — Species inherits its category (2026-10-10)*

U+048A

## Minotaur

Ṁ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+1E40

## Titanothere



⊑ *Beasts — Species inherits its category (2026-10-10)*

U+213A

## Bugbear

ö

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+00F6

## Owlbear

ø

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+00F8

## Jabberwock

ƹ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+01B8

## Rothe

ȣ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+0222

## Shade

@

⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## Leocrotta

ꝉ

⊑ *Beasts — Species inherits its category (2026-10-10)*

U+023D

## Stalker

Ǝ

⊑ *Lurkers — Species inherits its category (2026-10-10)*

U+042D

## LurkerAbove



⊑ *Lurkers — Species inherits its category (2026-10-10)*

U+214F

## Skeleton



⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## Foocubus



⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## MountainNymph



⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## WoodNymph



⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## WaterNymph

@

⊑ *Guises — Species inherits its category (2026-10-10)*

U+0040

## MerfolkRoyal

⁇

⊑ *Merfolk — Species inherits its category (2026-10-10)*

U+2047

## MerfolkNoble

⁇

⊑ *Merfolk — Species inherits its category (2026-10-10)*

U+2047

## MerfolkWitch

⁇

⊑ *Merfolk — Species inherits its category (2026-10-10)*

U+2047

## WizardOfYendor

¥

⊑ *Specials — Species inherits its category (2026-10-10)*

U+00A5

## Shopkeeper

§

⊑ *Specials — Species inherits its category (2026-10-10)*

U+00A7

## MerfolkCommon

⁇

⊑ *Merfolk — Species inherits its category (2026-10-10)*

U+2047

## GrandMaster

⁇

⊑ *Specials — Species inherits its category (2026-10-10)*

U+2047

## Tin



⊑ *Food — Tin inherits Food — first object species joins the hierarchy (2026-10-10)*

U+272A

## AcidBroth



⊑ *Soup — Soup inherits Soup (2026-10-10)*

U+2776

## GoldenSoup



⊑ *Soup — Soup inherits Soup (2026-10-10)*

U+2777

## StonedSoup



⊑ *Soup — Soup inherits Soup (2026-10-10)*

U+2778

## MoldySoup

4

⊑ *Soup — Soup inherits Soup (2026-10-10)*

U+2779

## Manwich

5

⊑ *Soup — Soup inherits Soup — the human-flesh tin (2026-10-10)*

U+277A

## CreamOfAlgaeSoup

9

⊑ *Soup — Soup inherits Soup (2026-10-10)*

U+277E

## ChickenNoodleSoup

10

⊑ *Soup — Soup inherits Soup (2026-10-10)*


U+277F



## RefriedBeans

⊑ *Soup — Soup item inherits Soup — grants teleportation (2026-10-11)*


U+277B



## CarpSashimi

⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3280



## WhaleSashimi

⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3281



## Sushi

⊑ *Food — Sushi inherits Food — the sushi food category (2026-10-10)*

U+3297

## EelSashimi



⊑ *Sushi — Individual sushi*
*inherits Sushi (2026-10-10)*

U+3282

## SalmonSashimi



⊑ *Sushi — Individual sushi*
*inherits Sushi (2026-10-10)*

U+3283

## TunaSashimi



⊑ *Sushi — Individual sushi*
*inherits Sushi (2026-10-10)*

U+3284

## CrabSashimi



⊑ *Sushi — Individual sushi*
*inherits Sushi (2026-10-10)*

U+3285

## DragonSashimi



⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3286

## TurtleSashimi



⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3287


## Oyster



⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3288

## Uni



⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+3289

## Gyuniku



⊑ *Sushi — Individual sushi inherits Sushi (2026-10-10)*

U+328A

## Asian



⊑ *Food — Asian inherits Food — the Asian food category (2026-10-10)*

U+1F210

## Ramen



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F211

## FortuneCookie



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F212

## Kelp



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F213

## Dumplings



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F214

## BowlOfRice



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F215

## SpringRolls



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F216

Deli



⊑ *Food — Deli inherits Food — the delicatessen food category (2026-10-10)*

U+2756

Tofu



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F217

PreservedEgg



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F218

CantoneseDuck



⊑ *Asian — Individual Asian food inherits Asian (2026-10-10)*

U+1F219

## KelpFrond




⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+328C

## EucalyptusLeaf




⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+328D

## CandyBar




⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+328E

## LembasWafer




⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+328F

CramRation

㊐

⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+3290

FoodRation

㊕

⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+32A9

KRation

㊗

⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+32AA


CRation

㊘

⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+32AB

## Sundry



⊑ *Deli — Sundry is part of Deli (2026-10-10)*

U+3267

## CloveOfGarlic



⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+329F

## SprigOfWolfsbane



⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+32A0

## LumpOfRoyalJelly



⊑ *Sundry — Sundry item inherits Sundry (2026-10-10)*

U+32A2

## Fruit



⊑ *Food — Fruit inherits Food — the fruit food category (2026-10-10)*

U+1F030

## Apple



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F032

## Orange



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F033

## Pear



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F034

## Melon



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F035


## Banana



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F036

## Carrot



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F037

## Fig



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F038

## Soup



⊑ *Tin — Soup inherits Tin — the soup category (2026-10-11)*

U+2473

## Lemon



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F039

## Lime



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F03A

## Grapes



⊑ *Fruit — Fruit item inherits Fruit (2026-10-10)*

U+1F03B

## Goodbar



⊑ *Candy — Goodbar inherits Candy (2026-10-11)*

U+1F000

## Honee



⊑ *Candy — Honee inherits Candy (2026-10-11)*

U+1F001

## DRation



⊑ *Candy — DRation inherits Candy (2026-10-11)*

U+1F002

## Candy



⊑ *Food — Candy inherits Food — the candy category (2026-10-11)*

U+1F02A

## Tomb



⊑ *Sundry — Tomb inherits Sundry*
*(2026-10-11)*

U+3248

## Pesto



⊑ *Sundry — Pesto inherits Sundry*
*(2026-10-11)*

U+3249

## DoveBar



⊑ *Candy — DoveBar inherits Candy*
*(2026-10-11)*

U+1F003

## CrowBar



⊑ *Candy — CrowBar inherits Candy*
*(2026-10-11)*

U+1F029

## Egg

Ø

⊑ *Creature — Egg inherits Creature (2026-10-11)*

U+00F8

## Spinach



⊑ *Soup — Spinach (NetHack tin filling, Popeye strength) inherits Soup (2026-10-11)*

U+277C


## Meat



⊑ *Creature — Meat inherits Creature — the meat category (2026-10-11)*

U+4E3D

## Creature



⊑ *Tin — Creature inherits Tin — the creature-meat tin category; the category that shuffles monsters as consumables (tins of monster meat) (2026-10-11)*

U+A74B



## IntegerBounded

⊑ *Integer — IntegerBounded inherits Integer (new 2026-10-15)*

U+012A



## IntegerBounded.max

⊑ *Integer — IntegerBounded.max is an Integer (new 2026-10-15)*

U+2047



## IntegerBounded.min

⊑ *Integer — IntegerBounded.min is an Integer (new 2026-10-15)*

U+2047



## IntegerBounded.epsilon

⊑ *Integer — IntegerBounded.epsilon is an Integer (new 2026-10-15)*

U+2047

## IntegerBounded.nabla

⁇

*IntegerBounded.nabla enforces bounded gets and sets (new 2026-10-15)*

U+2047


## IntegerBounded.nabla

⁇

⊑ *Interpreter — IntegerBounded.nabla is an Interpreter (new 2026-10-15)*

U+2047

## Angle



⊑ *IntegerBounded — Angle inherits IntegerBounded (new 2026-10-15)*

U+29B5

## VirtualHorizontal



⊑ *Angle — VirtualHorizontal inherits Angle (new 2026-10-15)*

U+29D3

## Egg

Ø

*Egg stays empty till use — populated by the Creature monster-shuffle at runtime (2026-10-11)*

U+00F8

## VirtualDistance



⊑ *IntegerBounded — VirtualDistance inherits IntegerBounded (new 2026-10-15)*

U+27F0

## VirtualVertical



⊑ *Angle — VirtualVertical inherits Angle (new 2026-10-15)*

U+29D7

## Meat



*Meat stays empty till use — populated by the Creature monster-shuffle at runtime (2026-10-11)*

U+4E3D

# Index

# English Index


AcidBroth 188-1
AcidBroth 219-2
AirElemental 198-3
Amulet 172-1
Anagram 74-4
Anagram 81-4
Angle 168-2
Angle 237-3
Anticut 137-1
Antilog 28-2
Apple 190-1
Apple 230-2
Applyself 121-1
Approx 13-3
Arccosine 26-1
Arcsine 26-2
Arctangent 26-4
Armor 171-3
Asian 182-4
Asian 224-2
Atomize 109-2
BabyDragon 210-1
BabyLongWorm 199-4
BabyPurpleWorm 199-2
Backstroke 107-1
Backstroke 112-1
Backstroke (forward) 107-3
Backstroke (forward) 112-3
Baluchitherium 212-4
Banana 191-1
Banana 231-2
Base Ten Log 29-4
Bell 39-3
Bell 43-4
Bell 46-2
BowlOfRice 184-1
BowlOfRice 225-3
Box 86-1
Box 88-1
Box 89-1
Box 94-1
Bucket 102-2
Bugbear 214-1
Caboose 109-4
Candy 186-4
Candy 233-4
CandyBar 193-4
CandyBar 227-3
CantoneseDuck 185-4
CantoneseDuck 226-4
Cardinality 79-1
CarpSashimi 180-1
CarpSashimi 221-2
Carrot 191-2
Carrot 231-3
Catalogue 88-3
Catalogue 92-3
Catenate 72-2
Catenate 78-3
Catenate 82-1
CaveSpider 211-2
Ceiling 25-1
Ceiling 35-2
Cell 162-1
Center 79-2
Centipede 211-1
ChickenNoodleSoup 189-4
ChickenNoodleSoup 220-4
Class 165-1
Classes 165-2
CloveOfGarlic 195-1
CloveOfGarlic 229-2
Collate 129-1
Combinatoric 50-3
Combinatoric 53-1
Compress 133-2

Compress 139-2
Congruent 9-3
Congruent 11-3
Conjugate 21-3
Constant 144-1
Cosine 25-4
Count 75-3
CrabSashimi 181-2
CrabSashimi 222-4
CramRation 194-2
CramRation 228-1
CRation 195-4
CRation 228-4
CreamOfAlgaeSoup 189-3
CreamOfAlgaeSoup 220-3
Creature 186-3
Creature 235-4
CrowBar 188-4
CrowBar 234-4
Curry 129-2
Cut 136-1
Cut 139-3
Deal 44-1
Debugger 136-2
Decide 124-3
Decrement 148-1
Decrement 150-2
Deli 185-2
Deli 226-1
Determinant 66-1
Dice 40-4
Dice 43-2
Dice 46-1
Diction 124-1
Differentiate 56-3
Divide (Complex) 18-3
Divide (Complex) 23-3
Divide (Complex) 33-3
Divide (Polar) 18-4
Divide (Polar) 23-4
Divide (Polar) 33-4
Divide By 148-2
Divide By 151-1
Divisible 49-1
Divisible 52-2
Double 21-4
DoveBar 187-4
DoveBar 234-3
Down 162-3
Dragon 211-4
DragonSashimi 181-3
DragonSashimi 223-1
DRation 187-3
DRation 233-3
Drop 82-3
Drop Train 119-3
Dumplings 183-4
Dumplings 225-2
Dungeon 161-2
Duplicate 109-3
Duplicate Head 112-2
Duplicate Tail 114-3
DwarfMummy 205-3
DwarfZombie 207-4
EarthElemental 198-1
EelSashimi 180-3
EelSashimi 222-1
Egg 186-1
Egg 235-1
Egg 238-1
Elf 210-2
ElfMummy 205-2
ElfNoble 210-3
ElfZombie 208-1
ElvenMonarch 210-4
Enlist 100-1
Enumerate 75-1
Epsilon 144-2
Equality 12-1
Errdmd 136-3
Errline 133-3
Errmsg 133-4
Ettin 202-4
EttinMummy 206-4

EttinZombie 208-4
EucalyptusLeaf 193-3
EucalyptusLeaf 227-2
Euler 40-3
Evaluate 59-4
Extend 72-1
Extend 78-2
Extend 83-2
Exx 71-3
Factor 50-2
Factorial 19-1
Factorial 29-1
Factorial 35-1
Fetch 92-2
Fig 191-3
Fig 231-4
FireElemental 198-2
FireGiant 202-1
FixedPoint 60-1
Floor 25-2
Floor 35-3
Foocubus 216-2
Food 172-2
FoodRation 194-3
FoodRation 228-2
forall 13-2
Fork 119-2
Fornone 14-2
Forsome 14-1
FortuneCookie 183-2
FortuneCookie 224-4
Fourier 29-2
FrostGiant 202-3
Fruit 185-3
Fruit 230-1
Function 124-4
Gamma 40-1
GCD 52-3
Gem 173-1
Gets 151-3
Getter 147-3
Ghoul 209-1
Giant 201-2
GiantMummy 206-3
GiantSpider 212-1
GiantZombie 208-3
Glyph 124-2
GnomeMummy 205-4
GnomeZombie 207-2
Golden 40-2
GoldenSoup 188-2
GoldenSoup 219-3
Goodbar 187-1
Goodbar 233-1
Grade Down 72-4
Grade Up 72-3
GrandMaster 218-4
Grapes 192-4
Grapes 232-4
Greater Or Equal 12-4
Greater Than 11-2
GreenElf 209-3
GreyElf 209-4
Gyuniku 182-3
Gyuniku 224-1
Half 39-1
Half 43-1
Head 114-1
HillGiant 202-2
Honee 187-2
Honee 233-2
HumanMummy 205-1
HumanZombie 208-2
Hyperbolic Arccosine 28-4
Hyperbolic Arcsine 27-3
Hyperbolic Arctangent 28-3
Hyperbolic Cosine 27-2
Hyperbolic Sine 27-1
Hyperbolic Tangent 27-4
Identity 106-4
Implies 13-1
In 102-1
In 103-1
InAt 102-4

Increment 147-1
Increment 150-1
Indivisible 49-2
Indivisible 52-4
Inherits 167-2
InLast 102-3
Inner Product 63-2
Inner Product 65-2
Inner Product 68-2
InOf 99-3
Instance 165-4
Instances 165-3
Integer Division 59-3
IntegerBounded 154-1
IntegerBounded 236-1
IntegerBounded.epsilon 236-4
IntegerBounded.max 236-2
IntegerBounded.min 236-3
IntegerBounded.nabla 237-1
IntegerBounded.nabla 237-2
Integrate 56-4
Interpreter 167-1
Intersection 97-1
Intersection 99-1
Intersection 103-2
InverseFourier 29-3
Invert 9-1
Isa 167-3
IsAt 11-4
Jabberwock 214-3
Kelp 183-3
Kelp 225-1
KelpFrond 193-2
KelpFrond 227-1
Kobold 200-2
KoboldLord 201-3
KoboldMummy 206-2
KoboldShaman 201-4
KoboldZombie 207-1
Kount 75-4
KRation 194-4
KRation 228-3
L Factor 65-4
Lambda 127-1
Laminate 74-3
Laminate 81-3
LargeKobold 200-1
Lay 126-4
LCM 52-1
LembasWafer 194-1
LembasWafer 227-4
Lemon 191-4
Lemon 232-2
Leocrotta 215-2
Less Or Equal 12-3
Less Than 11-1
Level 161-4
Lime 192-3
Lime 232-3
Link 92-4
(literalize) 126-2
Local 57-3
LongWorm 199-3
LumpOfRoyalJelly 195-3
LumpOfRoyalJelly 229-4
LurkerAbove 215-4
Magnitude 30-1
Manwich 189-2
Manwich 220-2
Map 106-2
Map 111-2
MasterMindFlayer 200-3
Mastodon 212-2
Meat 186-2
Meat 235-3
Meat 238-4
Melon 190-4
Melon 231-1
MerfolkCommon 218-3
MerfolkNoble 217-3
MerfolkRoyal 217-2
MerfolkWitch 217-4
Meter 109-1
(method binding) 151-2

MindFlayer 200-4
Minotaur 213-3
Minus (Complex) 18-1
Minus (Complex) 23-1
Minus (Complex) 33-1
MoldySoup 189-1
MoldySoup 220-1
Monster 176-2
MountainNymph 216-3
Multiply 19-4
Multiply 24-4
Multiply 34-4
Multiply By 148-3
Multiply By 150-3
Multiply Matrices 63-3
Multiply Matrices 65-3
Multiply Matrices 68-3
Mumak 212-3
Natural Log 28-1
Natural Log 35-4
Negate 21-2
Negate / Subtract 17-2
NextLocal 56-1
Nil 7-2
Nip 118-1
Nosferatu 204-4
Not 9-2
Object 167-4
Omega 144-3
Optimize 57-2
Optimize 59-2
Orange 190-2
Orange 230-3
OrcMummy 206-1
OrcZombie 207-3
Outer Product 63-1
Outer Product 65-1
Outer Product 68-1
Over 118-4
Owlbear 214-2
Oyster 182-1
Oyster 223-3
Pear 190-3
Pear 230-4
Pee 71-1
Percent 19-2
Percent 24-1
Percent 34-1
Permute 74-2
Permute 81-2
Pesto 193-1
Pesto 234-2
Pi 39-2
Pick 41-1
Pick 43-3
Pipeline 112-4
Pipeline 121-2
Player 176-1
Plus 32-1
Plus (Complex) 17-3
Plus (Complex) 22-3
Plus (Complex) 32-3
Point 155-2
Potion 173-2
PreservedEgg 184-4
PreservedEgg 226-3
Prim 154-4
Prime 49-4
Prime 50-1
Primes 49-3
Print 126-1
Property 147-4
Property 150-4
PurpleWorm 199-1
Put 81-1
Quotient 24-3
Quotient 34-3
Rail 126-3
Ramen 183-1
Ramen 224-3
Rank 74-1
Raster 155-1
Ravel 77-2
RavelRows 77-1

Raze 88-4
Real 39-4
Reduce 106-1
Reduce 111-1
Reduce (forward) 106-3
Reduce (forward) 111-3
Reflect 75-2
RefriedBeans 179-2
RefriedBeans 221-1
Replicate 116-2
Reveal 59-1
Reverse 77-3
Reverse 82-4
Reverse Train 118-3
Ring 171-1
Roots 56-2
Rotate 78-4
Rotate 83-3
Rotate Head 116-3
Rotate Tail 116-4
Rothe 214-4
SalmonSashimi 180-4
SalmonSashimi 222-2
Scorpion 211-3
Screen 161-3
Scroll 172-3
Set Difference 103-4
Setter 147-2
Shade 215-1
Shape 78-1
Shape 83-1
Shopkeeper 218-2
Sight 79-3
Signum 21-1
Signum / Plus 17-1
Silence 133-1
Silence 139-1
Sine 25-3
Skeleton 216-1
Solve 57-1
Soup 185-1
Soup 232-1
Spinach 179-3
Spinach 235-2
SprigOfWolfsbane 195-2
SprigOfWolfsbane 229-3
SpringRolls 184-2
SpringRolls 225-4
Square 19-3
Square 36-1
Square Root 22-2
Stalker 215-3
Star 24-2
Star 34-2
StonedSoup 188-3
StonedSoup 219-4
StoneGiant 201-1
Stop 107-2
StormGiant 203-2
Strip 107-4
Strip 114-4
Subtract 32-2
Succeed 136-4
Sum 22-1
Summarize 86-3
Summarize 89-3
Summarize 92-1
Sundry 192-2
Sundry 229-1
Sushi 179-4
Sushi 221-4
Swap 116-1
Tail 114-2
Take 82-2
Tangent 26-3
Times (Complex) 17-4
Times (Complex) 22-4
Times (Complex) 32-4
Times (Polar) 18-2
Times (Polar) 23-2
Times (Polar) 33-2
Tin 179-1
Tin 219-1
Titan 203-4

Titanothere 213-4
Tofu 184-3
Tofu 226-2
Tomb 192-1
Tomb 234-1
Tool 172-4
Transpose 77-4
Trapdoor 154-2
Trapdoor 157-1
Trapper 213-2
Triangle 155-3
Triple 119-1
Truth 7-3
Tuck 118-2
TunaSashimi 181-1
TunaSashimi 222-3
TurtleSashimi 181-4
TurtleSashimi 223-2
U Factor 66-2
UnApprox 13-4
Unbox 86-2
Unbox 88-2
Unbox 89-2
Unbox 94-2
Unequal 12-2
Uni 182-2
Uni 223-4
Union 97-2
Union 99-2
Union 103-3
Up 162-2
Vampire 203-3
VampireBat 203-1
VampireLady 204-2
VampireLeader 204-1
VampireLord 204-3
VirtualDistance 168-1
VirtualDistance 238-2
VirtualHorizontal 168-3
VirtualHorizontal 237-4
VirtualSpace 154-3
VirtualVertical 168-4
VirtualVertical 238-3
Wand 171-2
WaterElemental 198-4
WaterNymph 217-1
Weapon 171-4
WhaleSashimi 180-2
WhaleSashimi 221-3
Where 99-4
Where 161-1
WizardOfYendor 218-1
WoodElf 209-2
WoodNymph 216-4
Wumpus 213-1
Wuxia 7-1
Wye 71-4
Zee 71-2
Zero 111-4
Zip 89-4

# Glyph Index


! (U+0021) 19-1, 29-1, 35-1
% (U+0025) 19-2, 24-1, 34-1
& (U+0026) 57-1
* (U+002A) 24-2, 34-2
+ (U+002B) 17-1, 21-1, 32-1
- (U+002D) 17-2, 21-2, 32-2
/ (U+002F) 106-1, 111-1
< (U+003C) 11-1
= (U+003D) 12-1
> (U+003E) 11-2
? (U+003F) 44-1
@ (U+0040) 161-1, 216-1, 216-2, 216-3, 216-4, 217-1
\ (U+005C) 107-1, 112-1
~ (U+007E) 9-1
¡ (U+00A1) 124-1
¢ (U+00A2) 162-1, 211-1
£ (U+00A3) 161-2
¤ (U+00A4) 211-2
¥ (U+00A5) 218-1
§ (U+00A7) 161-3, 218-2
¬ (U+00AC) 9-2
® (U+00AE) 124-2
± (U+00B1) 129-1, 211-3
¶ (U+00B6) 161-4
½ (U+00BD) 39-1, 43-1
¿ (U+00BF) 124-3, 213-1
Ø (U+00D8) 212-1
ö (U+00F6) 214-1
÷ (U+00F7) 24-3, 34-3
ø (U+00F8) 161-1, 214-2, 235-1, 238-1
Ĝ (U+011C) 202-1
ğ (U+011E) 202-2
Ġ (U+0120) 201-1
Ģ (U+0122) 201-2
Ī (U+012A) 154-1, 236-1
ƀ (U+0180) 203-1
Ɠ (U+0193) 202-3
Ƹ (U+01B8) 214-3
Ǧ (U+01E4) 203-2
Ǧ ˇ (U+01E6) 202-4
Ȣ (U+0222) 214-4
Ƚ (U+023D) 215-2
Λ (U+039B) 127-1
Ψ (U+03A8) 212-2, 212-3
α (U+03B1) 144-1
γ (U+03B3) 40-1
ε (U+03B5) 144-2
π (U+03C0) 39-2
ρ (U+03C1) 78-1, 83-1
φ (U+03C6) 40-2
ω (U+03C9) 144-3
ϒ (U+03D2) 212-4
Ϝ (U+03DC) 29-2
Ќ (U+040C) 201-3
Э (U+042D) 215-3
Ѫ (U+046A) 205-1, 205-2, 205-3, 205-4, 206-1, 206-2, 206-3, 206-4
Й̦ (U+048A) 213-2
ҍ (U+049B) 201-4
Ҝ (U+049C) 200-1
ҝ (U+049D) 200-2
Ӌ (U+04F4) 200-3
ӌ (U+04F5) 200-4
Ṁ (U+1E40) 213-3
ṽ (U+1E7D) 204-1
ỿ (U+1E7F) 203-3
⁽ (U+203D) 167-1
⁇ (U+2047) 204-3, 204-4, 210-1, 211-4, 217-2, 217-3, 217-4, 218-3, 218-4, 236-2, 236-3, 236-4, 237-1, 237-2
Ɛ (U+2107) 40-3
𝑔 (U+210A) 209-1
ℓ (U+2113) 56-1
№ (U+2116) 75-1
ℙ (U+2119) 71-1

| | | |
|---|---|---|
| ℜ | (U+211C) | 59-1 |
| ℝ | (U+211D) | 171-1 |
| ℞ | (U+211E) | 56-2 |
| ℤ | (U+2124) | 70-1, 70-2, 207-1, 207-2, 207-3, 207-4, 208-1, 208-2, 208-3, 208-4 |
| ℩ | (U+2129) | 29-3 |
| ℧ | (U+2127) | 213-4 |
| ℾ | (U+213E) | 72-1, 78-2, 83-2 |
| ℿ | (U+213F) | 72-2, 78-3, 82-1 |
| ⅁ | (U+2141) | 203-4 |
| ⅋ | (U+214B) | 57-2, 59-2 |
| ⅏ | (U+214F) | 215-4 |
| Ⅱ | (U+2161) | 112-2 |
| Ⅲ | (U+2162) | 119-1 |
| ↑ | (U+2191) | 82-2 |
| ↓ | (U+2193) | 82-3 |
| ⇋ | (U+21CB) | 116-1 |
| ⇒ | (U+21D2) | 13-1 |
| ↤ | (U+21F7) | 118-1 |
| ↠ | (U+21F8) | 118-2 |
| ↮ | (U+21F9) | 118-3 |
| ∀ | (U+2200) | 13-2 |
| ∂ | (U+2202) | 56-3 |
| ∃ | (U+2203) | 14-1 |
| ∄ | (U+2204) | 14-2 |
| ∅ | (U+2205) | 7-2 |
| ∇ | (U+2207) | 124-4 |
| ∈ | (U+2208) | 102-1 |
| ϵ | (U+220A) | 100-1, 103-1 |
| ∐ | (U+2210) | 79-1, 102-2 |
| ∑ | (U+2211) | 22-1 |
| ∔ | (U+2214) | 109-1 |
| √ | (U+221A) | 22-2 |
| ∩ | (U+2229) | 97-1, 99-1, 103-2 |
| ∪ | (U+222A) | 97-2, 99-2, 103-3 |
| ∫ | (U+222B) | 56-4 |
| ∷ | (U+2237) | 109-2 |
| ÷ | (U+223B) | 75-2 |
| ≈ | (U+2248) | 13-3 |
| ≉ | (U+2249) | 13-4 |
| ≖ | (U+2256) | 88-1 |
| ≗ | (U+2257) | 88-2 |
| ≠ | (U+2260) | 12-2 |
| ≡ | (U+2261) | 9-3, 11-3 |
| ≣ | (U+2263) | 11-4 |
| ≤ | (U+2264) | 12-3 |
| ≥ | (U+2265) | 12-4 |
| ≬ | (U+226C) | 106-2, 111-2 |
| ⊂ | (U+2282) | 86-1, 89-1, 94-1 |
| ⊃ | (U+2283) | 86-2, 89-2, 94-2 |
| ⊑ | (U+2291) | 167-2 |
| ⊕ | (U+2295) | 147-1, 150-1, 198-1 |
| ⊖ | (U+2296) | 148-1, 150-2 |
| ⊗ | (U+2297) | 63-1, 65-1, 68-1 |
| ⊘ | (U+2298) | 148-2, 151-1 |
| ⊙ | (U+2299) | 165-1 |
| ⊚ | (U+229A) | 86-3, 89-3, 92-1 |
| ⊛ | (U+229B) | 148-3, 150-3, 198-2 |
| ⊞ | (U+229E) | 79-2 |
| ⊠ | (U+22A0) | 19-3, 36-1 |
| ⊡ | (U+22A1) | 151-2 |
| ⊣ | (U+22A3) | 171-2 |
| ⊤ | (U+22A4) | 7-3, 199-1 |
| ⊢ | (U+22A6) | 199-2 |
| ⊶ | (U+22B0) | 89-4 |
| ⊲ | (U+22B2) | 147-2 |
| ⊳ | (U+22B3) | 147-3 |
| ⊷ | (U+22B6) | 21-3 |
| ⊸ | (U+22B7) | 109-3 |
| ⊹ | (U+22B8) | 92-2 |
| ⊹ | (U+22B9) | 133-1, 139-1 |
| ⋄ | (U+22C4) | 107-2 |
| ⋅ | (U+22C5) | 63-2, 65-2, 68-2 |
| ⋈ | (U+22C8) | 63-3, 65-3, 68-3 |
| ⋔ | (U+22D4) | 119-2 |
| ⋕ | (U+22D5) | 74-1 |
| ⋖ | (U+22D6) | 133-2, 139-2 |
| ⋘ | (U+22D8) | 147-4, 150-4 |
| ⋮ | (U+22EE) | 136-1, 139-3 |
| ⋯ | (U+22EF) | 137-1 |
| ⋲ | (U+22F2) | 77-1 |
| ⋳ | (U+22F3) | 77-2 |
| ⋵ | (U+22F5) | 102-3 |
| ⋸ | (U+22F8) | 99-3 |

| | | |
|---|---|---|
| ⋵ | (U+22F9) | 102-4 |
| ⋿ | (U+22FF) | 167-3 |
| ⌈ | (U+2308) | 25-1, 35-2 |
| ⌊ | (U+230A) | 25-2, 35-3 |
| ⌬ | (U+232C) | 116-2 |
| ⌼ | (U+233C) | 66-1 |
| ⌽ | (U+233D) | 77-3, 82-4 |
| ⌿ | (U+233F) | 106-3, 111-3 |
| ⍀ | (U+2340) | 107-3, 112-3 |
| ⍉ | (U+2349) | 77-4 |
| ⍋ | (U+234B) | 72-3 |
| ⍒ | (U+2352) | 72-4 |
| ⍗ | (U+2357) | 30-1 |
| ⍵ | (U+235B) | 18-1, 23-1, 33-1 |
| ⍰ | (U+2360) | 126-1 |
| ⍣ | (U+2363) | 121-1 |
| ⍳ | (U+2373) | 75-3 |
| ⍷ | (U+237C) | 28-1, 35-4 |
| ⎈ | (U+2388) | 79-3 |
| ⎊ | (U+238A) | 52-1 |
| ⎢ | (U+23A2) | 49-1, 52-2 |
| ⏀ | (U+23C0) | 50-1 |
| ⑳ | (U+2473) | 185-1, 232-1 |
| Ⓒ | (U+24B8) | 165-2 |
| Ⓘ | (U+24BE) | 165-3 |
| ▲ | (U+25B2) | 162-2 |
| ▼ | (U+25BC) | 162-3 |
| ● | (U+25CF) | 173-1 |
| ◝ | (U+25DD) | 25-3 |
| ◞ | (U+25DE) | 25-4 |
| ◶ | (U+25F6) | 26-1 |
| ◷ | (U+25F7) | 26-2 |
| ☘ | (U+2618) | 208-2, 209-3, 209-4, 210-2 |
| ☻ | (U+263B) | 176-1 |
| ☷ | (U+2685) | 40-4, 43-2, 46-1 |
| ✔ | (U+2714) | 136-2 |
| ✧ | (U+2727) | 136-3 |
| ✪ | (U+272A) | 179-1, 219-1 |
| ❀ | (U+2741) | 172-1 |
| ❌ | (U+274C) | 133-3 |
| ❎ | (U+274E) | 133-4 |
| ❖ | (U+2756) | 185-2, 226-1 |
| ❗ | (U+2757) | 173-2 |
| ❶ | (U+2776) | 188-1, 219-2 |
| ❷ | (U+2777) | 188-2, 219-3 |
| ❸ | (U+2778) | 188-3, 219-4 |
| ❹ | (U+2779) | 189-1, 220-1 |
| ❺ | (U+277A) | 189-2, 220-2 |
| ❻ | (U+277B) | 179-2, 221-1 |
| ❼ | (U+277C) | 179-3, 235-2 |
| ❾ | (U+277E) | 189-3, 220-3 |
| ❿ | (U+277F) | 189-4, 220-4 |
| ⟒ | (U+27D2) | 50-2 |
| ⟪ | (U+27DA) | 81-1 |
| ⟰ | (U+27F0) | 168-1, 238-2 |
| ⟲ | (U+27F2) | 116-3 |
| ⟳ | (U+27F3) | 116-4 |
| ⤚ | (U+291A) | 119-3 |
| ⤺ | (U+293A) | 118-4 |
| ⦀ | (U+2980) | 52-3 |
| ⦑ | (U+2991) | 114-1 |
| ⦒ | (U+2992) | 114-2 |
| ⦙ | (U+2999) | 136-4 |
| ⦵ | (U+29B5) | 168-2, 237-3 |
| ⦼ | (U+29BC) | 78-4, 83-3 |
| ⧋ | (U+29CA) | 28-2 |
| ⧓ | (U+29D3) | 168-3, 237-4 |
| ⧗ | (U+29D7) | 168-4, 238-3 |
| ⧾ | (U+29DE) | 114-3 |
| ⨂ | (U+2A02) | 18-2, 23-2, 33-2 |
| ⨃ | (U+2A03) | 41-1, 43-3 |
| ⨊ | (U+2A0A) | 74-2, 81-2 |
| ⨢ | (U+2A22) | 17-3, 22-3, 32-3 |
| ⨣ | (U+2A23) | 75-4 |
| ⨧ | (U+2A27) | 21-4 |
| ⨪ | (U+2A2C) | 18-3, 23-3, 33-3 |
| ⨯ | (U+2A2F) | 19-4, 24-4, 34-4 |
| ⨰ | (U+2A30) | 17-4, 22-4, 32-4 |
| ⨳ | (U+2A33) | 126-2 |
| ⨷ | (U+2A37) | 88-3, 92-3, 198-3 |
| ⨸ | (U+2A38) | 18-4, 23-4, 33-4, 198-4 |
| ⩒ | (U+2A42) | 99-4 |
| ⩓ | (U+2A43) | 103-4 |
| ⩤ | (U+2A4D) | 28-3 |

| | | |
|---|---|---|
| ⩓ | (U+2A53) | 199-3 |
| ⩛ | (U+2A55) | 199-4 |
| ⩞ | (U+2A5E) | 74-3, 81-3 |
| ⩟ | (U+2A5F) | 29-4 |
| ⩩ | (U+2A69) | 50-3, 53-1 |
| ⩸ | (U+2A78) | 109-4 |
| ⪦ | (U+2AA6) | 27-1 |
| ⪧ | (U+2AA7) | 27-2 |
| ⪽ | (U+2ABD) | 27-3 |
| ⪾ | (U+2ABE) | 28-4 |
| ⫍ | (U+2ACD) | 126-3 |
| ⫎ | (U+2ACE) | 126-4 |
| ⫏ | (U+2ACF) | 107-4, 114-4 |
| ⫑ | (U+2AD1) | 27-4 |
| ⫖⊂ | (U+2AD7) | 26-3 |
| ⫗⋉ | (U+2AD8) | 26-4 |
| ⫩ | (U+2AE9) | 92-4 |
| ⫮ | (U+2AEE) | 49-2, 52-4 |
| ⫵ | (U+2AF5) | 88-4 |
| ⫷ | (U+2AF7) | 112-4, 121-2 |
| ⫽ | (U+2AFD) | 59-3 |
| ⇔ | (U+2B04) | 151-3 |
| 𞸙 | (U+2E19) | 210-3 |
| 支 | (U+2F40) | 210-4 |
| 〸 | (U+3248) | 192-1, 234-1 |
| 〹 | (U+3249) | 193-1, 234-2 |
| ㉾ | (U+3267) | 192-2, 229-1 |
| ㊀ | (U+3280) | 180-1, 221-2 |
| ㊁ | (U+3281) | 180-2, 221-3 |
| ㊂ | (U+3282) | 180-3, 222-1 |
| ㊃ | (U+3283) | 180-4, 222-2 |
| ㊄ | (U+3284) | 181-1, 222-3 |
| ㊅ | (U+3285) | 181-2, 222-4 |
| ㊆ | (U+3286) | 181-3, 223-1 |
| ㊇ | (U+3287) | 181-4, 223-2 |
| ㊈ | (U+3288) | 182-1, 223-3 |
| ㊉ | (U+3289) | 182-2, 223-4 |
| ㊊ | (U+328A) | 182-3, 224-1 |
| ㊌ | (U+328C) | 193-2, 227-1 |
| ㊍ | (U+328D) | 193-3, 227-2 |
| ㊎ | (U+328E) | 193-4, 227-3 |
| ㊏ | (U+328F) | 194-1, 227-4 |
| ㊐ | (U+3290) | 194-2, 228-1 |
| ㊗ | (U+3297) | 179-4, 221-4 |
| ㊞ | (U+329F) | 195-1, 229-2 |
| ㊠ | (U+32A0) | 195-2, 229-3 |
| ㊲ | (U+32A2) | 195-3, 229-4 |
| ㊩ | (U+32A9) | 194-3, 228-2 |
| ㊪ | (U+32AA) | 194-4, 228-3 |
| ㊫ | (U+32AB) | 195-4, 228-4 |
| 丽 | (U+4E3D) | 186-2, 235-3, 238-4 |
| 侠 | (U+4FA0) | 7-1 |
| ꝋ | (U+A74B) | 186-3, 235-4 |
| ꝍ | (U+AB44) | 60-1 |
| 𝔠 | (U+1D21D) | 154-2, 157-1 |
| 𝒜 | (U+1D49C) | 74-4, 81-4 |
| 𝒞 | (U+1D49E) | 129-2 |
| 𝒫 | (U+1D4AB) | 49-3 |
| 𝓥 | (U+1D4E5) | 154-3 |
| 𝔏 | (U+1D50F) | 57-3 |
| 𝔓 | (U+1D513) | 49-4 |
| 𝔸 | (U+1D538) | 171-3 |
| 𝔽 | (U+1D53D) | 172-2 |
| 𝕀 | (U+1D540) | 165-4 |
| 𝕄 | (U+1D544) | 176-2 |
| 𝕆 | (U+1D546) | 167-4 |
| 𝕊 | (U+1D54A) | 172-3 |
| 𝕋 | (U+1D54B) | 172-4 |
| 𝕎 | (U+1D54E) | 171-4 |
| 𝕏 | (U+1D54F) | 71-3 |
| 𝕐 | (U+1D550) | 71-4 |
| 𝔅 | (U+1D56D) | 39-3, 43-4, 46-2 |
| 𝔍 | (U+1D574) | 106-4 |
| 𝔏 | (U+1D577) | 65-4 |
| 𝔑 | (U+1D57D) | 39-4 |
| 𝔘 | (U+1D580) | 66-2 |
| 𝔷 | (U+1D585) | 111-4 |
| 𝖋 | (U+1D58B) | 59-4 |
| 𝟘 | (U+1D7D8) | 154-4 |
| 𝟙 | (U+1D7D9) | 155-1 |
| 𝟚 | (U+1D7DA) | 155-2 |
| 𝟛 | (U+1D7DB) | 155-3 |
| 🀀 | (U+1F000) | 187-1, 233-1 |
| 🀁 | (U+1F001) | 187-2, 233-2 |

| | | | | | |
|---|---|---|---|---|---|
|  | (U+1F002) | 187-3, 233-3 |  | (U+1F03A) | 192-3, 232-3 |
|  | (U+1F003) | 187-4, 234-3 |  | (U+1F03B) | 192-4, 232-4 |
|  | (U+1F029) | 188-4, 234-4 | 手 | (U+1F210) | 182-4, 224-2 |
|  | (U+1F02A) | 186-4, 233-4 | 字 | (U+1F211) | 183-1, 224-3 |
|  | (U+1F030) | 185-3, 230-1 | 双 | (U+1F212) | 183-2, 224-4 |
|  | (U+1F032) | 190-1, 230-2 | デ | (U+1F213) | 183-3, 225-1 |
|  | (U+1F033) | 190-2, 230-3 | 二 | (U+1F214) | 183-4, 225-2 |
|  | (U+1F034) | 190-3, 230-4 | 多 | (U+1F215) | 184-1, 225-3 |
|  | (U+1F035) | 190-4, 231-1 | 解 | (U+1F216) | 184-2, 225-4 |
|  | (U+1F036) | 191-1, 231-2 | 天 | (U+1F217) | 184-3, 226-2 |
|  | (U+1F037) | 191-2, 231-3 | 交 | (U+1F218) | 184-4, 226-3 |
|  | (U+1F038) | 191-3, 231-4 | 映 | (U+1F219) | 185-4, 226-4 |
|  | (U+1F039) | 191-4, 232-2 | | | |