

Terminal Commands

All the following commands are to be run in a terminal, the keywords **git** must be prefixed to each of them.

clone url Clone a repository from **url** into a new directory.

status Display the state of the working directory.

log Show all commit logs of the current repository.

add file Add **file** to the staging area.

add -A Add all changes to the staging area.

commit -m "msg" Commit the staged changes with message **msg**.

reset delete all local changes.

push origin branch Push the commits to remote **origin** on **branch**.

push Push the commits to the default remote and branch.

rm fileName remove a file from the repo.

GitHub

Open-Source Licenses

Copyleft Strength Determines how strongly the license requires derivative works to use the same license.

Commercial Use Whether the code can be used in commercial products or services.

Attribution Requirements for giving credit to original authors and maintaining notices.

Patent Protection Whether the license includes explicit protection against patent claims.

Work Flexibility Conditions and restrictions on how the code can be modified and redistributed.

Typical Use Cases Common projects and applications where the license is frequently used.

License	Copyleft Strength	Commercial Use Allowed	Attribution Required	Patent Protection	Derivative Work Flexibility	Typical Use Cases / Examples
MIT	None (Permissive)	Yes	Yes (license & copyright)	No explicit	Unlimited (incl. proprietary)	Libraries, web frameworks, commercial reuse (React, jQuery, Rails).
Apache 2.0	None (Permissive)	Yes	Yes (NOTICE & license)	Explicit patent grant	Unlimited (incl. proprietary)	Enterprise/cloud, ML frameworks (Android, TensorFlow, Apache Spark).
GNU GPL v3	Strong (Copyleft)	Yes (derivatives must be GPL when distributed)	Yes (license & source terms)	Explicit contributor patent license	Must remain GPL (project-wide)	GNU/Linux ecosystem, dev tools (GCC, Bash, GIMP).
Mozilla Public License 2.0	Weak (File-based)	Yes	Yes (license/NOTICE)	Explicit patent grant	File-based copyleft	Mixed open/proprietary codebases (Firefox, Thunderbird).