

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

COPYRIGHT - By -

LOC
DW

DIST

REVISIONS

P


LTR

DESCRIPTION


DATE

DWN





APVD



FOR 20, 40, 60, 68, 80, 100, 120 POSITIONS ONLY



FOR 26, 30, 50 POSITIONS ONLY



NOTE:

1. MATERIAL:

HOUSING: LIQUID CRYSTAL POLYMER (LCP), UL 94V-0, BLACK COLOR.

CONTACTS: PHOSPHOR BRONZE.

BOARDLOCKS: BRASS.(Phosphor bronze)

2. FINISH:

CONTACTS: (SEE TABLE) GOLD PLATED ON CONTACT AREA,

3.81μm [150μ"] MIN. MATTE-TIN ON SOLDER TAIL, OVER

1.27mm [50m"] MIN. NICKEL UNDERPLATED.

BOARDLOCKS: 3.81μm [150μ"] MIN. TIN-Cu OVER

1.27mm [50m"] MIN. UNDERPLATED.

G, J, AND H INDICATES NUMBER OF POSITION MARKED ON ASSEMBLY.

ALSO SEE TABLE.

CONNECTOR SOLDER TAILS WILL ACCOMMODATE PRINTED CIRCUIT BOARD

THICKNESS OF 0.80 TO 1.60 [.031 TO .063].

BOARDLOCKS NOT PRESENT.

6. WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.

109-202, CONDITION B.

GOLD FLASH OVER

0.762μm [30μ"] MIN. PALLADIUM-NICKEL PLATED.

OBSOLETE

WITHOUT RETENTION LEG

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		NAME [名称]	
DIMENSIONS:		CIK		RECEPTACLE ASSEMBLY, R/A, BTB, CHANT 1.27 SERIES	
mm		APVD		1.27 系列全塑型 SCSI 插座[母头], R/A	
		PRODUCT SPEC [产品规格]		SIZE	
		APPLICATION SPEC [适用规范]		CAGE CODE	
MATERIAL		WEIGHT		DRAWING NO	
SEE NOTE		CUSTOMER DRAWING		RESTRICTED TO	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		0 PLC ±		A3	
1 PLC ±0.3		2 PLC ±0.2		G-1734037	
3 PLC ±		4 PLC ±		SCALE	
ANGLES ±		FINISH		SHEET	
SEE NOTE		00779		1 OF 4	
				REV	
				G1	

NOTES	E	D	C	B	A	CA	JA	HA	GOLD PLATED	PART NUMBER	POS.
	3.10 [.122]	76.63 [3.017]	86.13 [3.391]	82.33 [3.242]	80.47 [3.168]	60	120	61	GOLD FLASH 0.381um[15u"]	2-1734037-0	120
										1-1734037-8	
										1-1734037-2	
										5-1734037-0	
										3-1734037-0	100
										1-1734037-0	
										4-1734037-1	
										2-1734037-1	80
										1734037-1	
										4-1734037-7	
										3-1734037-7	68
										1734037-7	
										4-1734037-6	
										2-1734037-6	60
										1734037-6	
										4-1734037-5	
										2-1734037-5	50
										1734037-5	
										4-1734037-4	
										2-1734037-4	40
										1734037-4	
										4-1734037-3	
										2-1734037-3	30
										1734037-3	
										5-1734037-2	
										3-1734037-2	26
										1-1734037-2	
										4-1734037-2	
										2-1734037-2	20
										1734037-3	