



2018-2023
SUMMARY REPORT

**CHURCHILL RIVER
LAKE STURGEON
POPULATION ASSESSMENT**

PREPARED FOR:
Tataskweyak Cree Nation

November 2025
Chief and Counsel
Tataskweyak Cree Nation
PO Box 250
Split Lake, MB
R0B 1P0



Dear Chief and Counsel,

RE: Churchill River Lake Sturgeon Population Assessment – Summary Report

AAE Tech Services Inc. is pleased to submit the **Churchill River Lake Sturgeon Population Assessment**. The following report outlines the study area, methods, and results, with a broader focus on the entirety of the 6-year population program. Based on the results from this long-term study, AAE provides recommendations for future field investigations to support ongoing conservation efforts.

Recognizing the ecological and cultural significance of the Lake Sturgeon to TCN, AAE Tech Services Inc. remains committed to supporting conservation efforts and future research initiatives. We appreciate the opportunity to collaborate with the Tataskweyak Cree Nation and look forward to further our efforts in working to protect this vital species.

Should you require any additional information or have any questions regarding the attached report please feel free to contact myself at 204-997-3483 or via email at mldowdon@aaetechservices.ca.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Mark Lowdon', is positioned above the printed name.

Mark Lowdon
Owner and Project Manager
AAE Tech Services Inc.

Executive Summary

The Churchill River was a vital ecosystem supporting abundant populations of Lake Sturgeon along its course through Manitoba before hydro-electric development. For countless generations, Indigenous communities, including Tataskweyak Cree Nation (TCN), have not only depended on Lake Sturgeon as a crucial subsistence resource, but invested the fish with deep cultural and spiritual meaning.

The implementation of the Churchill River Diversion (CRD) in 1976, which diverted approximately 75-98% of the rivers flow from the lower Churchill River to the Burntwood and Nelson River systems for hydrogeneration has significantly disrupted this natural system, leading to a severe decline in Lake Sturgeon populations. The construction of the Missi Falls Control Structure (MFCS) fundamentally altered the river's hydrology, causing widespread habitat degradation both upstream and downstream of the control structure. In addition, the lack of a fish passage at the control structure restricted fish movements and prevented fish from accessing vital overwintering habitats. The combined effects of fundamental alterations to the river's hydrology and the lack of a fish passage at the control structure likely resulted in the near extirpation of Lake Sturgeon from this once-thriving area.

Today, only a single known population of Lake Sturgeon remains in the Churchill River, which is located approximately 250 km downstream of the MFCS at the river's confluence with the Little Churchill River. The relatively small population is currently maintaining its numbers but remains susceptible to decline over time. They appear to live in a closed system with limited availability of food and habitat, particularly during low-flow years when reduced connectivity limits access to the Little Churchill River and other key spawning and refuge habitats. Favourable weather conditions over the past twenty years have contributed to supporting the population, but unfavourable conditions could leave them with a scarcity of food and habitat and no where else to go. Although the population appears stable, it remains vulnerable; stability alone does not ensure sustainability in this highly constrained system. This vulnerability is compounded by the limited area, which creates competition between the larger, older Lake Sturgeon and the juveniles, which could prevent juveniles from reaching adulthood. This would unbalance the population structure with the potential to create a genetic bottleneck. Long-term data suggest that this fragile stability masks deeper risks, as shifting age structure and limited recruitment threaten the population's capacity to sustain itself over time.

Despite the dramatic environmental consequences of the CRD, relatively few studies have been undertaken to fully assess the long-term impacts on fish populations and habitat. In response to these pressing concerns, Tataskweyak Cree Nation engaged AAE Tech Services Inc. (AAE) to conduct a comprehensive multi-year assessment of the Churchill River Lake Sturgeon population. This ongoing research aims to evaluate current population trends, identify key barriers to recovery, and provide critical data to inform future conservation and management strategies. This population report represents the

conclusion of this six-year study by AAE (2018-2023) to better understand Lake Sturgeon population health within the Churchill River.

Key Findings:

- **Population Trends:** The Churchill River Lake Sturgeon population is estimated to have 6,850 – 6,933 individuals, of which 2,114 are adults (>800 mm). The population estimate includes those individuals that utilize the lower section of the Churchill River near its confluence with the Little Churchill River.
- **Recruitment and Population Size and Structure:** Despite its relatively small size, and supported by a favourable wetter cycle over the past 15 to 20 years, the population near the Confluence appears to be stable for the time being, with a high proportion of juvenile fish. This suggests that despite the manipulated flow regime caused by CRD, suitable spawning and rearing habitat is still present within the system at this location. Sturgeon populations outside of the Confluence area have been, more or less, extirpated from the river due to habitat alterations.
- **Habitat Constraints:** The CRD has severely fragmented the river system, reducing connectivity between critical Lake Sturgeon habitats. Key spawning, rearing, and overwintering areas have been altered or destroyed, leaving the population largely confined to the Churchill-Little Churchill confluence for much of the year. This restriction not only limits the species' ability to expand and recolonize historical habitats but also increases its vulnerability to environmental stressors, including water level fluctuations and changes in water quality. If suitable habitat conditions are not maintained or improved, the population may face difficulties sustaining itself over the coming decades. Recent movement tracking confirms that access to the Little Churchill River is strongly dependent on flow conditions. During low-flow years, Lake Sturgeon are largely unable to enter or utilize habitats in the Little Churchill system, further constraining available rearing and foraging areas and reinforcing the importance of maintaining adequate seasonal connectivity.
- **Survival and Movement Patterns:** Telemetry studies (AAE Tech Services Inc., 2025, Churchill River Lake Sturgeon Movement Report, Internal Document) indicate high short-term survival among both adult and juvenile Lake Sturgeon that were tagged for movement monitoring. Each year (2019-2023), most tagged fish ($n = 47$) returned to the Confluence to overwinter, with only two mortalities and one tag loss during the study period. This recurring overwintering behaviour suggests that suitable overwintering habitat is the primary limiting factor for Lake Sturgeon persistence within this now hydro-regulated system. Movement beyond the study area remains extremely limited, reinforcing concerns that habitat fragmentation is preventing access to historically significant spawning and foraging areas.

- **Tatatskweyak Cree Nation have placed a moratorium on fishing for Lake Sturgeon.** If the moratorium were lifted and the licenced flow regime were to continue, the population at the Confluence would be in grave danger.

The findings of this study highlight the urgent need for continued conservation efforts and adaptive management strategies to protect the Churchill River Lake Sturgeon population. Hydrological constraints, ongoing habitat degradation, and the limited availability of suitable habitat continue to threaten this culturally and ecologically significant species. Moving forward, sustained collaboration between Tataskweyak Cree Nation, researchers, and resource managers will be essential to ensuring the long-term viability of Lake Sturgeon in the Churchill River system. TCN's leadership and stewardship in addressing these challenges will play a pivotal role in shaping effective conservation strategies that not only safeguard this species for future generations but also uphold TCN's inherent rights and responsibilities as caretakers of the land and water.

Given the profound cultural, ecological, and historical significance of Lake Sturgeon to TCN, it is imperative that immediate and long-term actions be taken to restore habitat, enhance connectivity, and ensure that this keystone species can thrive once again. The information gained through this study provides a critical foundation for developing these actions and informing policies and initiatives that prioritize the protection and recovery of the Churchill River Lake Sturgeon population.

Table of Contents

1. INTRODUCTION	1
1.1 Lake Sturgeon of the Churchill River	1
1.2 Impacts of the Churchill River Diversion	1
1.3 General Impacts on Lake Sturgeon from Dams	3
2. SCOPE OF WORK	5
3. METHODS	7
3.1 Physical Monitoring	7
3.2 Fish Capture	8
3.2.1 Gill Netting	8
3.2.2 Biological Sampling	10
3.3 Tagging	11
3.3.1 Floy and PIT Tags	11
3.4 Age Estimation	13
3.5 Calculations and Statistics	14
3.5.1 Condition Factor	14
3.5.2 Comparative Statistics	14
3.5.3 Growth Rates and Length-at-Age Relationships	14
3.6 Population Estimates	15
3.6.1 Cormack Jolly-Seber Model	15
3.6.2 POPAN Jolly-Seber Model	16
4. RESULTS	18
4.1 Netting	18
4.2 Biological Information	20
4.3 Length-at-Age Relationships	25
4.4 Population Estimates	26
4.4.1 Mark-Recapture	26
4.4.2 Cormack Jolly-Seber Model	28
4.4.3 POPAN Jolly-Seber Model	32
5. DISCUSSION	37
5.1 Population Trends	37
5.2 Recruitment and Size	38
5.3 Habitat and Other Constraints	39
5.4 Survival and Movement Patterns	41
5.5 Study Limitations	42
6. CONCLUSION	44
7. FUTURE DIRECTIONS	45
8. ACKNOWLEDGEMENTS	47
9. REFERENCES	48

Appendix A – Supporting Photographs	52
Appendix B – Supplementary Figures & Tables.....	54

List of Figures

Figure 1. Missi Falls Control Structure.....	2
Figure 2. Map showing the Churchill River flow prior to and after the CRD project. Grey highlighted area depicts the Churchill River watershed boundary.	4
Figure 3. Churchill and Little Churchill River Population Site map from 2018-2023.	6
Figure 4. Aerial view of the landscape surrounding Robert’s Camp downstream of the Confluence, summer 2023.....	7
Figure 5. Field crew retrieving gill net.	8
Figure 6. Churchill and Little Churchill River sampling locations at the Confluence from 2018-2023.	9
Figure 7. AAE biologists processing sturgeon at Robert’s Camp.	11
Figure 8. Orange Floy tag affixed to a juvenile Lake Sturgeon.	11
Figure 9. Green Floy tag affixed to an adult Lake Sturgeon.	12
Figure 10. Aged pectoral fin ray section from 2023 sampling period.	13
Figure 11. Length-frequency plots of sturgeon captured at the Churchill – Little Churchill Confluence in all study years.	21
Figure 12. Hatch Year of All Aged Lake Sturgeon from previous assessments and AAE program data.	22
Figure 13. Lot10-Transformed length-weight relationship of Lake Sturgeon in the Lower Churchill River (2018–2023).	23
Figure 14. Growth rates and length-at-age relationships of Lake Sturgeon from 2018-2023 in Lower Churchill River.....	25
Figure 15. Abundance estimates for all fish (left) and adults (right) at the Little Churchill River confluence from 2015 to 2023. Grey area shows the 95% confidence interval.	31
Figure 16. Abundance estimates for resident (left) and transient (right) Lake Sturgeon predicted from CJS “time since marking” model at the Little Churchill – Churchill River confluence from 2015 to 2023. Grey shaded area represents the 95% confidence interval.	32
Figure 17. Abundance estimates for all fish (left) and adults (right) predicted from POPAN models at the Little Churchill – Churchill River confluence from 2015 to 2023. Grey shaded area represents the 95% confidence interval.	36
 Figure A1. Field crew sampling Lake Sturgeon.	 52
Figure A2. Surgical implantation of VEMCO acoustic telemetry tag for movement study.	53
 Figure B1. Gill net locations in Churchill, Little Churchill and Little Beaver River, 2020.	 54

Figure B2. Gill net set locations in Little Churchill River, 2020.	55
Figure B3. Gill net set locations from Eagle Rapids to Pasketawakamaw Lake, 2020.	56
Figure B4. Gill net locations in the Churchill and Little Churchill River during the summer sampling period.	57
Figure B5. Gill net set locations in Waskauiwaka Lake, Hale Lake and the upper reaches of the Little Churchill River, summer of 2021.	58
Figure B6. Gill net set locations in Northern Indian Lake, summer 2021.	59
Figure B7. Gill net set locations at the Churchill River confluence, fall 2021.	60
Figure B8. Gill net set locations at the Churchill River confluence, summer 2022.	61
Figure B9. Gill net set locations at the Churchill River confluence, fall 2022.	62
Figure B10. Lake Sturgeon year class counts in relation to Churchill River seasonal average discharge.	67

List of Tables

Table 1. Description of Confidence Index Classifications used in analysis of ageing structures.	13
Table 2. Summary of combined adult and juvenile gill net fishing effort on the Churchill and Little Churchill systems outside of the Confluence area.	18
Table 3. Summary of Lake Sturgeon (LKST) gill net sampling data for 2018-2023 in the Confluence.	19
Table 4. Summary of biological data compiled from each Lake Sturgeon capture.	24
Table 5. Recaptures of fish by sampling session, excluding same session recaptures. Missing data includes CAMP data from 2013 and 2014 (PYTR = Previous Year Tag Returns).	27
Table 6. Parameter estimates for the most parsimonious CJS model as indicated by AICC (j = constant, r = time-varying) for all Lake Sturgeon captured during study duration ($\hat{c}$ = 2.50).	30
Table 7. Parameter estimates for the most parsimonious CJS model as indicated by AICC (j = constant, r = time-varying) for adult Lake Sturgeon (≥ 800 mm) captured during study duration ($\hat{c}$ = 1.33).	30
Table 8. Parameter estimates for a CJS model incorporating transience (j = time since marking, r = time-varying) for all Lake Sturgeon captured during study duration.	31
Table 9. Parameter and abundance estimate for the most parsimonious POPAN model as indicated by AICC (j = constant, r = time-varying, pent = time-varying) for all Lake Sturgeon captured during study duration ($\hat{c}$ = 2.50). Grey shading indicates a confounded 2014 capture probability. Abundance estimates for 2014 were dropped from the analysis.	34
Table 10. Parameter and abundance estimate for the most parsimonious POPAN model as indicated by AICC (j = constant, r = time-varying, pent = time-varying) for adult Lake Sturgeon ≥ 800 mm) captured during study duration ($\hat{c}$ = 1.33). Grey shading indicates a	

confounded 2014 capture probability. Abundance estimates for 2014 were dropped from the analysis.	35
Table C1. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2018 study period.	69
Table C2. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2019 study period.	76
Table C3. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2020 study period.	90
Table C4. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2021 study period.	97
Table C5. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2022 study period.	109
Table C6. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2023 study period.	136

List of Acronyms and Abbreviations:

AAE	AAE Tech Services Inc.
CRD	Churchill River Diversion
MFCS	Missi Falls Control Structure
TCN	Tataskweyak Cree Nations
SIL	South Indian Lake
PIT	Passive Integrated Transponder
QAQC	Quality Assurance and Control
CPUE	Catch Per Unit Effort
CJS	Cormack Jolly-Seber Model
POPAN	Jolly-Seber Model for Open Populations
TSM	Time since marking
AICc	Corrected Akaike Information Criterion
CI	Confidence Interval
NSC	North/South Consultants
PYTR	Previous Year Tag Returns
VBL	Von Bertalanffy Growth Model
FL	Fork Length
TL	Total Length
ITK	Indigenous Traditional Knowledge

Glossary of Terms:

Acoustic Telemetry: A method of movement tracking where an acoustic transmitter is implanted into individuals. Receivers are set throughout the environment to measure the signal from the transmitters and determine the individual's location over time.

AIC (Akaike Information Criterion): A statistical assessment to determine the quality of different potential models for data analysis.

AICc (Corrected Akaike Information Criterion): A correction for small sample sizes applied to the Akaike Information Criterion.

ANCOVA (Analysis of Covariance): A statistical method that compare the mean across two or more groups while accounting for other variables.

Benthivore: An animal that feeds on benthic organisms, i.e., organisms found on the bottom of the waterbody, such as shellfish, crustaceans, and other small invertebrates.

Bootstrapping: A statistical method where the originally collected data is resampled numerous times to estimate parameters associated with the dataset.

Dorsal: The upper part of the fish.

Floy Tag: A bright tag inserted under the dorsal fin with an identification code.

Fork length: The length of a fish measured from the tip of its mouth to the indent in its tail.

Fulton's Condition Factor (K): A variable based on fish length and weight that indicates the health of the fish.

Genetic bottleneck: A sharp reduction in the size of a population that leads to a loss of genetic diversity. When only a small number of individuals contribute to the next generation, genetic variation decreases, which can reduce the population's ability to adapt to environmental changes or recover from future disturbances.

Goodness of fit: A statistical test to measure how well data fits a model.

Hydrometric: Measurements pertaining to water.

Mark-recapture: A method used to estimate fish population by catching individuals and tagging them, then releasing them back to mix with the untagged population. The percentage of tagged individuals in subsequent captures estimates the population size, with lower percentages of previously tagged individuals equating to larger populations.

Normality: A distribution of a variable where most measurements are close to the mean with a roughly equal amount above and below the mean. Many statistical tests require the assumption that the data is normally distributed for the tests to be valid.

PIT tag: PIT (passive integrated transponder) tags are powerless tags with a chip inside them that can be scanned by a hand-held wand to generate a radio signal to identify the fish.

Recruitment: The number of new individuals joining a population, either from successful reproduction or immigration.

Regression: A statistical measure of the relationship between two variables.

Residuals: The difference between an observed data point and where that data point is predicted to be based on a statistical model.

Right/Left skew: Data that has a greater number of points above or below the mean respectively.

Scute: A bony plate found on the body of Lake Sturgeon.

S.E.M.: Standard error of the mean. A measure of variability in the sample data.

Shapiro-Wilk's Test: A statistical test that checks whether sample data comes from a population that is normally distributed. Usually done to confirm assumption of normality for validity of other tests.

Statistical Significance: A threshold probability measured by a statistical test that an effect is not due to random chance. Typically, probabilities of less than 5% are considered significant and likely not due to chance.

Total Length: The length of a fish measured from the tip of its mouth to the end of its tail. The tail is compressed to extend the length to its maximum possible value.

1. INTRODUCTION

1.1 Lake Sturgeon of the Churchill River

Spanning more than 1,600 kilometers (km), the Churchill River is the mainstem of a large watershed system that drains roughly 281,300 km² of northern Saskatchewan and Manitoba. It flows eastward through these provinces from its source at Churchill Lake in Saskatchewan until its terminus at Hudson Bay (Bodaly et al., 1989; Manitoba Hydro, 2019; Marsh, 2006; Newbury et al., 1984).

The Churchill River holds major significance to Indigenous peoples of the North, including the Tataskweyak Cree Nation (TCN). For centuries Indigenous communities have relied on an abundant and thriving Lake Sturgeon population as an important subsistence fishery. Since the Churchill River Diversion (CRD) was completed in 1976, flows in the river downstream of the Missi Falls Control Structure (MFCS) have been reduced by as much as 98.5%.

Despite the scale of this change in hydrology, and the significance of the river to Indigenous communities, over the past 50 years there has been a lack of comprehensive studies examining the impact the CRD has had on the state of the Lake Sturgeon fishery in the Lower Churchill River. These knowledge gaps include the status of the Lake Sturgeon population, the current state of their habitat, and what the future may hold for these ecologically and culturally significant fish.

Historically, Lake Sturgeon occupied the entirety of the Churchill River and were extremely abundant. According to oral histories shared by TCN elders and resource users, Lake Sturgeon were once found in large numbers throughout the river and their habitat was pristine. Today the river's Lake Sturgeon stocks have been decimated by anthropogenic disturbance (mainly hydroelectric infrastructure development), leading to their effective extirpation throughout most of their historic range (Ambrose and McDougall, 2018). In 2017, the Saskatchewan – Nelson River and Western Hudson Bay populations of Lake Sturgeon were classified as endangered by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC) and are currently being considered for listing under Schedule 1 of the federal Species at Risk Act (SARA) (Government of Canada; accessed 2023). Within the Lower Churchill River, which includes the river below Southern Indian Lake and the MFCS, the only known remnant population exists at the confluence of the Churchill and Little Churchill River (Ambrose and McDougall, 2018; Manitoba Government - Conservation and Water Stewardship Fisheries Branch, 2012; Manitoba Hydro, 2019).

1.2 Impacts of the Churchill River Diversion

Of all the factors that have contributed to the decline of Lake Sturgeon stocks and the degradation of the aquatic ecosystem in the Churchill River, perhaps none have had a more profound impact than the Churchill River Diversion (CRD) (Ambrose and McDougall, 2018; Bodaly et al., 1989). With construction completed in 1976, the CRD was designed and implemented to raise water levels on Southern Indian Lake (SIL) with a control structure at Missi Falls (Figure 1), and divert the flow of the Churchill River southward

via the Rat River system in order to boost hydroelectric power generation capacity on the Burntwood and Nelson rivers (Manitoba Hydro, 2019; Newbury et al., 1984). With no provisions for fish passage or habitat connectivity at Missi Falls, this project effectively segmented the mainstem of the Churchill River into two distinct reaches: the Upper Churchill River, upstream of the MFCS and extending to its headwaters in Saskatchewan, and the Lower Churchill River, below the MFCS and extending to Hudson Bay at Churchill, MB (Figure 2).

Following completion of the MFCS and the CRD, the Lower Churchill River was substantially dewatered (Manitoba Hydro, 2019; Newbury et al., 1984), with 75 - 98.5% reductions in flow leading to widespread losses and degradation of fish habitat (Ambrose and McDougall, 2018; Bodaly et al., 1989; Government of Canada; Manitoba Government - Conservation and Water Stewardship Fisheries Branch, 2012; Manitoba Hydro, 2019; Newbury et al., 1984). Lake Sturgeon, which generally spawn in swift current below rapids at the upper reaches of large river systems (Auer, 1996; Holm et al., 2009; Kerr et al., 2011; Stewart and Watkinson, 2004), experienced dramatic reductions in suitable spawning habitat in the Lower Churchill River and were barred from accessing historical spawning grounds upstream of the MFCS at SIL (Ambrose and McDougall, 2018; Bodaly et al., 1989; DFO, 2010; Manitoba Government - Conservation and Water Stewardship Fisheries Branch, 2012). Indeed, the impacts of habitat fragmentation and flow variability on Lake Sturgeon



Figure 1. Missi Falls Control Structure.

success caused by dams are well documented (Auer, 1996; DFO, 2010; Haxton and Findlay, 2008, 2009; Kerr et al., 2011) and may be the most significant hurdle to population recovery in disturbed environments such as the Churchill River post-CRD (DFO, 2010).

1.3 General Impacts on Lake Sturgeon from Dams

Previous studies have documented a range of impacts on Lake Sturgeon, and related species, from dams. Examples of these impacts include: impeded access to suitable spawning and feeding grounds, due to dams acting as barriers to migration. This can reduce the ability of sturgeon to survive and reproduce, primarily by reducing resource availability and increasing competition for the remaining accessible habitat (Cooke et al., 2004; Dadswell, 2006); dividing populations into isolated subpopulations due to reduced or severed migration. When subpopulations cannot interbreed, genetic diversity can become reduced within each subpopulation, especially over multiple generations. This can make individuals more vulnerable to stressors, like disease and warming waters (McLeod et al. 1999; Thuemeler, 1997); changes to benthic macroinvertebrates communities due to altered flow regimes, which reduces food available for sturgeons (Weisberg and Burton 1993, McKinley et al. 1993, Snyder and Minshall 2005); and, reduced spawning success from both dewatering events (Caroffino et al. 2009), and variably high flows (Swanson et al, 1990) around dams that create suboptimal conditions for egg development. Overtime, these impacts can reduce or even extirpate Lake Sturgeon populations, and increase their vulnerability to changing environmental conditions.




Figure 2. Map showing the Churchill River flow prior to and after the CRD project. Grey highlighted area depicts the Churchill River watershed boundary.

2. SCOPE OF WORK

In an effort to gain new insights on the Churchill River Lake Sturgeon, and to build on previously completed research on these fish (summarized in Manitoba Hydro, 2019), AAE Tech Services Inc. (AAE) was contracted by Tataskweyak Cree Nation (hereafter referred to as TCN) to carry out assessments of Lake Sturgeon abundance and recruitment within the Churchill and Little Churchill river systems. The goals of the study were to attain an accurate estimate of the number of fish in the system using mark-recapture techniques, understand the population dynamics to assess the security and trajectory of the Lake Sturgeon population, use biological data to assess the health and condition of the fish, and develop a better understanding of their ecological role in the region. Another major focus was determining the extent of Lake Sturgeon distribution in the system and investigating the possibility of other overlooked populations in key areas along the Churchill and Little Churchill Rivers.

Netting efforts for the program were primarily focused on the known population in the critical habitat area at the confluence of the Churchill and Little Churchill Rivers (hereafter referred to simply as the Confluence). Over the six seasons AAE spent conducting the population study, an enormous netting effort was undertaken in all accessible reaches upstream and downstream of the Confluence to look at the presence/absence of Lake Sturgeon in historically significant areas. On the Churchill River, these sites included Northern Indian Lake (outside the extent of Figure 3), Billard Lake, Mountain Rapids, Swallow Rapids, and the Little Beaver River (all shown on Figure 3). Nets were also set at various locations along the Little Churchill River and in Recluse Lake (shown on Figure 3), Pasketawakamaw Lake, Lake Waskaiowaka, and Hale Lake (all outside the extent of Figure 3).






Figure 3. Churchill and Little Churchill River Population Site map from 2018-2023.

3. METHODS

3.1 Physical Monitoring

Documentation and monitoring of physical environment conditions was completed throughout the study area including hydrometric data collection periodically during the open water season for each year of the study. Water temperature readings were obtained using a Vaughan digital infrared thermometer (Vaughan Gear, Cypress, CA, USA) at each gill net set and reset within the Churchill River, and hourly temperatures were logged at each VEMCO telemetry receiver location in the Little Churchill and Churchill River. Daily water level and discharge data were retrieved from the Water Survey of Canada gauging station records (Government of Canada) for the Churchill River below Fidler Lake (gauging station 06FB001), and the Little Churchill River below Recluse Lake (gauging station 06FC001) (Figure 4).



Figure 4. Aerial view of the landscape surrounding Robert's Camp downstream of the Confluence, summer 2023.

3.2 Fish Capture

3.2.1 Gill Netting

Adult Lake Sturgeon sampling was conducted during spring/summer and fall each year. Each sampling trip was approximately three weeks in length. The spring/summer trip occurred from late June to early July while the fall sampling trip was focused around the end of August and into early September. The spring trip was focused primarily to capture adult sturgeon, while the fall sampling trip was meant to capture juveniles, although adult nets were set during the fall trip. This sampling regimen was followed every year, with the exception of 2020 when extremely high-water levels created unsafe conditions for sampling during the fall session.



Figure 5. Field crew retrieving gill net.

All sampling occurred under Animal Use Protocol (AUP) OPA-ACC-2023 and followed guidelines approved by the Canadian Council on Animal Care (CCAC). Non-lethal sampling of Lake Sturgeon was performed exclusively by gill netting (Figure 5) and employed large-mesh, bottom set gill net gangs, comprised of four 22.9 m long by 1.8 m deep panels (total length = 91.6 m). Individual net panels included 8, 9, 10- and 12-inch nylon stretched mesh. Gill nets were set at a variety of depths, typically ranging from 1 to 9 m and occasionally deeper when a greater range of depths was available. Nets were set parallel to the current wherever possible, except in areas where the current was gentle enough that nets could be set at an angle across the river. Targeted fishing time ranged from 16-26 hours for individual net sets, dependent upon environmental conditions, by-catch abundance and Lake Sturgeon catch rates at each location.

Gill netting was conducted within the mainstem of the Churchill River, from Fours Rapids (approximately 17 km upstream of the Confluence) to Swallow Rapids (approximately 18 km downstream of the Confluence), as well as in the lower reaches of the Little Churchill River near the Confluence (Figure 6). This reach of the Churchill River is characterized by a variety of habitat types suitable for every stage of Lake Sturgeon life history, including spawning, summer feeding, refuge/rearing, and overwintering (AAE Tech Services Inc., 2024, Habitat Report, Internal Document). As such, gill nets were deployed strategically to target Lake Sturgeon within this stretch of the river. All sampling locations (Figure 6) were recorded using a Garmin 64st handheld GPS (Garmin International, Inc. Olathe, KS, USA).




Figure 6. Churchill and Little Churchill River sampling locations at the Confluence from 2018-2023.

At the Confluence, juvenile-sized gill nets were used in addition to adult nets during the fall sampling session. This was implemented to broaden the size range of fish captured and build a more accurate representation of the relative abundance of the size and age classes of Lake Sturgeon in the population. Juvenile nets were only used in the fall to limit the bycatch of non-target species that would be more active, and thus more likely to be caught, during the summer session. Non-lethal sampling of juvenile Lake Sturgeon was performed exclusively by gill netting and employed bottom set gill net gangs comprised of five 22.9 m long by 1.8 m deep panels (total length = 114.5 m). Individual net panels included 1, 2, 3, 5, and 6-inch respectively nylon stretched mesh. Gill nets were set at a variety of depths, typically ranging from 1 to 9 m and occasionally deeper when a greater range of depths was available. Targeted fishing time ranged from 2-6 hours for individual net sets, dependent upon environmental conditions, by-catch abundance and Lake Sturgeon catch rates at each location.

3.2.2 Biological Sampling

All fish captured were enumerated, catch location data recorded including sampling location, net set, and date, and were identified to species (Figure 7). Lake Sturgeon were measured for fork length (FL; the distance from the tip of the mouth to the indent in the tail; ± 1 mm), total length (TL; tip of the mouth to end of the tail; ± 1 mm), and round weight (± 10 g, minimum 50 g). Fish were kept in live wells during processing and were subsequently released near the point of capture following net retrieval. Ageing structures were collected from previously untagged Lake Sturgeon, as well as some tagged individuals where no sign of previous ageing structure collection was apparent. For this purpose, a small, 2-3 cm long portion of the leading ray of the left pectoral fin was clipped, just above the point where the fin meets the body of the fish. Fin clippings were allowed to dry and then placed in a sealed envelope and transported to AAE's ageing laboratory for processing and analysis at the end of the field season (see 3.4. Age Estimation). In the unlikely event of a Lake Sturgeon mortality, these fish were processed (length, weight, ageing structure clipped, and tag I.D.) and handed off to representatives of the TCN community to be treated as harvested fish.



Figure 7. AAE biologists processing sturgeon at Robert's Camp.

3.3 Tagging

3.3.1 Floy and PIT Tags

Captured Lake Sturgeon were examined externally for the presence of Floy tags and scanned for passive internal transponder (PIT) tags from previous studies of this population using a BioMark handheld FDX/HDX PIT tag reader (BioMark Inc., Boise, ID, USA). All existing tag information was documented for cross-referencing purposes. All previously untagged Lake Sturgeon were affixed with an external T-bar style FD-94 Floy tag (Floy-Tag & Manufacturing, Inc., Seattle, WA, USA) specific to this study (Figures 8 and 9). When pre-existing PIT tags could not be detected by the handheld reader, new tags were inserted into muscle tissue under the third dorsal scute of each fish by injecting APT 12 PIT tags (BioMark Inc., Boise, ID, USA) using a Grip Injector outfitted with the corresponding needle (Oregon RFID Ltd., Portland, OR, USA) and dipped in an antibacterial cream to minimize the risk of infection.



Figure 8. Orange Floy tag affixed to a juvenile Lake Sturgeon.



Figure 9. Green Floy tag affixed to an adult Lake Sturgeon.

3.4 Age Estimation

Ageing structures collected from Lake Sturgeon (see 3.2.2. Biological Sampling) were dried and returned to AAE in sealed envelopes. At the time of processing, each fin ray clip was set in System Three Cold Cure epoxy (System Three Resins Inc., Lacey, WA, USA) and allowed to harden. Thin sections were then cut using a Buehler IsoMet low-speed saw (Buehler, Lake Bluff, IL, USA) and examined under a dissecting microscope at 10-40 X magnification. Under the microscope, annuli (dark bands) were counted for each fin section to determine the age of the fish (example in Figure 10). To control for variability and error between ageing technicians, each ageing structure assessed is assigned a confidence index (CI) describing the quality and clarity of the sample and the confidence of the examiner in their assessment. This CI serves as an index of the likelihood for another examiner to obtain the same age value (Table 1). After ages are obtained and CI is assigned to each sample, a second examiner ages between 20-100% of these same samples as part of quality assurance and control (QAQC) processes. Results obtained were then assessed through a QAQC algorithm to ensure consistency between examiners.



Figure 10. Aged pectoral fin ray section from 2023 sampling period.

Table 1. Description of Confidence Index Classifications used in analysis of ageing structures.

CONFIDENCE INDEX	PATTERN CLARITY	REPEATABILITY
GOOD (G)	Pattern is very clear with no interpretation problems.	Readers would always get the same age.
FAIRLY GOOD (FG)	Pattern is clear with a few easy interpretation problems.	Readers would get the same age most of the time for fish < 20 years, and within 1 year for fish 20-40 years.
FAIR (F)	Pattern is fairly clear with some areas presenting easy & moderate interpretation problems.	Readers would be within 1 years most of the time for fish < 20 years and 2-3 years for fish 20-40 years.
FAIRLY POOR (FP)	Pattern is fairly unclear presenting a number of difficult interpretation problems.	Readers would be within 2-3 years most of the time for fish < 20 years and 4-5 years for fish 20-40 years.
POOR (P)	Pattern is very unclear presenting significant interpretation problems.	Readers have little confidence in repeatability of age within 5-10 years, or more in the case of older fish.

3.5 Calculations and Statistics

3.5.1 Condition Factor

Fulton's condition factor (K) is a scientific model to measure how healthy or "well-fed" a fish is based on its length and weight. The higher the K value, the healthier and better-fed the fish is, while a lower K value shows a fish is in poorer condition. Results of this model are used to monitor the health of fish populations and can help detect changes in feeding behaviour, habitat quality, or stress levels.

Fulton's condition factor (K) (Eberhardt and Ricker, 1977; Nash et al., 2006; Ricker, 1975) was used to describe overall Lake Sturgeon health and physical condition, based on the assumption that Lake Sturgeon exhibiting greater body mass are considered healthier than individuals of lesser body mass at an equivalent body length. This metric and was calculated using the following formula:

$$K = \frac{10^5 W}{L^3}$$

- W = body mass (grams)
- L = fork length (millimeters)

3.5.2 Comparative Statistics

The length-weight relationships of Lake Sturgeon captured were compared between years to evaluate potential annual differences in the "catchable" population (see 5.1. Population Trends). Statistical differences between the slopes of linear regressions of log10 transformed fork length and round weight data were assessed by one-way analysis of covariance (ANCOVA). To test the assumption of normality, Shapiro-Wilk's tests were performed, or residuals were assessed visually. A value of $p < 0.05$ was used as a threshold for significance in all tests. All values presented are means $\pm$ standard error of the mean (s.e.m.)

3.5.3 Growth Rates and Length-at-Age Relationships

The von Bertalanffy Growth Model is a scientific model used to describe how fish (or other species) grow over time and is especially beneficial for slow-growing, long-lived species like Lake Sturgeon which can take 14 – 33 years to reach sexual maturity (Harkenss & Dymond, 1961). Results are used to understand the growth of Lake Sturgeon and are useful for tracking fish health, age and population dynamics.

The von Bertalanffy (VBL) growth model is widely used in fisheries research to describe patterns of somatic growth (i.e., growth of the body) in fishes (Ricker, 1975) and generates parameters that are easily comparable among populations. The VBL model can be fit using length-at-age data:

$$L_T = L_{\infty} (1 - e^{-K_B (t - t_0)})$$

- L_T = length at age t
- K_B = Brody's growth coefficient
- t_0 = theoretical length at age 0
- L_{∞} = the maximum attainable fork length (mm)

L_{∞} can also be described as the mean length that a fish within a given population would attain if they grew indefinitely; it does not, however, describe the largest observable size for an individual of a given species. Brody's growth coefficient (K_B) is not a growth rate; rather, it describes how quickly maximum attainable fork length (L_{∞}) is reached, or, in other words, represents a fixed fraction of annual growth. Growth rate prior to sexual maturity (ω) can then be estimated by fitting the Gallucci and Quinn (1979) parameterization of the VBL growth model using the following equation:

$$length = \frac{\omega}{K_B} (1 - e^{-K_B (t - t_0)})$$

Where $\omega = K_B * L_{\infty}$, expressed in mm year⁻¹ growth

3.6 Population Estimates

Both the Cormack-Jolly-Seber (CJS) and POPAN Jolly-Seber (POPAN) models were used to better characterize population dynamics. The CJS model estimates apparent survival and capture probability for marked individuals, but does not estimate total population size or recruitment. The POPAN model extends this by estimating population size, recruitment (entry of new individuals), survival, and capture probabilities under the super-population framework. In this context, the super-population represents all individuals that could be captured during the study period, including those that enter or leave the population between sampling occasions. Using both models provides cross-validation of survival estimates and helps ensure more robust inference about abundance and recruitment under open-population conditions.

3.6.1 Cormack Jolly-Seber Model

The CJS model is a scientific model used to estimate survival rates and population size of species that can be caught, tagged, released, and recaptured. Results are used to understand survival rates and recapture rates of fish.

In order for the data to work within the bounds of the population models, only the sturgeon captured at the Confluence were used in the population estimate calculations. Lake Sturgeon population estimates (all fish and adult fish ≥ 800 mm) for the Lower Churchill River were generated using the CJS model (Schwarz and Arnason, 2009) using the RMark package in R (Laake, 2013). Goodness of fit testing was conducted using the R2ucare package in R (Gimenez et al., 2018). The CJS model generates constant or time-varying estimates of capture probability (r) and apparent survival (j) for marked individuals in open populations through time. Additionally, a time since marking (TSM) effect on survival and netting effort effect on probability of capture were tested for fit to the data after goodness of fit testing revealed a potential transient effect on survival. This model estimates a separate apparent survival parameter for animals that are marked once and never seen again. Model selection comparing all candidate models was performed using AICc after adjusting for overdispersion ($c\text{-hat}$). Estimations of abundance (N) for a given study year were calculated as the ratio of captured individuals (n) and the estimated capture probability for that year (r). A non-parametric bootstrapping approach (1000 iterations) was used to generate confidence intervals for the abundance estimates.

To generate these CJS estimates, capture histories are expressed as binary sequences, indicating whether an individual is captured (1) or not captured (0) during a given sampling period. For example, a capture history of '1001' indicates that an individual was captured on the first sampling occasion, was not observed during the following two sampling events, but recaptured during the last sampling window. Mortalities throughout the study period were removed from the capture history dataset due to overall low numbers ($n = 14$) and subsequent negligible influence on the abundance estimates.

Capture histories were generated for individual Lake Sturgeon using historical data from large-mesh gillnetting completed in 2014, 2015, and 2016 (Ambrose et al., 2017) and from small and large-mesh netting conducted by AAE in 2018, 2019, 2020, 2021, 2022, and 2023 (AAE Tech Services Inc., Internal Document). Mark-recapture data from August 2015, obtained from the Coordinated Aquatic Monitoring Program (CAMP; data available through Ambrose and McDougall, 2016) was combined with that of Ambrose and McDougall, 2016. Data gaps between sampling years (e.g. 2 years between 2016 and 2018) were also specified in the model.

3.6.2 POPAN Jolly-Seber Model

The POPAN Jolly-Seber model is a scientific model used to estimate total population size, recruitment rates and survival rates. Results account for both marked and unmarked individuals, providing a comprehensive understanding of population dynamics.

Lake Sturgeon population estimates (all fish and adult fish ≥ 800 mm) for the Lower Churchill River were generated using the POPAN model (Schwarz and Arnason, 1996) with the RMark package in R (Laake, 2013). Goodness of fit testing was conducted using the R2ucare package in R (Gimenez et al., 2018). The POPAN formulation is an extension of the CJS model, which generates sequential abundance estimates in

open populations through time and accounts for births, deaths, immigration and emigration in the population between sampling periods, based on individual capture histories using the same dataset as the CJS formulation. Unlike the CJS model, which estimates survival and capture probabilities conditioned on marked individuals only, the JS model assumes the survival and capture probability are the same for marked and unmarked animals.

For initial model construction, comparisons of survivorship (j) and capture probabilities (r) were made as both time-varying and constant parameters. Probability of entry (p_{ent} ; recruitment from reproduction or immigration) was only specified as time-varying, based on previous observations which suggest variable juvenile recruitment in the Lower Churchill River system (Ambrose and McDougall, 2016) and the potential for periodic removal and reintroduction of individuals from the sampled population (e.g. through flow-dependent immigration and emigration). Since JS models do not distinguish between marked and unmarked animals, a TSM (time since marking) effect – which accounts for differences in apparent survival between newly marked individuals and those already present in the study population – could not be incorporated into the survivorship estimates to account for the detected transience (Test.3.SR). Netting effort (scaled to 1 for lowest effort) was included as a capture probability covariate in the suite of candidate models. Model selection comparing all candidate models was performed using AICc after adjusting for overdispersion ($c\text{-hat}$).

Recapture data provided to AAE from 2003 (Maclean and Nelson, 2005) was excluded from the CJS and POPAN models due the uncertainty in estimating parameters with an 11-year time gap between sampling efforts. Any fish tagged from 2003, and seen again between 2014–2023 were treated as new captures.

4. RESULTS

4.1 Netting

Throughout the six-year population assessment (2018 to 2023), a total of 953 gill nets set (15,490 net hours) were deployed targeting sturgeon at the Confluence. These included 577 adult gill net sets (13,414 net hours) and 376 juvenile net sets (2,076 net hours).

While the primary focus of the netting was to build the mark/recapture dataset at the Confluence, netting was also done beyond this core habitat to assess the presence/absence of sturgeon elsewhere in the system. From 2018 until 2021, a total of 375 gill net sets (21,008 net hours) were deployed across all other netting locations in summer and fall, for both juvenile and adult Lake Sturgeon (Table 2).

Table 2. Summary of combined adult and juvenile gill net fishing effort on the Churchill and Little Churchill systems outside of the Confluence area.

River	Sampling Area	Total Net Sets	Total Net Hours
Little Churchill River	Recluse Lake	65	34
	Lower LCR	19	415
	Central LCR	32	106
	Mistake Rapids	2	45.5
	Upper LCR	31	99
	Eagle Rapids	2	49
	High Hill	2	49
	Pasketawakamaw Lake	5	34.5
	Waskaowaka Lake	80	673
Churchill River	Swallow Rapids	8	192
	Mountain Rapids	45	707
	Northern Indian Lake	68	1558
Little Beaver River	Lower Little Beaver R.	16	382

In Fall of 2021, AAE increased the number of juvenile sized gill nets, totalling 297 juvenile gill net sets (1,684 net hours) from fall 2021 until fall 2023. This adjustment was made to address data gaps identified during earlier sampling years, when capture rates for smaller size classes were limited. Expanding juvenile net deployment improved representation of younger age cohorts and enhanced model accuracy by increasing capture-recapture probability and catch-per-unit-effort (CPUE) estimates. Conversely, average CPUE was higher than all previous study years. The resulting juvenile net cumulative and average CPUE were far greater than previous study years (i.e., more fish caught per hour of netting time). Following increased juvenile sized gill nets, average CPUE results were higher in juvenile nets than in adult nets. However, it is important to note that juvenile nets also have the potential to capture adult sturgeon and non-target species bycatch.

Lake Sturgeon gill net sampling data results for 2018–2023 in the Confluence are represented in (Table 3), which includes catch and effort data by session, location and net type, including recaptures and mortalities. The average catch per unit effort (Avg. CPUE; mean $\pm$ s.e.m.) for all net sets and cumulative catch per unit effort (Cumul. CPUE) are provided for each session and location.

Table 3. Summary of Lake Sturgeon (LKST) gill net sampling data for 2018-2023 in the Confluence.

Year	Session	Site	Net Type	Net Sets	Net Hours	Total Catch	Avg. CPUE (LKST 100m ⁻¹ 24h ⁻¹)	Cumul. CPUE (LKST 100 m ⁻¹ net-hours ⁻¹)
2018	Summer	Confluence	Adult	42	908.84	144	4.07 $\pm$ 0.70 [‡]	0.174
	Fall	Confluence	Adult	56	1118.43	75	1.57 $\pm$ 0.36 ^{1a}	0.076
			Juvenile	47	144.57	16	3.24 $\pm$ 1.74 ^Δ	0.096
2019	Summer	Confluence	Adult	57	1259.35	264	5.16 $\pm$ 0.70 [‡]	0.183
	Fall	Confluence	Adult	29	654.97	117	3.60 $\pm$ 0.95 [‡]	0.157
			Juvenile	32	247.43	49	5.21 $\pm$ 3.20	0.175
2020	Summer	Confluence	Adult	62	1442.93	199	2.897 $\pm$ 0.356	0.12
2021	Summer	Confluence	Adult	29	741.5	76	2.540 $\pm$ 0.513	0.085
	Fall	Confluence	Adult	40	1010.75	141	3.157 $\pm$ 0.387	0.084
			Juvenile	80	318	175	10.503 $\pm$ 1.951	0.165
2022	Summer	Confluence	Adult	101	2496.03	375	3.713 $\pm$ 0.315	0.036
	Fall	Confluence	Adult	33	899.88	207	5.751 $\pm$ 0.769	0.167
			Juvenile	127	963.98	302	8.469 $\pm$ 1.131	0.059
2023	Summer	Confluence	Adult	111	2484.23	610	6.11 $\pm$ 0.506	0.053
	Fall	Confluence	Adult	17	397.42	124	7.48 $\pm$ 0.642	0.44
			Juvenile	90	401.98	447	29.22 $\pm$ 2.999	0.297

4.2 Biological Information

Average length and weight of Lake Sturgeon captured in 2023 were similar to those in 2022. In 2023, the average fork length of the observed Lake Sturgeon was 765.1 mm, and average weight was 4,106 g. The average fork length of Lake Sturgeon captured in 2022 was 762.1, representing an only 3 mm difference between years, while average weight was 3,995, representing an 11 g difference.

The average fork length of Lake Sturgeon captured in 2023 and 2022 represents an approximately 70 mm increase in average length from 2021, which appears to have resulted from a combination of a generally smaller catch in both the adult and juvenile nets in the fall of 2021 compared to the fall program in 2022 and 2023. These results likely stem from the increased use of juvenile sized nets since 2021, which has greatly contributed to the increased capture of smaller-sized “juvenile” Lake Sturgeon, and subsequently smaller average fork lengths compared to early study years (2018–2020). Despite these differences in size and weight, overall condition (K) of the fish has remained similar among years at 0.69 in 2023, 0.66 in 2022 and 2021, and at 0.70, 0.73, and 0.67 in 2018, 2019, and 2020, respectively.

The length-frequency histogram of Lake Sturgeon captured in 2023 highlights the drastic increase in captures ranging from 500–650 mm compared to previous study years (Figure 11). A right skew is observable in both the 2021 and 2022 histograms, which is representative of an increase in targeted fishing effort using juvenile sized nets. In 2023, the length frequency histogram resembles more of a bimodal distribution, with another peak observed in catch at approximately 900 mm. When examining the distribution of earlier study years, it is important to consider that no fall adult or juvenile sampling sessions occurred in 2020, altering the distribution of the Lake Sturgeon size class structure compared to more recent years where substantial juvenile netting effort was employed.

In the summer session of 2020, adults (>800 mm fork length) represented 52% of all individuals captured, while in the summer sessions of 2021, 2022, and 2023 adults represented 72%, 43.6%, and 57.1% respectively. Through all sampling sessions in 2021, however, adults only accounted for 31% of all individuals captured (72% in the summer, 22% in the fall). In 2022, adults accounted for 39.7% of the catch (43.6% in the summer, 37.3% in the fall), while in 2023, adults accounted for a similar share at 38.4%, although a larger discrepancy in catch share (i.e. adults vs. juveniles) was observed between sessions (57.1% in the summer, 19.1% in the fall) (Figure 12).

Comparisons of length-weight regressions yielded similar slopes and intercepts among years 2018, 2019, 2020, 2022, and 2023. The regression equation for 2021 was significantly different than all other study years (ANCOVA; $p < 0.05$) (Figure 13).

Table 4 below presents a summary of biological data collected from each Lake Sturgeon capture, excluding recaptures within the same session. The data is organized by sampling year, location, session, and net type used. Values are shown as a mean $\pm$ s.e.m.




Figure 11. Length-frequency plots of sturgeon captured at the Churchill – Little Churchill confluence in all study years.




Figure 12. Hatch Year of All Aged Lake Sturgeon from previous assessments and AAE program data.




Figure 13. Lot10-Transformed length-weight relationship of Lake Sturgeon in the Lower Churchill River (2018–2023).

Table 4. Summary of biological data compiled from each Lake Sturgeon capture.

Year	Site	Session	Net Type	Total Catch (N)	FL (mm)	TL (mm)	W (g)	Age (yrs)	K
2018	ALL	ALL	ALL	236	913.3±304.6	1011.3±324.3	7323.6±5758.9	17.9±10.4	0.70±0.12
	Confluence	Summer	Adult	145	975.6±261.9	1078.8±275.7	8136.2±5462.4	19.3±10.1	0.71±0.10
		Fall	Adult	75	885.7±331.0	980.4±354.9	7121.4±6092.29	17.4±10.5	0.70±0.15
			Juvenile	16	482.6±123.6	548.0±133.7	881.7±655.6	5.6±2.9	0.65±0.10
2019	ALL	ALL	ALL	455	914.6±261.4	1018.6±279.7	6918.5±5143.5	22.7±10.0	0.73±0.23
	Confluence	Summer	Adult	239	975.4±251.6	1087.9±269.9	8150.6±5401.4	22.2±10.0	0.75±0.28
		Fall	Adult	106	932.7±243.9	1035.4±255.8	7043.0±4475.8	25.9±10.9	0.74±0.13
			Juvenile	49	591.2±167.2	668.5±184.8	1804.1±1566.4	19.5±5.3	0.66±0.11
2020	ALL	ALL	ALL	208	818.4±277.7	912.7±299.6	5485.3±5000.0	16.4±11.3	0.67±0.16
	Confluence	Summer	Adult	179	799.1±275.9	892.5±298.1	5160.6±4870.3	15.6±11.5	0.68±0.16
2021	ALL	ALL	ALL	392	691.0±268.7	770.1±290.0	3559.5±4402.5	15.99±11.76	0.66±0.19
	Confluence	Summer	Adult	76	914.5±254.2	1009.4±271.1	6739.3±4782.9	20.90±13.61	0.71±0.22
		Fall	Adult	141	721.2±306.5	798.8±333.9	4325.2±5176.3	14.94±9.81	0.66±0.17
			Juvenile	175	570.1±154.0	643.4±168.3	1579.8±1920.2	8.96±3.34	0.63±0.19
2022	ALL	ALL	ALL	847	762.1±257.8	850.5±276.7	3995±3877	10.2±6.7	0.66±0.16
	Confluence	Summer	Adult	360	764.4±292.9	849.8±313.6	4012.7±4069.9	9.0±6.1	0.62±0.15
		Fall	Adult	204	854.1±257.3	951.1±273.2	5556±4617	14.1±8.2	0.70±0.20
			Juvenile	302	697.2±184.5	783.4±202.7	2919±2504	11.0±5.4	0.69±0.12
2023	ALL	ALL	ALL	1091	765.1±242.6	846.8±260.2	4106±4175	10.2±6.7	0.69±0.13
	Confluence	Summer	Adult	573	845.6±251.4	940.9±270.2	5479±4593	16.2±9.9	0.71±0.12
		Fall	Adult	250	754.2±231.1	847.2±248.3	4133±4071	22.4±7.5	0.70±0.12
			Juvenile	305	589.5±111.7	669.5±122.0	1503±996.5	9.7±5.1	0.65±0.15

4.3 Length-at-Age Relationships

The maximum attainable size (L_{∞}) estimate from the pooled 2018-2023 dataset was 1,394.5 mm, which is higher than 2014-2016 estimates (1,050 mm, 1,071 mm, and 1,059 mm, respectively) and represents a combination of aging data collected in each year between 2018 and 2023 (single year estimates of 1357 mm, 1242 mm, 1292 mm, 1259 mm, 1364 mm and 1388.5 mm, respectively). The differences in estimates of maximum attainable size and early growth rates between 2014 – 2016 (NSC data) and 2018 - 2021 are likely attributable to differences in size class distribution in fish selected for aging among years, as opposed to discrepancies among ageing techniques. The pooled dataset provides the most reliable estimate of maximum attainable size in the Churchill River Lake Sturgeon population. The Von Bertalanffy predicts an early growth rate estimate (ω) of 68.2 mm year⁻¹, and a growth constant (K_B) of 0.048.

The growth rates and length-at-age relationships of Lake Sturgeon are shown in Figure 14, illustrating the population assessments conducted between 2018 and 2023 in the Lower Churchill River watershed. The plot reflects the maximum attainable size (L_{∞}), Brody's growth coefficient (K_B), and early growth rate estimates. The flattening of the growth curve at older ages indicates an aging population structure, with relatively few younger individuals being recruited into the system in recent years.




Figure 14. Growth rates and length-at-age relationships of Lake Sturgeon from 2018-2023 in Lower Churchill River.

4.4 Population Estimates

4.4.1 Mark-Recapture

In the 2023 sampling year, a total of 1,091 unique Lake Sturgeon were captured at the Confluence (573 in the summer; 556 in the fall). 256 individuals captured during the summer session had been previously tagged, while 161 individuals captured in the fall had been previously tagged (including some fish tagged in the summer 2023 session). When examining the first known encounter of recaptured fish, most fish captured during the summer session had been first tagged in 2014 and 2015 ($n = 44$). In the fall session, the largest proportion of first captures were from the fall of 2021 ($n = 21$), and 2015 ($n = 18$) (Table 5).

The Churchill-Little Churchill confluence previous year tag return (PYTR) rate during the 2023 summer sampling session was 44.7%, which ties the previous highest PYTR observed during the summer session of 2021. Since 2018, the PYTR percentage during the summer sessions have generally varied between percentages in the low-30s to low-40s, indicating that new fish continue to be captured at a similar rate year over year. Higher PYTR percentages are expected when a larger share of the catch are adult-sized fish, and are thus more likely to have been previously captured and tagged. Consistent with this hypothesis, and with patterns observed in previous study years, PYTR during the fall 2023 session was lower compared to the summer 2023 session. This difference is likely attributable to the utilization of juvenile-sized nets during the fall, targeting smaller fish and thus reducing the likelihood of previous capture and tagging. The PYTR rate in the fall 2023 session closely mirrored that observed in 2022.

Table 5. Recaptures of fish by sampling session, excluding same session recaptures. Missing data includes CAMP data from 2013 and 2014 (PYTR = Previous Year Tag Returns).

Population Study	Unique Captures	Marked	Total Recaps	1996/ 97 Split	2003	2014	2015	2016	2018 Summer	2018 Fall	2019 Summer	2019 Fall	2019 MR	2020 Summer	2021 Summer	2021 Fall	2022 Summer	2022 Fall	203 Summer	Missing data	PYTR (%)
2018 Summer	144	97	47	2	11	8	12	8	-	-	-	-	-	-	-	-	-	-	-	6	32.6
2018 Fall	91	65	26	-	2	9	5	4	4	-	-	-	-	-	-	-	-	-	-	2	28.6
2019 Summer	243	141	102	5	15	14	21	21	13	4	-	-	-	-	-	-	-	-	-	9	42.0
2019 Fall	155	154	50	-	6	14	9	8	4	2	6	-	-	-	-	-	-	-	-	1	32.3
2019 Mountain Rapids (MR)	58	48	10	-	-	4	3	2	-	-	1	-	-	-	-	-	-	-	-	-	17.2
2020 Summer	193	132	61	-	9	19	15	10	3	2	3	-	-	-	-	-	-	-	-	2	31.6
2020 Recluse	5	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40.0
2020 Little Churchill Tributaries (LCT)	11	7	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	36.4
2021 Summer	76	42	34	-	4	6	10	-	5	2	2	1	-	-	-	-	-	-	-	4	44.7
2021 Fall	316	248	68	-	5	4	13	12	3	2	5	5	2	2	-	3	-	-	-	12	21.5
2022 Summer	360	243	117		13	27	17	10	8	2	6	2	-	7	5	8	-	-	-	12	32.5
2022 Fall	500	350	150	-	10	19	21	16	4	4	5	10	1	13	4	15	9	-	-	19	30
2023 Summer	573	317	256		17	44	44	26	7	7	9	5	1	16	3	14	25	25	-	16	44.7
2023 Fall	556	395	161		5	12	18	5	5	5	5	4	-	5	2	21	16	15	15	27	29.0

4.4.2 Cormack Jolly-Seber Model

For both CJS analyses (all fish and adult fish ≥ 800 mm), the most parsimonious and biologically plausible model incorporated constant survivorship parameters rather than time-varying. Constant survival was logical given the known long lifespan of Lake Sturgeon within the Churchill River, the absence of natural predators, and telemetry observations which suggest that fish are limited to a finite area of river surrounding the confluence of the Churchill and Little Churchill Rivers (i.e. closed system). Additionally, the AICc favoured a model that incorporated time-varying recapture probabilities for all study years. AAE's experience setting gill nets on the Churchill River at varying water levels and flow conditions, along with a variable netting effort and netting locations from year to year suggested that time-varying capture probability made biological sense.

Abundance estimates of Lake Sturgeon in 2023 are 6,933 for all individuals (95% CI: 6,589–7,264) including 2,114 adults (95% CI: 1,946–2,287) (Table 6; Figure 15). For the adults-only model (Table 7), abundance estimates are similar to previous AAE study years (2018 - present), with a sharp increase between 2015 and 2016 (NSC program) (Figure 15). The all fish model predicts a generally increasing population across all study years, with year over year decreases in estimated abundance predicted between the 2018–2019 and 2021–2022 study years. The model predicts an approximately three-fold increase in Lake Sturgeon population sizes between 2015 and 2023. However, this apparent growth is driven primarily by younger fish; adult abundance has remained relatively stable over the same period, suggesting recruitment without a corresponding increase in the number of mature individuals. This pattern of sustained juvenile recruitment alongside stable adult abundance may indicate that the population is approaching a plateau under current habitat and flow conditions.

Although the CJS model does not explicitly estimate recruitment or probability of entry (pent), year-to-year differences in apparent survival and capture probabilities can still reflect changes in population composition. Periods of higher apparent survival and rising total abundance likely indicate successful juvenile recruitment or improved survival of smaller fish entering the catchable population, whereas subsequent declines or stabilization in adult numbers suggest limited progression of these cohorts to maturity. These trends align with the broader interpretation from the POPAN model (Section 4.4.3), which similarly shows juvenile additions without a sustained increase in adult abundance.

Further, Goodness of Fit testing indicated that a transient effect may have accounted for a proportion of the lack of fit of the data to the “all fish” model (Test.3.SR). To account for this, a “time since marking” model, which includes a separate survival probability parameter for fish caught for the first time was fit (Table 8). This model was used to calculate a proportion of predicted transient and resident fish (Gimenez, 2016). AICc favoured this model over the constant survivorship and time-varying probability of capture model. However, there were indications of potential parameter estimation issues near the boundary. Due

to similarity in model structure to the “all fish” model, abundance estimates were reported for both candidate models for comparison.

The “time since marking” model predicted a resident Lake Sturgeon abundance of 4,367 individuals (95% CI: 3,679–5,118) and a transient population of 1,116 individuals (95% CI: 889–1,337) in 2023 (Figure 16). Similar to the “all fish” model, the abundance of resident and transient fish is predicted to have generally increased from 2015, with proportionally small year over year decreases in estimated abundance predicted between the 2018–2019 and 2021–2022 study years. The “transient rate” (i.e. estimated proportion of transient fish within the population at a given time) was predicted to be 0.30 (95% CI: 0.23–0.37).

Table 6. Parameter estimates for the most parsimonious CJS model as indicated by AICC (j = constant, r = time-varying) for all Lake Sturgeon captured during study duration ($\hat{c} = 2.50$).

Parameter	Label	Estimate	95% Confidence Interval	
			Lower	Upper
j	constant	0.971	0.943	0.986
r	2015	0.242	0.196	0.294
r	2016	0.097	0.078	0.121
r	2018	0.055	0.041	0.076
r	2019	0.111	0.092	0.133
r	2020	0.039	0.030	0.052
r	2021	0.055	0.044	0.070
r	2022	0.129	0.110	0.150
r	2023	0.157	0.137	0.179

Table 7. Parameter estimates for the most parsimonious CJS model as indicated by AICC (j = constant, r = time-varying) for adult Lake Sturgeon (≥ 800 mm) captured during study duration ($\hat{c} = 1.33$).

Parameter	Label	Estimate	95% Confidence Interval	
			Lower	Upper
j	constant	0.964	0.931	0.981
r	2015	0.294	0.236	0.360
r	2016	0.135	0.105	0.172
r	2018	0.063	0.046	0.087
r	2019	0.142	0.116	0.174
r	2020	0.043	0.031	0.060
r	2021	0.063	0.048	0.084
r	2022	0.153	0.125	0.186
	2023	0.197	0.164	0.234




Figure 15. Abundance estimates for all fish (left) and adults (right) at the Little Churchill River confluence from 2015 to 2023. Grey area shows the 95% confidence interval.

Table 8. Parameter estimates for a CJS model incorporating transience (j = time since marking, r = time-varying) for all Lake Sturgeon captured during study duration.

Parameter	Label	Estimate	95% Confidence Interval	
			Lower	Upper
j	transient	0.777	0.677	0.852
j	resident	1	0	1
r	2015	0.294	0.237	0.359
r	2016	0.122	0.096	0.154
r	2018	0.068	0.051	0.089
r	2019	0.135	0.111	0.163
r	2020	0.047	0.035	0.062
r	2021	0.065	0.051	0.082
r	2022	0.150	0.127	0.176
r	2023	0.183	0.158	0.210




Figure 16. Abundance estimates for resident (left) and transient (right) Lake Sturgeon predicted from CJS “time since marking” model at the Little Churchill – Churchill River confluence from 2015 to 2023. Grey shaded area represents the 95% confidence interval.

4.4.3 POPAN Jolly-Seber Model

Similar to the CJS analyses (all fish and adult fish ≥ 800 mm), the most parsimonious and biologically plausible models using the POPAN formulation incorporated constant survivorship parameters rather than time-varying. Additionally, the AICc favoured a model that incorporated time-varying recapture probabilities for all study years. A model with constant survival and time-varying probability of capture made biological sense for the same reasons previously mentioned for the CJS model.

Abundance estimates of Lake Sturgeon in 2023 are 6,850 for all individuals (95% CI: 6,062–7,637) and 2,107 adults (95% CI: 1,781–2,432) (Table 9; Figure 17). In general, trends in model predictions were similar to the CJS model. For the “all fish” model, the POPAN and CJS formulations begin to diverge in 2019, with 525 fewer fish predicted by the CJS model compared to the POPAN model. Population estimates from the POPAN formulation are relatively steady between 2018 and 2019, while the CJS predicts a sharp increase in abundance between those years. Abundance estimates from the adults’ model was more similar from year to year, with the only notable deviation occurring in 2018, where the CJS formulation predicts 391 more fish inhabiting the study area. The confidence intervals of the CJS and POPAN formulations overlap in both the “all fish” and adult models.

For the adults-only model (Table 20; Figure 17), pent (probability of entry) was the highest during the 2015 and 2016 study years, indicating an influx of adults into the study area. This influx may correspond to the low water level and flow conditions observed during those years, but is also common in early years

of a population model as tag saturation is comparatively low. In contrast, pent was estimated to be 0 in 2019, 2020, and 2021, suggesting few new recruits into the adult population during this time.

For the all fish model, the highest pent estimates were observed during the 2015, 2016, 2018, and 2021 study years. When comparing to estimates from the adult's model, it is clear that these new entrants in 2021 are likely to represent an influx of juvenile fish (<800 mm) due to the large increase in juvenile netting effort during that year. Probability of entry was predicted to be negligible in the remaining study years (2019, 2020, 2022, 2023) which may be indicative of low recruitment during those periods. As shown in Figure 17, the POPAN model predicts an overall increase in abundance across all fish, while adult numbers have remained relatively stable over the study period, consistent with the CJS model results (Figure 15). This indicates that although juveniles are being added to the population, they are not surviving in sufficient numbers to increase the adult population. This trend suggests that the population may be reaching a plateau under current environmental and flow conditions, with limited capacity for further adult population growth without improved habitat connectivity or recruitment success.

Table 9. Parameter and abundance estimate for the most parsimonious POPAN model as indicated by AICC (j = constant, r = time-varying, $pent$ = time-varying) for all Lake Sturgeon captured during study duration ($\hat{c} = 2.50$). Grey shading indicates a confounded 2014 capture probability. Abundance estimates for 2014 were dropped from the analysis.

Parameter	Label	Estimate	95% Confidence Interval	
			Lower	Upper
j	constant	0.975	0.947	0.990
r	2014	0.205	0	1
r	2015	0.247	0.196	0.293
r	2016	0.097	0.077	0.120
r	2018	0.056	0.047	0.067
r	2019	0.096	0.082	0.113
r	2020	0.047	0.039	0.058
r	2021	0.053	0.047	0.060
r	2022	0.120	0.107	0.135
r	2023	0.159	0.140	0.180
$pent$	2015	0.247	0.196	0.306
$pent$	2016	0.153	0.077	0.279
$pent$	2018	0.117	0.049	0.255
$pent$	2019	0	0	0
$pent$	2020	0	0	0
$pent$	2021	0.443	0.381	0.507
$pent$	2022	0	0	0
$pent$	2023	0	0	0

Table 10. Parameter and abundance estimate for the most parsimonious POPAN model as indicated by AICC (j = constant, r = time-varying, $pent$ = time-varying) for adult Lake Sturgeon ≥ 800 mm) captured during study duration ($\hat{c} = 1.33$). Grey shading indicates a confounded 2014 capture probability. Abundance estimates for 2014 were dropped from the analysis.

Parameter	Label	Estimate	95% Confidence Interval	
			Lower	Upper
j	constant	0.964	0.931	0.982
r	2014	0.978	0	1
r	2015	0.294	0.236	0.360
r	2016	0.135	0.105	0.172
r	2018	0.075	0.061	0.092
r	2019	0.132	0.109	0.159
r	2020	0.044	0.034	0.057
r	2021	0.063	0.047	0.086
r	2022	0.154	0.125	0.187
r	2023	0.197	0.165	0.235
$pent$	2015	0.270	0.048	0.728
$pent$	2016	0.377	0.228	0.554
$pent$	2018	0.143	0.037	0.419
$pent$	2019	0	0	1
$pent$	2020	0	0	0
$pent$	2021	0	0	1
$pent$	2022	0.121	0.022	0.455
$pent$	2023	0	0	1




Figure 17. Abundance estimates for all fish (left) and adults (right) predicted from POPAN models at the Little Churchill – Churchill River confluence from 2015 to 2023. Grey shaded area represents the 95% confidence interval.

5. DISCUSSION

5.1 Population Trends

The Churchill River Lake Sturgeon Population Assessment (2018–2023) has provided valuable insight into the current Lake Sturgeon population within the Churchill River System, while also highlighting critical concerns regarding recruitment and long-term sustainability. Indigenous Traditional Knowledge (ITK) provides understanding that, preceding the CRD in 1976, Indigenous communities and TCN elders remember a time when Lake Sturgeon were widespread and abundant throughout the entire Churchill River system. However, following the start of the CRD in 1976, as much as 75 – 98.5% of flow from the Churchill River was diverted south into the Nelson River system to increase production capacity for hydroelectric facilities (Ambrose and McDougall, 2018; Bodaly et al., 1989; Government of Canada; Manitoba Government – Conservation and Water Stewardship Fisheries Branch, 2012; Manitoba Hydro, 2019; Newbury et al., 1984). With flow reductions, the Churchill River sturgeon populations have been lost except for a remnant population confined to the Confluence.

Research indicates that Lake Sturgeon population structure and biology depend largely on specific habitat type requirements for most of their life stages (AAE Tech Services Inc., 2024, Internal Document). While the population continues to survive, habitat concerns must be addressed as competition for food and space increases, recruitment remains inconsistent, and disease susceptibility rises. Further studies on carrying capacity of Lake Sturgeon critical habitats on this system are required to fully assess the current health of the population. Continued collaboration with Indigenous communities and the integration of ITK alongside scientific methods are crucial for effectively understanding what needs to change for the recovery and sustainability of the Lake Sturgeon population in the Churchill River system.

Mark-recapture data from current (AAE Tech Services Inc., 2018–2023, Internal Document) and available past studies (2014–2018) were used to generate Lake Sturgeon capture histories and were analyzed using both the POPAN and CJS models to generate derived population estimates. Mark-recapture data reported a recapture rate of 44%, indicating that nearly half of the Lake Sturgeon population in this study area have been tagged. Based on these results, the estimated total population in 2023 stands at 6,933 individuals, including 2,114 classified as adults. The 2023 model of the POPAN formulation parameterization resembles that of 2022, which was modified from the previous year's models (2020 and 2021) with regards to both survival and probability of capture. Previous model iterations grouped survival information into distinct groups that corresponded to study year (2003 program, 2014–2016 NSC program, 2018–2023 AAE programs). Data results from both scientific models confirm that the Lake Sturgeon population is currently stable. However, stability does not necessarily equate to sustainability.

A stable population only accounts for measured population numbers and does not account for risks that the population faces for long-term viability. A high recapture rate (44%) indicates a largely closed system (AAE Tech Services Inc., 2025, Internal Document) which brings with it significant risk. Without access to

a broader habitat, the population faces mounting pressure of genetic homogeneity, disease susceptibility, and food scarcity. Notably, the population structure reveals a plateau in population growth rates, which raises concerns about long-term reproductive success (AAE Tech Services Inc., 2018-2023, Internal Document; Figures 15 and 17). While recruitment has been documented, model results also indicate periods of low recruitment (Figures 15 and 17). With only 2,114 adults confined to a less than 50 km of river habitat at the Confluence, the population remains significantly smaller compared to pre-CRD conditions (Pers Comm Robert Spence, 2018). At the same time, while the all-fish model shows population growth since 2015, adult abundance has remained relatively stable (Figure 15), suggesting recruitment without a corresponding increase in mature individuals. This finding, and its implications for sustainability, are discussed further in Section 5.2 (Recruitment and Size).

Favourable climatic conditions over the past two decades have helped sustain the population, as wetter weather in northern Manitoba has maintained higher average flows in the Churchill River. These conditions have supported sturgeon habitat and provided more space for fish to travel, spawn, and forage. However, a shift toward drier conditions and lower flows—which may occur as global climate change intensifies—could place the Lake Sturgeon population and its habitat at significant risk.

The ageing population structure is particularly concerning for long-term sustainability. Lake Sturgeon are long-lived species with delayed sexual maturity, with females typically maturing between 15 to 30 years of age and generally spawning every 2 to 7 years (AAE Tech Services Inc., 2024, Internal Document). The increasing proportion of older individuals indicates a potential reproductive bottleneck, as fewer young fish are available to replace ageing spawners (Figure 14). As older individuals approach senescence, their reproductive output diminishes, leading to reduced spawning success. The shift in age structure, along with variable and often low recruitment, poses a risk to future population growth and necessitates management intervention. Studies on other Lake Sturgeon populations indicate that genetic bottlenecks and reduced gene flow in confined habitats can contribute to reduced resilience and long-term sustainability (Kjartanson et al., 2023). Research indicates that Lake Sturgeon optimize their reproduction in favorable years by integrating migration, delayed maturation, longevity, high individual fecundity, and extended spawning intervals (AAE Tech Services Inc., 2024, Internal Document).

5.2 Recruitment and Size

Although the Churchill River Lake Sturgeon population is displaying signs of recruitment throughout multiple years of assessment, model estimates indicated negligible probability of entry in 2019, 2020, 2022, and 2023, suggesting inconsistent recruitment across years. Combined with the relatively stable adult abundance observed over the study period (Figure 15), this raises concern that while juveniles are entering the population, few are surviving to maturity.

The ability of juvenile Lake Sturgeon to survive and contribute to population growth is influenced by environmental factors such as habitat availability, water flow, and competition for resources. Given the

long lifespan and late maturity of Lake Sturgeon, population trends must be assessed over extended periods to fully understand recruitment success and sustainability. Additional mark-recapture efforts focused on juvenile cohorts would help assess survival beyond early-life stages. While juveniles are present, their survival to adulthood and ability to sustain the population over time remain unclear due to habitat confinement and degradation.

Competition for resources is a significant concern for Lake Sturgeon, particularly as the population remains confined to a restricted habitat range. Intraspecific (within-species) competition among Lake Sturgeon intensifies as density-dependent pressures increase, leading to reduced growth rates and resource availability. Juveniles are especially vulnerable to competitive exclusion, as larger, more dominant individuals outcompete for limited food sources. Lake Sturgeon are apex benthivores in the Churchill River ecosystem, with no natural predators at adulthood. In many aquatic systems, predator-prey relationships help regulate population sizes. However, in the absence of significant predation, Churchill River Lake Sturgeon population dynamics are determined by environmental carrying capacity and intra-species competition. With no natural predators and a high abundance of older Lake Sturgeon relying heavily on benthic invertebrates and small fish as primary food sources, adult populations will begin to suppress juvenile growth and survival by outcompeting them for resources.

Environmental conditions such as water temperature, dissolved oxygen, and seasonal flow variations play a crucial role in population stability. Recent wetter years have supported more favourable habitat conditions, helping sustain the current population. However, prolonged dry periods or further habitat degradation could negatively impact recruitment and survival, limiting the population's ability to adapt to environmental changes. Reduced flow conditions restrict Lake Sturgeon movement and access to critical habitats, further reinforcing the need to consider environmental variability in future management strategies (AAE Tech Services Inc., 2025, Churchill River Lake Sturgeon Movement Report, Internal Document; Auer, 1996).

Although recruitment is occurring, current evidence suggests that habitat constraints may limit the capacity of the Lower Churchill River to support a sustainably larger population (Auer, 1996; Haxton and Findlay, 2008, 2009). Additional research is required to assess the relationship between spawning success, survival rates, and habitat conditions. Expanding telemetry tracking and habitat assessments will provide further clarity on the extent to which habitat constraints are limiting population growth, recognizing that habitat degradation from the CRD has already had major impacts on the population. Future research should focus on habitat restoration efforts, connectivity improvements, and evaluating environmental conditions to ensure the long-term resilience of the Churchill River Lake Sturgeon population.

5.3 Habitat and Other Constraints

Previous assessments, particularly in 2019 and 2021, identified periods of high variability in flow rates. Tagging and telemetry studies from 2023 confirmed that Lake Sturgeon continue to select deep pools and

areas with stable substrates for refuge and feeding. However, reduced connectivity between key spawning and rearing habitats during low-flow conditions remains a concern. Findings from the Churchill River Adult Movement Study (AAE Tech Services Inc., 2025, Internal Document) provide evidence that changes in water level and discharge influence habitat connectivity, and subsequently sturgeon movement distribution throughout the Lower Churchill River watershed. Prolonged and unnatural reductions in flow can hinder larval dispersal, increase predation risk, and reduce food availability. Managing flow regimes to display natural variability while ensuring critical habitat connectivity is crucial for sustaining the population.

Although movement data indicate Lake Sturgeon are present at the Confluence at various points during the open-water season, further studies are required to determine whether the 'transient' individuals identified in population models represent fish moving in from adjacent areas (i.e. Little Churchill River, Swallow Rapids) or a subset of the Confluence population that temporarily leaves the study reach during sampling windows. These fish might not be true transients but rather a subset of the population that frequently moves away from the Confluence during sampling windows making them harder to capture.

Spawning occurs in the spring, from mid-May to early June, when temperatures reach 10-15°C, with sturgeon typically migrating upstream into upper reaches of large river systems where they spawn in swift currents over gravel and cobble substrates, often at the base of impassable natural barriers such as waterfalls, rapids or dams. The availability of suitable spawning habitat is of fundamental importance, and it has been estimated that a single female requires 13- 48 m² of habitat to maximize spawn success rates (AAE Tech Services Inc., 2025, Internal Documents). Further assessments are required to understand the suitability of spawning sites in the Churchill River.

Overwintering habit characteristics for Lake Sturgeon typically include areas of reduced flow and high oxygen content. Lake Sturgeon will reside in these areas, often deep sections of rivers or adjoining lakes, for the winter months where they will remain largely immobile to conserve energy. Energy conservation allows the large fish to survive the winter when its metabolic rates are low and food is scarce. The yearly migration of an individual sturgeon in their search for food, spawning grounds, and overwintering sites can cover significant distances, up to tens or hundreds of kilometers (AAE Tech Services Inc., 2025, Internal Documents).

Habitat suitability for Lake Sturgeon is dependent on flow conditions and temperature regimes. In river systems where flow and water levels are regulated by hydroelectric power generating facilities, flow management practices play a significant role in determining habitat suitability. Current research indicates that the Churchill River Lake Sturgeon population is constrained by environmental limitations such as habitat degradation and resource availability that can result in recruitment failures (Auer, 1996; DFO, 2010; Haxton and Findlay, 2008, 2009). However, carrying capacity – the maximum number of individuals that the available habitat can support without long-term degradation – remains poorly defined, making it

challenging to assess whether observed trends reflect a naturally stable population or one that is at risk of future decline. Lake Sturgeon health assessments through condition factor analysis – a method that evaluates fish weight relative to length as an indicator of overall health – will assist in evaluating whether limitations in food availability, habitat quality, or other environmental factors are affecting population health. Additionally, monitoring key environmental variables such as water quality, temperature, dissolved oxygen, and sedimentation levels will be essential for identifying habitat limitations and understanding the carrying capacity within the current habitat. Together, these biological and environmental indicators can help approximate carrying capacity by revealing when the population approaches resource limitations; however, a definitive carrying capacity estimate will require continued collection of long-term data on recruitment, growth, and mortality.

Finally, Tataskweyak Cree Nation's moratorium on fishing for sturgeon on the river needs to be highlighted. If this moratorium is lifted, then an added pressure would be placed on sturgeon and their existence may be in danger. Surveying past catches of sturgeon before hydro-electric development, it is documented that hundreds of sturgeon were harvested from the Lower Churchill River on an annual basis. If these fishing numbers were to be duplicated in the present, then the Confluence population would not survive (Cree Nation Partners, 2015).

5.4 Survival and Movement Patterns

Over the past six years, abundance assessments have provided reliable estimates of the Lake Sturgeon population at the Confluence. However, concerns persist regarding inconsistent and often low recruitment, restricted habitat availability, and the long-term viability of the population. While the population appears stable based on abundance estimates, the lack of significant growth and shifting age class structure suggest potential recruitment challenges that may impact future sustainability. The Cormack Jolly-Seber model estimated a total population of 6,933 individuals (95% CI: 6,589–7,264), while the POPAN Jolly-Seber model estimated a slightly lower figure of 6,850 individuals (95% CI: 6,062–7,637). These estimates closely resemble those from previous years, indicating a relatively unchanged population trend and reinforcing that environmental constraints—particularly hydrological variability, prey availability, and seasonal changes in flow and temperature—may be limiting recovery rather than habitat extent alone.

Movement patterns of tagged Lake Sturgeon indicate high site fidelity, with most individuals remaining within a small reach of the Churchill River. This limited dispersal is likely influenced by physical habitat constraints and by hydrological conditions, prey availability, and environmental stressors such as water temperature fluctuations and seasonal flow variability. ITK supports evidence that links flow conditions to movement trends, with lower discharge periods corresponding to reduced mobility and potential aggregation in deeper refuge habitats. The restriction of movement between habitats directly impacts survival rates by limiting access to high-quality feeding and spawning areas, reducing foraging success,

and increasing competition for resources (Auer, 1996; Haxton & Findlay, 2008). Additionally, evidence suggests that juvenile Lake Sturgeon remain in nursery areas for extended periods, which can contribute to high local mortality rates due to predation and competition (Kerr et al., 2011).

While these population figures support the current population size, they highlight a lack of sustainable population growth beyond their current numbers. Despite stability in overall numbers, changes in age-class structure indicate further studies on the ageing of the population within the Confluence is necessary. A healthy, self-sustaining Lake Sturgeon population (i.e. one that can maintain itself in the long-term) should have a balanced age distribution, where juvenile, sub-adult, and adult individuals are proportionally represented. This distribution ensures continuous recruitment into the reproductive population, which is essential for maintaining genetic diversity and long-term viability. If the population ages without sufficient juvenile recruitment, it will eventually experience a demographic collapse, where natural mortality outpaces recruitment, leading to rapid declines. High site fidelity among tagged individuals suggests limited movement beyond the study area, reinforcing concerns about habitat limitations. Future conservation strategies must prioritize habitat connectivity and flow management to ensure long-term sustainability.

5.5 Study Limitations

While this study provides valuable insights into the Churchill River Lake Sturgeon population, several limitations should be considered when interpreting the findings.

A primary limitation is the lack of long-term survival data for juvenile Lake Sturgeon. Although the capture of juveniles indicates reproduction, it does not necessarily reflect recruitment into the adult population, particularly given evidence of inconsistent and often low recruitment across study years (Figures 15 and 17). Without sufficient tracking beyond early life stages, the extent to which juveniles contribute to the adult population remains uncertain. Future studies should implement PIT tagging and recapture efforts to improve understanding of juvenile survival rates.

Additionally, this study did not fully assess the condition and growth rates of juvenile Lake Sturgeon. Poor habitat conditions can limit juvenile development, and without targeted growth rate analysis it is unclear whether habitat constraints are affecting survival and recruitment. Further research is needed to determine whether environmental factors are preventing Lake Sturgeon growth and overall health.

Another key limitation is the uncertainty surrounding current spawning locations. While historically significant spawning sites such as the Little Beaver River and the Little Churchill River have been identified by Indigenous communities and ITK, there is limited direct evidence confirming active spawning in these areas today. This represents a critical knowledge gap that should be addressed through further habitat assessments and spawning surveys.

The study also lacks research on the carrying capacity of the Churchill River system for Lake Sturgeon. Without an understanding of how many individuals the system can support, it is difficult to assess long-term population sustainability. Carrying capacity is influenced by several environmental factors, including water temperature, seasonal flow rates, dissolved oxygen levels, sediment composition, prey availability (i.e. fishing activities), and the presence of suitable spawning and rearing habitats. Additionally, climatic conditions such as prolonged droughts, ice cover duration, and extreme weather events may further impact habitat quality and food resources. Future studies should incorporate all factors to better understand habitat limitations and the river's ability to sustain a viable Lake Sturgeon population.

Furthermore, the study area was limited largely to the Confluence, with only exploratory sampling completed in other portions of the Churchill and Little Churchill Rivers. Expanding efforts to include upstream and downstream sections of the Churchill River is essential for a more comprehensive understanding of the population's distribution, connectivity, and overall viability. Without assessing Lake Sturgeon movement beyond the immediate study area, there remains uncertainty regarding potential habitat fragmentation, migration patterns, and the impacts of fluctuating water levels on population dynamics. Broadening the study area through more of the Churchill River system will improve AAE's ability to assess population health and long-term sustainability.

Finally, netting methods presented challenges in this study. Fishing nets designed to capture juveniles also resulted in unintended by-catch including adult Lake Sturgeon. This may have influenced population estimates and highlights the need for refined sampling techniques to minimize impacts on non-target individuals while improving data accuracy.

Addressing these limitations through expanded research efforts, refined methodologies, and a broader study area will enhance the reliability of population modeling and support more effective conservation and management strategies for the Churchill River Lake Sturgeon.

6. CONCLUSION

The Churchill River Lake Sturgeon population remains in a state of fragile stability, with long-term data suggesting that, while overall abundance has not shown significant declines in recent years, the population structure, movement patterns, and habitat limitations present ongoing risks to sustainability.

Historical accounts and Indigenous Traditional Knowledge confirm that Lake Sturgeon were once far more abundant before the implementation of the Churchill River Diversion (CRD) in 1976. The drastic reduction in water flow, habitat fragmentation, and a loss of critical spawning areas have altered the river system, making it unlikely that the population will ever fully recover to pre-CRD levels under current conditions, highlighting the importance of ongoing management and conservation efforts.

This six-year assessment highlights the persistent challenges confronting the Churchill River Lake Sturgeon population. Although the population numbers are consistent with those observed in previous assessments, new recruitment and habitat availability remain a concern in the Churchill River. Without intervention, these constraints may lead to long-term population declines as ageing individuals are not adequately replaced by younger generations. Proactive conservation measures, including habitat restoration and improved hydrological management will be essential in sustaining a healthy Lake Sturgeon population. Collaboration among the Tataskweyak Cree Nation, other Indigenous communities, researchers, and conservation organizations is critical to implementing effective, adaptive management strategies. By incorporating findings from recent research and past assessments, this report adds to the existing body of knowledge that should inform conservation strategies. As environmental conditions change, using a research-driven approach will be important for protecting the future of Lake Sturgeon in the Churchill River.

Moving forward, we strongly recommend the continuation of long-term monitoring efforts, including expanding telemetry studies to refine our understanding of movement and habitat use, as well as further analysis of population structure and health indicators. Collaborative management strategies that integrate both scientific research and Indigenous Traditional Knowledge will be essential in ensuring that conservation efforts are both ecologically effective and culturally appropriate.

7. FUTURE DIRECTIONS

To address identified knowledge gaps and build on conclusions from research conducted between 2018 and 2023, AAE suggests the following directions for future investigations concerning the population of Lake Sturgeon in Churchill River:

1) Ongoing Population Assessments

Conduct bi-annual population assessments to monitor the health of the Lake Sturgeon populating on the Churchill River. Such population assessments will provide essential data to confirm population stability and detect emerging risks, including concerns about limited food availability and reduced Lake Sturgeon health and overall condition. Should the TCN's harvesting moratorium be lifted (e.g. subject to a reduced harvesting quota relative to historic levels), the data will also be used to ensure populations remain stable: continuous monitoring of the population would help to ensure the sustainable harvesting of the sturgeon population. TCN-led population studies would be a component of TCN's Fisheries Harvest Management Plan. Continued population monitoring will increase the accuracy of population estimates and strengthen the already established long-term dataset.

2) Carry Capacity Research

Building on existing evidence of habitat constraints, continued research and monitoring should focus on refining estimates of the Churchill River's carrying capacity to support Lake Sturgeon populations. It is vital to have an estimate of how many sturgeon the river can support in order to determine guidelines for a sustainable sturgeon harvest, such as the size and quantity of harvested fish. Monitoring the condition factor of both juvenile and adult sturgeon will ensure that fish are healthy and have enough resources to grow and spawn successfully. The goal is to support a managed and stable sturgeon population where regular harvest is balanced by protecting critical areas and good ecosystem stewardship.

3) Spawning Habitat Investigations

Continue research on Lake Sturgeon spawning and spawning habitat at historically significant locations identified by TCN and Indigenous community elders, such as the Little Beaver River, High Hill, Mistake River, Eagle Rapids, Swallow Rapids and the Little Churchill River. Specific sites where these fish are known to spawn should be identified and formally protected as no-fishing zones.

4) Sex Ratio and Maturing Analysis

Determine the sex ratios of Lake Sturgeon in the Lower Churchill River and assess the proportion of sexually mature females. Mature females should be identified and protected. This information will help to evaluate whether traditional harvesting practices are biologically sustainable over the long term.

5) Habitat Assessments

Expand habitat assessment research on the Lower Churchill River to quantify ongoing CRD-related impacts on the sturgeon population and their ability to access critical habitat areas, including spawning, feeding, and overwintering sites. Increasing the scope of habitat assessment investigations will allow for a more accurate understanding of the carrying capacity of the sturgeon population at the Confluence.

6) Population Connectivity and Fragmentation

Broaden population monitoring beyond the Confluence to other areas that were known to support sturgeon pre-CRD, including Billard, Fidler, and Northern Indian Lake, as well as the Mountain Rapids and Redhead Rapid areas. These sites should be monitored for fish emigrating from the Confluence exploring new habitats and food resources.

7) Juvenile Habitat and Growth Studies

Regular assessment of juvenile numbers should be conducted to confirm the extent of ongoing recruitment and its contribution to long-term population sustainability, and to sustain a regulated harvest of Lake Sturgeon by TCN resource users. Research should also address the impact of poor habitat conditions on juvenile Lake Sturgeon development. Future studies should analyze sturgeon growth rates to inform conservation efforts and guide adaptive management.

8. ACKNOWLEDGEMENTS

Field Investigations, Data Collection, and Processing

Griffin Hewitt, B.Sc.	Jason Beardy, TCN.
Luke Roffey, B.Sc.	Robert Spence, TCN
Austin Los, B.Sc.	Kenneth Ouskun, TCN
Cody Jackson, M.Sc.	Ron Henderson, TCN
Jennifer Lewarne, B.Sc.	Priscilla Spence, TCN
Morgan Cameron, Dip. NRM.	Keith Kitchekeesik, TCN
Daryl Wiebe	Joseph Harvey, TCN
Harley Hussey, B.Env.St.	Saul Mayham, TCN
Joey Tonin, M.Sc.	Melvin Cook, TCN
Steven Walker, B.Sc	Jonathan Flett, TCN
Brody Kitch	N. Kitchekeesik, TCN
Eric Turenne, M.Sc.	Jason Beardy, TCN
Cole Wolbaum, B.Sc.	Norma Mcivor, TCN
	Josh Spence, TCN

Data Analysis, Report Preparation, and Review

Cody Jackson, M.Sc.	JP Medina, Ph.D.
Griffin Hewitt, B.Sc.	Carlos Hay, M.Sc.
Kyle Muirhead, M.Sc.	Natalie Collette, B.Sc.
Luke Roffey, B.Sc.	Robert Spence, TCN
Celine Froese, B.Env.St.	Jonathan Kitchekeesik
Mark Lowdon, M.Sc.	Mike Moose, TCN

Project Funding

Manitoba Hydro and Tataskweyak Cree Nation.

9. REFERENCES

- AAE Tech Services Inc.** (2018). *Churchill River Lake Sturgeon Population Assessment - 2018 Program*. [Internal document]. La Salle, MB.
- AAE Tech Services Inc.** (2019). *Churchill River Lake Sturgeon Population Assessment and Movement Study - 2019 Program*. [Internal document]. La Salle, MB.
- AAE Tech Services Inc.** (2020). *Churchill River Lake Sturgeon Population Assessment and Movement Study - 2020 Program*. [Internal document]. La Salle, MB.
- AAE Tech Services Inc.** (2021). *Churchill River Lake Sturgeon Population Assessment and Movement Study - 2021 Program*. [Internal document]. La Salle, MB.
- AAE Tech Services Inc.** (2022). *Churchill River Lake Sturgeon Population Assessment and Movement Study – 2022 Program*. [Internal document]. La Salle, MB
- AAE Tech Services Inc.** (2024). *Churchill River Lake Sturgeon Habitat Report*. [Internal document]. La Salle, MB
- AAE Tech Services Inc.** (2025). *Churchill River Lake Sturgeon Movement Report*. [Internal document]. La Salle, MB
- Ambrose, K. M. and McDougall, C. A.** (2016). *Results of Lake Sturgeon population studies conducted in the lower Churchill River between the Little Churchill River confluence and Swallow Rapids, Summer 2015 – Year 2. A Lake Sturgeon Stewardship and Enhancement Program report prepared for Manitoba Hyd.* Winnipeg, Manitoba.
- Ambrose, K. M. and McDougall, C. A.** (2018). *Lake Sturgeon Stewardship and enhancement program. Results of lake strurgeon population studies conducted in the lower Churchill River, Fall 2017.*
- Ambrose, K. M., McDougall, C. A., Blanchard, M. and Nelson, P. A.** (2017). *Lake Sturgeon Stewardship and Enhancement Program. Results of Lake Sturgeon population studies conducted in the lower Chrchill River between the Little Churchill River confluence and Swallow Rapids, Summer 2016 - Year 3.*
- Auer, N. A.** (1996). Importance of habitat and migration to sturgeons with emphasis on lake sturgeon. *Can. J. Fish. Aquat. Sci.* **53**, 152–160.
- Block, D.** (2001). Growth estimates, habitat use, and ecology of the lake sturgeon, *Acipenser fulvescens*, from Round Lake and mature reservoirs in the Winnipeg River.
- Bodaly, R. A., Reist, J. D. and Rosenberg, D. M.** (1989). Fish and Fisheries of the Mackenzie and Churchill River Basins, Northern Canada. *Proc. Int. Large River Symp.* **106**, 128–144.
- Bruch, R. M., Haxton, T. J., Koenigs, R., Welsh, A. and Kerr, S. J.** (2016). Status of Lake Sturgeon (*Acipenser fulvescens* Rafinesque 1817) in North America. *J. Appl. Ichthyol.* **32**, 162–190.
- Caroffino, D.C., Sutton, T.M., and, Lindberg, M.S.** (2009). Abundance and movement patterns of age-0 juvenile lake sturgeon in the Peshtigo River, Wisconsin. *Environmental Biology of Fishes* **86**:411-422.
- Cooch, E. & White, G.** (2019). Program MARK: a gentle introduction

- Cooke, D.W. & Leach, S.D.** (2004). Implications of a migration impediment on shortnose sturgeon spawning. *North American Journal of Fisheries Management* 24:1460-1468.
- Cormack, R. M.** (1964). Estimates of Survival from the Sighting of Marked Animals. *Biometrika*, 51(3 and 4), 429-438. <https://doi.org/https://doi-org.uml.idm.oclc.org/10.2307/2334149>
- COSEWIC.** (2006). COSEWIC assessment and update status report on the lake sturgeon *Acipenser fulvescens* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xi + 107 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- COSEWIC.** (2017). COSEWIC assessment and status report on the Lake Sturgeon (*Acipenser fulvescens*), four populations, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xii + 153 pp.
- Cree Nation Partners** (2015). “The story of sturgeon from the Tataskweyak and War Lake worldview”. Split Lake, Manitoba. 39 pp
- Dadswell, M. J.** (2006). A review of the status of Atlantic sturgeon in Canada with comparisons to populations in the United States and Europe. *Fisheries* 31:218-229.
- DFO** (2010). Recovery Potential Assessment of Lake Sturgeon: Western Hudson Bay Populations (Designatable Unit 1). *DFO Can. Sci. Advis. Sec. Sci. Advis. Rep.* 2010/048.
- Eberhardt, L. L. and Ricker, W. E.** (1977). Computation and Interpretation of Biological Statistics of Fish Populations. *J. Wildl. Manage.* **41**, 154.
- Gallucci, V. F. and Quinn, T. J. I.** (1979). Reparameterizing, Fitting, and Testing a Simple Growth Model. *Trans. Am. Fish. Soc.* **108**, 14–25.
- Gimenez, O.** (2016, August 8). *Estimating abundance in open populations using capture-recapture models*. R Studio Pubs. Retrieved January 25, 2023, from https://rstudio-pubs-static.s3.amazonaws.com/201392_14ed145562b34fc785f5ff2ca00ba011.html
- Gimenez, O., Lebreton, J.D., Choquet, R., and Pradel, R.** (2018). R2ucare: An r package to perform goodness-of-fit tests for capture–recapture models. *Methods Ecol. Evol.* **9**(7): 1749–1754. doi:10.1111/2041-210X.13014.
- Government of Canada** Species at Risk Public Registry.
- Government of Canada** Real-Time Hydrometric Data Map Search.
- Haxton, T. J. and Findlay, C. S.** (2008). Variation in lake sturgeon (*Acipenser fulvescens*) abundance and growth among river reaches in a large regulated river. *Can. J. Fish. Aquat. Sci.* **65**, 645–657.
- Haxton, T. J. and Findlay, C. S.** (2009). Variation in large-bodied fish-community structure and abundance in relation to water-management regime in a large regulated river. *J. Fish Biol.* **74**, 2216–2238.
- Holm, E., Mandrak, N. E. and Burrridge, M. E.** (2009). *Freshwater Fishes of Ontario*. Toronto, Ontario: Royal Ontario Museum.
- Jolly, G. M.** (1965). Explicit estimates from capture-recapture data with both death and immigration-stochastic models. *Biometrika*, 52, 225-247.

- Kerr, S. J., Davison, M. J. and Funnel, E.** (2011). *A review of lake sturgeon habitat requirements and strategies to protect and enhance sturgeon habitat.*
- Kjartanson, S.L., Haxton, T., Wozney, K., Lovejoy, N.R., and Wilson, C.C.** 2023. *Conservation genetics of Lake Sturgeon (Acipenser fulvescens): Nuclear phylogeography drives contemporary patterns of genetic structure and diversity.* *Diversity*, 15(3): 385. <https://doi.org/10.3390/d15030385>
- Laake, J.L.** (2013). RMark: An R interface for analysis of capture-recapture data with MARK. AFSC Process. Rep. 2013-01 (March): 25.
- MacLean, B. D. and Nelson, P. A.** (2005). *Population and Spawning Studies of Lake Sturgeon (Acipenser fulvescens) at the Confluence of the Churchill and Little Churchill Rivers, Manitoba, Spring 2003. Draft report prepared for Manitoba Hydro by North/South Consultants Inc.*
- Manitoba Government - Conservation and Water Stewardship Fisheries Branch** (2012). *Manitoba Lake Sturgeon Management Strategy.*
- Manitoba Hydro** (2019). *Lake Sturgeon in Manitoba - A Summary of Current Knowledge.*
- Marsh, J. H.** (2006). Churchill River (Manitoba). *Can. Encycl.*
- McKinley, R.S., Singer, T.D., Ballantyne, J.S., and Power, G.** (1993). Seasonal variation in plasma non esterified fatty acids of lake sturgeon (*Acipenser fulvescens*) in the vicinity of hydroelectric facilities. *Canadian Journal of Fisheries and Aquatic Sciences* 50:2440-2447.
- Nash, R. D. M., Valencia, A. H. and Geffen, A. J.** (2006). The origin of Fulton's condition factor - Setting the record straight. *Fisheries* **31**, 236–238.
- Nelson, P.A., Gosselin, T., McDougall, C.A., and Bernatchez, L.** (2023). In-stream population structuring of Lake Sturgeon in Northern Manitoba, Canada. *Fish. Manag. Ecol.* **30**(4): 406–422. doi:10.1111/fme.12632.
- Newbury, R. W., McCullough, G. K. and Hecky, R. E.** (1984). The Southern Indian Lake Impoundment and Churchill River Diversion. *Can. J. Fish. Aquat. Sci.* **41**, 548–557.
- Ricker, W. E.** (1975). *Computation and interpretation of biological statistics of fish populations.*
- Schwarz, C. J. and Arnason, A. N.** (1996). A General Methodology for the Analysis of Capture-Recapture Experiments in Open Populations. *Biometrics* **52**, 860.
- Seber, G. A.** (1965). A note on the multiple re-capture census. *Biometrika*, 52, 249-259.
- Snyder, E.B. and Minshall, G.W.** (2005). An energy budget for the Kootenai River with an application for management of the Kootenai white sturgeon (*Acipenser tranmontanus*). *Aquatic Science* 67:472-485.
- Stewart, K. W. and Watkinson, D. A.** (2004). *The Freshwater Fishes of Manitoba.* Winnipeg, Manitoba: University of Manitoba Press.
- Swanson, G.M., Kansas, K.R., and Matkowski, S.M.** (1990). A report on the fisheries resources of the lower Nelson River and the impacts of hydroelectric development. Fisheries Branch Report 90-18.

Manitoba Department of Natural Resources. Winnipeg, Manitoba. 260 p.

Thuemler, T.F. (1997). Lake sturgeon management in the Menominee river, a Wisconsin-Michigan boundary water. *Environmental Biology of Fishes* 48:311-317.

White, G. C. and Burnham, K. P. (1999). Program mark: Survival estimation from populations of marked animals. *Bird Study* 46, S120–S139.

Appendix A – Supporting Photographs



Figure A1. Field crew sampling Lake Sturgeon.



Figure A2. Surgical implantation of VEMCO acoustic telemetry tag for movement study.

Appendix B – Supplementary Figures & Tables

2020 Netting Locations




Figure B1. Gill net locations in Churchill, Little Churchill and Little Beaver River, 2020.




Figure B2. Gill net set locations in Little Churchill River, 2020.




Figure B3. Gill net set locations from Eagle Rapids to Pasketawakamaw Lake, 2020.

2021 Netting Locations




Figure B4. Gill net locations in the Churchill and Little Churchill River during the summer sampling period.




Figure B5. Gill net set locations in Waskaiowaka Lake, Hale Lake and the upper reaches of the Little Churchill River, summer of 2021.




Figure B6. Gill net set locations in Northern Indian Lake, summer 2021.




Figure B7. Gill net set locations at the Churchill River confluence, fall 2021.

2022 Netting Locations




Figure B8. Gill net set locations at the Churchill River confluence, summer 2022.




Figure B9. Gill net set locations at the Churchill River confluence, fall 2022.

Table B1 Total catch and apportionment of non-target species (by-catch) incidentally captured during gill net sampling for Lake Sturgeon at various locations in the Lower Churchill and Little Churchill rivers from 2018–2023.

Year	Session	Site	Net Type	WALL	NRPK	LKWF	YLPR	WSHK	STSH	CISC	BURB	LKTR	CHAR	LNSK	TRPR	LKCB	Total
2018	Summer	Confluence	Adult	3	0	0	0	0	0	0	0	0	0	0	0	0	3
			Juvenile	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fall	Confluence	Adult	2	3	0	0	0	0	0	0	0	0	0	0	0	5
			Juvenile	86	23	8	0	10	0	2	0	0	0	0	0	0	129
		Recluse L.	Adult	1	1	0	0	0	0	0	0	0	0	0	0	0	2
			Juvenile	19	57	19	1	10	7	4	0	0	0	0	0	0	117
		Little Churchill R.	Adult	0	1	0	0	0	0	0	0	0	0	0	0	0	1
			Juvenile	1	6	7	0	0	0	0	0	0	0	0	0	0	14
	Pasketawakamaw L.	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Juvenile	3	10	5	0	4	15	0	0	0	0	0	0	0	37	
	Total			115	101	39	1	24	22	6	0	0	0	0	0	0	308
2019	Summer	Confluence	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			Juvenile	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Swallow Rapids	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			Juvenile	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Little Churchill R.	Adult	0	2	0	0	0	0	0	0	0	0	0	0	0	2	
		Juvenile	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Fall	Confluence	Adult	6	6	0	0	0	0	0	0	0	0	0	0	0	12
			Juvenile	119	46	43	0	15	5	0	0	0	0	0	0	0	228
		Mountain Rapids	Adult	11	8	5	0	0	0	0	0	0	0	0	0	0	24
			Juvenile	13	6	5	0	18	0	1	10	0	0	1	0	0	54
	Total			149	68	53	0	33	5	1	10	0	0	1	0	0	320
2020	Summer	Confluence	Adult	5	15	6	0	0	0	0	0	0	0	0	0	0	26
		Lower LCR	Adult	1	0	0	0	0	0	0	0	0	0	0	0	0	1
		Mistake Rapids	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Eagle Rapids	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		High Hill Creek	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Little Beaver River	Adult	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Recluse – Upper LCR	Adult	4	7	25	0	0	0	0	0	0	0	0	0	0	36
	Total			10	22	31	0	0	0	0	0	0	0	0	0	0	63
2021	Summer	Confluence	Adult	0	6	0	0	0	0	0	0	0	0	0	0	0	6
		Waskaiowaka Lake	Adult	0	20	0	0	0	0	0	0	1	0	0	0	0	21
		Northern Indian Lake	Adult	5	5	1	0	0	0	0	1	0	0	0	0	0	12
	Fall	Confluence	Adult	1	1	0	0	0	0	0	0	0	0	0	0	0	2
			Juvenile	71	84	2	0	0	0	0	0	0	1	0	0	0	158
Total			77	116	3	0	0	0	0	1	1	1	0	0	0	199	
2022	Summer	Confluence	Adult	11	3	5	0	0	0	0	0	0	0	0	0	0	19
	Fall	Confluence	Adult	22	9	31	0	0	0	0	0	0	0	0	0	0	62
		Confluence	Juvenile	118	67	67	0	5	0	0	0	0	1	0	0	0	258
	Total			151	79	103	0	5	0	0	0	0	1	0	0	0	339
2023	Summer	Confluence	Adult	18	10	2	0	0	0	0	0	0	0	0	0	0	30
	Fall	Confluence	Adult	167	51	46	0	71	2	2	1	0	0	40	3	15	398
		Confluence	Juvenile	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total			185	61	48	0	71	2	2	1	0	0	40	0	15	425
Total				572	346	238	0	109	7	3	12	1	2	41	3	15	1349

During Lake Sturgeon netting efforts, there was incidental capture of non-target species throughout the Churchill River at the Confluence, Northern Indian Lake, as well as in Upper Little Churchill River at Waskaiowaka Lake and Hale Lake. Eleven non-target species were captured over the course of the study period, namely Walleye (*Sander vitreus*; WALL), Northern Pike (*Esox lucius*; NRPK), Lake Whitefish (*Coregonus clupeaformis*; LKWF), Yellow Perch (*Perca flavescens*, YLPR), White Sucker (*Catostomus commersonii*, WSHK), Spottail Shiner (*Notropis hudsonius*, STSH), Cisco (*Coregonus artedii*, CISC), Burbot (*Lota lota*, BURB), Lake Trout (*Salvelinus namaycush*, LKTR), Arctic Char (*Salvelinus alpinus*, CHAR) and Longnose Sucker (*Catostomus catostomus*, LNSK). Total catch of non-target species in 2022 (n=339) was higher than in 2021 (n=199) or 2020 (n=63), and was close to the by-catch reported in 2018 (n=308) and 2019 (n=320).

Table B2 Summary of catch and effort related to the capture of target species outside of the focused sample area of the Confluence. Average catch per unit effort (Avg. CPUE; presented as mean $\pm$ s.e.m.) for all net sets and cumulative catch per unit effort (Cumul. CPUE) calculated as a single value for each session and location are presented.

Year	Session	Site	Net Type	Net Sets	Net Hours	Total Catch	Avg. CPUE (LKST 100m ⁻¹ 24h ⁻¹)	Cumul. CPUE (LKST 100 m ⁻¹ net-hours ⁻¹)
2018	Fall	Recluse L.	Adult	19	423.28	0	0	0
			Juvenile	15	26.17	0	0	0
		Little Churchill R.	Adult	4	99.57	0	0	0
			Juvenile	3	6.25	0	0	0
		Pasketawakamaw L.	Adult	1	26.25	0	0	0
			Juvenile	4	8.25	0	0	0
2019	Summer	Swallow Rapids	Adult	8	192	3	0.33 $\pm$ 0.31	0.017
		Little Churchill R.	Adult	6	108	0	0	0
	Fall	Mountain Rapids	Adult	26	636	63	1.98 $\pm$ 0.31 ^Δ	0.087
			Juvenile	19	71.25	3	0.95 $\pm$ 0.71 ^Δ	0.035
2020	Summer	Lower LCR	Adult	19	414.58	15	0.709 $\pm$ 0.047	0.032
		Mistake Rapids	Adult	2	95.5	3	0.662 $\pm$ 0.662	0.027
		Eagle Rapids	Adult	2	49	7	2.989 $\pm$ 0.387	0.125
		High Hill Creek	Adult	2	49.75	0	0	0
		Little Beaver River	Adult	16	382	0	0	0
		Recluse – Upper LCR	Adult	31	698.68	5	0.152 $\pm$ 0.064	0.0063
2021	Summer	Waskauiwaka Lake	Adult	80	673.25	0	0	0

Table B3. Summary of biological data compiled from each sturgeon capture in all sample locations.

Year	Site	Session	Net Type	Total Catch (N)	FL (mm)	TL (mm)	W (g)	Age (yrs)	K
2018	ALL	ALL	ALL	236	913.3±304.6	1011.3±324.3	7323.6±5758.9	17.9±10.4	0.70±0.12
	Confluence	Summer	Adult	145	975.6±261.9	1078.8±275.7	8136.2±5462.4	19.3±10.1	0.71±0.10
		Fall	Adult	75	885.7±331.0	980.4±354.9	7121.4±6092.29	17.4±10.5	0.70±0.15
			Juvenile	16	482.6±123.6	548.0±133.7	881.7±655.6	5.6±2.9	0.65±0.10
2019	ALL	ALL	ALL	455	914.6±261.4	1018.6±279.7	6918.5±5143.5	22.7±10.0	0.73±0.23
	Confluence	Summer	Adult	239	975.4±251.6	1087.9±269.9	8150.6±5401.4	22.2±10.0	0.75±0.28
		Fall	Adult	106	932.7±243.9	1035.4±255.8	7043.0±4475.8	25.9±10.9	0.74±0.13
			Juvenile	49	591.2±167.2	668.5±184.8	1804.1±1566.4	19.5±5.3	0.66±0.11
	Mountain Rapids	Fall	Adult	55	922.5±156.0	1019.6±162.0	6198.6±4047.7	20.8±7.8	0.70±0.14
			Juvenile	3	790.0±211.7	866.3±218.0	5004.6±3687.9	12.0±8.5	0.81±0.20
	Swallow Rapids	Summer	Adult	3	---	---	---	---	---
2020	ALL	ALL	ALL	208	818.4±277.7	912.7±299.6	5485.3±5000.0	16.4±11.3	0.67±0.16
	Confluence	Summer	Adult	179	799.1±275.9	892.5±298.1	5160.6±4870.3	15.6±11.5	0.68±0.16
	Lower LCR	Summer	Adult	14	643.6±154.9	727.1±169.0	2145.7±1989.1	9.9±3.6	0.67±0.11
	Mistake Rapids	Summer	Adult	3	1330.3±79.9	1441.3±89.2	16416.7±3967.5	42 (n=1)	0.69±0.04

Year	Site	Session	Net Type	Total Catch (N)	FL (mm)	TL (mm)	W (g)	Age (yrs)	K
	Eagle Rapids	Summer	Adult	7	1159.7±153.4	1285.1±139.2	10328.6±3815.0	32.8±8.1	0.64±0.03
	Recluse – Upper LCR	Summer	Adult	5	1214.6±179.5	1328.8±203.4	14014.0±5642.4	37.3±23.7	0.75±0.09
2021	ALL	ALL	ALL	392	691.0±268.7	770.1±290.0	3559.5±4402.5	15.99±11.76	0.66±0.19
	Confluence	Summer	Adult	76	914.5±254.2	1009.4±271.1	6739.3±4782.9	20.90±13.61	0.71±0.22
		Fall	Adult	141	721.2±306.5	798.8±333.9	4325.2±5176.3	14.94±9.81	0.66±0.17
			Juvenile	175	570.1±154.0	643.4±168.3	1579.8±1920.2	8.96±3.34	0.63±0.19
2022	ALL	ALL	ALL	847	762.1±257.8	850.5±276.7	3995±3877	10.2±6.7	0.66±0.16
	Confluence	Summer	Adult	360	764.4±292.9	849.8±313.6	4012.7±4069.9	9.0±6.1	0.62±0.15
		Fall	Adult	204	854.1±257.3	951.1±273.2	5556±4617	14.1±8.2	0.70±0.20
			Juvenile	302	697.2±184.5	783.4±202.7	2919±2504	11.0±5.4	0.69±0.12
2023	ALL	ALL	ALL	1091	765.1±242.6	846.8±260.2	4106±4175	10.2±6.7	0.69±0.13
	Confluence	Summer	Adult	573	845.6±251.4	940.9±270.2	5479±4593	16.2±9.9	0.71±0.12
		Fall	Adult	250	754.2±231.1	847.2±248.3	4133±4071	22.4±7.5	0.70±0.12
			Juvenile	305	589.5±111.7	669.5±122.0	1503±996.5	9.7±5.1	0.65±0.15




Figure B10. Lake Sturgeon year class counts in relation to Churchill River seasonal average discharge.

Table B4 Summary eDNA analysis results from samples collected in Northern Indian Lake in the summer of 2021.

Sample ID	UTM	Date	Time	Presence/Absence
NIL-1	14 V0607686 6362559	20-Aug-21	4:53pm	Presence
NIL-2	14 V0605681 6364249	20-Aug-21	6:30pm	Absence
NIL-3	14 V0608299 6368232	21-Aug-21	9:40am	Presence
NIL-4	14 V0604756 6366163	21-Aug-21	10:15am	Absence
NIL-5	14 V0601666 6362890	21-Aug-21	10:50am	Absence
NIL-6	14 V0597054 6358202	21-Aug-21	11:30am	Presence
NIL-7	14 V0594272 6359018	21-Aug-21	11:55am	Presence
NIL-8	14 V0598466 6354929	21-Aug-21	12:20pm	Presence
NIL-9	14 V0601099 6356345	21-Aug-21	12:50pm	Presence
NIL-10	14 V0605388 6358285	21-Aug-21	1:20pm	Absence

Appendix C – Fish Data

Table C1. Biological data and tag information for all Lake Sturgeon captured (*including same session recaptures*) during the 2018 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-07-25	1150	1300	11567	38	1980	0027		900 226000320631
confluence	2018-07-25	1100	1210	17146	22	1996	0002	1288	900 226000320680
confluence	2018-07-25	1240	1370	15558	42	1976	0003		900 226000320613
confluence	2018-07-25	1278	1419	15785	33	1985	0005		900 226000320698
confluence	2018-07-25	1040	1144	9480	19	1999	0006		900 226000320617
confluence	2018-07-25	475	542	771	5	2013	0007		900 043000168277
confluence	2018-07-25	954	1055	7484	15	2003	0008		900 226000320616
confluence	2018-07-25	556	641	862	8	2010	0009		900 043000168208
confluence	2018-07-25	595	661	1497	9	2009	0010		900 043000168219
confluence	2018-07-25	1409	1502	21364	39	1979	0011		900 226000320705
confluence	2018-07-25	1090	1194	9163	21	1997	0012		900 226000320777
confluence	2018-07-25	1145	1255	10297	38	1980	0014		900 226000320773
confluence	2018-07-25	862	971	4717	17	2001	0015	107675	900 226000577433
confluence	2018-07-25	1032	1121	6849	19	1999	0016		900 226000320732
confluence	2018-07-25	1111	1241	8890	26	1992	0017	110001	900 226000893249
confluence	2018-07-25	859	971	4672	16	2002	0018	107096	900 226000320686
confluence	2018-07-25	921	1032	5806	14	2004	0019	105238	900 226000629856
confluence	2018-07-25	1211	1324	14832	34	1984	0020	107821	900 226000628085
confluence	2018-07-25	1309	1427	17872	41	1977	0021	110183	900 226000893030
confluence	2018-07-25	1173	1321	14560	38	1980	0022		900 226000320639
confluence	2018-07-26	1011	1134	6441	16	2002	0023	105242	900 226000630126
confluence	2018-07-26	1479	1622	24358	40	1978	0024		900 226000320690
confluence	2018-07-26	1261	1317	15059	34	1984	0025		900 226000320654
confluence	2018-07-26	1191	1314	13562	24	1994	0029	107554	900 226000629420
confluence	2018-07-26	1020	1142	7121	18	2000	0030		900 226000320679
confluence	2018-07-26	442	505	590	4	2014	0031		900 226000320681
confluence	2018-07-26	1120	1212	9752	18	2000	0032		900 226000320614
confluence	2018-07-26	1008	1082	6759	24	1994	0033		900 226000320640
confluence	2018-07-26	979	1159	7121	16	2002	0034		900 226000320602
confluence	2018-07-26	936	1060	5806	14	2004	0035	105247	900 226000630230
confluence	2018-07-26	871	962	4672	10	2008	0036		900 226000628265
confluence	2018-07-26	1160	1232	10795	33	1985	0037		900 226000320653
confluence	2018-07-26	1000	1192	6940	15	2003	0038		900 226000320693

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-07-26	913	1007	5625	12	2006	0039	110134	900 226000893083
confluence	2018-07-26	745	851	3130	8	2010	0040	103211	900 226000548356
confluence	2018-07-26	869	959	4899	11	2007	0041		900 226000320688
confluence	2018-07-26	1081	1181	9026	16	2002	0043		900 226000320661
confluence	2018-07-26	450	501	544	5	2013	0044	104830	900 226000893681
confluence	2018-07-26	587	657	680	4	2014	0045		900 226000320606
confluence	2018-07-26	669	750	2041	9	2009	0046		900 226000320619
confluence	2018-07-26	1162	1291	12428	20	1998	0047		900 226000320637
confluence	2018-07-26	435	510	544	4	2014	0049		900 226000320615
confluence	2018-07-26	1352	1440	15286	30	1988	0050	57204	900 226000320607
confluence	2018-07-26	978	1070	6214	16	2002	0051	107837	900 226000628316
confluence	2018-07-27	1070	1171	8890	28	1990	0052		900 226000320603
confluence	2018-07-27	1002	1101	7756	20	1998	0053		900 226000320684
confluence	2018-07-27	872	990	4536	15	2003	0054	107832	900 226000628217
confluence	2018-07-27								900 226000320679
confluence	2018-07-27	1423	1568	21636			0055		900 226000320655
confluence	2018-07-27	1020	1121	7394	13	2005	0056	48688	900 226000320664
confluence	2018-07-27	1210	1320	11975	24	1994	0057		900 226000630376
confluence	2018-07-27	859	943	4037	8	2010	0058		900 226000320612
confluence	2018-07-27	802	910	3946	12	2006	0059		900 226000320642
confluence	2018-07-27	1170	1271	10433	19	1999	0060	110175	900 226000893157
confluence	2018-07-27	913	1007	5625				110134	900 226000893083
confluence	2018-07-27	1021	1130	7893	24	1994	0061	48664	900 226000320697
confluence	2018-07-27	870	961	4037	18	2000	0062		900 226000320633
confluence	2018-07-27	1150	1277	8528	25	1993	0063	110003	900 226000893109
confluence	2018-07-27	1191	1314	13562				107554	900 226000629420
confluence	2018-07-27	1479	1622	24358					900 226000320690
confluence	2018-07-27	1150	1282	11068	20	1998	0064	57111	900 226000320601
confluence	2018-07-27	881	981	4672	18	2000	0065	10535	900 226000630100
confluence	2018-07-27	769	850	3039	13	2005	0069	107836	900 226000629362
confluence	2018-07-27	742	812	2540	11	2007	0070		900 226000320670
confluence	2018-07-27	1110	1170	11385	26	1992	0071		900 043000103442
confluence	2018-07-28	382	422	318	3	2015	0073		900 226000320658
confluence	2018-07-28	1130	1230	9616	23	1995	0074		900 226000320627
confluence	2018-07-28	1232	1343	11431	20	1998	0075		900 226000320649
confluence	2018-07-28	769	850	3039				107836	900 226000629362
confluence	2018-07-28	1479	1622	24358					900 226000320690

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-07-28	1150	1282	11068				57111	900 226000320601
confluence	2018-07-28	1220	1312	12428	31	1987	0076	48762	900 226000320634
confluence	2018-07-28	440	500	590	5	2013	0077		
confluence	2018-07-28	840	928	3901	9	2009	0078		900 226000893309
confluence	2018-07-28	970	1060	6214	17	2001	0079	105319	900 226000629996
confluence	2018-07-28	1130	1210	10659	24	1994	0080		900 226000320624
confluence	2018-07-28	1501	1602	28667	35	1983	0081		900 226000320699
confluence	2018-07-28	930	1030	5625	15	2003	0082	107043	900 226000629500
confluence	2018-07-28	931	1032	5534	11	2007	0083	107660	900 043000103650
confluence	2018-07-28	612	700	1542	6	2012	0085		900 226000320623
confluence	2018-07-28	1342	1395	17554	34	1984	0086		900 226000320668
confluence	2018-07-28	1260	1370	13154	25	1993	0087	57066	900 226000630099
confluence	2018-07-28	1010	1129	9253	25	1993	0088	48786	900 226000893086
confluence	2018-07-28	1040	1181	9253	28	1990	0089		900 226000320662
confluence	2018-07-28	953	1143	7076	12	2006	0090		900 226000320600
confluence	2018-07-28	913	1007	5625				110134	900 226000893083
confluence	2018-07-28	660	750	2313	15	2003	0093	105839	900 226000629865
confluence	2018-07-28	1000	1120	7983	18	2000	0095	105958	900 226000630198
confluence	2018-07-28	970	1083	5761	15		0097		900 226000320609
confluence	2018-07-28	414	479	408	5	2013	0098		900 226000320685
confluence	2018-07-28	441	505	544	5	2013	0099		900 226000320636
confluence	2018-07-28	438	494	771	3	2015	0100		900 226000320682
confluence	2018-07-28	365	416	272	3	2015	0103		900 226000320652
confluence	2018-07-29	1409	1502	21364					900 226000320705
confluence	2018-07-29	752	821	2858	8	2010	0106		900 226000320683
confluence	2018-07-29	660	732	1905	9	2009	0107		900 226000320605
confluence	2018-07-29	1100	1190	9072	29	1989	0108		900 226000320772
confluence	2018-07-29	780	863	3674			0109		900 226000630435
confluence	2018-07-29	1170	1300	10886	27	1991	0111		900 226000320744
confluence	2018-07-29	1150	1253	10659	26	1992	0112		900 226000320722
confluence	2018-07-29	1090	1150	9571	28	1990	0113		900 226000320730
confluence	2018-07-29	1220	1311	12519	36	1982	0114		900 226000320712
confluence	2018-07-29	912	1003	4808	13	2005	0115		900 226000320768
confluence	2018-07-29	995	1013	7167	19	1999	0116		900 226000320799
confluence	2018-07-29	1260	1370	13154				57066	900 226000630099
confluence	2018-07-29	1070	1190	9072	26	1992	0117	48771	900 226000628104
confluence	2018-07-29	1200	1330	11340	31	1987	0118		900 226000320710

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-07-29	1340	1398	18416	32	1986	0119		900 226000320766
confluence	2018-07-30	1065	1151	8890	27	1991	0120	109927	900 226000893138
confluence	2018-07-30	1127	1211	10115	23	1995	0121		900 226000320665
confluence	2018-07-30	1065	1151	8890	24	1994	0122		900 226000320622
confluence	2018-07-30	1063	1147	8255	23	1995	0123	107651	900 226000629469
confluence	2018-07-30	1097	1203	10297			0124		900 226000320657
confluence	2018-07-30	1150	1219	9480	22	1996	0125		900 226000320663
confluence	2018-07-30	1170	1271	13381	27	1991	0126		900 226000320628
confluence	2018-07-30	920	1010	5398	17	2001	0127		900 226000320692
confluence	2018-07-30	1232	1320	12519	26	1992	0128	5784	900 226000320638
confluence	2018-07-30	1310	1420	21410			0130		900 226000320635
confluence	2018-07-30			4264	19	1999	0131	110192	900 226000893075
confluence	2018-07-30	1290	1360	15513	28	1990	0132		900 226000320644
confluence	2018-07-30	1097	1260	11929	28	1990	0133		900 226000320660
confluence	2018-07-30	1147	1240	10523	24	1994	0134		900 226000320669
confluence	2018-07-30	900	1018	5534	14	2004	0135	110321	900 226000893038
confluence	2018-07-30	800	971	4853	17	2001	0136		900 226000893001
confluence	2018-07-30	1000	1210	9253	14	2004	0138		900 226000320676
confluence	2018-07-30	1078	1178	9979	24	1994	0140		900 226000320677
confluence	2018-07-30	1310	1410	15331	31	1987		Split01,362	
confluence	2018-07-30	395	444	363	4	2014	0142		900 226000320629
confluence	2018-07-31	1380	1479	17100	29	1989	0143	48692	900 226000320748
confluence	2018-07-31	1030	1180	8890	24	1994	0145		900 226000320781
confluence	2018-07-31	1212	1300	14606			0147	48617	900 226000320703
confluence	2018-07-31	1290	1360	15513		2018			900 226000320644
confluence	2018-07-31	1099	1178	8800	12	2006	0148	105850	900 226000629894
confluence	2018-07-31	1370	1490	17100	42	1976	0149	57752	900 226000893043
confluence	2018-07-31	1147	1240	10523		2018			900 226000320669
confluence	2018-07-31	948	1170	7303	17	2001	0150		900 226000320757
confluence	2018-07-31	942	1135	6033	16	2002	0151	103324	900 226000548294
confluence	2018-07-31	945	1172	6123			0152		900 226000320780
confluence	2018-07-31	1230	1321	14107	30	1988	0153		900 226000320724
confluence	2018-08-01	1099	1178	8800				105850	900 226000629894
confluence	2018-08-01	928	1140	4763	14	2004	0154		900 226000320708
confluence	2018-08-01	948	1170	7303		2018			900 226000320757
confluence	2018-08-01	1001	1111	6078	21	1997	0155		900 226000320788
confluence	2018-08-01	970	1061	6169	18	2000	0156		900 226000320740

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-08-01	901	997	5307	15	2003	0157		900 226000320700
confluence	2018-08-01	932	1020	5171	18	2000	0158		900 226000320787
confluence	2018-08-01	1231	1322	13290	32	1986	0159	57823	900 226000320719
confluence	2018-08-01	813	900	3629	11	2007	0165		900 226000893214
confluence	2018-08-01	971	1178	6260	18	2000	0166		900 226000320798
confluence	2018-08-02	919	1100	4717	18	2000	0167	107162	900 226000628031
confluence	2018-08-02	408	491	499	16	2002	0168		900 226000320701
confluence	2018-08-02	844	962	4173	7	2011	0170		900 226000320704
confluence	2018-08-02	569	621	1315	10	2008	0171		900 226000320789
confluence	2018-08-03	841	932	3856	19	1999	0174	103766	900 226000320666
confluence	2018-08-03	999	1120	6305	13	2005	0175		900 226000320646
confluence	2018-08-03	770	871	2812	22	1996	0176	107181	900 043000103675
confluence	2018-08-03	1212	1301	13381	4	2014	0177		900 226000320659
confluence	2018-08-03	380	421	272			0178		900 226000320608
confluence	2018-08-03	418	484	363			0180		900 226000320632
confluence	2018-09-11	1130	1210	10206	18	2000	0201	105365	900 226000630106
confluence	2018-09-11	623	697	2858	4	2014	0202		900 226000132259
confluence	2018-09-11	519	566	1043	2	2016	0204		900 226000132455
confluence	2018-09-11	1290	1437	14832	30	1988	0205	57575	900 226000132164
confluence	2018-09-11	482	550	590	4	2014	0206	115141	900 226000153348
confluence	2018-09-11	486	558	544	5	2013	0207		900 226000132496
confluence	2018-09-12	998	1096	6033	19	1999	0209	105845	900 226000629872
confluence	2018-09-12	638	726	1542	7	2011	0211	107547	900 226000113355
confluence	2018-09-12	752	830	2767	12	2006	0212		900 226000113473
confluence	2018-09-12	908	1006	4491	15	2003	0213	105302	900 226000629969
confluence	2018-09-12	552	632	998	5	2013	0214		900 226000113019
confluence	2018-09-12	754	832	2722	11	2007	0216		900 226000113439
confluence	2018-09-12	834	932	9163	11	2007	0217	107806	900 226000629850
confluence	2018-09-13	1064	1162	9117	21	1997	0218	105801	900 226000630043
confluence	2018-09-13	616	698	1451	7	2011	0219		900 226000113468
confluence	2018-09-13	600	668	1179	8	2010	0220		900 226000113291
confluence	2018-09-13	958	1056	6804	19	1999	0221	105376	900 226000630197
confluence	2018-09-13	752	830	2495	8	2010	0222		900 226000113002
confluence	2018-09-14	1002	1108	5806	21	1997	0223		900 226000113383
confluence	2018-09-14	1346	1484	17327	32	1986	0224		900 226000113111
confluence	2018-09-14	305	351	136	1	2017	0225		900 226000113331
confluence	2018-09-15	1223	1328	13744	31	1987	0226	57843	900 226000630042

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-09-15	1101	1296	10478	31	1987	0227	57085	900 226000112973
confluence	2018-09-16	456	519	590	3	2015	0228		900 226000113242
confluence	2018-09-16	863	965	4309	15	2003	0229	105307	900 226000630164
confluence	2018-09-16	961	1098	6396	16	2002	0230		900 226000113096
confluence	2018-09-16	1176	1279	11521	23	1995	0231		900 226000113271
confluence	2018-09-16	854	971	4672	12	2006	0232		900 226000113212
confluence	2018-09-16	1339	1481	17327	33	1985	0237		900 226000113187
confluence	2018-09-16	979	1078	5851			156		900 226000320740
confluence	2018-09-16	821	913	4037	16	2002	0238		900 226000119274
confluence	2018-09-16	388	445	408	3	2015	0240		900 226000112572
confluence	2018-09-16	589	652	1451	9	2009	0241		900 226000113494
confluence	2018-09-16	443	520	726	4	2014	0243		900 226000113018
confluence	2018-09-17	1162	1281	10478	28	1990	0244		900 226000132375
confluence	2018-09-17	1078	1184	9117	25	1993	0245		900 226000113260
confluence	2018-09-17	609	686	1633	7	2011	0246		900 226000113449
confluence	2018-09-17	931	1014	4899	19	1999	0247		900 226000119182
confluence	2018-09-17	825	926	3357	11	2007	0248		900 226000113454
confluence	2018-09-17	1362	1438	16601	33	1985	0250	109920	900 226000893040
confluence	2018-09-17	1224	1346	13063			114		900 226000320712
confluence	2018-09-17	1436	1529	21228	34	1984	0326		900 226000113363
confluence	2018-09-17	1208	1318	11385	32	1986	0327	109909	900 226000893207
confluence	2018-09-17	504	588	862	5	2013	0330		900 226000113460
confluence	2018-09-17	818	901	3311	12	2006	0331	103104	900 226000090610
confluence	2018-09-17	1156	1271	14197	25	1993	0345		900 226000119448
confluence	2018-09-17	334	382	227			0350		900 226000113066
confluence	2018-09-17	659	746	1950	9	2009	0349		900 226000893216
confluence	2018-09-17	1066	1152	7666	21	1997	0348		900 226000628117
confluence	2018-09-18	942	1039	6169	15	2003	0346	104829	900 226000893625
confluence	2018-09-18	1156	1271	14197			0345		900 226000119448
confluence	2018-09-18	818	901	3311			0331	103104	900 226000090610
confluence	2018-09-18	906	1012	4581	12	2006	0344		900 226000113136
confluence	2018-09-18	837	926	3629	12	2006	0343		900 226000119417
confluence	2018-09-18	964	1067	6033			0051		900 226000628316
confluence	2018-09-18	1359	1488	21818	26	1992	0342		900 226000629982
confluence	2018-09-18	800	896	2948	14	2004	0341	110132	900 226000893073
confluence	2018-09-18	851	963	3810	14	2004	0340		900 226000119175
confluence	2018-09-18	932	1034	5398	20	1998	0339	107015	900 043000103700

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2018-09-18	872	961	4400	19	1999	0338		900 226000119112
confluence	2018-09-18	575	645	1179	8	2010	0337		900 226000119349
confluence	2018-09-18	605	685	1633	7	2011	0336		900 226000119149
confluence	2018-09-18	529	604	1043	6	2012	0335		900 226000119210
confluence	2018-09-18	436	505	635			0275		900 226000119045
confluence	2018-09-18	459	526	635			0274		900 226000112688
confluence	2018-09-18	430	496	499			0273		900 226000119158
confluence	2018-09-18	504	576	862			0272		900 226000112698
confluence	2018-09-18	577	638	1315	8	2010	0271	107548	900 226000119143
confluence	2018-09-19	359	422	318			0270		900 226000113322
confluence	2018-09-19	902	1008	5488	14	2004	0269	105745	900 226000630029
confluence	2018-09-19	1362	1469	18053	40	1978	0268		900 226000113442
confluence	2018-09-19	1044	1175	6396	26	1992	0267		900 226000629981
confluence	2018-09-19	1352	1447	17735			0021	110183	900 226000893030
confluence	2018-09-19	898	986	5171	17	2001	0266		900 226000113419
confluence	2018-09-19	1316	1458	15785	33	1985	0265	105742	900 226000630168
confluence	2018-09-19	1046	1134	8346	21	1997	0264		900 226000113486
confluence	2018-09-20	1357	1480	17100	36	1982	0263		900 226000113401
confluence	2018-09-20	1269	1397	16057	27	1991	0262		900 226000119331
confluence	2018-09-20	1298	1416	20276	33	1985	0261		900 226000119021
confluence	2018-09-20	1037	1158	8890			0121		900 226000320665
confluence	2018-09-20	1249	1370	14107	34	1984	0260		900 226000119109
confluence	2018-09-20	965	1076	5851	19	1999	0259		900 226000119242
confluence	2018-09-21	523	600	816	6	2012	0258		900 226000119334
confluence	2018-09-23	398	464	408	4	2014	0257		900 226000119186
confluence	2018-09-25	198	223				0256		900 043000168291
confluence	2018-09-26	355	402	272	3	2015	0255		900 226000132055
confluence	2018-09-26	396	448	272	5	2013	0254		900 226000132155
confluence	2018-09-26	315	357	181	2	2016	0253		900 226000132078
confluence	2018-09-26	273	311	136	1	2017	0252		900 226000132084
confluence	2018-09-26	628	714	1542	10	2008	0251		900 226000119244
confluence	2018-09-27	215	247	91	0	2018	0299		900 226000132258
confluence	2018-09-27	431	497	499	4	2014	0298		900 226000113465
confluence	2018-09-27	207	240				0296		900 226000113203

Table C2. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2019 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-08	1116	1280	9900			0295		900 224000113444
confluence	2019-06-08	1050	1170	7150			0294		900 224000113178
confluence	2019-06-08	1070	1180	9300			0293		900 224000113135
confluence	2019-06-08	1150	1285	12590			0002		900 226000320680
confluence	2019-06-08	1240	1390	14600			0292	57133	900 224000113119
confluence	2019-06-08	1190	1314	14350			0291		900 224000113335
confluence	2019-06-08	478	545	650			0289		900 224000113039
confluence	2019-06-08	871	971	2860			0286		900 224000113244
confluence	2019-06-08	905	1300	5900	7	2012	0283		900 224000113108
confluence	2019-06-08	1000	1130	7000	22	1997	0282		900 224000113423
confluence	2019-06-08	1015	1204	7700	12	2007	0281		900 224000113001
confluence	2019-06-08	1078	1181	8550	7	2012	0280		900 224000113040
confluence	2019-06-08	1127	1254	10800	14	2005	0279		900 224000113141
confluence	2019-06-08	1301	1436	16750	13	2006	0278		900 224000113485
confluence	2019-06-08	1248	1401	16950	17	2002	0277		900 224000113474
confluence	2019-06-09	811	928	4800	15		0276		900 224000119489
confluence	2019-06-09	1009	1014	7400	24	1995	0301		900 224000113310
confluence	2019-06-09	875	935	5300	19	2000	0302		900 224000113450
confluence	2019-06-09	1321	1447	24200	31	1988	-	48624	900 224000113305
confluence	2019-06-09	1150	1259	11200			0303		900 226000320660
confluence	2019-06-09	965	1175	7200	27	1992	0304		900 224000113431
confluence	2019-06-09	1456	1562	27900	24	1995	0305		900 224000119192
confluence	2019-06-09	1041	1146	9400	37	1982	0306		900 224000113049
confluence	2019-06-09	1072	1199	9900	29	1990	0307		900 224000113302
confluence	2019-06-09	510	586	700	6	2013	0308		900 224000113072
confluence	2019-06-09	1140	1200	19400	22	1997	-	110025	900 226000893244
confluence	2019-06-09	1242	1375	17500	39	1980	0309	57808	900 224000113183
confluence	2019-06-09	1089	1179	9200	24	1995	0310		900 224000113420
confluence	2019-06-09	1050	1074	9900	18	2001	0311		900 224000113297
confluence	2019-06-09	1125	1263	9550			0285	107581	900 226000628100
confluence	2019-06-09	1050	1189	7850			0284	110323	900 226000893135
confluence	2019-06-09	811	928	4800			0276		900 224000119489
confluence	2019-06-10	1100	1210	9800	37	1982	-	110159	900 226000893188
confluence	2019-06-10	1300	1440	17700	37	1982	0312	105313	900 226000629923

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-10	1081	1195	9000	34	1985	0313	110064	900 226000893234
confluence	2019-06-10	479	542	600	6	2013	0314		900 224000119008
confluence	2019-06-10	868	961	1700	18	2001	0315	110026	900 226000893041
confluence	2019-06-10	1011	1140	7600	26	1993	-	109939	900 226000893124
confluence	2019-06-10	1211	1310	12700	34	1985	0316		900 224000119098
confluence	2019-06-10	951	1080	6400	25	1994	0318		900 224000119176
confluence	2019-06-10	941	1052	6390	21	1998	0319		900 224000119221
confluence	2019-06-10	1100	1340	7600	27	1992	0320		900 226000630048
confluence	2019-06-10	1071	1192	9000	32	1987	0321	110178	900 226000893191
confluence	2019-06-10	1356	1483	17300	31	1988	0322	106845	900 226000628108
confluence	2019-06-10	1177	1298	12900	36	1983	0323	110197	900 226000893134
confluence	2019-06-10	1330	1422	18200	24	1995	0324	486687	900 224000119411
confluence	2019-06-10	1034	1160	8300	28	1991	0325		900 224000119351
confluence	2019-06-11	1050	1152	9700	30	1989	0925		900 224000119144
confluence	2019-06-11	1415	1473	27600			0924	48742	900 224000119223
confluence	2019-06-11	900	1025	5800	19	2000	0923		900 224000119493
confluence	2019-06-11	1020	1100	8700	29	1990	0922		900 224000119040
confluence	2019-06-11	1165	1293	13700			0002		900 226000320680
confluence	2019-06-11	955	1067	7300	17	2002	0921		900 224000112710
confluence	2019-06-11	841	940	5600			0920	105303	900 226000629781
confluence	2019-06-11	770	868	3800	14	2005	0919		900 224000112750
confluence	2019-06-11	870	967	4700			-		900 224000113010
confluence	2019-06-11	1142	1273	10500	25	1994	0918		900 224000119117
confluence	2019-06-11	1219	1335	15100	31	1988	-	105841	900 226000629830
confluence	2019-06-11	1410	1550	22100	45	1974	0917	-	900 224000119254
confluence	2019-06-11	1423	1552	20200	41	1978	0916	-	900 224000112732
confluence	2019-06-11	1191	1311	13300			-	110182	900 226000893094
confluence	2019-06-11	-	-	10600			0037		900 226000320653
confluence	2019-06-11	1084	1190	8900			-	101416	900 226000630002
confluence	2019-06-11	930	1078	7300			0097		900 226000320609
confluence	2019-06-11	1190	1317	10800			0915	107589	900 226000628222
confluence	2019-06-11	1080	1185	9000	35	1984	0914	-	900 224000119496
confluence	2019-06-11	830	933	4700	15	2004	0913	-	900 224000119065
confluence	2019-06-11	828	937	4800			-	105357	900 226000630239
confluence	2019-06-11	1148	1275	11100			0912	107555	900 226000577440
confluence	2019-06-11	925	1043	6500			0911	103205	900 226000548462
confluence	2019-06-11	940	1046	6700	20	1999	0910	-	900 224000119025

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-11	720	805	3300	13	2006	0909	106834	900 043000103814
confluence	2019-06-11	789	853	3900	17	2002	0908	-	900 224000119302
confluence	2019-06-11	1091	1232	10300			0907	110103	900 226000893131
confluence	2019-06-11	929	1036	6600	20	1999	0906	-	900 224000112679
confluence	2019-06-11	1075	1184	9200			0905	57137	900 224000119099
confluence	2019-06-11	837	950	5500	18	2001	0904	107777	900 226000628236
confluence	2019-06-11	1083	1202	9500	31	1988	0903	-	900 224000119193
confluence	2019-06-11	975	1107	8300			0902	-	900 226000703354
confluence	2019-06-11	1310	1445	19200			0901	57122	900 224000119005
confluence	2019-06-11	1110	1390	15800			0625	57139	900 224000119325
confluence	2019-06-11	1060	1199	9700	19	2000	0624	-	900 224000119474
confluence	2019-06-12	1210	1387	12300			0623	107034	900 226000628229
confluence	2019-06-12	1250	1370	12900			0622	-	900 226000628090
confluence	2019-06-12	531	632	2100	8	2011	0621	-	900 224000119403
confluence	2019-06-12	470	540	1300	6	2013	0620	-	900 224000112943
confluence	2019-06-12	905	1000	4300			0619	105211	900 226000630026
confluence	2019-06-12	1046	1146	10100	28	1991	0618	-	900 224000112917
confluence	2019-06-12	1075	1185	9800			0617	106838	900 226000630275
confluence	2019-06-12	1342	1505	19300			0616		900 224000132141
confluence	2019-06-12	930	1069	6300			0615	110324	900 226000893156
confluence	2019-06-12	1310	1430	17250			0614	-	900 224000132016
confluence	2019-06-12	1210	1330	14000			0610	109950	900 226000893212
confluence	2019-06-12	1151	1280	11300			0609		900 224000132005
confluence	2019-06-12	350	401	250			-		
confluence	2019-06-12	465	532	650			0608		
confluence	2019-06-12	1410	1549	16900			-		900 224000132062
confluence	2019-06-12	1005	1231	9800	33	1986	0607		900 224000132323
confluence	2019-06-12	1009	1280	11880			-	57802	900 226000630051
confluence	2019-06-12	1160	1279	11900			0606	57145	900 224000132207
confluence	2019-06-12	811	905	3900			-	105213	900 226000630153
confluence	2019-06-12	845	940	3850	18	2001	0605	-	900 224000132001
confluence	2019-06-12	941	1030	6050	21	1998	-	107754	900 226000629879
confluence	2019-06-12	1155	1260	11650			-	105229	900 226000630201
confluence	2019-06-12	-	-	17800	39	1980	0604	-	900 224000132001
confluence	2019-06-12	919	1003	5150	24	1995	0603	-	900 224000132393
confluence	2019-06-13	1070	1120	7250			0601	107178	900 226000628069
confluence	2019-06-13	-	-				0916		900 224000112732

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-13	885	996	5050			0926	105212	900 226000629939
confluence	2019-06-13	1075	1150	8000	27	1992	0927	-	900 224000119077
confluence	2019-06-13	1159	1285	9100			0928	110075	900 226000893180
confluence	2019-06-13	1170	1284	10200	26	1993	0929		900 224000119447
confluence	2019-06-13	590	680	250	7	2012	0930		900 224000110212
confluence	2019-06-13	-	-				0616		900 224000132141
confluence	2019-06-13	-	-				0614		900 224000132016
confluence	2019-06-13	464	536	600	5	2014	0931		900 224000110369
confluence	2019-06-13	1064	1190	10850	34	1985	0932		900 224000110236
confluence	2019-06-16	1325	1452	16900	42	1977	0701		900 224000132233
confluence	2019-06-16	431	490	450			0727		
confluence	2019-06-16	-	-				0024		900 226000320690
confluence	2019-06-16	1136	1265	10700			0279		900 224000113141
confluence	2019-06-16	1280	1395	14250			0702	48708	900 224000132343
confluence	2019-06-16	850	952	4850			-	105819	900 226000629978
confluence	2019-06-16	1092	1205	8250			-	104925	900 226000893643
confluence	2019-06-16	884	980	4950	19	2000	0728		900 224000132271
confluence	2019-06-16	990	1110	6350	26	1993	0703		900 224000132111
confluence	2019-06-16	-	-				0609		900 224000132005
confluence	2019-06-16	900	1005	4950	20	1999	-	107839	900 043000103688
confluence	2019-06-16	590	682		9	2010	0704		900 224000132103
confluence	2019-06-16	-	-				0024		900 226000320690
confluence	2019-06-16	1270	1371	15100	45	1974	0705		900 224000132027
confluence	2019-06-16	880	990	5300	11	2008	0706		900 224000132036
confluence	2019-06-16	-	-	13850			0707	57123	900 224000132095
confluence	2019-06-16	-	-	25500			0081		900 226000320699
confluence	2019-06-17	650	750	4800			0093		900 226000629865
confluence	2019-06-17	1260	1365	13200			0708	57761	
confluence	2019-06-17	1250	1374	16250			0709	57773	
confluence	2019-06-17	510	784	1100			0710	112551	
confluence	2019-06-17	1110	1230	8850			0121		900 226000320665
confluence	2019-06-17	980	1070	6220			0711		
confluence	2019-06-17	820	930	4250	21	1998	0712		
confluence	2019-06-17	1430	1560	19900			0713	110200	
confluence	2019-06-17	675	760	2150	11	2008	0714	-	
confluence	2019-06-17	980	1090	6950			0715	48688	
confluence	2019-06-17	775	820	2650	14	2005	0716	105249	

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-17	860	960	4100			0213		900 226000629969
confluence	2019-06-17	930	1012	5700			0717		
confluence	2019-06-17	1225	1350	15800			0719		
confluence	2019-06-18	851	955	4400			0015		900 226000577433
confluence	2019-06-18	1021	1145	7400	28	1991	0720		900 224000132105
confluence	2019-06-18	731	810	2950	13	2006	0721		900 224000132388
confluence	2019-06-18	-	-				0259		900 224000119242
confluence	2019-06-18	960	1090	6500	19	2000	0722		900 224000132192
confluence	2019-06-18	740	844	3250	20	1999	-	107191	900 043000103715
confluence	2019-06-18	900	1001	4850	23	1996	-	107803	900 226000629360
confluence	2019-06-18	1340	1470	18000	36	1983	0723		900 224000132192
confluence	2019-06-18	-	-				0304		900 224000113431
confluence	2019-06-18	811	911	3950	18	2001	-	107005	900 043000103652
confluence	2019-06-18	1070	1182	8450	23	1996	0724		900 224000132349
confluence	2019-06-20	-	-	3650			-	115054	900 226000152875
confluence	2019-06-20	440	510	550			0323		900 224000132417
confluence	2019-06-20	610	680	6400	13	2006	-	110009	900 226000893082
confluence	2019-06-20	930	1012	5700			0717		
confluence	2019-06-20	1210	1345	12350	43	1976	0733		900 224000132352
confluence	2019-06-20	1010	1132	7650			-	105963	900 226000630101
confluence	2019-06-20	1450	1570	19850	47	1972	0734		900 224000132406
confluence	2019-06-20	-	-	15950	39	1980	0736	RMB01,064	900 224000132452
confluence	2019-06-20	980	1082	8050			-	107677	900 226000629492
confluence	2019-06-20	860	959	4300	22	1997	-	105847	900 226000629951
confluence	2019-06-20	910	1021	4750	19	2000	-		900 224000132335
confluence	2019-06-20	780	880	3650	19	2000	-		900 224000132145
confluence	2019-06-20	1080	1194	9300	25	1994	-		900 224000132324
confluence	2019-06-20	580	680	1390	9	2010	-		900 224000132309
confluence	2019-06-20	580	680	1400			-		900 224000132435
confluence	2019-06-20	1190	1296	11450			-	106847	900 226000629436
confluence	2019-06-20	1180	1300	11050			-	57565	900 224000132473
confluence	2019-06-20	820	930	4250			0712		
confluence	2019-06-20	880	975	1950	25	1994	-		900 224000132342
confluence	2019-06-20	360	400	700			-		
confluence	2019-06-21	1170	1290	11350	19	2000	0737		900 224000132204
confluence	2019-06-21	800	880	3950	20	1999	-	110071	900 226000893117

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-21	1280	1384	11900			-	57575	900 224000132164
confluence	2019-06-21	1025	1135	7850	26	1993	0739	-	900 224000132121
confluence	2019-06-21	420	479	450			0740	-	
confluence	2019-06-21	863	1020	4400	21	1998	0741	-	900 224000132101
confluence	2019-06-21	991	1092	6750	24	1995	0742	-	900 224000132424
confluence	2019-06-21	989	1100	6950			-	107045	900 226000628178
confluence	2019-06-21	960	1042	5450	24	1995	-	107760	900 226000629426
confluence	2019-06-21	1086	1190	9150			-	107195	900 226000628135
confluence	2019-06-21	970	1082	6550			-	107188	900 226000628189
confluence	2019-06-21	845	957	3800	16	2003	0743		900 224000132387
confluence	2019-06-22	920	1031	5150	22	1997	0744		900 224000132386
confluence	2019-06-22	948	1082	5700			0051		900 226000628316
confluence	2019-06-22	893	1020	3650	21	1998	0741		900 224000132101
confluence	2019-06-22	1110	1237	8900	25	1994	0745		900 224000132448
confluence	2019-06-22	771	868	3150			0746		900 043000103407
confluence	2019-06-22	-	-				0266		900 224000113419
confluence	2019-06-22	383	447	200	5	2014	0747		
confluence	2019-06-22	860	974	4450	21	1998	0748		
confluence	2019-06-22	954	1060	6000	19	2000	0749		900 224000132173
confluence	2019-06-22	800	932	4000	19	2000	0750		900 224000132013
confluence	2019-06-22	-	-				0749		900 224000132173
confluence	2019-06-22	945	1062	5250	21	1998	0676		900 224000132478
confluence	2019-06-23	1040	1142	7050	24	1995	0677		900 224000132403
confluence	2019-06-23	655	750	2000	12	2007	-		900 224000132385
confluence	2019-06-23	-	-	5000			0079		900 226000629996
confluence	2019-06-23	870	984	4100	21	1998	-	105745	900 226000630123
confluence	2019-06-23	868	978	4050	18	2001	-		900 224000132148
confluence	2019-06-23	-	-				0002		900 226000320680
confluence	2019-06-23	894	1010	5550	21	1998	-		900 224000132263
confluence	2019-06-23	389	436	750	4	2015	-		900 224000132215
confluence	2019-06-23	645	724	1700	10	2009	-		900 224000132476
confluence	2019-06-23	1110	1237	8900			0745		900 224000132448
confluence	2019-06-23	770	868	3300	16	2003	-		900 224000132245
confluence	2019-06-23	740	849	2600			-	103203	900 226000548361
confluence	2019-06-23	1070	1175	4950			0043		900 224000132174
confluence	2019-06-23	980	1082	7550	23	1996	-		900 224000132432
confluence	2019-06-23	-	-				0250		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-23	680	766	2000	10	2009	-		900 224000132098
confluence	2019-06-23	400	443	2000			-		900 224000132226
confluence	2019-06-23	780	884	3300			-		900 226000629264
confluence	2019-06-23	1092	1210	10150			-	110120	900 226000893000
confluence	2019-06-23	900	1004	2700	23	1996	-	-	900 224000132408
confluence	2019-06-23	760	852	1100	15	2004	-	-	900 224000132353
confluence	2019-06-23	1091	1200	5850			-	110055	900 226000893105
confluence	2019-06-24	845	947	4800	19	2000	0678	-	900 224000132003
confluence	2019-06-24	650	742	2000	9	2010	0679	-	900 224000132024
confluence	2019-06-24	860	974	4450			0748	-	
confluence	2019-06-24	850	952	3900			0920	-	900 226000629781
confluence	2019-06-24	1340	1470	18000			0723	-	
confluence	2019-06-24	870	976	4650	20	1999	0680	-	900 224000132485
confluence	2019-06-24	940	1047	5600	21	1998	-	-	900 224000132356
confluence	2019-06-24	860	971	4900			0904	-	900 226000628236
confluence	2019-06-24	1080	1192	7650			-	105813	900 226000629946
confluence	2019-06-24	1070	1182	8300			-	57829	900 224000132139
confluence	2019-06-24	1168	1273	11800			-	107808	900 226000629933
confluence	2019-06-24	903	1006	5150	22	1997	0681		900 224000132002
confluence	2019-06-24	860	960	4100			0213		900 226000629969
confluence	2019-06-24	1312	1420	14150			0682		900 224000132346
confluence	2019-06-25	1000	1121	5600	7	2012	0683		900 224000113257
confluence	2019-06-25	987	1089	5400	10	2009	0684		900 224000113158
confluence	2019-06-25	1160	1270	11500	37	1982	0685		900 224000113275
confluence	2019-06-25	-	-		31	1988	0322		900 226000628108
confluence	2019-06-25	859	968	4000	12	2007	0687		900 224000113084
confluence	2019-06-25	1330	1447				-	105276	900 226000629805
confluence	2019-06-25	1270	1379	11700	24	1995	0688		900 224000113295
confluence	2019-06-25	484	590	850	8	2011	0689		900 224000113053
confluence	2019-06-25	1000	1121	9800	23	1996	0690		900 224000113188
confluence	2019-06-25	590	680		20	1999	-	107839	
confluence	2019-06-25	1001	1126	9750	23	1996	0691	-	900 224000113403
confluence	2019-06-26	987	1089	5400			0684	-	900 224000113158
confluence	2019-06-26	846	940	4000	16	2003	0692	-	900 224000132481
confluence	2019-06-26	1080	1190	8100	37	1982	-	105728	900 226000630132
confluence	2019-06-26	840	942	4100	14	2005	0693	-	900 224000113356
confluence	2019-06-26	1086	1190	9150			-	107195	900 226000628135

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-06-26	1270	1371	15100			0705	-	900 224000132027
confluence	2019-06-26	1130	1293	13000			0694	-	900 224000132160
confluence	2019-06-26	754	860				0716	-	900 043000103675
confluence	2019-06-26	1210	1342	11300			-	110123	900 226000893019
confluence	2019-06-26	864	976	4900			0695		900 224000132193
confluence	2019-06-26	-	-				0312		900 226000629923
confluence	2019-06-26	860	979	4800	20	1999	-	110033	900 226000153980
confluence	2019-06-26	1161	1281				-	105226	900 226000630199
confluence	2019-06-26	1110	1281	12000			0690	-	900 224000113060
confluence	2019-06-26	1080	1195				-	48660	900 226000629678
confluence	2019-06-30	-	-				-	109802	
confluence	2019-06-30	-	-				-	110037	
confluence	2019-06-30	-	-				0697		
confluence	2019-09-14	920	1099	6300			0283		900 224000113108
confluence	2019-09-14	371	423	350			0698		900 043000168333
confluence	2019-09-14	1042	1153	9350			0017	110001	900 226000893249
confluence	2019-09-14	899	1020	4500	15	2004	0699		900 224000132970
confluence	2019-09-14	919	1035	4700	17	2002	0700		900 226000320784
confluence	2019-09-14	690	784	2200	12	2007	0827		900 224000132066
confluence	2019-09-14	1016	1112	11400	13	2006	0828	48739	900 226000893171
confluence	2019-09-14	722	799	2500	15	2004	0829		900 043000168342
confluence	2019-09-14	1039	1135	8800	25	1994	0576		900 224000113311
confluence	2019-09-14	1021	1100	6860	22	1997	0577		900 224000132048
confluence	2019-09-14	1280	1400	17240			0578	107847	900 043000103602
confluence	2019-09-14	990	1091	5940	25	1994	0579		900 224000113259
confluence	2019-09-14	1030	1132	10070	18	2001	0580		900 224000132439
confluence	2019-09-15	509	575	800			0831		900 043000168405
confluence	2019-09-15	496	572	900			0832		900 043000168343
confluence	2019-09-15	626	731	1550			0834		900 043000168217
confluence	2019-09-15	1137	1238	9300	36	1983	0835	48738	900 226000577408
confluence	2019-09-15	1162	1257	10850	34	1985	0839		900 224000132587
confluence	2019-09-15	1198	1273	12450	7	2012	0840	110166	900 226000893010
confluence	2019-09-15	754	892	3650	13	2006	0841		900 224000132651
confluence	2019-09-15	838	945	4600	4	2015	0842	105827	900 226000629965
confluence	2019-09-15			0					900 226000628103
confluence	2019-09-15	853	987	5350	19	2000	0844	109908	900 226000893036
confluence	2019-09-15	860	990	5440	16	2003	0581		900 224000132074

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-15	901	1000	7080	20	1999	0582		900 224000113200
confluence	2019-09-16	908	1005	5450	21	1998	0843	107751	
confluence	2019-09-16	844	945	5300	20	1999	0845	105819	900 226000629978
confluence	2019-09-16	208	238	500					900 043000168244
confluence	2019-09-16	567	643	1300			0846		900 226000628366
confluence	2019-09-16	820	929	3950	18	2001	0847		900 224000132348
confluence	2019-09-16	1148	1242	11400	30	1989	0848	48734	900 224000132464
confluence	2019-09-16	1151	1284	11450			0111		900 226000320744
confluence	2019-09-16	1110	1212	10250	28	1991	0849		900 224000132344
confluence	2019-09-16	1066	1208	9850	23	1996	0850		900 224000119354
confluence	2019-09-16	1142	1256	9300	33	1986	0651	105822	900 226000629998
confluence	2019-09-16	1214	1316	13800	44	1975	0652		900 226000630376
confluence	2019-09-16	887	984	5550	24	1995	0653	107803	900 226000629360
confluence	2019-09-16	1330	1452	17300	45	1974	0654	109943	900 226000893197
confluence	2019-09-16	1232	1362	12700			0655		900 224000132046
confluence	2019-09-16	1000	1099	7400	22	1997	0656		900 226000320714
confluence	2019-09-16	1018	1062	8550	21	1998	0657	107185	900 226000628021
confluence	2019-09-16	920	1054	4760	17	2002	0585		900 224000132396
confluence	2019-09-16	932	1000	4630				106832	900 226000629902
confluence	2019-09-16	895	970	7710	20	1999	0582	105345	900 224000113200
confluence	2019-09-16	930	1015	0	17	2002	0583		900 224000132373
confluence	2019-09-16	960	1060	6530	21	1998	0584		900 226000630001
confluence	2019-09-16	1021	1130	5940	19	2000	0588		900 224000113056
confluence	2019-09-16	1140	1262	10660	24	1995	0589		900 224000132035
confluence	2019-09-17	838	938	3550			0658		900 224000132443
confluence	2019-09-17	875	966	4500			0659	105361	900 226000630111
confluence	2019-09-17	781	896	3400	16	2003	0660		900 224000119047
confluence	2019-09-17	663	755	2350			0661		900 224000112840
confluence	2019-09-17	701	794	2500			0662		900 224000132219
confluence	2019-09-17	730	801	2700			0663	115131	900 226000767921
confluence	2019-09-17	510	576	350			0664		900 043000168268
confluence	2019-09-17	524	597	400			0666		900 043000168258
confluence	2019-09-17	615	684	1700			0667		900 043000168279
confluence	2019-09-17	980	1092	6500	27	1992	0668		900 224000119048
confluence	2019-09-17	684	772	2100			0669		900 224000119346
confluence	2019-09-17	1116	1232	10550	35	1984	0670	62022	900 224000119249
confluence	2019-09-17	825	922	3900			0671		900 043000103615

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-17	797	874	4400			0672		900 224000132477
confluence	2019-09-17	1024	1136	8150	22	1997	0673		900 224000119497
confluence	2019-09-17	1024	1108	7650	25	1994	0674	110145	900 226000893226
confluence	2019-09-17	1398	1514	21950	47	1972	0900		900 2240001392298
confluence	2019-09-17	1030	1134	9550			0264		900 224000113486
confluence	2019-09-17	1065	1095	7850	31	1988	0899	107663	900 226000628193
confluence	2019-09-17	1270	1398	13550	49	1970	0898		900 224000132438
confluence	2019-09-17	1348	1492	16050	43	1976	0897		900 224000132083
confluence	2019-09-17	800	882	4550			0672		900 224000132477
confluence	2019-09-17	1158	1278	9800	33	1986	0896		900 224000119366
confluence	2019-09-17	449	513	700			0895		900 043000168225
confluence	2019-09-17	503	575	850			0894		900 043000168227
confluence	2019-09-17	909	995	5300	16	2003	0893		900 224000132100
confluence	2019-09-17	1100	1210	8450	25	1994	0892	107167	900 226000628114
confluence	2019-09-17	887	984	5550	24	1995	0653	107803	900 226000629360
confluence	2019-09-17	750	852	3850	19	2000	0891	101418	900 226000629896
confluence	2019-09-17	887	997	5200	21	1998	0890		900 224000119372
confluence	2019-09-17	775	864	4200	28	1991	0889		900 224000119222
confluence	2019-09-17	1022	1114	16600			0888	105350	900 226000630041
confluence	2019-09-17	1092	1214	9200			0887		900 224000119092
confluence	2019-09-17	550	615	950	6	2013	0586		900 224000132201
confluence	2019-09-17	870	980	5900	18	2001	0587		900 224000132067
confluence	2019-09-17	1360	1470	13660			0600		900 224000132029
confluence	2019-09-17	920	1004	4080	18	2001	0590		
confluence	2019-09-17	820	930	3490	12	2007	0591		
confluence	2019-09-17	820	900	3580	12	2007	0592		
confluence	2019-09-17	765	860	2780	18	2001	0593		
confluence	2019-09-18	1244	1356	11550	38	1981	0886		900 224000132862
confluence	2019-09-18	824	915	3850			0078		900 226000320691
confluence	2019-09-18	1216	1314	11550	43	1976		57231	900 226000630224
confluence	2019-09-18	1000	1114	6600	22	1997		48639	900 224000112990
confluence	2019-09-18	873	984	6050	25	1994	0885		900 224000132197
confluence	2019-09-18	1222	1324	10000	34	1985	0884		900 224000132382
confluence	2019-09-18	1228	1340	13250	47	1972	0882		900 224000119034
confluence	2019-09-18	1030	1134	9550			0264		900 224000113486
confluence	2019-09-18			0			0673		900 224000119497
confluence	2019-09-18	1094	1208	8350			0881		900 226000320736

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-18	1064	1190	8700	23	1996		107665	900 226000628033
confluence	2019-09-18	908	1035	5750	13	2006	0880		900 226000320778
confluence	2019-09-18	1068	1176	7800	19	2000	0879		900 224000132104
confluence	2019-09-18	1002	1122	6900				110168	900 226000893161
confluence	2019-09-18	1002	1045	6050	18	2001	0878		900 224000132351
confluence	2019-09-18	1076	1178	9300	26	1993		105750	900 226000630226
confluence	2019-09-18			0			0674		900 226000893226
confluence	2019-09-18	1012	1124	6750	21	1998		105820	900 226000629916
confluence	2019-09-18			0			0898		900 224000132438
confluence	2019-09-18	800	895	3800	21	1998	0217	107806	900 226000629850
confluence	2019-09-18	714	809	2350			0877		900 043000168220
confluence	2019-09-18	1130	1218	12500	37	1982		57066	900 224000119480
confluence	2019-09-18			0			0893		900 224000132100
confluence	2019-09-18	1058	1128	7850	22	1997	0876		900 224000132571
confluence	2019-09-18	848	949	4500			0951		900 224000119097
confluence	2019-09-18			0			0653		900 226000629360
confluence	2019-09-18	777	875	3300			0746		900 043000103407
confluence	2019-09-18	910	990	6760	23	1996	0594		900 224000132295
confluence	2019-09-18	920	1021	6800	23	1996	0595		900 224000132150
confluence	2019-09-18	921	1019	6760	19	2000	0596		900 224000132229
confluence	2019-09-18	1000	1120	8260	25	1994	0597		900 224000132296
confluence	2019-09-18	890	975	4130				105208	900 226000630151
confluence	2019-09-18	887	975	4260	28	1991	0598		900 224000113325
confluence	2019-09-18	940	1040	5310	21	1998	0599		900 224000132436
confluence	2019-09-18	650	780	1770	11	2008	0551		900 224000113416
confluence	2019-09-18	790	900	2990	12	2007	0552		900 224000132050
confluence	2019-09-18	820	930	3490	12	2007	0591		
confluence	2019-09-18	1100	1230	9750	15	2004	0553		900 224000132420
confluence	2019-09-18	790	895	3080			0554		900 224000132202
confluence	2019-09-18	830	881	3900	19	2000	0559		900 224000132379
confluence	2019-09-18	1000	1090	10390	29	1990	0556		900 224000132288
confluence	2019-09-18	1013	1095	10890			0557		900 224000132238
confluence	2019-09-18	1150	1272	14610	13	2006	0558		900 224000132193
confluence	2019-09-19	505	575	960			0952		900 043000168222
confluence	2019-09-19	860	961	3580	20	1999	0560		900 224000132200
confluence	2019-09-19	1230	1331	16870	37	1982	0561		900 224000132043
confluence	2019-09-19	930	1030	3580			0562		900 224000113196

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-19	900	1001	3630	24	1995	0563		900 224000132163
confluence	2019-09-19	860	945	3580	24	1995	0564		900 224000132242
confluence	2019-09-19	780	840	3040	21	1998	0565		900 224000113315
confluence	2019-09-19	785	840	3180			0566		900 224000132494
confluence	2019-09-19	1240	1306	17960	47	1972	0567		900 224000132004
confluence	2019-09-19	940	1070	6860	16	2003	0568		900 224000132140
confluence	2019-09-20	627	724	1950			0953		900 224000132347
confluence	2019-09-20	950	1000	7980	19	2000	0569		900 224000132454
confluence	2019-09-20	1300	1460	15380	43	1976	0570		900 224000113124
confluence	2019-09-20	1000	1111	7760				105239	900 226000630054
confluence	2019-09-20	883	980	5900	16	2003		110118	900 226000893149
confluence	2019-09-20	730	818	2490	12	2007	0571		900 224000113466
confluence	2019-09-20	710	795	1870	10	2009	0572		900 224000132175
confluence	2019-09-20	700	784	2270			0573		900 224000132108
confluence	2019-09-20	760	854	2180	15	2004	0574		900 224000132256
confluence	2019-09-21	525	611	750			0955		900 224000119194
confluence	2019-09-21	446	519	650			0956		900 043000168290
confluence	2019-09-21	1152	1260	10850	28	1991	0957		900 224000132054
confluence	2019-09-21	1312	1416	15750	36	1983	0959		900 224000119304
confluence	2019-09-21	978	1020	6670	24	1995		107587	900 043000103698
confluence	2019-09-22	760	875	2780	16	2003		110177	900 226000893125
confluence	2019-09-22	908	1001	4580				105381	900 226000630228
confluence	2019-09-23	671	750	1850			0961		900 224000132597
confluence	2019-09-23	504	586	800			0962		900 043000168256
confluence	2019-09-23	666	731	2250			0963		900 224000132755
confluence	2019-09-23	612	696	1700			0985		900 043000168323
confluence	2019-09-23	1024	1132	8800				105224	900 226000630169
confluence	2019-09-23	960	1090	6900	23	1996	0986		900 224000132517
confluence	2019-09-23	854	968	5300	23	1996	0987		900 224000132679
confluence	2019-09-23	869	1012	5450	20	1999		105953	900 226000630058
confluence	2019-09-23	1042	1110	7200			0720		900 224000132105
confluence	2019-09-23	856	954	5450	16	2003		110066	900 226000893150
confluence	2019-09-23	498	544	900			0990		900 043000168393
confluence	2019-09-23	609	688	0	8	2011		110019	900 226000893209
confluence	2019-09-23	927	1076	6600			0676	105815	900 224000132478
confluence	2019-09-23	1120	1238	8600	36	1983	0991		900 226000320733
confluence	2019-09-23	1082	1194	8400			0724		900 224000132349

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-23	830	951	5150	16	2003		103321	900 226000548308
confluence	2019-09-23	1240	1345	13600	36	1983		48748	900 226000320747
confluence	2019-09-23	836	984	4950			0992		900 226000320621
confluence	2019-09-23	1058	1186	12000	28	1991	0993		900 226000320641
confluence	2019-09-23	982	1094	7150				110151	900 226000893104
confluence	2019-09-23	587	681	1600			0994		900 043000168366
confluence	2019-09-23	786	904	3550			0995		900 226000320746
confluence	2019-09-23	703	791	2850			0996		900 226000320792
confluence	2019-09-23	548	620	1050			0997		900 043000168404
confluence	2019-09-23	489	562	800			0998		900 043000168337
confluence	2019-09-23	1046	1160	8000			7586		
confluence	2019-09-23	738	842	2650	13	2006		105803	900 226000630059
confluence	2019-09-23	600	676	1250			0823		900 043000168368
confluence	2019-09-23	741	856	2850	14	2005	0716	105249	900 226000630245
confluence	2019-09-23	960	1096	7250	20	1999		107180	900 226000628234
confluence	2019-09-23	1338	1448	14100	45	1974	0821		900 226000320754
confluence	2019-09-23	1116	1212	7700	35	1984	0819		900 226000320795
confluence	2019-09-23	1126	1230	9300				57192	900 226000628240
confluence	2019-09-23	1024	1226	8800	22	1997	0818		900 224000132629
confluence	2019-09-23	545	636	1300			0816		900 224000132750
confluence	2019-09-23	832	951	3400			0815		900 224000132670
confluence	2019-09-23	737	822	2350			0814		900 224000132602
confluence	2019-09-23	950	1004	8160			0575		900 224000132210
confluence	2019-09-23	755	860	3310	28	1991	0933		900 224000132167
confluence	2019-09-23	760	900	3310	16	2003	0934		900 224000132307
confluence	2019-09-23	780	880	3180	17	2002	0935		900 224000132269
confluence	2019-09-23	790	887	3270			0936		900 224000132241
confluence	2019-09-24	465	535	600			0964		900 043000168328
confluence	2019-09-24	487	555	850			0965		900 043000168344
confluence	2019-09-24	433	498	400			0966		900 043000168363
confluence	2019-09-24	545	615	1050			0967		900 043000168357
confluence	2019-09-24	585	665	1300			0968		900 043000168338
confluence	2019-09-24	384	430	350			0969		900 043000168397
confluence	2019-09-24	493	564	800			0970		900 043000168403
confluence	2019-09-24	525	595	1000			0971		900 226000893599
confluence	2019-09-24	478	554	700					
confluence	2019-09-24	438	503	500			0972		900 043000168334

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
confluence	2019-09-24	575	648	1200			0973		900 043000168326
confluence	2019-09-24	503	578	800			0974		900 043000168336
confluence	2019-09-24	458	520	800			0975		900 043000168402
confluence	2019-09-24	299	346	150			0976		900 043000168395
confluence	2019-09-24	514	592	850					
confluence	2019-09-24	598	692	1550	11	2008		107798	900 226000629377
confluence	2019-09-24	533	604	950			0977		900 043000168373
confluence	2019-09-24	473	545	750			0978		900 043000168335
confluence	2019-09-24	602	683	1550			0979		900 043000168364
confluence	2019-09-24	530	600	950			0980		900 043000168376
confluence	2019-09-24	411	470	450			0981		900 043000168388
confluence	2019-09-24	529	605	1250			0982		900 043000168352
confluence	2019-09-24	480	553	750			0983		900 043000168311
confluence	2019-09-24	317	355	250			0984		900 043000168355
confluence	2019-09-24	878	996	4950	20	1999		107565	900 226000630388
confluence	2019-09-24	627	713	1700			0999		900 043000168314
confluence	2019-09-24	575	657	1000			1000		900 043000168381
confluence	2019-09-24	668	755	2300			0825		900 043000168400
confluence	2019-09-24	945	1084	5900	20	1999	0824		900 043000168315
confluence	2019-09-24	912	974	5300	21	1998	0083	107660	900 043000103650

Table C3. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2020 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-09	634	710	1650	7	2013	0942		900 226000320625
Confluence	2020-06-09	531	600	1150	10	2010	0940		900 226000320764
Confluence	2020-06-09	635	751	1950			0939		900 226000320643
Confluence	2020-06-09	855	970	6800				105740	900 226000630102
Confluence	2020-06-10	287	334	150	8	2012	0943		900 224000132466
Confluence	2020-06-11	1172	1304	8450	3	2017	0945		900 226000320650
Confluence	2020-06-12	431	494	500	7	2013	186		900 226000320760
Confluence	2020-06-12	613	697	1650	11	2009	182		900 226000320793
Confluence	2020-06-12	656	740	2050	11	2009	180		900 226000320695
Confluence	2020-06-12	525	584	550	7	2013	179		900 226000320752
Confluence	2020-06-12	688	784	2250	13	2007	177		900 226000320737
Confluence	2020-06-12	949	1076	6650	27	1993	161		900 226000320678
Confluence	2020-06-12	525	585	850	8	2012	160		900 226000320742
Confluence	2020-06-12	358	405	250	4	2016	157		900 226000320797
Confluence	2020-06-12	443	514	550	6	2014	156		900 226000320727
Confluence	2020-06-12	473	531	600	7	2013	155		900 226000320791
Confluence	2020-06-12	587	667	600	9	2011	153		900 226000320755
Confluence	2020-06-12	460	541	300	8	2012	152		900 226000320725
Confluence	2020-06-12	475	533	250	7	2013	151		900 226000320618
Confluence	2020-06-12	386	440	550	21	1999	0950		900 226000320759
Confluence	2020-06-12	871	970	4700	9	2011	0949		900 226000320696
Confluence	2020-06-12	516	585	850	12	2008	0948		900 226000320790
Confluence	2020-06-12	658	755	2000	14	2006	0947		900 226000320715
Confluence	2020-06-12	651	754	2750	50	1970	0946		900 226000320718
Confluence	2020-06-12	709	885	1950				106842	900 043000103411
Confluence	2020-06-12	767	850	3550				107563	900 043000103605
Confluence	2020-06-12	371	416	350				115055	900 226000152827
Confluence	2020-06-13	622	712	1850	11	2009	185		900 226000320758
Confluence	2020-06-13	625	711	1350	12	2008	184		900 226000320750
Confluence	2020-06-13	886	1000	5300	20	2000	183		900 226000320726
Confluence	2020-06-13	720	813	2550	12	2008	159		900 226000320723

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-13	593	684	1200	10	2010	158		900 226000320785
Confluence	2020-06-13	980	1102	7150				105371	900 226000320765
Confluence	2020-06-14	553	625	1100	7	2013	187		20706
Confluence	2020-06-14	641	724	1450	10	2010	175		900 226000320767
Confluence	2020-06-14	543	612	1200	9	2011	174		900 226000320734
Confluence	2020-06-14	410	485	450	5	2015	173		
Confluence	2020-06-14	688	772	2250	12	2008	172		900 226000320779
Confluence	2020-06-14	815	920	4050	16	2004	171		900 226000320610
Confluence	2020-06-14	819	925	3600	17	2003	170		900 226000320775
Confluence	2020-06-14	988	1116	5600	22	1998	168		900 226000320745
Confluence	2020-06-14	450	512	550	7	2013	167		900 226000320751
Confluence	2020-06-14	829	937	3950	21	1999	165		900 226000320749
Confluence	2020-06-14	469	541	550	7	2013	162		20756
Confluence	2020-06-14	658	746	1900				107258	900 226000630269
Confluence	2020-06-15	508	551	800	8	2012	200		900 226000320713
Confluence	2020-06-15	500	570	800	8	2012	199		900 226000320721
Confluence	2020-06-15	274	318	50	2	2018	197		900 226000320769
Confluence	2020-06-15	710	812	3150	16	2004	195		900 226000320770
Confluence	2020-06-15	743	825	2650	10	2010	164		900 226000320796
Confluence	2020-06-15	761	842	3150	14	2006	163		900 226000320771
Mistake River	2020-06-15	1542	1421	20850			0900		
Confluence	2020-06-15	782	840	2850			0746		900 226000103407
Mistake River	2020-06-15	1372	1270	13200	42	1978	0550		
Mistake River	2020-06-15	1410	1300	15200			0021	110183	
Confluence	2020-06-15	757	850	2750				105202	900 226000630143
Confluence	2020-06-15	692	765	2600				105817	900 226000629756
Confluence	2020-06-16	585	674	1850	9	2011	194		900 226000320604
Confluence	2020-06-16	958	1085	5550	24	1996	191		900 226000320630
Confluence	2020-06-16	690	751	2200	10	2010	190		900 226000320753
Confluence	2020-06-16	1199	1345	15500	34	1986	189		900 226000320794
Confluence	2020-06-16	992	1123	9400	27	1993	124		900 224000119043
Confluence	2020-06-16	885	992	4700	21	1999	122		900 224000119131
Confluence	2020-06-16	685	753	1800	11	2009	121		900 224000119287

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-16	565	644	1050	7	2013	120		900 224000132313
Confluence	2020-06-16	1230	1378	17850				57776	900 226000630121
Confluence	2020-06-16	811	901	3500				105955	900 226000630011
Confluence	2020-06-16	998	1030	6300				107773	900 226000630346
Confluence	2020-06-16	905	1028	5050				105304	900 226000629751
Confluence	2020-06-16	812	901	3050				105838	900 226000629888
Confluence	2020-06-17	850	954	3950	19	2001	125		900 226000320776
Confluence	2020-06-17	975	1100	8500	27	1993	119		900 224000132059
Confluence	2020-06-17	541	609	550	8	2012	118		900 224000132341
Confluence	2020-06-17	1248	1372	16200	44	1976	117		900 224000132060
Confluence	2020-06-17	800	849	3750	19	2001	116		900 224000132223
Confluence	2020-06-17	1011	1135	5650	24	1996	115		900 224000132363
Little Churchill	2020-06-17	592	686	980	9	2011	0778		168327
Little Churchill	2020-06-17	490	557	510	8	2012	0777		168369
Confluence	2020-06-17	1164	1305	12750			0652		900 226000630376
Confluence	2020-06-17	842	963	4650			0344		900 224000113136
Confluence	2020-06-17	516	591	800			0007		900 043000168277
Confluence	2020-06-17	1240	1380	16400				48778	900 224000132235
Confluence	2020-06-17	628	702	1950				104849	900 226000767190
Confluence	2020-06-17	1070	1172	9350				106846	900 226000577374
Confluence	2020-06-17	908	1035	5100				107773	900 226000630346
Confluence	2020-06-17	1005	1201	10650				107018	900 226000628174
Confluence	2020-06-17	970	1185	7050				105959	900 226000630019
Confluence	2020-06-18	841	930	5150	17	2003	113		900 224000132014
Confluence	2020-06-18	1224	1304	17750	26	1994	112		900 224000132446
Confluence	2020-06-18	871	954	5300			0789		168362
Confluence	2020-06-18	630	710	1790	9	2011	0786		168389
Confluence	2020-06-18	770	858	3400	17	2003	0785		168401
Confluence	2020-06-18	1016	1080	7140	25	1995	0783		168371
Confluence	2020-06-18	900	950	5560	20	2000	0782		168359
Little Churchill	2020-06-18	656	740	2100	11	2009	0781		168318
Little Churchill	2020-06-18	680	768	1980	10	2010	0780		168308
Little Churchill	2020-06-18	647	726	1900	10	2010	0779		168367

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Eagle Rapids	2020-06-18	1192	1074	7650	35	1985	0549		
Eagle Rapids	2020-06-18	1082	958	5900			0548	48639	
Eagle Rapids	2020-06-18	1194	1001	6400	18	2002	0547		
Eagle Rapids	2020-06-18	1338	1252	13200	30	1990	0546		
Eagle Rapids	2020-06-18	1296	1200	10450	35	1985	0545		
Eagle Rapids	2020-06-18	1410	1251	12850	41	1979	0544		
Eagle Rapids	2020-06-18	1484	1382	15850	38	1982	0543	48790	
Confluence	2020-06-18	1308	1378	13130			0250	109920	
Confluence	2020-06-18	516	591	800			0007		900 043000168277
Confluence	2020-06-18	784	872	3000				105730	900 226000630127
Confluence	2020-06-18	1181	1302	12390				109903	
Confluence	2020-06-19	1170	1305	12350	19	2001	132		900 224000119312
Confluence	2020-06-19	921	1020	5300	21	1999	129		900 224000132170
Confluence	2020-06-19	1275	1424	13400	38	1982	126		900 224000132370
Confluence	2020-06-19	589	682	1300	7	2013	111		900 224000119338
Confluence	2020-06-19	1012	1119	7300			110		900 226000629967
Confluence	2020-06-19	1273	1364	15050	47	1973	108		900 224000132051
Confluence	2020-06-19	787	880	3750	17	2003	107		900 224000132257
Confluence	2020-06-19	1130	1252	12150	31	1989	106		900 224000132177
Confluence	2020-06-19	678	765	1900	4	2016	105		900 224000119413
Confluence	2020-06-19	499	573	550	8	2012	104		900 224000132359
Confluence	2020-06-19	745	830	2850	14	2006	103		900 224000132316
Confluence	2020-06-19	717	818	2200	12	2008	102		900 224000112593
Confluence	2020-06-19	820	885	3700	7	2013	101		900 224000132154
Little Churchill	2020-06-19	625	705	1590	11	2009	0794		168349
Little Churchill	2020-06-19	561	635	1250	7	2013	0792		168347
Little Churchill	2020-06-19	538	601	1130	8	2012	0791		168384
Little Churchill	2020-06-19	852	957	5440	21	1999	0790		168321
Confluence	2020-06-19	864	973	4050			0680		900 224000132485
Confluence	2020-06-19	1305	1432	17900				109923	900 226000893143
Confluence	2020-06-19	1000	1122	7050				105330	900 226000630130
Confluence	2020-06-19	929	1032	5800				48785	900 226000893029
Confluence	2020-06-19	1060	1186	10600				105220	900 226000630035

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-19	884	993	4150				107802	900 226000628122
Confluence	2020-06-19	832	945	3650				110148	900 226000893066
Confluence	2020-06-19	895	998	5150				107839	900 043000103688
Little Churchill	2020-06-19	1083	1202	7740				107583	168309
Confluence	2020-06-20	275	315	50	2	2018	142		900 224000132371
Confluence	2020-06-20	263	305	50	2	2018	141		900 224000132434
Confluence	2020-06-20	696	800	2150	14	2006	140		900 224000119290
Confluence	2020-06-20	845	939	4250	21	1999	139		900 224000119183
Confluence	2020-06-20	1258	1378	15250	44	1976	138		900 224000132331
Confluence	2020-06-20	455	523	550	7	2013	137		900 224000119444
Confluence	2020-06-20	864	992	4550	24	1996	133		900 224000132075
Confluence	2020-06-20	1285	1400	16100	42	1978	130		900 224000119317
Confluence	2020-06-20	1157	1279	10780	45	1975	0799		
Confluence	2020-06-20	1182	1328	14290	40	1980	0798		168316
Little Churchill	2020-06-20	537	607	1020	7	2013	0797		168383
Confluence	2020-06-20	1203	1299	1980			0626		168385
Confluence	2020-06-20	1175	1304	11600			0118		900 226000320710
Confluence	2020-06-20	1367	1480	20950				57062	900 224000132212
Confluence	2020-06-20	1113	1241	11250				101415	900 226000629944
Confluence	2020-06-20	1162	1294	12200				57825	900 226000628000
Confluence	2020-06-20	953	1059	7300				105732	900 226000629942
Confluence	2020-06-20	825	938	4510				105969	168319
Confluence	2020-06-20	1094	1200	8750				48760	900 226000893126
Confluence	2020-06-21	861	963	4150	19	2001	209		900 224000132218
Confluence	2020-06-21	560	631	1250	11	2009	208		900 224000132274
Confluence	2020-06-21	467	551	650	7	2013	207		900 224000132355
Confluence	2020-06-21	454	559	700	7	2013	206		900 224000132089
Confluence	2020-06-21	590	665	1200	6	2014	203		900 224000113185
Confluence	2020-06-21	578	616	1050	9	2011	202		900 224000132474
Confluence	2020-06-21	545	616	550	7	2013	150		900 224000132362
Confluence	2020-06-21	1020	1125	7400	26	1994	149		900 224000113120
Confluence	2020-06-21	716	801	2400	11	2009	148		900 224000132181
Confluence	2020-06-21	562	631	1100	9	2011	146		900 224000119238

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-21	830	921	3450	21	1999	145		900 224000119233
Confluence	2020-06-21	765	854	3250	15	2005	144		900 224000132128
Confluence	2020-06-21	1171	1283	15150	36	1984	143		900 224000132437
Confluence	2020-06-21	1301	1426	18050	43	1977	134		900 224000112628
Confluence	2020-06-21	1151	1290	10600			0928	110075	900 226000893180
Confluence	2020-06-21	1013	1055	6550			0899	107663	900 226000628193
Little Churchill	2020-06-21	587	670	1390	8	2012	0629		900 043000168306
Little Churchill	2020-06-21	639	731	1930	11	2009	0628		900 043000168306
Little Churchill	2020-06-21	523	594	1080	8	2012	0627		900 043000168332
Confluence	2020-06-21	1105	1225	10900			0244		900 224000132375
Confluence	2020-06-21	1020	1120	8050			0218	105801	900 226000630043
Confluence	2020-06-21	1211	1315	14050			0076	48762	900 226000320634
Confluence	2020-06-21	1025	1110	7800				105233	900 226000630073
Confluence	2020-06-21	957	1065	6600				105732	900 226000629942
Confluence	2020-06-21	760	843	2900				107039	900 043000103843
Confluence	2020-06-21	1072	1185	9850				105204	900 226000630006
Confluence	2020-06-21	1147	1236	10700				109906	900 226000893232
Confluence	2020-06-21	1028	1125	9050				110322	900 226000893092
Confluence	2020-06-21	874	987	5250				105349	900 226000630123
Confluence	2020-06-21	235	273	0					900 043000168234
Confluence	2020-06-22	309	352	50	3	2017	225		900 224000132293
Confluence	2020-06-22	308	359	50	4	2016	224		900 224000113209
Confluence	2020-06-22	236	273	0	2	2018	223		900 224000113209
Confluence	2020-06-22	218	255	0	2	2018	222		900 224000132099
Confluence	2020-06-22	367	421	200	5	2015	221		900 224000132460
Confluence	2020-06-22	480	551	550	7	2013	217		900 224000132131
Confluence	2020-06-22	527	600	950	7	2013	216		900 224000132149
Confluence	2020-06-22	823	924	4250	15	2005	215		900 224000132291
Confluence	2020-06-22	520	593	850	7	2013	214		900 224000132422
Confluence	2020-06-22	873	984	4350	18	2002	213		900 224000132858
Confluence	2020-06-22	660	746	2250	12	2008	212		900 224000132874
Confluence	2020-06-22	992	1104	6400	24	1996	211		900 224000132732
Confluence	2020-06-22	634	705	1550	11	2009	205		900 224000113248

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2020-06-22	1049	1162	7150	30	1990	201		900 224000132107
Confluence	2020-06-22	1240	1387	13850			0707		900 224000132095
Confluence	2020-06-22	845	933	3400			0276		900 224000119489
Confluence	2020-06-22	1020	1120	8050			0218	105801	900 226000630043
Confluence	2020-06-22	1211	1315	14050			0076	48762	900 226000320634
Confluence	2020-06-22	754	835	3450				110316	900 226000893028
Confluence	2020-06-22	1025	1110	7800				105233	900 226000630073
Confluence	2020-06-22	808	887	3300				107776	900 226000628248
Confluence	2020-06-22	1147	1236	10700				109906	900 226000893232
Confluence	2020-06-22	1094	1200	8750				48760	900 226000893126
Confluence	2020-06-22	1105	1208	9300				107571	900 043000103541
Confluence	2020-06-22	1223	1350	16350					
Confluence	2020-06-22	648	702	2200				107616	900 224000132290
Recluse	2020-06-24	1402	1509	19250				48674	900 043000168281
Recluse	2020-06-26	1248	1373	12900	50	1970	227		900 224000132449
Recluse	2020-06-26	1328	1479	20200	52	1968	226		900 224000132638
Recluse	2020-06-28	1157	1280	10770	10	2010	0630		900 043000168245
Recluse	2020-06-28	938	1003	6950				109928	900 226000893042

Table C4. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2021 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-06-28	300	330	300	--	--	476	--	989 001038119845
Confluence	2021-06-28	505	550	1400	8	2013	477	--	989 001038119795
Confluence	2021-06-28	800	820	1700	18	2003	478	--	989 001038119799
Confluence	2021-06-28	1100	1220	13000	38	1983	479	--	900 226000630163
Confluence	2021-06-28	1070	1200	10250	--	--	839	--	900 224000132587
Confluence	2021-06-28	1440	1515	21650	56	1965	480	--	989 001038119843
Confluence	2021-06-29	500	582	1200	8	2013	481	--	989 001038119759
Confluence	2021-06-29	910	1130	8900	--	--	124	--	900 224000119043
Confluence	2021-06-29	951	1130	5800	--	--	51	--	900 226000628316
Confluence	2021-06-29	992	1093	5850	27	1994	482	--	989 001038119783
Confluence	2021-06-29	1120	1233	14700	--	--	126	--	900 226000320628
Confluence	2021-06-29	1139	1241	9750	--	--	--	57231	900 226000630224
Confluence	2021-06-30	453	502	400	6	2015	483	--	989 001038119788
Confluence	2021-06-30	1210	1350	14800	--	--	--	57582	900 226000893192
Confluence	2021-06-30	1132	1270	12450	--	--	--	105808	900 226000630017
Confluence	2021-06-30	392	450	300	5	2016	484	--	989 001038119780
Confluence	2021-06-30	830	970	5250	23	1998	485	--	989 001038119796
Confluence	2021-06-30	830	950	6000	25	1996	486	--	989 001038119833
Confluence	2021-06-30	926	1021	5900	--	--	--	107151	900 226000628001
Confluence	2021-07-01	941	1030	9900	26	1995	487	--	989 001038119760
Confluence	2021-07-01	1172	1300	15850	34	1987	488	--	989 001038119806
Confluence	2021-07-01	854	976	5350	--	--	213	--	900 224000132858
Confluence	2021-07-01	529	609	1050	8	2013	489	--	989 001038119763
Confluence	2021-07-01	1059	1185	7400	--	--	--	107173	900 043000103460
Confluence	2021-07-01	1010	1132	7950	--	--	--	106846	900 226000577374
Confluence	2021-07-01	660	759	2000	10	2011	490	--	989 001038119844
Confluence	2021-07-01	904	1046	8050	--	--	95	--	900 226000630198
Confluence	2021-07-02	883	943	5350	--	--	491	--	900 224000132263
Confluence	2021-07-02	545	600	1050	6	2015	492	--	989 001038119821
Confluence	2021-07-02	1194	1254	12050	--	--	132	--	900 224000119312
Confluence	2021-07-02	532	612	750	--	--	931	--	900 224000110369
Confluence	2021-07-02	851	952	3200	--	--	248	--	900 224000113454
Confluence	2021-07-02	1054	1155	6850	--	--	493	--	900 224000132363
Confluence	2021-07-02	942	1045	5750	21	2000	494	--	989 001038119836

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-07-02	520	592	750	7	2014	495	--	989 001038119834
Confluence	2021-07-02	940	1060	8550	32	1989	496	--	989 001038119852
Confluence	2021-07-02	986	1071	7600	--	--	--	57193	900 226000628061
Confluence	2021-07-02	502	572	650	7	2014	499	--	900 043000103710
Confluence	2021-07-02	921	1060	5250	--	--	213	--	900 043000103440
Confluence	2021-07-02	1060	1174	6250	--	--	--	107013	989 001038119817
Confluence	2021-07-03	1145	1269	8600	30	1991	500	--	989 001038119827
Confluence	2021-07-03	1189	1285	16550	50	1971	451	--	900 226000628072
Confluence	2021-07-03	1231	1364	11900	--	--	--	48681	900 224000119287
Confluence	2021-07-03	731	792	2400	--	--	121	--	989 001038119824
Confluence	2021-07-03	1070	1182	17200	25	1996	452	--	989 001038119808
Confluence	2021-07-03	687	770	1700	9	2012	453	--	900 226000628183
Confluence	2021-07-03	1024	1104	6000	--	--	--	107657	989 001038119830
Confluence	2021-07-03	941	1062	4100	26	1995	454	--	989 001038119782
Confluence	2021-07-03	1047	1089	7050	20	2001	455	--	989 001038119829
Confluence	2021-07-03	981	1061	4850	24	1997	456	--	989 001038119804
Confluence	2021-07-03	473	541	600	7	2014	458	--	989 001038119778
Confluence	2021-07-03	1071	1209	6700	32	1989	459	--	900 226000320669
Confluence	2021-07-03	1134	1236	9050	--	--	134	--	989 001038119794
Confluence	2021-07-03	1120	1210	5950	34	1987	460	--	989 001038119786
Confluence	2021-07-03	718	792	1750	12	2009	461	--	989 001038119854
Confluence	2021-07-03	980	1071	5150	18	2003	462	--	989 001038119791
Confluence	2021-07-03	900	1000	4200	19	2002	463	--	900 226000630024
Confluence	2021-07-03	1120	1209	8750	--	--	--	105229	989 001038119820
Confluence	2021-07-03	500	569	1150	--	--	464	--	900 226000630074
Confluence	2021-07-04	1071	1200	7100	--	--	--	103568	989 001038119789
Confluence	2021-07-04	592	651	750	8	2013	465	--	989 001038119802
Confluence	2021-07-04	--	--	--	4	2017	466	--	989 001038119787
Confluence	2021-07-04	1234	1350	15600	46	1975	467	--	989 001038119819
Confluence	2021-07-04	1220	1373	12500	43	1978	468	--	900 224000113212
Confluence	2021-07-04	954	1068	6150	--	--	232	--	900 226000577346
Confluence	2021-07-04	1050	1178	6400	--	--	--	7035	900 226000628247
Confluence	2021-07-04	1081	1181	9350	--	--	--	107584	900 226000630122
Confluence	2021-07-05	1090	1194	8600	--	--	--	105241	900 224000113108
Confluence	2021-07-05	992	1131	6450	--	--	283	--	900 226000630073
Confluence	2021-07-05	1100	1201	7550	--	--	--	105233	989 001038119777
Confluence	2021-07-05	481	539	500	6	2015	469	--	989 001038119770

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-07-05	480	538	450	6	2015	470	--	989 001038119837
Confluence	2021-07-05	974	1120	5550	19	2002	471	--	900 226000629419
Confluence	2021-07-05	1162	1120	12400	--	--	--	107782	900 226000628021
Confluence	2021-07-05	1100	1141	8150	--	--	657	--	989 001038119847
Confluence	2021-07-05	1103	1143	9150	26	1995	472	--	989 001038119797
Confluence	2021-07-05	1100	1140	9200	28	1993	473	--	
Confluence	2021-09-08	332	382	227	--	--	474	--	989 001038119841
Confluence	2021-09-08	308	350	227	--	--	475	--	989 001038119768
Confluence	2021-09-08	540	614	1134	9	2012	426	--	989 001038119785
Confluence	2021-09-08	725	820	2721	14	2007	427	--	989 001038119855
Confluence	2021-09-08	695	771	2494	11	2010	429	--	989 001038119825
Confluence	2021-09-08	670	758	2268	14	2007	430	--	989 001038119773
Confluence	2021-09-09	870	982	5215	19	2002	431	--	989 001038119818
Confluence	2021-09-09	454	522	680	--	--	432	--	989 001038119776
Confluence	2021-09-09	598	671	1361	10	2011	433	--	989 001038119850
Confluence	2021-09-09	491	565	907	--	--	434	--	989 001038119826
Confluence	2021-09-09	613	694	1361	9	2012	435	--	989 001038119805
Confluence	2021-09-09	620	702	1361	8	2013	437	--	989 001038119767
Confluence	2021-09-09	518	592	680	--	--	438	--	989 001038119793
Confluence	2021-09-09	608	685	1361	9	2012	439	--	989 001038119761
Confluence	2021-09-09	525	598	907	--	--	--	107522	989 001038119758
Confluence	2021-09-09	478	545	680	--	--	257	--	900 224000119186
Confluence	2021-09-09	567	650	1134	8	2013	440	--	989 001038119803
Confluence	2021-09-09	691	771	2494	8	2013	441	--	989 001038119838
Confluence	2021-09-09	729	815	2952	14	2007	996	--	900 226000320792
Confluence	2021-09-09	405	462	227	--	--	442	--	989 001038119816
Confluence	2021-09-09	539	615	907	--	--	443	--	989 001038119774
Confluence	2021-09-09	680	778	2721	14	2007	444	--	989 001038119762
Confluence	2021-09-10	335	386	227	3	2018	445	--	989 001038119764
Confluence	2021-09-10	494	568	680	--	--	446	--	989 001038119798
Confluence	2021-09-10	600	680	1134	--	--	447	--	989 001038119765
Confluence	2021-09-10	750	845	2721	--	--	448	--	989 001038119779
Confluence	2021-09-10	340	388	227	--	--	449	--	989 001038119814
Confluence	2021-09-12	351	405	227	--	--	450	--	989 001038119849
Confluence	2021-09-12	968	108	6803	--	--	700	--	900 226000320784
Confluence	2021-09-12	515	585	907	--	--	275	--	989 001038119781
Confluence	2021-09-12	691	778	2494	--	--	274	--	989 001039493884

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-12	567	654	1134	--	--	273	--	989 001039493880
Confluence	2021-09-12	1155	1130	12698	--	--	--	57111	900 226000320601
Confluence	2021-09-12	870	966	4535	--	--	174	103766	900 226000320666
Confluence	2021-09-12	556	632	1134	--	--	272	--	989 001039493886
Confluence	2021-09-12	260	299	227	--	--	271	--	989 001039493842
Confluence	2021-09-12	614	690	1587	--	--	270	--	989 001039493824
Confluence	2021-09-12	1400	1510	21769	--	--	--	109936	900 226000893205
Confluence	2021-09-12	1035	1130	7029	--	--	269	--	989 001039493857
Confluence	2021-09-12	1168	1291	11338	--	--	268	--	989 001039493809
Confluence	2021-09-12	515	582	680	7	2014	267	--	989 001039493811
Confluence	2021-09-12	508	585	907	--	--	266	--	989 001039493881
Confluence	2021-09-12	465	532	680	6	2015	265	--	989 001039493825
Confluence	2021-09-12	522	601	907	--	--	--	107507	989 001039493840
Confluence	2021-09-12	955	1054	6349	--	--	264	--	989 001039493844
Confluence	2021-09-12	490	551	680	--	--	263	--	989 001039493797
Confluence	2021-09-12	762	860	3175	--	--	--	103203	900 226000548361
Confluence	2021-09-12	808	890	3628	--	--	262	--	989 001039493833
Confluence	2021-09-12	617	708	1587	--	--	261	--	989 001039493810
Confluence	2021-09-12	590	678	1361	--	--	260	--	989 001039493788
Confluence	2021-09-12	622	695	1361	--	--	259	--	989 001039493861
Confluence	2021-09-12	705	796	2494	--	--	258	--	989 001039493875
Confluence	2021-09-12	441	505	454	5	2016	257	--	989 001039493858
Confluence	2021-09-12	615	700	1587	--	--	--	104766	900 226000893719
Confluence	2021-09-12	606	681	1361	--	--	--	103299	900 226000090599
Confluence	2021-09-12	640	725	1814	--	--	256	--	989 001039493798
Confluence	2021-09-12	523	578	907	7	2014	255	--	989 001039493814
Confluence	2021-09-12	452	470	454	--	--	254	--	989 001039493848
Confluence	2021-09-12	565	648	1134	--	--	253	--	989 001039493871
Confluence	2021-09-12	575	650	1361	--	--	252	--	989 001039493815
Confluence	2021-09-12	568	635	907	--	--	251	--	989 001039493830
Confluence	2021-09-12	502	552	907	--	--	457	--	989 001039493817
Confluence	2021-09-12	572	602	1134	--	--	--	112988	
Confluence	2021-09-12	750	842	2948	--	--	226	--	989 001039493837
Confluence	2021-09-12	532	615	907	7	2014	227	--	989 001039493802
Confluence	2021-09-12	505	572	907	--	--	228	--	989 001039493863
Confluence	2021-09-12	570	642	1134	--	--	980	--	900 043000168376
Confluence	2021-09-12	549	600	907	--	--	229	--	

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-12	489	552	680	--	--	--	107540	989 001039493877
Confluence	2021-09-12	685	754	2494	--	--	--	115139	900 226000152811
Confluence	2021-09-12	527	610	1134	--	--	230	--	989 001039493882
Confluence	2021-09-12	565	645	--	--	--	231	--	989 001039493805
Confluence	2021-09-12	1001	1105	8390	--	--	232	--	900 226000628178
Confluence	2021-09-12	498	574	680	--	--	233	--	989 001039493831
Confluence	2021-09-12	570	649	1134	--	--	234	--	989 001039493870
Confluence	2021-09-12	567	630	1134	--	--	235	--	989 001039493873
Confluence	2021-09-12	778	865	4082	--	--	236	--	989 001039493804
Confluence	2021-09-12	681	772	1361	--	--	237	--	989 001039493852
Confluence	2021-09-12	571	660	907	--	--	--	107607	989 001039493791
Confluence	2021-09-12	470	545	454	--	--	238	--	989 001039493866
Confluence	2021-09-12	535	561	680	--	--	239	--	989 001039493867
Confluence	2021-09-12	530	602	680	--	--	240	--	989 001039493812
Confluence	2021-09-12	596	657	907	--	--	273	--	989 001039493880
Confluence	2021-09-12	538	615	907	--	--	241	--	989 001039493819
Confluence	2021-09-12	560	645	1361	--	--	242	--	989 001039493853
Confluence	2021-09-12	915	1002	5215	--	--	243	--	989 001039493878
Confluence	2021-09-12	649	743	2268	--	--	244	--	989 001039493829
Confluence	2021-09-12	605	685	1587	--	--	245	--	989 001039493851
Confluence	2021-09-12	575	645	1134	--	--	246	--	989 001039493860
Confluence	2021-09-12	500	575	680	--	--	247	--	989 001039493835
Confluence	2021-09-12	552	630	1361	--	--	248	--	989 001039493839
Confluence	2021-09-13	388	445	454	4	2017	249	--	989 001039493818
Confluence	2021-09-13	414	472	227	--	--	250	--	989 001039493868
Confluence	2021-09-13	304	353	227	2	2019	425	--	989 001039493862
Confluence	2021-09-13	486	554	680	--	--	424	--	989 001039493850
Confluence	2021-09-13	492	561	907	--	--	423	--	989 001039493876
Confluence	2021-09-13	580	660	907	--	--	297	--	989 001039493880
Confluence	2021-09-13	750	844	2948	9	2012	422	--	989 001039493794
Confluence	2021-09-13	321	373	227	--	--	421	--	989 001039493874
Confluence	2021-09-13	560	631	1361	--	--	420	--	989 001039493838
Confluence	2021-09-13	657	727	1814	--	--	419	--	989 001039493787
Confluence	2021-09-13	860	960	4308	--	--	463	--	989 001038119791
Confluence	2021-09-13	527	608	907	--	--	417	--	989 001039493795
Confluence	2021-09-13	509	571	907	--	--	499	--	900 043000103710
Confluence	2021-09-13	495	562	680	--	--	416	--	989 001039493859

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-13	500	571	680	--	--	247	--	989 001039493835
Confluence	2021-09-13	955	1077	6576	14	2007	415	--	
Confluence	2021-09-13	890	980	5215	15	2006	414	--	989 001039493823
Confluence	2021-09-13	581	652	1361	--	--	413	--	989 001039493854
Confluence	2021-09-13	535	652	1361	--	--	411	--	
Confluence	2021-09-13	1190	1322	12698	12	2009	--	48658	989 001039493855
Confluence	2021-09-13			14966	--	--	--	48731	989 001039493846
Confluence	2021-09-13	631	712	1587	--	--	410	--	989 001039493803
Confluence	2021-09-13	888	990	6349	--	--	41	--	900 226000320688
Confluence	2021-09-13	371	420	227	--	--	409	--	989 001039493856
Confluence	2021-09-13	1006	1088	7483	--	--	408	--	989 001039493789
Confluence	2021-09-13	558	632	1134	--	--	407	--	989 001039493793
Confluence	2021-09-13	497	558	680	--	--	406	--	989 001039493800
Confluence	2021-09-13	454	522	454	--	--	405	--	989 001039493883
Confluence	2021-09-13	912	1026	7029	--	--	--	107565	900 226000630388
Confluence	2021-09-13	631	720	1587	--	--	404	--	900 226000152888
Confluence	2021-09-13	919	1035	5896	--	--	403	--	989 001039493849
Confluence	2021-09-13	650	734	1814	--	--	490	--	989 001038119844
Confluence	2021-09-13	640	724	1587	--	--	402	--	989 001039493845
Confluence	2021-09-13	1076	1182	10884	--	--	401	--	989 001039493843
Confluence	2021-09-13	511	572	907	--	--	499	--	900 043000103710
Confluence	2021-09-13	555	635	1134	--	--	418	--	989 001039493801
Confluence	2021-09-13	616	696	1587	--	--	412	--	989 001039493813
Confluence	2021-09-14	280	322	227	--	--	314	--	989 001039493820
Confluence	2021-09-14	491	560	680	--	--	315	--	989 001039493841
Confluence	2021-09-14	916	1041	6122	18	2003	316	--	989 001039493847
Confluence	2021-09-15	388	438	227	4	2017	317	--	989 001039493879
Confluence	2021-09-15	712	774	2041	9	2012	318	--	989 001039493864
Confluence	2021-09-15	391	447	227	--	--	319	--	989 001039493826
Confluence	2021-09-15	698	778	2268	10	2011	320	--	989 001039493799
Confluence	2021-09-15	297	340	227	--	--	321	--	989 001039493790
Confluence	2021-09-15	615	696	1361	--	--	--	110108	900 226000893204
Confluence	2021-09-15	739	830	2494	--	--	322	--	989 001039493816
Confluence	2021-09-15	1280	1420	14512	--	--	600	--	900 224000132029
Confluence	2021-09-15	439	506	680	--	--	323	--	989 001039493834
Confluence	2021-09-15	286	325	227	--	--	324	--	989 001039493806
Confluence	2021-09-15	425	484	454	--	--	325	--	989 001039493885

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-15	665	752	2268	--	--	--	110019	900 226000893209
Confluence	2021-09-15	548	621	1134	--	--	326	--	989 001039493869
Confluence	2021-09-15	611	699	1814	--	--	--	115069	900 226000152805
Confluence	2021-09-15	575	660	1361	--	--	327	--	989 001039493836
Confluence	2021-09-15	554	630	1134	--	--	--	NSC 107528	989 001039493827
Confluence	2021-09-15	700	802	2494	9	2012	328	--	989 001039493821
Confluence	2021-09-15	556	625	1134	--	--	329	--	989 001039493808
Confluence	2021-09-15	722	820	2948	--	--	330	--	989 001039493807
Confluence	2021-09-15	606	682	1587	--	--	331	--	989 001039493828
Confluence	2021-09-15	579	651	1134	--	--	332	--	989 001039493796
Confluence	2021-09-15	788	884	3175	12	2009	333	--	989 001039493865
Confluence	2021-09-15	524	600	680	--	--	334	--	
Confluence	2021-09-15	478	540	454	--	--	335	--	
Confluence	2021-09-15	466	530	680	--	--	336	--	
Confluence	2021-09-15	513	582	680	--	--	337	--	
Confluence	2021-09-15	568	647	1134	--	--	338	--	
Confluence	2021-09-15	528	586	680	--	--	339	--	
Confluence	2021-09-15	370	428	227	--	--	340	--	
Confluence	2021-09-15	660	735	2041	--	--	--	NSC 110009	900 226000893082
Confluence	2021-09-16	638	731	1587	--	--	341	--	
Confluence	2021-09-16	1001	1106	7483	14	2007	--	NSC 48696	
Confluence	2021-09-16	544	612	907	--	--	--	NSC107519	
Confluence	2021-09-16	222	254	227	--	--	342	--	
Confluence	2021-09-16	646	731	1814	--	--	343	--	
Confluence	2021-09-16	330	382	227	--	--	344	--	
Confluence	2021-09-16	1041	1161	7483	17	2004	294	--	900 224000113178
Confluence	2021-09-16	1027	1114	7710	--	--	345	--	
Confluence	2021-09-16	477	524	680	--	--	346	--	
Confluence	2021-09-16	399	479	454	--	--	347	--	
Confluence	2021-09-16	459	516	454	--	--	348	--	
Confluence	2021-09-16	669	756	2041	--	--	--	NSC 110019	900 226000893209
Confluence	2021-09-16	594	668	1361	--	--	349	--	
Confluence	2021-09-16	545	614	907	--	--	--	NSC 107519	

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-16	494	552	680	--	--	350	--	
Confluence	2021-09-16	595	623	1134	--	--	1	--	
Confluence	2021-09-16	560	634	1134	--	--	2	--	
Confluence	2021-09-16	325	366	227	--	--	3	--	
Confluence	2021-09-16	316	272	227	--	--	4	--	
Confluence	2021-09-16	535	616	907	--	--	227	--	989 001039493802
Confluence	2021-09-17	617	696	1587	--	--	5	--	
Confluence	2021-09-17	1228	1350	14059	--	--	--	105841	900 226000629830
Confluence	2021-09-17	323	363	227	--	--	6	--	
Confluence	2021-09-17	616	698	1361	--	--	792	--	900 043000168347
Confluence	2021-09-17	420	484	454	--	--	7	--	
Confluence	2021-09-17	405	465	227	--	--	8	--	
Confluence	2021-09-17	548	614	1134	--	--	9	--	
Confluence	2021-09-17	594	668	1361	--	--	349	--	
Confluence	2021-09-17	544	624	1134	--	--	10	--	
Confluence	2021-09-18	389	448	227	--	--	11	--	
Confluence	2021-09-18	486	556	680	--	--	12	--	
Confluence	2021-09-18	525	597	0	--	--	--	104837	900 226000893688
Confluence	2021-09-18	701	790	2041	--	--	13	--	
Confluence	2021-09-18	310	358	227	--	--	14	--	
Confluence	2021-09-18	558	628	1134	--	--	15	--	
Confluence	2021-09-18	563	638	1134	--	--	17	--	
Confluence	2021-09-18	599	670	1587	--	--	--	107617	
Confluence	2021-09-18	261	290	227	--	--	18	--	
Confluence	2021-09-18	688	788	2041	--	--	--	115066	900 226000152877
Confluence	2021-09-18	698	798	2041	--	--	20	--	
Confluence	2021-09-18	598	682	1134	--	--	21	--	
Confluence	2021-09-18	540	618	907	--	--	22	--	
Confluence	2021-09-18	686	750	1814	--	--	23	--	
Confluence	2021-09-18	584	654	1134	--	--	24	--	
Confluence	2021-09-18	618	698	1587	--	--	--	104771	900 226000893726
Confluence	2021-09-18	618	708	1361	--	--	778	--	900 043000168327
Confluence	2021-09-18	515	591	907	--	--	25	--	
Confluence	2021-09-18	689	777	2494	--	--	16	--	
Confluence	2021-09-18	583	667	1361	--	--	19	--	
Confluence	2021-09-18	385	440	227	--	--	26	--	
Confluence	2021-09-18	399	454	454	--	--	27	--	

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-18	355	407	227	--	--	28	--	
Confluence	2021-09-18	1240	1365	18367	--	--	31	--	
Confluence	2021-09-18	1029	1140	7256	--	--	32	--	
Confluence	2021-09-18	672	771	2268	--	--	--	103285	900 226000548309
Confluence	2021-09-18	1224	1350	14739	--	--	33	--	
Confluence	2021-09-18	--	--	13605	--	--	--	107799	900 226000629341
Confluence	2021-09-18	393	451	227	--	--	34	--	
Confluence	2021-09-18	512	588	907	--	--	35	--	989 001039493674
Confluence	2021-09-18	624	711	1361	--	--	778	--	900 043000168327
Confluence	2021-09-18	620	700	1587	--	--	--	104771	900 226000893726
Confluence	2021-09-18	549	614	907	--	--	--	103147	900 226000090572
Confluence	2021-09-18			1134	--	--	36	--	900 224000132341
Confluence	2021-09-18	618	689	1361	--	--	37	--	
Confluence	2021-09-19	380	442	227	3	2018	38	--	989 001039493665
Confluence	2021-09-19	770	865	2948	10	2011	39	--	989 001039493640
Confluence	2021-09-19	1100	1220	8844	--	--	40	--	989 001039493620
Confluence	2021-09-19	760	872	3628	11	2010	41	--	989 001039493593
Confluence	2021-09-19	738	840	2494	--	--	42	--	989 001039493614
Confluence	2021-09-19	362	412	227	--	--	43	--	989 001039493600
Confluence	2021-09-19	525	605	680	--	--	44	--	989 001039493659
Confluence	2021-09-19	532	603	907	--	--	45	--	989 001039493646
Confluence	2021-09-19	508	571	680	--	--	46	--	989 001039493616
Confluence	2021-09-19	1229	1365	14966	30	1991	47	--	989 001039493611
Confluence	2021-09-19	400	460	454	--	--	48	--	989 001039493605
Confluence	2021-09-19	377	431	227	--	--	49	--	989 001039493651
Confluence	2021-09-19	693	725	2494	--	--	50	--	989 001039493677
Confluence	2021-09-19	548	618	1134	--	--	30	--	989 001039493610
Confluence	2021-09-20	1395	1530	21315	--	--	--	110013	900 226000893108
Confluence	2021-09-20	1220	1370	14059	25	1996	--	110062	900 226000893006
Confluence	2021-09-20	371	435	227	--	--	29	--	989 001039493633
Confluence	2021-09-20	984	1108	6803	--	--	--	107780	900 226000629365
Confluence	2021-09-20	384	433	227	--	--	75	--	989 001039493647
Confluence	2021-09-20	660	754	1814	--	--	74	--	989 001039493601
Confluence	2021-09-20	518	594	907	--	--	35	--	989 001039493674
Confluence	2021-09-20	348	404	227	--	--	73	--	989 001039493643
Confluence	2021-09-20	951	1065	7256	--	--	--	110313	900 226000893015
Confluence	2021-09-20	522	586	1134	--	--	72	--	989 001039493681

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-20	608	700	1587	--	--	71	--	989 001039493635
Confluence	2021-09-20	810	874	3628	--	--	746	--	900 043000103407
Confluence	2021-09-20	508	585	680	--	--	70	--	989 001039493597
Confluence	2021-09-20	570	645	1361	--	--	69	--	989 001039493683
Confluence	2021-09-20	583	676	907	--	--	68	--	989 001039493606
Confluence	2021-09-20	979	1096	7710	--	--	--	110314	900 226000893133
Confluence	2021-09-20	588	674	1361	--	--	66	--	989 001039493638
Confluence	2021-09-20	636	695	1587	--	--	64	--	989 001039493672
Confluence	2021-09-20	890	1008	5669	--	--	--	103105	900 226000090618
Confluence	2021-09-20	508	590	680	--	--	63	--	989 001039493668
Confluence	2021-09-20	474	536	454	--	--	62	--	989 001039493650
Confluence	2021-09-20	565	636	1134	--	--	61	--	989 001039493622
Confluence	2021-09-20	419	469	227	--	--	60	--	989 001039493631
Confluence	2021-09-20	907	1007	6576	--	--	--	105326	900 226000629912
Confluence	2021-09-20	920	1050	5669	--	--	59	--	989 001039493675
Confluence	2021-09-20	956	1082	6349	--	--	--	105335	900 226000629783
Confluence	2021-09-20	342	391	227	--	--	58	--	989 001039493619
Confluence	2021-09-20	318	430	227	--	--	57	--	989 001039493589
Confluence	2021-09-20	480	542	680	--	--	56	--	989 001039493637
Confluence	2021-09-20	505	582	907	--	--	55	--	989 001039493671
Confluence	2021-09-20	586	673	1134	--	--	54	--	989 001039493612
Confluence	2021-09-20	518	593	907	--	--	53	--	989 001039493639
Confluence	2021-09-20	485	548	454	--	--	52	--	989 001039493636
Confluence	2021-09-20	314	359	227	--	--	51	--	989 001039493603
Confluence	2021-09-20	514	591	680	--	--	964	--	900 043000168328
Confluence	2021-09-20	495	580	680	--	--	65	--	989 001039493604
Confluence	2021-09-21	975	1029	6349	--	--	986	--	900 224000132517
Confluence	2021-09-21	391	444	227	--	--	67	--	989 001039493645
Confluence	2021-09-21	1035	1119	7937	14	2007	76	--	989 001039493632
Confluence	2021-09-21	553	642	907	--	--	77	--	989 001039493642
Confluence	2021-09-21	321	367	227	2	2019	78	--	989 001039493588
Confluence	2021-09-21	865	977	4989	10	2011	79	--	989 001039493685
Confluence	2021-09-21	332	376	227	--	--	80	--	989 001039493670
Confluence	2021-09-21	862	981	4762	--	--	485	--	989 001038119796
Confluence	2021-09-21	869	977	5215	--	--	81	--	989 001039493682
Confluence	2021-09-21	961	1078	6803	--	--	--	107838	900 043000103600
Confluence	2021-09-21	879	975	5215	--	--	--	110070	900 226000893011

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-21	882	997	5669	13	2008	82	--	989 001039493599
Confluence	2021-09-21	473	545	680	--	--	83	--	989 001039493678
Confluence	2021-09-21	1018	1043	7029	--	--	84	--	989 001039493598
Confluence	2021-09-21	971	1078	7256	--	--	85	--	989 001039493596
Confluence	2021-09-21	1390	1495	17914	42	1979	--	48667	900 224000119411
Confluence	2021-09-21	310	355	227	--	--	86	--	989 001039493669
Confluence	2021-09-21	440	505	454	--	--	87	--	989 001039493629
Confluence	2021-09-22	976	1095	7029	--	--	--	110147	900 226000893053
Confluence	2021-09-22	932	1045	5896	--	--	88	--	989 001039493680
Confluence	2021-09-22	850	945	4762	--	--	89	--	989 001039493656
Confluence	2021-09-22	422	482	454	--	--	90	--	989 001039493654
Confluence	2021-09-22	1006	1098	7710	--	--	91	--	989 001039493609
Confluence	2021-09-22	517	591	907	--	--	92	--	989 001039493648
Confluence	2021-09-22	431	497	454	--	--	93	--	989 001039493655
Confluence	2021-09-22	306	353	227	--	--	94	--	989 001039493628
Confluence	2021-09-22	660	750	1814	--	--	985	--	900 043000168323
Confluence	2021-09-22	1039	1159	8617	--	--	--	110028	900 226000893176
Confluence	2021-09-22	1184	1300	10884	--	--	912	--	900 226000577440
Confluence	2021-09-22	--	--	--	--	--	--	107555	989 001039493621
Confluence	2021-09-22	518	586	907	--	--	95	--	989 001039493663
Confluence	2021-09-22	657	745	2041	--	--	96	--	989 001039493661
Confluence	2021-09-22	521	594	907	--	--	97	--	989 001039493613
Confluence	2021-09-22	600	676	1361	--	--	98	--	989 001039493641
Confluence	2021-09-22	861	972	4762	--	--	99	--	989 001039493607
Confluence	2021-09-22	1330	1455	21542	11	2010	100	--	989 001039493686
Confluence	2021-09-22	966	1065	5442	--	--	101	--	989 001038119765
Confluence	2021-09-22	595	682	1134	--	--	447	--	989 001039493627
Confluence	2021-09-22	982	1107	7256	--	--	102	--	900 226000630076
Confluence	2021-09-22	1255	1370	14059	--	--	--	105951	989 001039493608
Confluence	2021-09-22	1354	1480	17007	--	--	103	--	989 001039493626
Confluence	2021-09-22	1300	1420	12698	--	--	104	--	900 226000893157
Confluence	2021-09-22	1158	1270	12245	--	--	60	--	989 001039493602
Confluence	2021-09-22	--	--	--	--	--	--	110175	989 001039493664
Confluence	2021-09-22	535	604	907	--	--	105	--	989 001039493653
Confluence	2021-09-22	432	497	454	--	--	106	--	989 001039493649
Confluence	2021-09-22	708	784	2268	--	--	107	--	989 001039493590
Confluence	2021-09-22	664	738	1814	--	--	108	--	989 001039493617

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2021-09-22	284	323	227	--	--	109	--	989 001039493595
Confluence	2021-09-22	591	660	680	--	--	--	107629	989 001039493667
Confluence	2021-09-22	434	497	454	--	--	110	--	
Confluence	2021-09-22	917	1020	5442	--	--	111	--	

Table C5. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2022 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-06-29	705	790	2800	14	2008	112		989 001038119741
Confluence	2022-06-29	788	882	3600	4	2018		107600	900 043000103612
Confluence	2022-06-29	1040	1165	7700			294		900 224000113178
Confluence	2022-06-29	1300	1430	10300	19	2003	114		989 001038119725
Confluence	2022-06-29	592	665	900	10	2012	113		989 001038119748
Confluence	2022-06-29	753	850	2300	13	2009	115		989 001038119757
Confluence	2022-06-29	918	1020	3850				105826	900 226000629760
Confluence	2022-06-29	614	690	1150	11	2011	116		989 001038119755
Confluence	2022-06-29	780	871	2900			114		900 224000132128
Confluence	2022-06-29	1035	1135	8950	23	1999	117		989 001038119728
Confluence	2022-06-29	1085	1185	7800				105842	900 226000630125
Confluence	2022-06-29	289	326	300	20	2002	375		989 001038119744
Confluence	2022-06-29	204	235	50	9	2013	374		989 001038119753
Confluence	2022-06-29	1005	1045	6600	22	2000	373		989 001038119663
Confluence	2022-06-29	1120	1245	7400				105226	900 226000630199
Confluence	2022-06-29	950	1074	6500	3	2019		107030	900 226000629708
Confluence	2022-06-29	760	850	2250	11	2011	372		989 001038119684
Confluence	2022-06-29	880	890	4500	14	2008		115136	900 226000767975
Confluence	2022-06-29	1020	1111	7350	17	2005		107159	900 226000628127
Confluence	2022-06-29	1371	1450	6550	3	2019	371		900 224000113486
Confluence	2022-06-29	251	280	100	3	2019	N/A		989 001039493591
Confluence	2022-06-29	223	261	100			N/A		989 001039493676
Confluence	2022-06-30	1020	1110	7600			345		989 001039493615
Confluence	2022-06-30	381	439	500	5	2017	370		989 001039493684
Confluence	2022-06-30	497	551	850	7	2015	369		989 001039493630
Confluence	2022-06-30	540	620	1150	8	2014	368		989 001039493618
Confluence	2022-06-30	498	571	800			446		989 001038119798
Confluence	2022-06-30	520	581	1700	7	2015	367		989 001038119662
Confluence	2022-06-30	461	522	700	9	2013	366		989 001038119694
Confluence	2022-06-30	520	600	850	7	2015	364		989 001038119715
Confluence	2022-06-30	491	559	750	7	2015	363		989 001038119721

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-06-30	733	829	2250	13	2009	362		989 001038119750
Confluence	2022-06-30	530	592	1050	10	2012	361		989 001038119745
Confluence	2022-06-30	639	710	1250	11	2011	360		989 001038119700
Confluence	2022-06-30	650	730	1800			175		989 001038119671
Confluence	2022-06-30	375	430	300	4	2018	359		989 001038119739
Confluence	2022-06-30	490	555	750	7	2015	358		989 001038119742
Confluence	2022-06-30	680	761	1750	14	2008	357		989 001038119736
Confluence	2022-06-30	395	440	350	5	2017	356		989 001038119660
Confluence	2022-06-30	565	650	950	10	2012	355		989 001038119703
Confluence	2022-06-30	1050	1170	4700				101416	900 226000630002
Confluence	2022-06-30	970	1080	5500				107030	900 226000629708
Confluence	2022-06-30	860	942	3750	19	2003	354		989 001038119692
Confluence	2022-06-30	670	735	1450	15	2007	353		989 001038119690
Confluence	2022-06-30	370	430	350	5	2017	352		989 001038119752
Confluence	2022-06-30	1245	1360	8900			31		989 001038119737
Confluence	2022-06-30	1025	1130	8250				107159	900 226000628127
Confluence	2022-06-30	844	970	4150	20	2002	351		989 001038119712
Confluence	2022-06-30	680	771	1000	13	2009	150		989 001038119756
Confluence	2022-06-30	930	1020	6350				107003	900 226000628124
Confluence	2022-07-02	440	475	300	6	2016	149		989 001039493770
Confluence	2022-07-02	535	595	600				110044	900 226000767134
Confluence	2022-07-02	505	570	300	8	2014	148		989 001039493744
Confluence	2022-07-02	570	640	800	9	2013	147		989 001039493715
Confluence	2022-07-02	550	640	600	8	2014	146		989 001039493751
Confluence	2022-07-02	450	510	250	4	2018	144		989 001039493768
Confluence	2022-07-02	525	590	500				107626	989 001039493772
Confluence	2022-07-02	540	610	700	7	2015	143		989 001039493691
Confluence	2022-07-02	530	595	700			162		900 226000320756
Confluence	2022-07-02	430	484	100	4	2018	141		989 001039493716
Confluence	2022-07-02	663	740	850	9	2013	140		989 001039493721
Confluence	2022-07-02	540	610	700	10	2012	139		989 001039493769
Confluence	2022-07-02	650	730	900	11	2011	137		989 001039493707
Confluence	2022-07-02	505	560	500	8	2014	136		989 001039493710

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-02	500	570	300	8	2014	135		989 001039493704
Confluence	2022-07-02	1130	1260	6650	31	1991	134		989 001039493695
Confluence	2022-07-02	490	565	400	6	2016	133		989 001039493774
Confluence	2022-07-02	590	654	1000	9	2013	132		989 001039493734
Confluence	2022-07-02	585	660	650	9	2013	131		989 001039493703
Confluence	2022-07-02	469	521	450			130		989 001039493694
Confluence	2022-07-02	530	600	500			129		989 001039493705
Confluence	2022-07-02	312	363	50	3	2019	128		989 001039493749
Confluence	2022-07-02	305	352	150	3	2019	127		989 001038119858
Confluence	2022-07-02	310	355	200	3	2019	126		989 001038119889
Confluence	2022-07-02	465	540	650			142		989 001038119880
Confluence	2022-07-02	905	1000	4450	20	2002	151		989 001038119881
Confluence	2022-07-02	652	740	2100			152		989 001038119930
Confluence	2022-07-02	1315	1429	10950				RMB 01,395	989 001038119941
Confluence	2022-07-02	915	1030	2800			890		900 224000119372
Confluence	2022-07-02	1095	1145	5500				105875	900 226000629976
Confluence	2022-07-02	607	692	1050			153		989 001038119876
Confluence	2022-07-02	840	940	2700	11	2011	154		989 001038119896
Confluence	2022-07-02	1110	1240	8800			148	105850	900 226000629894
Confluence	2022-07-02	950	1052	4350				110161	900 226000893132
Confluence	2022-07-03	535	610	850			155		989 001038119947
Confluence	2022-07-03	930	1014	5100				107551	900 226000630434
Confluence	2022-07-03	1110	1220	7350				107184	900 226000628226
Confluence	2022-07-03	505	570	950	8	2014	156		989 001038119877
Confluence	2022-07-03	639	718	1250			341		989 001038119886
Confluence	2022-07-03	1030	1090	6800				107836	900 226000628163
Confluence	2022-07-03	505	570	300			148		989 001039493744
Confluence	2022-07-03	335	387	150	3	2019	157		989 001038119956
Confluence	2022-07-03	360	409	250	4	2018	158		989 001038119861
Confluence	2022-07-03	358	409	350			142		900 224000132371
Confluence	2022-07-03	1070	1170	6000				109939	900 226000893124
Confluence	2022-07-03	1441	1510	14100	34	1988	159		989 001038119901
Confluence	2022-07-03	600	670	1050			160		989 001038119925

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-03	930	1010	4000	21	2001	161		989 001038119872
Confluence	2022-07-04	328	429	250	4	2018	162		989 001038119905
Confluence	2022-07-04	270	299	150	2	2020	163		989 001038119932
Confluence	2022-07-04	291	338	150	3	2019	164		989 001038119910
Confluence	2022-07-04	410	470	350	3	2019	165		989 001038119934
Confluence	2022-07-04	930	1050	4450				110176	900 226000893179
Confluence	2022-07-04	918	1012	5900			167		989 001038119944
Confluence	2022-07-04	1070	1118	8400				101426	900 226000629932
Confluence	2022-07-04	1060	1119	7200	26	1996	905	571137	900 224000119099
Confluence	2022-07-04	748	830	2800	16	2006	168		989 001038119894
Confluence	2022-07-04	789	890	3200			169		989 001039493786
Confluence	2022-07-05	511	568	550			173		989 001039493687
Confluence	2022-07-05	512	581	950			171		989 001039493773
Confluence	2022-07-05	373	439	300	5	2017	170		989 001039493759
Confluence	2022-07-05	426	482	450	4	2018	200		989 001039493766
Confluence	2022-07-05	481	550	700	6	2016	199		989 001039493746
Confluence	2022-07-05	1011	1123	8200				105964	900 226000630188
Confluence	2022-07-05	1050	1150	8200			198		900 226000320777
Confluence	2022-07-05	1230	1360	11800				48709	989 001039493706
Confluence	2022-07-05	1100	1205	8550			121		900 226000320665
Confluence	2022-07-05	1110	1240	8450			148	105850	900 226000629894
Confluence	2022-07-05	1080	1200	8200				101420	900 226000629932
Confluence	2022-07-05	1060	1130	7500	22	2000	197		989 001039493693
Confluence	2022-07-05	1070	1180	7800				57137	900 224000119099
Confluence	2022-07-05	1330	1410	17350				57124	989 001039493732
Confluence	2022-07-05	920	1020	5400			196		989 001039493755
Confluence	2022-07-05	935	1040	5700				105231	900 226000630078
Confluence	2022-07-05	468	530	650			207		989 001038119979
Confluence	2022-07-05	638	700	1600			208		989 001038119968
Confluence	2022-07-05	722	812	2650			209		989 001038120031
Confluence	2022-07-05	830	898	4600			211		989 001038119972
Confluence	2022-07-05	1035	1140	9400				105750	900 226000630226
Confluence	2022-07-05	1023	1148	7550				107152	900 226000628238

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-05	1067	1172	8200			140		900 226000320677
Confluence	2022-07-06	1205	1295	10400				57071	900 226000577276
Confluence	2022-07-06	525	598	800	6	2016	195		989 001039493698
Confluence	2022-07-06	884	994	4600			194		989 001039493725
Confluence	2022-07-06	1340	1467	21250	11	2011	193		989 001039493780
Confluence	2022-07-06	1230	1362	11250			192		900 224000132060
Confluence	2022-07-06	981	1088	4850			319		900 224000119221
Confluence	2022-07-06	462	522	700	5	2017	346		989 001039493714
Confluence	2022-07-06	945	1050	4850			190		900 226000320692
Confluence	2022-07-06	718	817	1850			189		989 001039493708
Confluence	2022-07-06	1020	1135	6700	11	2011	188		989 001039493753
Confluence	2022-07-06	1070	1177	8000			52		900 226000320603
Confluence	2022-07-06	974	1080	4750			187		900 226000320784
Confluence	2022-07-06	1170	1295	11500			186		989 001039493726
Confluence	2022-07-06	1105	1220	8150			293		900 224000113135
Confluence	2022-07-06	1042	1152	6300	12	2010	185		989 001039493761
Confluence	2022-07-06	525	602	600	6	2016	184		989 001039493778
Confluence	2022-07-06	850	945	2000			183		989 001039493690
Confluence	2022-07-06	950	1062	4950			182		989 001039493757
Confluence	2022-07-06	1075	1130	6700			212		989 001038120004
Confluence	2022-07-06	595	678	1450			214		989 001038120032
Confluence	2022-07-06	1130	1250	11050			244		900 224000132375
Confluence	2022-07-06	670	758	2300			215		989 001038120042
Confluence	2022-07-06	1250	1403	10600			578	107847	900 043000103602
Confluence	2022-07-06	924	1030	5050			216		989 001038120040
Confluence	2022-07-06	1030	1110	7000			496		989 001038119852
Confluence	2022-07-06	460	521	700	5	2017	207		989 001038119979
Confluence	2022-07-06	1332	1450	14600			488		989 001038119806
Confluence	2022-07-06	1150	1215	9900			217		989 001038120015
Confluence	2022-07-06	820	923	4150			218		989 001038120008
Confluence	2022-07-06	1090	1190	8550			318		900 224000113420
Confluence	2022-07-07	360	410	300	3	2019	181		989 001039493763
Confluence	2022-07-07	718	816	2850			330		989 001039493807

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-07	668	744	1800	9	2013	180		989 001038119945
Confluence	2022-07-07	1212	1336	12600			179		900 226000630013
Confluence	2022-07-07	590	673	1200				107793	900 226000629627
Confluence	2022-07-07	514	578	900	4	2018	178		989 001038119929
Confluence	2022-07-07	493	570	450	2	2020	177		989 001038119875
Confluence	2022-07-07	885	993	4050	6	2016	194		989 001039493725
Confluence	2022-07-07	1300	1409	12900			176		989 001038119882
Confluence	2022-07-07	581	665	1250			950		989 001038119874
Confluence	2022-07-07	1150	1295	8000				57111	900 226000320601
Confluence	2022-07-07	985	1113	4150			948		989 001038119935
Confluence	2022-07-07	921	1045	4600			947		900 226000630187
Confluence	2022-07-07	1017	1138	7350				107152	900 226000628238
Confluence	2022-07-07	950	1065	5100			182		989 001039493757
Confluence	2022-07-07	950	1045	5600			946		989 001038119949
Confluence	2022-07-07	1194	1315	10300			798		900 043000168316
Confluence	2022-07-07	1192	1315	7600				105396	900 226000630218
Confluence	2022-07-07	869	980	3900			945		989 001038119890
Confluence	2022-07-07	1180	1309	9350			944		900 226000629436
Confluence	2022-07-07	551	624	1050			943		989 001038119940
Confluence	2022-07-07	544	624	1100			220		989 001038120010
Confluence	2022-07-07	782	870	2750			221		989 001038119995
Confluence	2022-07-07	636	704	1650			222		989 001038120051
Confluence	2022-07-07	971	1088	6600			223		989 001038120011
Confluence	2022-07-07	986	1110	5400			224		900 226000630241
Confluence	2022-07-07	1350	1510	17300			2890		900 224000132346
Confluence	2022-07-07	660	726	1900				105285	900 226000629890
Confluence	2022-07-07	471	518	600			225		989 001038120012
Confluence	2022-07-07	850	928	4200				110071	900 226000893117
Confluence	2022-07-07	1150	1216	9050			275		989 001038119731
Confluence	2022-07-07	1044	1186	7800			274		989 001038119722
Confluence	2022-07-07	1255	1315	13200				110182	900 226000893162
Confluence	2022-07-07	494	562	950			273		989 001038119709
Confluence	2022-07-07	480	554	700			272		989 001038119664

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-07	1284	1406	12900				110055	900 226000893096
Confluence	2022-07-07	1032	1152	9850			270		989 001038119749
Confluence	2022-07-07	1246	1346	11650				105808	900 226000630017
Confluence	2022-07-07	1070	1182	9850			670	62022	900 224000119249
Confluence	2022-07-07	1060	1162	6900				107353	900 226000628197
Confluence	2022-07-08	860	982	4750	11	2011	942		989 001038119928
Confluence	2022-07-08	1090	1231	6400				107578	900 226000629721
Confluence	2022-07-08	957	1070	3600	10	2012	940		989 001038119914
Confluence	2022-07-08	699	783	2100	8	2014	939		989 001038119931
Confluence	2022-07-08	911	1021	5150	13	2009	938		989 001038119862
Confluence	2022-07-08	1188	1312	7050				105396	900 226000630218
Confluence	2022-07-08	929	1044	3900	8	2014	937		989 001038119860
Confluence	2022-07-08	415	475	450				115060	900 226000152861
Confluence	2022-07-08	1105	1235	4550			936		900 226000628194
Confluence	2022-07-08	572	647	1200	4	2018	935		989 001038119913
Confluence	2022-07-08	524	600	700	6	2016	934		989 001038119924
Confluence	2022-07-08	627	704	1200	8	2014	933		989 001038119917
Confluence	2022-07-08	675	745	1950				112980	900 226000768010
Confluence	2022-07-08	590	665	1450	4	2018	932		989 001038119859
Confluence	2022-07-08			250	3	2019	931		989 001038119863
Confluence	2022-07-08	1063	1174	7100				105844	900 226000630069
Confluence	2022-07-08	466	520	600	4	2018	930		989 001038119946
Confluence	2022-07-08	567	635	850	5	2017	929		989 001038119864
Confluence	2022-07-08	691	770	1100			928		900 226000628289
Confluence	2022-07-08	830	930	4400			215		900 224000132291
Confluence	2022-07-08	1310	1436	13600				57796	900 226000629892
Confluence	2022-07-08	826	936	3000			269		989 001038120023
Confluence	2022-07-08	464	530	650			268		989 001038119986
Confluence	2022-07-08	1030	1140	7600			267		989 001038119971
Confluence	2022-07-08	928	1050	6000				105247	900 226000630230
Confluence	2022-07-08	532	604	1050			266		989 001038120038
Confluence	2022-07-08	776	892	4000			265		989 001038120005
Confluence	2022-07-08	960	1010	5350				105349	900 226000630123

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-08	586	654	1550			264		989 001038119991
Confluence	2022-07-08	1010	1110	7450				48664	900 226000320697
Confluence	2022-07-08	842	930	3450			478		989 001038119799
Confluence	2022-07-08	712	804	2650			263		989 001038120057
Confluence	2022-07-08	1160	1228	11350			262		900 226000630224
Confluence	2022-07-08	1130	1320	11150				110075	900 226000893180
Confluence	2022-07-08	1022	1148	8150				107587	900 043000103698
Confluence	2022-07-08	1352	1470	18850				57082	900 224000132212
Confluence	2022-07-08	1114	1216	10050			261		989 001038120036
Confluence	2022-07-08	504	560	950			260		989 001039120055
Confluence	2022-07-08	1242	1342	15600			259		989 001038120035
Confluence	2022-07-08	522	604	1050			258		989 001038120007
Confluence	2022-07-08	628	718	1500			257		989 001038120024
Confluence	2022-07-08	971	1088	6650			223		989 001038120011
Confluence	2022-07-08	524	598	1100			256		989 001038119708
Confluence	2022-07-08	352	398	350			255		989 001038119751
Confluence	2022-07-08	301	342	250			254		989 001038119693
Confluence	2022-07-08	520	578	800			253		989 001038119962
Confluence	2022-07-08	544	612	1050			252		989 001038119992
Confluence	2022-07-08	1310	1432	12900				105737	900 226000630012
Confluence	2022-07-08	562	632	1250			251		989 001038119678
Confluence	2022-07-09	941	1067	6100	3	2019	927		989 001038119933
Confluence	2022-07-09	499	561	850	7	2015		104752	900 226000893637
Confluence	2022-07-09	421	479	500	4	2018	926		989 001038119895
Confluence	2022-07-09	908	1020	4850				105832	900 226000629904
Confluence	2022-07-09	1040	1141	7250	7	2015	925		989 001038119954
Confluence	2022-07-09	766	838	2550	7	2015	924		989 001038119919
Confluence	2022-07-09	1017	1117	7850	13	2009	923		989 001038119926
Confluence	2022-07-09	750	820	2700			108		900 226000320683
Confluence	2022-07-09	765	830	3500	6	2016	922		989 001038119900
Confluence	2022-07-09	1245	1365	12450	12	2010	31		989 001038119737
Confluence	2022-07-09	945	1051	4250			115		900 226000320768
Confluence	2022-07-09	890	1002	5400			921		989 001038119938

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-09	585	675	1000			68		989 001039493606
Confluence	2022-07-09	385	437	350	2	2020	920		989 001038119920
Confluence	2022-07-09	413	460	450	2	2020	919		989 001038119909
Confluence	2022-07-09	510	570	600	6	2016	918		989 001038119892
Confluence	2022-07-09	565	641	1150	3	2019	917		989 001038119885
Confluence	2022-07-09	481	544	450	6	2016	916		989 001038119891
Confluence	2022-07-09	1215	1320	14050				67781	989 001038119993
Confluence	2022-07-09	1010	1100	6300				110104	900 226000893024
Confluence	2022-07-09	686	774	2350			276		989 001038119994
Confluence	2022-07-09	824	910	3500			277		989 001038120049
Confluence	2022-07-09	1094	1190	7300			479		989 001038119771
Confluence	2022-07-09	552	610	1100			278		989 001038119980
Confluence	2022-07-09	352	410	350			279		989 001038120020
Confluence	2022-07-09	482	542	650			280		989 001038120037
Confluence	2022-07-09	788	882	3200				110073	900 226000893052
Confluence	2022-07-09	824	920	4600				101424	900 226000629959
Confluence	2022-07-09	1030	1116	8050			281		989 001038120043
Confluence	2022-07-09	1248	1344				MORT2022-1		N/A
Confluence	2022-07-09	562	644	1250				115091	900 226000152893
Confluence	2022-07-09	540	618	950			282		989 001038120027
Confluence	2022-07-09	746	842	2650			283		989 001038120041
Confluence	2022-07-09	646	720	1750			284		989 001038119961
Confluence	2022-07-09	1030	1120	7500				48664	900 226000320697
Confluence	2022-07-09	478	538	750			285		989 001038120009
Confluence	2022-07-09	452	526	650			286		989 001038119963
Confluence	2022-07-09	380	434	350			287		989 001038119969
Confluence	2022-07-09	906	1012	6150				105349	900 226000630123
Confluence	2022-07-09	362	408	300			288		989 001038120034
Confluence	2022-07-09	1096	1260	8000				107195	900 226000628135
Confluence	2022-07-09	1082	1180	8350			108		900 226000320772
Confluence	2022-07-09	1054	1172	6500				101423	900 226000629960
Confluence	2022-07-10	444	502	550	3	2019	915		989 001038119897
Confluence	2022-07-10	1077	1175	7450				106846	900 226000577374

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-10	931	1040	5200				105231	900 226000630078
Confluence	2022-07-10	720	820	2650	10	2012	914		989 001038119887
Confluence	2022-07-10	1075	1200	8300				110312	900 226000893106
Confluence	2022-07-10	1021	1122	5150	9	2013	913		989 001038119927
Confluence	2022-07-10	1168	1315	7000			132		900 224000119312
Confluence	2022-07-10	1260	1381	10500			912		989 001038119950
Confluence	2022-07-10	442	514	500			911		989 001038119922
Confluence	2022-07-10	1090	1230	7500			910		989 001038119942
Confluence	2022-07-10	1155	1287	9400			29	107554	900 226000629420
Confluence	2022-07-10	600	690	1200			111		989 001038119879
Confluence	2022-07-10	466	533	600	4	2018	909		989 001038119873
Confluence	2022-07-10	655	742	1500	3	2019	908		989 001038119908
Confluence	2022-07-10	1307	1425	16050			103		989 001039493608
Confluence	2022-07-10	508	579	850			907		989 001038119923
Confluence	2022-07-10	580	655	1000	7	2015	906		989 001038119878
Confluence	2022-07-10	622	709	1100	6	2016	905		989 001038119955
Confluence	2022-07-10	1050	1164	3300	18	2004	904		989 001038119939
Confluence	2022-07-10	1314	1430	12200	8	2014	903		989 001038119884
Confluence	2022-07-10	458	519	550			902		989 001038119869
Confluence	2022-07-10	542	618	950			901		989 001038119952
Confluence	2022-07-10	510	575	700			119		989 001038119619
Confluence	2022-07-10	643	720	1850			120		989 001038119644
Confluence	2022-07-10	1090	1196	9800				577850	900 226000630220
Confluence	2022-07-10	760	864	2900			289		989 001038120053
Confluence	2022-07-10	560	640	1200			368		989 001039493618
Confluence	2022-07-10	560	646	1300			290		989 001038119998
Confluence	2022-07-10	696	772	2650			291		989 001038119967
Confluence	2022-07-10	1000	1110	6850				105858	900 226000630019
Confluence	2022-07-10	632	708	1850			292		989 001038120028
Confluence	2022-07-10	710	788	2750			293		989 001038119976
Confluence	2022-07-10	492	570	900			294		989 001038119977
Confluence	2022-07-10	544	570	900			295		989 001038119999
Confluence	2022-07-10	790	890	3150				105248	900 226000630245

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-10	512	584	1050			296		989 001038119966
Confluence	2022-07-10	520	592	750			297		989 001038120001
Confluence	2022-07-10	512	582	1000			298		989 001038120039
Confluence	2022-07-10	482	542	800			299		989 001038119975
Confluence	2022-07-10	580	650	1300			299		989 001038119997
Confluence	2022-07-10	862	974	4800				106969	900 043000168319
Confluence	2022-07-10	564	630	1400			300		989 001038120018
Confluence	2022-07-10	1300	1402	12650				105363	900 226000630124
Confluence	2022-07-10	518	584	850			451		989 001038120046
Confluence	2022-07-10	894	962	4900			452		989 001038119960
Confluence	2022-07-10	506	570	950			453		989 001038119974
Confluence	2022-07-10	272	302	150			454		
Confluence	2022-07-10	320	363	450			455		989 001038120048
Confluence	2022-07-10	350	406	250			456		989 001038119965
Confluence	2022-07-10	310	350	150			457		989 001038119959
Confluence	2022-07-10	1180	1283	9450			458		989 001038120025
Confluence	2022-07-11	475	550	650			121		989 001038119568
Confluence	2022-07-11	900	1000	3700			122		989 001038119576
Confluence	2022-07-11	1030	1139	6000	12	2010	123		989 001038119567
Confluence	2022-07-11	410	473	300			124		989 001038119602
Confluence	2022-07-11	477	535	600			125		989 001038119562
Confluence	2022-07-11	535	609	800			525		989 001038119605
Confluence	2022-07-11	356	404	150			524		989 001038119559
Confluence	2022-07-11	899	980	4000			523		989 001038119587
Confluence	2022-07-11	424	493	500	4	2018	522		989 001038119624
Confluence	2022-07-11	434	499	500			521		989 001038119649
Confluence	2022-07-11	800	891	2950	8	2014	520		989 001038119643
Confluence	2022-07-11	585	662	1350			519		989 001038119647
Confluence	2022-07-11	318	357	200			518		989 001038119571
Confluence	2022-07-11	666	752	2200			459		989 001038119659
Confluence	2022-07-11	750	840	3300			460		989 001038119680
Confluence	2022-07-11	1190	1292	13000				57143	989 001038119669
Confluence	2022-07-11	778	866	3550			721		900 224000132388

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-07-11	784	870	3550			461		989 001038119730
Confluence	2022-07-11	626	704	2500			462		989 001038119668
Confluence	2022-07-11	590	658	1900			463		989 001038119667
Confluence	2022-07-11	516	578	1000			464		989 001038119754
Confluence	2022-07-11	510	580	1000			465		989 001038119666
Confluence	2022-07-11	548	620	1200			301		989 001038119707
Confluence	2022-07-11	522	596	1000			302		989 001038119711
Confluence	2022-07-11	516	590	1100			303		989 001038119689
Confluence	2022-07-11	868	976	5150				110148	900 226000893066
Confluence	2022-07-11	546	628	1300			304		989 001038119675
Confluence	2022-07-11	500	576	900			305		900 226000893585
Confluence	2022-07-11	1360	1455	16600				57557	989 001038119696
Confluence	2022-07-11	1061	1174	8900				105239	900 226000630054
Confluence	2022-07-11	926	1020	6250			486		989 001038119706
Confluence	2022-07-11	1080	1200	9550				105236	900 226000630206
Confluence	2022-08-28	906	1006	6650			306		989 001038119988
Confluence	2022-08-28	960	1100	7950			267		989 001038119971
Confluence	2022-08-28	1056	1182	7500			307		989 001038119978
Confluence	2022-08-28	693	776	1800			308		989 001038120006
Confluence	2022-08-28	561	647	1100			310		989 001038119996
Confluence	2022-08-28	923	1036	4600			311		989 001038119984
Confluence	2022-08-28	924	1018	6350			196		989 001039493755
Confluence	2022-08-28	614	644	1750			312		989 001038120003
Confluence	2022-08-28	700	804	2450			313		989 001038120033
Confluence	2022-08-28	685	780	2750			314		989 001038119983
Confluence	2022-08-28	799	930	4950			218		989 001038120008
Confluence	2022-08-28	581	665	1300			418		989 001039493801
Confluence	2022-08-28	964	1074	7200				105238	900 226000629856
Confluence	2022-08-28	686	776	1850			315		989 001038120050
Confluence	2022-08-28	578	644	1200			316		989 001038119958
Confluence	2022-08-28	898	1004	5900			317		989 001038119989
Confluence	2022-08-28	698	772	2800				110009	900 226000893082
Confluence	2022-08-28	810	906	4750			318		989 001038119982

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-08-28	574	647	1200			517		989 001039493782
Confluence	2022-08-28	621	703	1400			516		989 001039493727
Confluence	2022-08-28	748	842	2600				103128	900 226000090589
Confluence	2022-08-29	495	565	800			319		989 001038119804
Confluence	2022-08-29	537	594	1200			320		989 001038119970
Confluence	2022-08-29	1028	1129	8200				107171	900 226000628012
Confluence	2022-08-29	498	535	800			321		989 001038120002
Confluence	2022-08-29	686	768	1950				105384	900 226000630036
Confluence	2022-08-29	728	819	2750			189		989 001039493708
Confluence	2022-08-29	886	998	3900			163		900 226000320771
Confluence	2022-08-29	673	732	2350			184		900 226000320750
Confluence	2022-08-29	538	613	850			322		989 001038120014
Confluence	2022-08-29	598	689	1400			323		989 001038120022
Confluence	2022-08-29	598	674	1250			324		989 001038120029
Confluence	2022-08-29	912	1028	4750				110101	900 226000893160
Confluence	2022-08-29	738	814	2150			358		989 001038119987
Confluence	2022-08-29	563	639	1550			356		989 001038120026
Confluence	2022-08-29	1255	1342	15200				48779	989 001038120054
Confluence	2022-08-29	819	914	13450			357		989 001038120021
Confluence	2022-08-29	1299	1455	12780				109943	900 226000893197
Confluence	2022-08-29	482	548	700			255		900 224000132055
Confluence	2022-08-29	553	634	1300			355		989 001038120016
Confluence	2022-08-29	1083	1154	8100				105277	900 226000629804
Confluence	2022-08-29	694	783	3300			354		989 001038119985
Confluence	2022-08-29	798	885	3350			461		989 001038119730
Confluence	2022-08-29	897	1021	4600			133		900 224000132075
Confluence	2022-08-29	755	831	3050			355		989 001038119701
Confluence	2022-08-29	822	933	3400			515		989 001039493720
Confluence	2022-08-29	562	643	1400			514		989 001039493781
Confluence	2022-08-29	635	720	1600			513		989 001039493701
Confluence	2022-08-29	865	924	3200			41		989 001039493593
Confluence	2022-08-29	1060	1172	8000			512		989 001039493775
Confluence	2022-08-29	1206	1345	12600			510		989 001039493697

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-08-29	889	1013	5800				105342	900 226000630047
Confluence	2022-08-29	835	939	4000				110016	900 226000893023
Confluence	2022-08-29	727	813	2600			509		989 001039493722
Confluence	2022-08-29	557	643	1000			417		989 001039493795
Confluence	2022-08-29	753	854	2400			508		989 001039493723
Confluence	2022-08-30	598	682	1550			832		900 043000168343
Confluence	2022-08-30	926	1034	5050				103206	900 226000548336
Confluence	2022-08-30	598	667	1400			352		989 001038119673
Confluence	2022-08-30	724	813	2950			16		989 001038119723
Confluence	2022-08-30	694	783	1900			351		989 001038119735
Confluence	2022-08-30	824	919	4200			163		900 226000320771
Confluence	2022-08-30	713	814	2350			500		989 001038119685
Confluence	2022-08-30	621	689	1700			499		989 001038119724
Confluence	2022-08-30	826	934	2900			498		989 001038119990
Confluence	2022-08-30	914	1018	6150				105349	900 226000630123
Confluence	2022-08-30	1054	1105	8250			496		900 224000132107
Confluence	2022-08-30	533	624	1200			495		989 001038119734
Confluence	2022-08-30	604	679	1550			493		989 001038119704
Confluence	2022-08-30	838	949	4150			494		989 001038119738
Confluence	2022-08-30	1180	1345	13850			492		989 001038119718
Confluence	2022-08-30	1009	1052	6900				102588	989 001038119717
Confluence	2022-08-30	1102	1214	8050			651	105822	900 226000629998
Confluence	2022-08-30	1124	1238	9350			111		989 001038119726
Confluence	2022-08-30	1222	1360	12450			491		989 001038119695
Confluence	2022-08-30	1255	1370	11450			708	57761	900 226000630155
Confluence	2022-08-30	759	854	2100			195		900 226000320770
Confluence	2022-08-30	763	846	2750			490		989 001038119683
Confluence	2022-08-30	772	859	2350			489		989 001038119672
Confluence	2022-08-30	624	719	1550			488		900 224000112698
Confluence	2022-08-30	883	975	4700			523		989 001038119587
Confluence	2022-08-30	839	945	4350			487		900 224000132651
Confluence	2022-08-30	696	782	2500			486		989 001038119654
Confluence	2022-08-30	914	1028	5900				107565	900 226000630388

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-08-30	1152	1394	10100			350		989 001038120045
Confluence	2022-08-30	1079	1310	8250			957		900 224000132054
Confluence	2022-08-30	896	1017	6450				11021	900 226000893099
Confluence	2022-08-30	719	802	2300			349		989 001038120017
Confluence	2022-08-30	548	620	1050			350		989 001038120052
Confluence	2022-08-30	1032	1151	7300			493		900 224000132363
Confluence	2022-08-30	681	752	2200			347		989 001038120019
Confluence	2022-08-30	674	772	2450			346		989 001038120044
Confluence	2022-08-30	782	881	3500			345		989 001038120000
Confluence	2022-08-30	711	798	2400			344		989 001038120047
Confluence	2022-08-30	869	974	5200			326		989 001038119661
Confluence	2022-08-30	707	794	2300			327		989 001038119713
Confluence	2022-08-30	719	803	2800			328		989 001038119710
Confluence	2022-08-30	718	812	2500			329		989 001038119740
Confluence	2022-08-30	849	959	4150			330		989 001038119720
Confluence	2022-08-30	782	879	3100			331		989 001038119743
Confluence	2022-08-30	683	779	2350			332		989 001038119699
Confluence	2022-08-31	545	590	800			974		900 043000168336
Confluence	2022-08-31	1215	1354	9000			507		989 001039493767
Confluence	2022-08-31	980	1107	5400			506		989 001039493742
Confluence	2022-08-31	870	992	5400			485		989 001038119796
Confluence	2022-08-31	1033	1103	6800				107830	900 226000628163
Confluence	2022-08-31	1025	1090	6200			76		989 001039493632
Confluence	2022-08-31	1147	1256	9200			14		900 226000320773
Confluence	2022-08-31	870	984	5000				105357	900 226000630239
Confluence	2022-08-31	732	825	2400			505		989 001039493785
Confluence	2022-08-31	596	675	1000			504		989 001039493737
Confluence	2022-08-31	747	835	2800			503		989 001039493733
Confluence	2022-08-31	997	1113	7200			502		989 001039493724
Confluence	2022-08-31	527	592	1000			501		989 001039493740
Confluence	2022-08-31	585	654	1200				110107	900 226000893241
Confluence	2022-08-31	611	686	1600			475		989 001039493741
Confluence	2022-08-31	700	788	2400			474		989 001039493739

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-08-31	786	857	3200			473		989 001039493756
Confluence	2022-08-31	705	774	2200			23		989 001039493696
Confluence	2022-08-31	801	902	4000			39		989 001039493640
Confluence	2022-08-31	759	864	3200			472		989 001039493762
Confluence	2022-08-31	683	768	2200			471		989 001039493748
Confluence	2022-08-31	669	747	2000			786		900 043000168389
Confluence	2022-08-31	757	853	2800			470		989 001039493784
Confluence	2022-08-31	728	827	2600			469		989 001039493729
Confluence	2022-08-31	958	1062	5200			213	105302	900 226000629969
Confluence	2022-08-31	824	924	3800			468		989 001039493712
Confluence	2022-08-31	820	925	4200			467		989 001039493692
Confluence	2022-08-31	720	802	2400			466		989 001039493743
Confluence	2022-08-31	590	678	1400			252		989 001039493815
Confluence	2022-08-31	508	558	800			465		989 001039493765
Confluence	2022-08-31	626	705	1800			17		989 001039493719
Confluence	2022-08-31	528	594	800			464		989 001039493718
Confluence	2022-08-31	588	653	1200			463		989 001039493747
Confluence	2022-08-31	562	631	800			462		989 001039493776
Confluence	2022-09-01	1321	1398	12950			332		989 001038119674
Confluence	2022-09-01	1129	1224	10600			334		989 001038119747
Confluence	2022-09-01	696	782	2700			335		989 001038119691
Confluence	2022-09-01	1123	1294	12300			336		989 001038119727
Confluence	2022-09-01	652	713	1950				107626	900 226000893611
Confluence	2022-09-01	693	762	2300			337		989 001038119698
Confluence	2022-09-01	713	786	2450			338		989 001038119732
Confluence	2022-09-01	683	757	2450			339		989 001038119714
Confluence	2022-09-01	528	596	1050			340		989 001038119733
Confluence	2022-09-01	412	479	700			341		989 001038119702
Confluence	2022-09-01	1138	1247	11650				57216	989 001038119665
Confluence	2022-09-01	716	791	3050			342		989 001038119697
Confluence	2022-09-01	663	742	2350			343		989 001038119719
Confluence	2022-09-01	793	894	4200				115086	900 226000152866
Confluence	2022-09-01	803	908	3950			750		989 001038119658

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-01	667	753	2200			749		989 001038119677
Confluence	2022-09-01	753	842	2850				103760	900 226000120178
Confluence	2022-09-01	787	882	4050			748		989 001038119670
Confluence	2022-09-01	669	742	2450			747		989 001038119688
Confluence	2022-09-01	621	673	1850			746		989 001038119682
Confluence	2022-09-01	803	902	3250			444		989 001038119762
Confluence	2022-09-01	658	722	2400			745		989 001038119729
Confluence	2022-09-01	843	922	4550			671		900 224000132477
Confluence	2022-09-01	684	771	2800			744		989 001038119705
Confluence	2022-09-01	887	1003	5800				107163	900 226000628115
Confluence	2022-09-01	792	914	3700			743		
Confluence	2022-09-01	952	1067	8200			742		900 226000548462
Confluence	2022-09-01	564	667	1300			741		
Confluence	2022-09-01	673	765	2350			740		
Confluence	2022-09-01	1038	1131	8450			739		
Confluence	2022-09-01	903	1014	5600			462		
Confluence	2022-09-01	603	682	1650			738		
Confluence	2022-09-01	1010	1109	6650			737		
Confluence	2022-09-01	562	631	1100			736		
Confluence	2022-09-01	601	682	1400			735		
Confluence	2022-09-01	1036	1120	7300			734		900 226000630005
Confluence	2022-09-01	1189	1304	11450			458		989 001038120025
Confluence	2022-09-01	586	668	1300			733		
Confluence	2022-09-01	643	725	1800			732		
Confluence	2022-09-01	1347	1482	19850				4663	
Confluence	2022-09-01	1240	1367	15500			219		
Confluence	2022-09-01	779	881	3400			667		900 043000168220
Confluence	2022-09-01	581	634	1800			731		
Confluence	2022-09-01	502	557	1050				110122	900 226000893231
Confluence	2022-09-01	763	857	2950			730		
Confluence	2022-09-01	1048	1159	7000	23	1999	461		989 001039493750
Confluence	2022-09-01	1237	1345	17200			460		989 001039493760
Confluence	2022-09-01	640	723	1800			459		989 001039493777

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-01	1158	1263	10600			458		989 001039493752
Confluence	2022-09-01	950	1076	6000	4	2018		109911	900 226000893221
Confluence	2022-09-01	998	1113	6600			506		989 001039493742
Confluence	2022-09-01	363	422	200			457		989 001039493730
Confluence	2022-09-01	930	1013	5600				105965	900 226000629958
Confluence	2022-09-01	552	630	1000			456		989 001039493738
Confluence	2022-09-01	639	735	1600				107623	900 226000767170
Confluence	2022-09-01	545	624	1000			455		989 001039493783
Confluence	2022-09-01	731	827	2800			454		989 001039493728
Confluence	2022-09-01	715	795	3200			291		989 001038119967
Confluence	2022-09-01	1120	1243	9600			244		900 224000132375
Confluence	2022-09-01	1250	1345	15200				57582	900 226000893192
Confluence	2022-09-01	646	732	2000			453		989 001039493717
Confluence	2022-09-01	770	862	3400			452		989 001039493711
Confluence	2022-09-01	555	642	800			451		989 001039493735
Confluence	2022-09-01	699	742	2000	13	2009	826		989 001039493700
Confluence	2022-09-01	435	499	400	24	1998	827		989 001039493688
Confluence	2022-09-02	712	817	2250			729		
Confluence	2022-09-02	811	883	4150			728		
Confluence	2022-09-02	808	928	3500			727		
Confluence	2022-09-02	1013	1104	6350			726		
Confluence	2022-09-02	635	704	1450			725		
Confluence	2022-09-02	1048	1089	7850			724		
Confluence	2022-09-02	1079	1194	9150			723		
Confluence	2022-09-02	809	924	3450			722		
Confluence	2022-09-02	633	711	1800			721		
Confluence	2022-09-02	618	689	1650			720		
Confluence	2022-09-02	622	704	1900			719		
Confluence	2022-09-02	1032	1163	7700			718		
Confluence	2022-09-02	642	733	1800			717		
Confluence	2022-09-02	608	683	1400			716		
Confluence	2022-09-02	753	839	2900			715		
Confluence	2022-09-02	631	704	1750			714		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-02	756	842	3300			713		
Confluence	2022-09-02	1214	1302	17750			712		
Confluence	2022-09-02	1117	1239	10700			711		
Confluence	2022-09-02	628	712	1850			710		
Confluence	2022-09-02	618	693	1500			708		
Confluence	2022-09-02	631	704	2100			707		
Confluence	2022-09-02	684	762	2250			706		
Confluence	2022-09-02	623	692	1600			36		900 224000132341
Confluence	2022-09-02	722	793	2950			705		900 226000320753
Confluence	2022-09-02	703	789	2700			704		900 224000132024
Confluence	2022-09-02	653	752	2000			703		
Confluence	2022-09-02	1072	1185	9800			702		
Confluence	2022-09-02	762	858	3750			701		
Confluence	2022-09-02	795	893	3450			476		
Confluence	2022-09-02	719	784	1950				112553	900 226000893440
Confluence	2022-09-02	989	1074	7000			828		989 001039493764
Confluence	2022-09-02	1090	1259	7600			829		989 001039493731
Confluence	2022-09-02	1447	1562	24000				107186	900 226000628058
Confluence	2022-09-02	1079	1213	8200			284	110323	900 226000893135
Confluence	2022-09-02	954	1025	4400			830		989 001039493779
Confluence	2022-09-03	606	691	1750			477		
Confluence	2022-09-03	1058	1173	9500			478		
Confluence	2022-09-03	1318	1395	13200	18	2004		48782	989 001039493713
Confluence	2022-09-03	990	1091	5800			831		989 001039493736
Confluence	2022-09-03	937	1041	5200	8	2014	832		989 001039493699
Confluence	2022-09-03	905	1010	4800	9	2013		107527	989 001039493745
Confluence	2022-09-03	553	627	1200	18	2004	833		989 001039493702
Confluence	2022-09-03	551	652	1200			834		989 001039493758
Confluence	2022-09-03	896	995	4800	14	2008	835		989 001039493754
Confluence	2022-09-03	1000	1115	7200				110004	900 226000893081
Confluence	2022-09-03	810	892	4200	10	2012	836		
Confluence	2022-09-03	717	807	2600			328		989 001039493821
Confluence	2022-09-03	662	745	2200	12	2010	837		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-03	821	889	3200			746		900 043000103407
Confluence	2022-09-04	927	1051	5850			479		
Confluence	2022-09-04	724	819	2650			480		
Confluence	2022-09-04	796	892	3450			481		900 226000893166
Confluence	2022-09-04	747	844	3150			482		
Confluence	2022-09-04	913	1024	6350			36		900 226000628265
Confluence	2022-09-04	1013	1107	8700			483		
Confluence	2022-09-04	562	648	2050			930		
Confluence	2022-09-04	1016	1129	7150			484		
Confluence	2022-09-04	1192	1321	14950			300		900 224000132005
Confluence	2022-09-04	848	943	4350			299		
Confluence	2022-09-04	1006	1112	6700			298		
Confluence	2022-09-04	1389	1438	18400			297		
Confluence	2022-09-04	891	992	4500			296		
Confluence	2022-09-04	828	922	3450			248		900 224000113454
Confluence	2022-09-04	763	842	3550			295		
Confluence	2022-09-04	861	978	5200			294		
Confluence	2022-09-04	1082	1213	9700			293		
Confluence	2022-09-04	1219	1356	15750				57781	989 001038119993
Confluence	2022-09-04	702	786	2550	11	2011	292		
Confluence	2022-09-04	689	722	1950				107794	900 226000630339
Confluence	2022-09-04	967	1083	6800	22	2000	291		
Confluence	2022-09-04	522	583	1550	7	2015	290		
Confluence	2022-09-04	754	858	3150	10	2012	289		
Confluence	2022-09-04	595	663	1650	10	2012	288		
Confluence	2022-09-04	652	731	1850	11	2011	287		
Confluence	2022-09-04	609	684	1550			932		989 001038119859
Confluence	2022-09-04	710	799	2250	12	2010	286		
Confluence	2022-09-04	614	690	1800	8	2014		107617	
Confluence	2022-09-04	1004	1122	7200	2	2020		105382	
Confluence	2022-09-04	642	725	2000			838		
Confluence	2022-09-04	315	363	200	10	2012	839		900 226000320745
Confluence	2022-09-04	989	1128	6000			168		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-04	725	810	2600	5	2017	840		
Confluence	2022-09-04	734	845	3000				105744	900 226000630116
Confluence	2022-09-04	441	498	400	22	2000	841		
Confluence	2022-09-04	630	709	1800				104771	900 226000893726
Confluence	2022-09-05	859	978	4800	17	2005	285		
Confluence	2022-09-05	584	660	1650	8	2014	284		
Confluence	2022-09-05	782	873	3250				103203	900 226000548361
Confluence	2022-09-05	746	848	3700			263		989 001038120057
Confluence	2022-09-05	574	647	1450	10	2012	283		
Confluence	2022-09-05	584	659	1250	10	2012	282		
Confluence	2022-09-05	617	714	1750	8	2014	281		
Confluence	2022-09-05	908	1016	5850			987		900 224000132679
Confluence	2022-09-05	838	949	3900	22	2000	280		
Confluence	2022-09-05	920	1023	6250	16	2006	279		
Confluence	2022-09-05	588	689	1700			278		
Confluence	2022-09-05	896	988	5030			NA		
Confluence	2022-09-05	612	694	1600			277		
Confluence	2022-09-05	749	844	2850			250		
Confluence	2022-09-05	868	984	4900			249		
Confluence	2022-09-05	908	1028	5800	24	1998	170		900 226000320704
Confluence	2022-09-05	1011	1104	6950			248		900 226000629795
Confluence	2022-09-05	769	861	2450			247		
Confluence	2022-09-05	669	779	1600			246		
Confluence	2022-09-05	918	1024	4450			245		
Confluence	2022-09-05	682	771	2350			244		
Confluence	2022-09-05	1116	1134	7800	12	2010	194		
Confluence	2022-09-05	845	933	3800	10	2012		105838	900 226000629888
Confluence	2022-09-05	781	882	3200	7	2015	345		989 001038120000
Confluence	2022-09-05	1005	1200	7600			842		900 226000629518
Confluence	2022-09-05	530	595	800	5	2017	843		
Confluence	2022-09-05	980	1103	6800	5	2017	921		900 22400011270
Confluence	2022-09-05	433	495	400			844		
Confluence	2022-09-05	445	509	600			845		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-05	851	930	4400			846		
Confluence	2022-09-05	395	457	400			847		
Confluence	2022-09-05	372	415	400	7	2015	848		
Confluence	2022-09-05	769	874	3400			849		
Confluence	2022-09-05	500	556	800			850		
Confluence	2022-09-05	212	244	100			801		
Confluence	2022-09-06	925	1035	5000	30	1992		105826	900 226000629760
Confluence	2022-09-06	1060	1191	8000			803		
Confluence	2022-09-06	1208	1341	11800	28	1994		105354	900 226000630033
Confluence	2022-09-06	1237	1379	14400			804		
Confluence	2022-09-06	1167	1293	9200	34	1988		48681	900 226000628072
Confluence	2022-09-06	1317	1450	17600	14	2008	815		
Confluence	2022-09-06	996	1125	6000			805		
Confluence	2022-09-06	1144	1260	7400			807		
Confluence	2022-09-06	1145	1252	10800			848	48734	900 224000132464
Confluence	2022-09-06	755	850	2800			909	106834	900 043000103814
Confluence	2022-09-06	628	698	1400			802		
Confluence	2022-09-06	1492	1533	19800			243		900 226000320635
Confluence	2022-09-06	1176	1342	13250			242		
Confluence	2022-09-06	1454	1541	16850			130		
Confluence	2022-09-06	722	819	2850			241		
Confluence	2022-09-06	673	743	2400			240		
Confluence	2022-09-06	1103	1224	8550			239		989 001038119687
Confluence	2022-09-06	958	1065	6350			238		
Confluence	2022-09-06	601	681	1350			237		
Confluence	2022-09-06	808	945	3600			41		989 001039493593
Confluence	2022-09-06	987	1114	6350			235		
Confluence	2022-09-06	441	499	450			234		
Confluence	2022-09-06	391	443	400			233		
Confluence	2022-09-06	829	894	2950			746		900 043000103407
Confluence	2022-09-06	238	374	300	7	2015	232		
Confluence	2022-09-06	538	604	900			231		
Confluence	2022-09-06	515	582	800			808		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-07	682	775	2400			810		
Confluence	2022-09-07	671	762	2200			811		
Confluence	2022-09-07	678	758	2400			812		
Confluence	2022-09-07	742	804	2800			813		
Confluence	2022-09-07	685	763	2400			814		
Confluence	2022-09-07	735	822	3200			349	110067	900 226000893216
Confluence	2022-09-07	612	700	2000			816		
Confluence	2022-09-07	748	845	3600			817		
Confluence	2022-09-07	1035	1154	5200			270		989 001038119749
Confluence	2022-09-07	715	806	2400			669		900 224000119346
Confluence	2022-09-07	754	852	2600			322		989 001039493816
Confluence	2022-09-07	812	913	4000				107844	900 043000103496
Confluence	2022-09-07	701	799	2200			818		
Confluence	2022-09-07	522	588	800			809		
Confluence	2022-09-07	1028	1137	6400			230		
Confluence	2022-09-08	572	640	1200			819		
Confluence	2022-09-08	722	808	3000			939		989 001038119931
Confluence	2022-09-08	572	645	1200			820		
Confluence	2022-09-08	1005	1124	7200			879		900 224000132104
Confluence	2022-09-08	668	756	2000			821		
Confluence	2022-09-08	678	769	2400			822		
Confluence	2022-09-08	1005	1112	6200			656		900 226000320714
Confluence	2022-09-08	970	1075	6600			823		
Confluence	2022-09-08	742	830	3000				115082	900 226000152822
Confluence	2022-09-08	752	844	3200			824		
Confluence	2022-09-08	892	996	4600				105967	900 226000630104
Confluence	2022-09-08	546	635	1200			825		
Confluence	2022-09-08	301	350	100			601		
Confluence	2022-09-08	532	611	1200			602		
Confluence	2022-09-08	612	698	1800			603		
Confluence	2022-09-08	528	595	1200			604		
Confluence	2022-09-08	596	682	1400			605		
Confluence	2022-09-08	368	418	200			606		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-08	588	670	1400			607		
Confluence	2022-09-08	675	762	1800				107509	900 226000629289
Confluence	2022-09-08	612	693	1600			608		
Confluence	2022-09-08	578	651	1400			610		
Confluence	2022-09-08	938	1058	5800				110189	900 226000893196
Confluence	2022-09-08	655	734	2200			611		
Confluence	2022-09-08	611	701	1600			614		
Confluence	2022-09-08	608	705	1800			617		
Confluence	2022-09-08	395	446	200			618		
Confluence	2022-09-08	422	484	200			620		
Confluence	2022-09-08	512	582	1000			621		
Confluence	2022-09-08	432	498	400			622		
Confluence	2022-09-08	738	829	2400			625		
Confluence	2022-09-08	398	455	400			201		
Confluence	2022-09-08	452	522	600			202		
Confluence	2022-09-08	572	650	1200			203		
Confluence	2022-09-08	530	606	1000			171		989 001039493773
Confluence	2022-09-08	1049	1112	6850	8	2014	229		
Confluence	2022-09-08	565	632	1100			9		
Confluence	2022-09-08	589	666	850			228		
Confluence	2022-09-08	338	382	100	4	2018	226		
Confluence	2022-09-08	432	498	350	3	2019	227		
Confluence	2022-09-08	423	476	200			275		
Confluence	2022-09-08	383	442	200			274		
Confluence	2022-09-08	384	484	300			273		
Confluence	2022-09-08	431	496	400			272		
Confluence	2022-09-08	899	1014	6000			271		900 226000629966
Confluence	2022-09-08	984	1093	6450			936		
Confluence	2022-09-08	655	731	2250			270		
Confluence	2022-09-08	682	769	2300			269		
Confluence	2022-09-08	871	985	4650			268		
Confluence	2022-09-08	906	1031	4500			131	101192	900 226000320656
Confluence	2022-09-08	1238	1349	10150			267		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-08	913	1019	5250				107824	900 226000628158
Confluence	2022-09-08	329	381	200			266		
Confluence	2022-09-08	347	392	200			265		
Confluence	2022-09-08	405	461	350			264		
Confluence	2022-09-08	365	414	250			263		
Confluence	2022-09-08	401	456	400			262		
Confluence	2022-09-08	524	594	900			261		
Confluence	2022-09-08	577	652	1350			260		
Confluence	2022-09-08	659	748	1950			259		
Confluence	2022-09-08	755	825	3100				107094	
Confluence	2022-09-09	582	658	1200				115127	900 226000768812
Confluence	2022-09-09	712	791	2400			204		
Confluence	2022-09-09	485	556	800			206		
Confluence	2022-09-09	714	799	2800			207		
Confluence	2022-09-09	925	1034	5600				107048	900 226000630320
Confluence	2022-09-09	1102	1213	9600				48743	
Confluence	2022-09-09	963	1040	5800			208		
Confluence	2022-09-09	988	1108	8400				115053	900 226000153311
Confluence	2022-09-09	705	789	3200			209		
Confluence	2022-09-09	979	1106	7000				105733	900 226000630147
Confluence	2022-09-09	1005	1113	9200			210		
Confluence	2022-09-09	1095	1212	10200			211		
Confluence	2022-09-09	725	814	2600			212		900 224000132874
Confluence	2022-09-09	510	582	1000	12	2010		104762	900 226000893517
Confluence	2022-09-09	799	898	4400			212		
Confluence	2022-09-09	895	1002	4200				110118	900 226000893149
Confluence	2022-09-09	931	1038	6200	14	2008	213		
Confluence	2022-09-09	811	915	4000			214		
Confluence	2022-09-09	712	791	2600			215		
Confluence	2022-09-09	870	965	5000			216		
Confluence	2022-09-09	872	996	5200				103309	900 226000548252
Confluence	2022-09-09	473	534	600			217		
Confluence	2022-09-09	479	552	800			218		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-09	573	663	1200			219		
Confluence	2022-09-09	504	581	800			220		
Confluence	2022-09-09	522	603	1000			221		
Confluence	2022-09-09	511	592	800				107260	900 043000103502
Confluence	2022-09-09	580	662	1200			222		
Confluence	2022-09-09	365	420	200			223		
Confluence	2022-09-09	574	661	1200			225		
Confluence	2022-09-09	616	698	1400			401		
Confluence	2022-09-09	374	412	400			402		
Confluence	2022-09-09	565	642	1200			403		
Confluence	2022-09-09	531	606	800			404		
Confluence	2022-09-09	302	345	155			258		
Confluence	2022-09-09	669	752	1650			257		
Confluence	2022-09-09	744	834	3400			256		
Confluence	2022-09-09	917	1026	6250			255		
Confluence	2022-09-09	1236	1351	14250			254		
Confluence	2022-09-09	251	283	100			253		
Confluence	2022-09-09	678	744	2000			252		
Confluence	2022-09-09	513	592	850			251		
Confluence	2022-09-10	515	592	600			405		
Confluence	2022-09-10	555	620	800			406		
Confluence	2022-09-10	578	656	1000			407		
Confluence	2022-09-10	560	641	800			408		
Confluence	2022-09-10	675	767	1400			409		
Confluence	2022-09-10	918	1034	6200			410		
Confluence	2022-09-10	896	1012	6400				105366	900 226000630207
Confluence	2022-09-10	610	632	1400			312		989 001038120003
Confluence	2022-09-10	516	585	1000			411		
Confluence	2022-09-10	741	840	2800	15	2007	412		
Confluence	2022-09-10	770	875	4000			413		
Confluence	2022-09-10	752	854	4000			289		
Confluence	2022-09-10	475	546	800			414		
Confluence	2022-09-10	755	840	2800			715		

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2022-09-10	671	750	2400			415		
Confluence	2022-09-10	628	715	1600			416		
Confluence	2022-09-10	461	512	400			417		
Confluence	2022-09-10	590	667	1400			418		
Confluence	2022-09-10	415	456	200			420		
Confluence	2022-09-10	1001	1200	8050			421		900 226000628460
Confluence	2022-09-10	708	793	2600			422		
Confluence	2022-09-10	625	715	1800			423		
Confluence	2022-09-10	921	1011	5900				110117	900 226000893113
Confluence	2022-09-10	593	682	1550			425		
Confluence	2022-09-10	940	1035	5900	14	2008		115079	
Confluence	2022-09-10	1147	1285	9600			426		
Confluence	2022-09-10	1077	1216	8000			427		
Confluence	2022-09-10	1060	1182	9300				107843	900 043000103606
Confluence	2022-09-10	1067	1202	10900				48689	900 043000103533
Confluence	2022-09-10	795	890	3700			428		
Confluence	2022-09-10	354	404	300			627		
Confluence	2022-09-10	551	618	900	11	2011	628		
Confluence	2022-09-10	927	1024	5650			629		
Confluence	2022-09-10	746	842	2900			996		900 226000320792
Confluence	2022-09-10	610	692	1500			630		
Confluence	2022-09-10	719	816	2650			781		
Confluence	2022-09-10	395	442	350			631		
Confluence	2022-09-10	671	763	1950			632		
Confluence	2022-09-10	558	631	1100				115057	900 226000152857
Confluence	2022-09-10	886	994	5100			633		
Confluence	2022-09-10	497	576	700			634		
Confluence	2022-09-10	451	516	600			635		
Confluence	2022-09-10	728	800	2450	18	2004	121		900 224000119287
Confluence	2022-09-10	937	1031	5350				110307	900 226000893068
Confluence	2022-09-10	532	617	750			636		
Confluence	2022-09-10	1324	1437	15800			637		

Table C6. Biological data and tag information for all Lake Sturgeon captured (including same session recaptures) during the 2023 study period.

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-28	412	470	350	4	2019	0431		989001039566202
Confluence	2023-06-28	556	632	1100	9	2014	0432		989001039566214
Confluence	2023-06-28	996	1078	7150	24	1999	0433		989001039566197
Confluence	2023-06-28	547	619	1050	9	2014	0434		989001039566198
Confluence	2023-06-28	600	681	1100	11	2012	0435		989001039566218
Confluence	2023-06-28	759	845	3450			0824		989001039566216
Confluence	2023-06-28	905	1016	5900			462		989001038119854
Confluence	2023-06-28	1020	1130	8250			371		900224000113486
Confluence	2023-06-28	1002	1130	7350				107780	900226000629365
Confluence	2023-06-28	1190	1300	14850			143		900224000132437
Confluence	2023-06-28	1320	1430	18900			0005		900226000320698
Confluence	2023-06-28	772	886	3650	17	2006	0436		989001039566208
Confluence	2023-06-28	970	1070	6450				107839	900043000103688
Confluence	2023-06-28	741	837	3450	13	2010	0437		989001039566184
Confluence	2023-06-28	910	1021	6700	25	1998	0438		989001039566219
Confluence	2023-06-28	644	718	1650	9	2014	0439		989001039566200
Confluence	2023-06-28	694	785	2450			0244		989001039566220
Confluence	2023-06-28	436	498	550	5	2018	0441		989001039566215
Confluence	2023-06-28	854	961	4800				107778	900226000577370
Confluence	2023-06-28	794	889	3250	13	2010	0443		989001039566194
Confluence	2023-06-28	686	772	2250	13	2010	0444		989001039566162
Confluence	2023-06-28	1010	1120	7350				105959	900226000630019
Confluence	2023-06-28	687	779	2750			0152		989001038119930
Confluence	2023-06-28	820	920	3850			357		989001038120021
Confluence	2023-06-28	970	1084	7050	31	1992	0446		989001039566193
Confluence	2023-06-28	1210	1320	12550	44	1979	0447		989001039566195
Confluence	2023-06-28	510	592	1150	8	2015	0448		989001039566182
Confluence	2023-06-28	781	892	3300	16	2007	0449		989001039566181
Confluence	2023-06-28	1020	1112	7550			0726		989001039566192
Confluence	2023-06-28	908	1017	5950				110049	900226000893693
Confluence	2023-06-28	957	1072	6500				110160	900226000893049
Confluence	2023-06-28	1067	1168	7850	25	1998	0450		989001039566159
Confluence	2023-06-28	780	866	3700	17	2006	0325		989001039566199
Confluence	2023-06-28	696	788	2550	12	2011	0324		989001039566176

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-28	640	731	2200	14	2009	0323		989001039566189
Confluence	2023-06-28	1190	1303	12600	21	2002		109930	900226000893170
Confluence	2023-06-28	1110	1223	10800				48743	989001039566210
Confluence	2023-06-28	874	992	5700			0322		989001039566209
Confluence	2023-06-28	585	676	1450	9	2014	0321		989001039566211
Confluence	2023-06-28	676	762	2250	13	2010	0319		989001039566183
Confluence	2023-06-28	1083	1220	9450				101480	900226000629932
Confluence	2023-06-28	909	1028	4150	17	2006	0318		989001039566169
Confluence	2023-06-28	1060	1168	8850				105224	900226000630169
Confluence	2023-06-28	1205	1330	15450			0317		900226000630121
Confluence	2023-06-28	900	982	4900				106841	900226000628045
Confluence	2023-06-28	621	698	1750	12	2011	0316		989001039566171
Confluence	2023-06-28	520	595	1000			286		989001038119963
Confluence	2023-06-28	530	614	1000	9	2014	070		989001039493597
Confluence	2023-06-28	609	689	1500	12	2011	0315		989001039566163
Confluence	2023-06-28	768	865	2600	15	2008	0313		989001039566201
Confluence	2023-06-28	908	1011	5450	21	2002	0312		989001039566186
Confluence	2023-06-28	1258	1310	17450	46	1977	0311		989001039566164
Confluence	2023-06-28	1065	1196	10350	30	1993	0310		989001039566179
Confluence	2023-06-28	585	661	1350			0640		989001038119785
Confluence	2023-06-28	919	1003	6050			0885		900224000112954
Confluence	2023-06-28	921	1009	6950	21	2002	0526		989001039566399
Confluence	2023-06-28	905	1005	6450				107837	900043000103657
Confluence	2023-06-28	1618	1761	26200				105334	900226000630112
Confluence	2023-06-28	1051	1101	3600			0527		989001038119728
Confluence	2023-06-28	1050	1097	7100	26	1997	0528		989001039566326
Confluence	2023-06-28	1130	1230	7900	27	1996	0529		989001039566355
Confluence	2023-06-28	665	742	2000	12	2011	0530		989001039566366
Confluence	2023-06-28	837	958	5750			0531		989001039566413
Confluence	2023-06-28	1520	1641	23300	53	1970	0532		989001039566398
Confluence	2023-06-28	1111	1220	8150				165346	900226000630018
Confluence	2023-06-28	988	1082	4500				105955	900226000630011
Confluence	2023-06-28	1142	1250	7300			484		989001039566336
Confluence	2023-06-28	1266	1342	6400			168		900226000320745
Confluence	2023-06-28	1202	1380	10150			0534		900226000320660
Confluence	2023-06-28	473	531	400	9	2014	0535		989001039566386
Confluence	2023-06-28	735	821	3200	17	2006	0536		989001039566328

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-28	1096	1188	4100				107060	900226000628234
Confluence	2023-06-28	1060	1152	4500				105822	900226000629993
Confluence	2023-06-28	1200	1322	10250			0624		900224000119474
Confluence	2023-06-28	1200	1328	10650			0850		900224000119354
Confluence	2023-06-28	570	641	750	10	2013	0537		989001039566407
Confluence	2023-06-28	966	1130	6100				110148	900226000893066
Confluence	2023-06-28	610	752	1100	10	2013	0538		989001039566353
Confluence	2023-06-28	880	964	3200	20	2003	148		900224000132181
Confluence	2023-06-28	718	796	1300				103148	900226000090664
Confluence	2023-06-28	1046	1158	6450			0539		989001039566364
Confluence	2023-06-28	1032	1126	5350	28	1995	0540		989001039566340
Confluence	2023-06-28	786	860	2250			9870		900043000168389
Confluence	2023-06-28	1060	1210	7150	22	2001	0541		989001039566343
Confluence	2023-06-28	1384	1500	12950			0622		900226000628090
Confluence	2023-06-28	1122	1232	7150			0319		900224000119221
Confluence	2023-06-29	1005	1126	7400				110168	900226000893161
Confluence	2023-06-29	760	845	3250			0212		900224000113473
Confluence	2023-06-29	1030	1120	8550	28	1995	0309		989001039566222
Confluence	2023-06-29	545	614	1100	9	2014	0308		989001039566284
Confluence	2023-06-29	564	634	1300	9	2014	0307		989001039566232
Confluence	2023-06-29	589	668	1350	10	2013	0306		989001039566283
Confluence	2023-06-29	574	650	1450			0155		989001038119947
Confluence	2023-06-29	895	1022	6700			0271		900226000629966
Confluence	2023-06-29	1070	1182	9150			0305		900226000629936
Confluence	2023-06-29	650	744	2100	10	2013	0304		989001039566317
Confluence	2023-06-29	1040	1145	8950				105748	900226000630190
Confluence	2023-06-29	1130	1230	15150				105363	900226000630124
Confluence	2023-06-29	970	1078	6800			0523		989001039566264
Confluence	2023-06-29	930	1051	6150			0680		900224000119372
Confluence	2023-06-29	962	1068	5850				57579	900226000893154
Confluence	2023-06-29	1038	1140	8250			0185		989001039493761
Confluence	2023-06-29	935	1052	5700	24	1999	0303		989001039566311
Confluence	2023-06-29	572	648	1250			0105		989001039493602
Confluence	2023-06-29	584	654	1500	9	2014	0328		989001039566146
Confluence	2023-06-29	748	825	2850	9	2014	0329		989001039566158
Confluence	2023-06-29	591	698	1650	9	2014	0330		989001039566151
Confluence	2023-06-29	568	650	1450	9	2014	0331		989001039566155

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-29	618	708	1600	10	2013	0332		989001039566128
Confluence	2023-06-29	958	1084	6350				107562	900226000628156
Confluence	2023-06-29	649	724	2150	11	2012	0333		989001039566188
Confluence	2023-06-29	639	714	1600	9	2014	0334		989001039566154
Confluence	2023-06-29	569	638	1200	9	2014	0335		989001039566185
Confluence	2023-06-29	976	1088	6750			0101		989001039493686
Confluence	2023-06-29	682	774	2400	13	2010	0336		989001039566190
Confluence	2023-06-29	670	742	2550	11	2012	0337		989001039566204
Confluence	2023-06-29	682	773	2700				107553	900043000103613
Confluence	2023-06-29	1270	1400	16850				105276	900226000629805
Confluence	2023-06-29	678	769	2000	14	2009	0338		989001039566152
Confluence	2023-06-29	1167	1270	9100	50	1973	0339		989001039566172
Confluence	2023-06-29	400	452	400	4	2019	0340		989001039566150
Confluence	2023-06-29	629	722	1550	9	2014	0341		989001039566126
Confluence	2023-06-29	540	629	1100	8	2015	0342		989001039566139
Confluence	2023-06-29	1030	1132	7900				105237	900226000630133
Confluence	2023-06-29	1080	1204	9550				101460	900226000629932
Confluence	2023-06-29	756	810	3300	15	2008	0343		989001039566144
Confluence	2023-06-29	972	1072	6800				105238	900226000629856
Confluence	2023-06-29	1160	1280	10900				57100	900226000629753
Confluence	2023-06-29	758	846	3700			9660		900226000320792
Confluence	2023-06-29	958	1070	5750	21	2002	0344		989001039566142
Confluence	2023-06-29	614	698	1450	9	2014	0345		989001039566217
Confluence	2023-06-29	1180	1310	11400			262		900226000630224
Confluence	2023-06-29	742	828	3000			6050		989001039493722
Confluence	2023-06-29	1100	1298	9050				103842	900226000630125
Confluence	2023-06-29	1200	1330	11600				105354	900226000630033
Confluence	2023-06-29	510	585	700	7	2016	0542		989001039566409
Confluence	2023-06-29	499	550	850	7	2016	0543		989001039566382
Confluence	2023-06-29	1072	1172	6550			0213		900226000629969
Confluence	2023-06-29			0			0531		
Confluence	2023-06-29	1178	1282	9550				48764	989001039566416
Confluence	2023-06-29	510	571	950	9	2014	0544		989001039566369
Confluence	2023-06-29	1046	1162	6600				103300	900226000090581
Confluence	2023-06-29	922	1024	4200	15	2008	0545		989001039566415
Confluence	2023-06-29	1046	1128	5250	22	2001	0546		989001039566357
Confluence	2023-06-29	1090	1194	7150	23	2000	0547		989001039566381

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-29	1166	1266	8800				105750	900226000630226
Confluence	2023-06-29			0			0532		
Confluence	2023-06-29	868	954	3050	13	2010	0548		989001039566354
Confluence	2023-06-29	1298	1412	11350			0886		900224000132862
Confluence	2023-06-29	818	886	2450	9	2014	0549		989001039566323
Confluence	2023-06-29	1114	1182	7100				107588	989001038119717
Confluence	2023-06-29	601	678	1350				107530	989001039566376
Confluence	2023-06-29	1362	1492	12850				107589	900226000628222
Confluence	2023-06-29	1128	1256	8100				102152	900226000628238
Confluence	2023-06-30	808	908	3250			444		989001038119762
Confluence	2023-06-30	808	892	3750			461		989001038119730
Confluence	2023-06-30	570	646	1100			0550		989001039566331
Confluence	2023-06-30	770	846	3250			0701		989001039566393
Confluence	2023-06-30	1042	1142	7300			0888	105350	900226000630041
Confluence	2023-06-30	1030	1106	9550	9	2014		107584	900226000628247
Confluence	2023-06-30	1042	1146	8250				105750	900226000630226
Confluence	2023-06-30	1192	1316	10500				107007	900226000628185
Confluence	2023-06-30	420	481	350			450		989001038119849
Confluence	2023-06-30	441	498	500			466		989001038119802
Confluence	2023-06-30	510	571	950			0544		
Confluence	2023-06-30	544	630	1000			0575		989001039566371
Confluence	2023-06-30	762	858	3250			0574		989001039566334
Confluence	2023-06-30	922	1024	4200	9	2014	0545		
Confluence	2023-06-30	1016	1138	7550	18	2005		107189	900226000628189
Confluence	2023-06-30	856	982	4500				105357	900226000630239
Confluence	2023-06-30	914	1025	6150				105734	900226000630046
Confluence	2023-06-30	958	1061	9550			0573		989001039566332
Confluence	2023-06-30	1261	1388	12500			0622		900224000119329
Confluence	2023-06-30	1160	1312	10700			0572		900226000320601
Confluence	2023-06-30	1269	1418	15650				57052	900226000630115
Confluence	2023-06-30	479	545	550			0570		989001039566361
Confluence	2023-06-30	942	1076	6850				105369	900226000630052
Confluence	2023-06-30	1210	1310	13000				106849	900226000628081
Confluence	2023-06-30	1320	1410	16250				105737	900226000630012
Confluence	2023-06-30	436	484	500	6	2017	0346		989001039566145
Confluence	2023-06-30	537	606	1000	10	2013	0347		989001039566140
Confluence	2023-06-30	1275	1394	14950			0578	107847	900043000103602

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-30	985	1071	6500	20	2003	0348		989001039566165
Confluence	2023-06-30	1041	1146	7300				10028	900226000893176
Confluence	2023-06-30	647	736	1750	10	2013	0349		989001039566160
Confluence	2023-06-30	900	1003	4900			170		900226000320775
Confluence	2023-06-30	560	630	1300	10	2013	0350		989001039566168
Confluence	2023-06-30	1072	1187	10600	28	1995	0451		989001039566196
Confluence	2023-06-30	688	763	2100	12	2011	0453		989001039566170
Confluence	2023-06-30	980	1086	7850				110170	900226000893222
Confluence	2023-06-30	912	1020	6500	24	1999	0454		989001039566175
Confluence	2023-06-30	1425	1545	23800				57114	989001039566187
Confluence	2023-06-30	561	630	950	10	2013	0455		989001039566131
Confluence	2023-06-30	860	970	4550			171		900226000320610
Confluence	2023-06-30	1050	1152	8900	24	1999	0456		989001039566166
Confluence	2023-06-30	584	672	1450	10	2013	0457		989001039566133
Confluence	2023-06-30	565	656	1400			0458		989001038120027
Confluence	2023-06-30	701	790	2150				105384	900226000630036
Confluence	2023-06-30	714	806	2350			335		989001038119691
Confluence	2023-06-30	799	904	3550	14	2009	0439		989001039566141
Confluence	2023-06-30	696	775	2100	6	2017	0460		989001039566122
Confluence	2023-06-30	612	684	1750	6	2017	0461		989001039566161
Confluence	2023-06-30	715	802	2850				104824	900226000893658
Confluence	2023-06-30	631	720	1750			021		989001039566221
Confluence	2023-06-30	953	1043	6650	23	2000	0462		
Confluence	2023-06-30	1070	1185	8850				110309	900226000893187
Confluence	2023-06-30	935	1030	6700				110117	900226000893113
Confluence	2023-06-30	1030	1130	7800				103280	900226000548362
Confluence	2023-06-30			9300			0305		
Confluence	2023-06-30	970	1080	6300				105235	900226000629856
Confluence	2023-06-30	1060	1180	7550			0-0937		989001038119933
Confluence	2023-06-30			0			0321		
Confluence	2023-06-30	499	565	750	9	2014	0463		989001039566129
Confluence	2023-06-30	804	895	3400	16	2007	0464		989001039566167
Confluence	2023-06-30	1060	1172	8400			0245		900224000113260
Confluence	2023-06-30	489	551	850			0217		989001039566149
Confluence	2023-06-30	920	1038	5950	23	2000	0465		989001039566174
Confluence	2023-06-30	581	667	1150	9	2014	0466		989001039566203
Confluence	2023-06-30	925	1030	7100			0920	105303	900226000629781

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-06-30	800	885	3750			0692		900224000132481
Confluence	2023-06-30	1270	1386	14750	49	1974	0467		989001039566135
Confluence	2023-06-30	1071	1181	8000				109939	900226000893124
Confluence	2023-06-30	985	1106	6950	31	1992	0468		989001039566132
Confluence	2023-06-30	1050	1168	6400			493		900224000132363
Confluence	2023-06-30	1260	1390	15300				48778	900224000132235
Confluence	2023-06-30	598	664	1550	11	2012	0469		989001039566178
Confluence	2023-06-30	1200	1315	13000				107182	900226000628171
Confluence	2023-06-30	870	966	4550			145		900224000119233
Confluence	2023-07-01	980	1094	7100				110313	900226000893015
Confluence	2023-07-01	597	671	1200	11	2012	0569		989001039566347
Confluence	2023-07-01	351	399	300	4	2019	0568		989001039566400
Confluence	2023-07-01	900	1020	6200				105349	900226000630123
Confluence	2023-07-01	1044	1178	8650				107196	900226000628180
Confluence	2023-07-01	1082	1110	7350			0726		989001039566192
Confluence	2023-07-01	1111	1236	9800	39	1984	0567		989001039566394
Confluence	2023-07-01	401	460	300	6	2017	0565		989001039566363
Confluence	2023-07-01	1046	1162	7700	34	1989	0564		989001039566330
Confluence	2023-07-01	940	1074	7350			0283		900224000113108
Confluence	2023-07-01	1062	1182	9100	24	1999	0563		989001039566397
Confluence	2023-07-01	599	664	1550			0562		989001039566327
Confluence	2023-07-01	1192	1332	11900	11	2012	0912	107555	900226000577440
Confluence	2023-07-01	1038	1146	7600			0561		989001039566333
Confluence	2023-07-01	1550	1658	19650	18	2005	0560		989001039566383
Confluence	2023-07-01	661	744	2250	53	1970	0559		989001039566401
Confluence	2023-07-01			0					900226000893192
Confluence	2023-07-01	1260	1400	15150				57582	989001039566206
Confluence	2023-07-01	1009	1121	7750	23	2000	0470		989001039566173
Confluence	2023-07-01	621	691	1600	12	2011	0472		989001039566124
Confluence	2023-07-01	830	930	4300				NSC105393	900224000132970
Confluence	2023-07-01	940	1038	5900			0699		989001039566180
Confluence	2023-07-01	975	1088	4550	19	2004	0473		989001039566177
Confluence	2023-07-01	682	752	2550			0240		900226000628166
Confluence	2023-07-01	1088	1222	8700				107850	989001039566123
Confluence	2023-07-01	808	920	4200	21	2002	0474		900226000893625
Confluence	2023-07-01	967	1085	7750			0346	104829	900226000629781

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-01	954	1023	6300			0920	105303	
Confluence	2023-07-01	1087	1192	0	25	1998			900226000320768
Confluence	2023-07-01	950	1060	6200			0115		900226000630102
Confluence	2023-07-01	874	992	5600			0475		989001039566207
Confluence	2023-07-01	1010	1124	7950	10	2013			989001039566147
Confluence	2023-07-01	567	658	1200	9	2014	0449		989001039493668
Confluence	2023-07-01	578	662	1200			065		989001039566134
Confluence	2023-07-01	590	673	1400	8	2015	0448		900226000893350
Confluence	2023-07-01	688	759	2450				112998	989001039566137
Confluence	2023-07-01	569	652	1450	9	2014	0446		989001039566205
Confluence	2023-07-01	822	922	3800	16	2007	0445		989001039566191
Confluence	2023-07-01	473	542	750	5	2018			989001039566130
Confluence	2023-07-01	819	869	4450	21	2002			
Confluence	2023-07-01	989	1110	8500	24	1999			989001039566125
Confluence	2023-07-01	444	507	500	21	2002			989001039566138
Confluence	2023-07-01	930	1040	5850	21	2002			900226000630125
Confluence	2023-07-01	1105	1200	8500				105842	989001039566157
Confluence	2023-07-01	622	716	1950	10	2013			900226000628330
Confluence	2023-07-01	820	910	4550				107020	989001039566153
Confluence	2023-07-01	956	1020	7100	19	2004			989001038119837
Confluence	2023-07-01	960	1085	6500			471		989001039566127
Confluence	2023-07-01	619	724	1500	9	2014			989001039566156
Confluence	2023-07-01	553	615	900	10	2013			900226000320646
Confluence	2023-07-01	1018	1140	6850			0175		989001039566212
Confluence	2023-07-02	570	648	1250			0403		989001039566240
Confluence	2023-07-02	563	630	1100	5	2018			900226000630029
Confluence	2023-07-02	975	1085	7100				105745	989001039566315
Confluence	2023-07-02	446	507	400	7	2016			989001039566276
Confluence	2023-07-02	550	624	1200					989001039566305
Confluence	2023-07-02	938	1040	6000	21	2002			989001039566251
Confluence	2023-07-02	524	589	900	9	2014			900224000132324
Confluence	2023-07-02	1130	1265	10950					989001039566265
Confluence	2023-07-02	802	865	3450	14	2009			900226000893625
Confluence	2023-07-02	974	1072	7500			0346	104829	989001039493690
Confluence	2023-07-02	870	972	4650			183		989001039566273
Confluence	2023-07-02	912	1024	5150	16	2007			989001038120044
Confluence	2023-07-02	682	788	2450			346		900226000629325

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-02	930	1036	6750				107197	989001039566335
Confluence	2023-07-02	484	552	400	13	2010	0558		989001039566339
Confluence	2023-07-02	892	996	4850	6	2017	0557		900226000893097
Confluence	2023-07-02	1262	1399	14950	16	2007		110125	900226000893107
Confluence	2023-07-02	1158	1298	12800				110199	900226000629515
Confluence	2023-07-02	960	1068	7700				107673	989001039566324
Confluence	2023-07-02	974	1074	7350			0556		900043000168384
Confluence	2023-07-02	612	694	1000	27	1996	0555		989001039566370
Confluence	2023-07-02	798	904	3950			0849		989001039566410
Confluence	2023-07-03	800	904	3600				107081	900226000893145
Confluence	2023-07-03	1182	1308	12550				11012	989001039493779
Confluence	2023-07-03	950	1030	5650			0830		989001038119988
Confluence	2023-07-03	952	1064	6650			306		989001038119730
Confluence	2023-07-03	788	884	3850			461		989001038119894
Confluence	2023-07-03	770	854	3250			0168		989001039566338
Confluence	2023-07-03	906	1046	5200	26	1997	0554		900226000893195
Confluence	2023-07-03	1300	1450	24750				110014	989001039566385
Confluence	2023-07-03	562	632	1200	10	2013	0553		989001039566390
Confluence	2023-07-03	1150	1268	11900	26	1997	0552		
Confluence	2023-07-03	1130	1264	11500				18730	989001039566367
Confluence	2023-07-03	1092	1226	10200	32	1991	0551		900226000630133
Confluence	2023-07-03	1020	1128	7250				105237	989001039566378
Confluence	2023-07-03	658	746	2050	12	2011	0525		989001039566417
Confluence	2023-07-03	722	808	2100	13	2010	0524		989001039566358
Confluence	2023-07-03	992	1020	7300	25	1998	0523		
Confluence	2023-07-03	1038	1146	7600			0561		989001039566236
Confluence	2023-07-03	1370	1499	20200	60	1963			900043000103537
Confluence	2023-07-03	975	1100	7450					900226000628104
Confluence	2023-07-03	1089	1220	7900			0117	48771	989001039566231
Confluence	2023-07-03	1044	1130	7800	38	1985			989001039566299
Confluence	2023-07-03	1150	1270	12250	40	1983			989001038119680
Confluence	2023-07-03	760	848	3750			480		989001039566237
Confluence	2023-07-03	765	880	3450	12	2011			989001039566285
Confluence	2023-07-03	275	310	100	1	2022			989001039566301
Confluence	2023-07-03	590	670	1400	9	2014			989001039566233
Confluence	2023-07-03	546	614	1100				107610	
Confluence	2023-07-03			0			0460		989001039566292

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-03	620	685	1550	10	2013			989001039566306
Confluence	2023-07-03	570	654	1400	9	2014			989001039566224
Confluence	2023-07-03	815	905	4050	20	2003			989001039566269
Confluence	2023-07-03	870	970	4450	17	2006			900226000320623
Confluence	2023-07-03	728	819	2850			0085		989001039566293
Confluence	2023-07-03	595	676	1500	8	2015			989001039566294
Confluence	2023-07-03	873	958	4800	25	1998			989001039566256
Confluence	2023-07-03	892	992	5650	24	1999			900226000630062
Confluence	2023-07-03	990	1093	8250					989001039566310
Confluence	2023-07-03	572	630	1800	9	2014			989001039566298
Confluence	2023-07-03	627	705	2050	10	2013			989001038119689
Confluence	2023-07-03	550	624	1240			303		900226000320737
Confluence	2023-07-03	755	843	3800					900226000090600
Confluence	2023-07-03	906	1020	5500					900043000103460
Confluence	2023-07-03	1110	1215	9350				107173	989001039566257
Confluence	2023-07-03	882	968	5050	20	2003			900224000132370
Confluence	2023-07-03	1290	1426	13200			126		989001038119938
Confluence	2023-07-03	914	1031	5850			0921		989001038119723
Confluence	2023-07-03	734	826	3100			016		989001039566270
Confluence	2023-07-03	500	565	1050	5	2018			900226000629756
Confluence	2023-07-03	763	842	3400				105817	900226000893111
Confluence	2023-07-03	990	1095	8100				110305	989001039566253
Confluence	2023-07-03	1019	1140	8450	27	1996			900226000630230
Confluence	2023-07-03	928	1056	1054000			0035	105247	989001039566268
Confluence	2023-07-03	826	934	4750	19	2004			989001039566228
Confluence	2023-07-03	520	592	700	8	2015			989001039566286
Confluence	2023-07-03	706	786	2500	11	2012			989001039566227
Confluence	2023-07-03	599	672	1450	10	2013			989001039566319
Confluence	2023-07-03	706	800	2200	14	2009			989001039566244
Confluence	2023-07-03	728	811	2400	14	2009			900226000893012
Confluence	2023-07-03	1076	1190	8700				110068	989001039566234
Confluence	2023-07-03	479	543	550	7	2016			900226000577447
Confluence	2023-07-03	986	1105	7950				107804	989001039493786
Confluence	2023-07-03	820	924	4050			0169		989001039566297
Confluence	2023-07-03	624	708	1900	10	2013			900226000630223
Confluence	2023-07-04	1300	1430	18050				48673	989001039566296
Confluence	2023-07-04	784	878	3250			0247		989001039566247

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-04	467	529	550	6	2017			989001039566259
Confluence	2023-07-04	685	764	2450	12	2011			989001039566243
Confluence	2023-07-04	670	753	2150	12	2011			989001039566235
Confluence	2023-07-04	987	1106	8650	24	1999			900226000120159
Confluence	2023-07-04	1290	1401	16250					989001039566239
Confluence	2023-07-04	448	511	500	5	2018			989001039566230
Confluence	2023-07-04	404	462	400	5	2018			900224000132393
Confluence	2023-07-04	949	1036	6300			0603		900224000119489
Confluence	2023-07-04	910	1000	6000					989001039566272
Confluence	2023-07-04	572	646	1150	8	2015			989001039566255
Confluence	2023-07-04	889	987	5000	23	2000			989001039566263
Confluence	2023-07-04	879	980	4850	17	2006			989001039493615
Confluence	2023-07-04	1035	1120	8100			345		900226000893224
Confluence	2023-07-04	1300	1402	16850				57096	989001038120039
Confluence	2023-07-04	550	627	1000			298		
Confluence	2023-07-04			0			0455		989001039566261
Confluence	2023-07-04	620	694	1450	9	2014			900226000628128
Confluence	2023-07-04	1090	1198	8500				107658	989001039566313
Confluence	2023-07-04	570	651	1400	9	2014			989001039566303
Confluence	2023-07-04	818	910	3750	23	2000			900226000628236
Confluence	2023-07-04	894	1010	6500			0904	107777	900226000629967
Confluence	2023-07-04	1030	1138	9100			110		900224000132323
Confluence	2023-07-04	1100	1225	10500			0607		989001039566274
Confluence	2023-07-04	1360	1500	19100	45	1978			
Confluence	2023-07-04			0			0534		989001039566373
Confluence	2023-07-04	1332	1458	20500				110136	900224000132478
Confluence	2023-07-04	998	1118	7950			0676	105815	900226000630179
Confluence	2023-07-04	942	1052	5500				105327	989001039566392
Confluence	2023-07-04	574	652	1050	10	2013	0522		989001039566368
Confluence	2023-07-04	540	618	850	9	2014	0521		900226000893075
Confluence	2023-07-04	914	1032	5100	10	2013	0131	110192	900226000630192
Confluence	2023-07-04	1022	1134	7650				101419	989001039566349
Confluence	2023-07-04	956	1068	6250			0291		989001039566352
Confluence	2023-07-04	992	1092	7500			0717		989001039566325
Confluence	2023-07-04	586	678	1600			0520		
Confluence	2023-07-04			0			0309		989001039566362
Confluence	2023-07-04	812	888	3450	15	2008	0519		989001039566380

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-04	790	884	3650	18	2005	0518		989001039566418
Confluence	2023-07-04	920	1020	5500	20	2003	0517		989001039566421
Confluence	2023-07-04	855	648	1600	9	2014	0516		989001039566389
Confluence	2023-07-04	774	862	3650	16	2007	0515		989001039566420
Confluence	2023-07-04	616	696	1850	10	2013	0514		900226000630011
Confluence	2023-07-04	846	942	4500				105955	989001039566374
Confluence	2023-07-04	1212	1356	11350	40	1983	0513		989001039566387
Confluence	2023-07-04	710	791	3350	14	2009	0512		989001039566350
Confluence	2023-07-04	429	480	1000			0162		989001039566348
Confluence	2023-07-04	1332	1438	14900	31	1992	0511		900224000113419
Confluence	2023-07-04	918	1032	6500			0266		989001039566245
Confluence	2023-07-05	1060	1158	8950	37	1986			900043000168331
Confluence	2023-07-05	1160	1281	12150			0799		989001039566226
Confluence	2023-07-05	490	580	850	6	2017			989001039566246
Confluence	2023-07-05	604	674	1550	9	2014			989001039566238
Confluence	2023-07-05	456	524	650	5	2018			989001039566250
Confluence	2023-07-05	672	762	1900	10	2013			989001039566307
Confluence	2023-07-05	840	946	4250	18	2005			989001039566295
Confluence	2023-07-05	1110	1230	12750	30	1993			989001039566260
Confluence	2023-07-05	598	676	1750	12	2011			900043000103652
Confluence	2023-07-05	860	963	5250				107005	989001039566248
Confluence	2023-07-05	586	655	1450	10	2013			900226000628034
Confluence	2023-07-05	1100	1200	10050				107831	900226000548365
Confluence	2023-07-05	838	949	4650				103308	989001039566304
Confluence	2023-07-05	654	732	2200	9	2014			989001039566308
Confluence	2023-07-05	934	1032	6650	24	1999			900224000112843
Confluence	2023-07-05	908	1020	5800			0904	107777	900226000767159
Confluence	2023-07-05	890	964	5650				104844	989001039566266
Confluence	2023-07-05	918	1027	5900	25	1998			989001039566262
Confluence	2023-07-05	1090	1180	9700	27	1996			900043000168208
Confluence	2023-07-05	632	718	1650			0009		989001039566288
Confluence	2023-07-05	590	667	1500	9	2014			989001038119882
Confluence	2023-07-05	1400	1510	15200			0176		989001039566153
Confluence	2023-07-05	913	1023	6450					900043000103440
Confluence	2023-07-05	1000	1116	7650				107013	900224000132154
Confluence	2023-07-05	872	956	4900			101		989001039566406
Confluence	2023-07-05	870	962	5100	17	2006	0510		989001039566344

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-05	810	900	4050	16	2007	0509		900224000132075
Confluence	2023-07-05	900	1028	5400			133		989001039566403
Confluence	2023-07-05	674	758	2250	15	2008	0508		989001039566402
Confluence	2023-07-05	566	648	1200	8	2015	0507		989001039566365
Confluence	2023-07-05	612	690	1200	11	2012	0506		989001039566391
Confluence	2023-07-05	482	566	550	6	2017	0505		
Confluence	2023-07-05			0			0511		989001039566329
Confluence	2023-07-05	960	1070	6900	21	2002	0504		989001038120021
Confluence	2023-07-05	826	924	3900			357		900226000630147
Confluence	2023-07-05	982	1110	6500				105733	989001039566375
Confluence	2023-07-05	1170	1272	10050	35	1988	G0503		989001039566395
Confluence	2023-07-05	888	1002	6050	22	2001	0502		989001039493611
Confluence	2023-07-06	1250	1388	13200			047		900226000577408
Confluence	2023-07-06	1060	1174	9050			0835	48738	900226000893215
Confluence	2023-07-06	1000	1116	8050				110058	900226000629966
Confluence	2023-07-06	898	1028	6200			0271		900226000548409
Confluence	2023-07-06	990	1012	7100				103304	900224000132200
Confluence	2023-07-06	990	1000	5250			0560		989001039566384
Confluence	2023-07-06	762	858	2900	9	2014	0501		900226000628048
Confluence	2023-07-06	902	996	5050				16833	
Confluence	2023-07-06	1160	1268	11900			0552		989001039566341
Confluence	2023-07-06	942	1058	6450			0937		989001039566377
Confluence	2023-07-06	902	996	5600	21	2002	0076		989001039566342
Confluence	2023-07-06	1266	1414	16700				57821	989001039566414
Confluence	2023-07-06	854	958	3250	22	2001	0077		989001039566346
Confluence	2023-07-06	704	802	2000	13	2010	0078		989001039566412
Confluence	2023-07-06	730	814	2850	12	2011	0079		989001039566372
Confluence	2023-07-06	1270	1378	16450	14	2009	0080		989001039566388
Confluence	2023-07-06	712	800	2650				110019	989001039566396
Confluence	2023-07-06	860	958	4800	18	2005	0081		900226000893249
Confluence	2023-07-06	1112	1230	8600			0017	10001	989001039566405
Confluence	2023-07-06	988	1068	5150	21	2002	0082		989001039566356
Confluence	2023-07-06	758	846	2750	13	2010	0083		989001039566345
Confluence	2023-07-06	613	684	1900					989001039566281
Confluence	2023-07-06	480	546	650	6	2017			989001039566279
Confluence	2023-07-06	958	1075	6950	22	2001			989001039566280
Confluence	2023-07-06	820	881	4550	20	2003			900043000103650

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-06	910	1010	6450			0083	107660	989001039566316
Confluence	2023-07-06	628	699	1850	11	2012			989001039566302
Confluence	2023-07-06	571	645	1050	9	2014			989001039566278
Confluence	2023-07-06	675	751	1850	12	2011			989001039566252
Confluence	2023-07-06	464	522	350	7	2016			989001039566282
Confluence	2023-07-06	614	701	1450	10	2013			989001039566225
Confluence	2023-07-06	928	1040	6350				107604	989001039566254
Confluence	2023-07-06	511	588	1050	9	2014			989001039566267
Confluence	2023-07-06	760	854	3400	17	2006			900224000119366
Confluence	2023-07-06	1110	1230	10150			0896		900000875000441
Confluence	2023-07-06	1020	1130	8300			149		900226000893047
Confluence	2023-07-06	1400	1510	27050				110303	989001039566312
Confluence	2023-07-06	1228	1330	12050	35	1988			989001039566322
Confluence	2023-07-06	1305	1410	16250				57801	900226000630245
Confluence	2023-07-06	830	940	4150				105249	989001039566320
Confluence	2023-07-07	1044	1142	8300	36	1987	0084		900226000320780
Confluence	2023-07-07	972	1098	6550			0152		989001039566404
Confluence	2023-07-07	792	904	3300	22	2001	0085		989001039566411
Confluence	2023-07-07	956	1088	5200	19	2004	0086		900226000893195
Confluence	2023-07-07	1300	1436	24350				11014	989001039566351
Confluence	2023-07-07	311	353	400			0087		900226000893160
Confluence	2023-07-07	898	1028	5500				110101	989001039566379
Confluence	2023-07-07	626	716	1800	9	2014	0088		989001039566359
Confluence	2023-07-07	343	390	350			0089		989001039566477
Confluence	2023-07-07	614	714	1850	11	2012	0090		989001039566476
Confluence	2023-07-07	609	688	1350	10	2013	0091		900043000168401
Confluence	2023-07-07	808	898	3750			0785		989001039566511
Confluence	2023-07-07	784	904	3900	15	2008	0092		989001039566475
Confluence	2023-07-07	359	405	300			0093		900226000630094
Confluence	2023-07-07	544	619	1000	9	2014			989001039566258
Confluence	2023-07-07	701	811	2750	14	2009			989001039566289
Confluence	2023-07-07	738	831	2950	12	2011			989001039493780
Confluence	2023-07-07	1352	1472	20350			0193		989001039566249
Confluence	2023-07-07	1132	1260	12500	32	1991			989001039566242
Confluence	2023-07-07	995	1105	7050	25	1998			900226000629916
Confluence	2023-07-07	990	1105	6750				105820	900226000629981
Confluence	2023-07-07	1030	1158	7850					989001039566277

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-07	632	724	1550	12	2011			989001039566241
Confluence	2023-07-07	432	494	300	6	2017			989001039566271
Confluence	2023-07-07	509	587	800			0634		989001039566291
Confluence	2023-07-07	430	481	500	5	2018			989001039566223
Confluence	2023-07-07	670	752	2450	12	2011			989001039566229
Confluence	2023-07-07	749	837	2900	13	2010			989001039566287
Confluence	2023-07-07	525	590	950	9	2014			989001039566321
Confluence	2023-07-07	886	952	4750	24	1999			989001039566314
Confluence	2023-07-07	423	483	650	-	#VALUE!			989001039566309
Confluence	2023-07-07	426	482	450	5	2018			989001039566290
Confluence	2023-07-07	584	669	1200	9	2014			989001039566275
Confluence	2023-07-07	1070	1150	9000	30	1993			989001038119581
Confluence	2023-07-07	591	671	1400	12	2011			989001038119614
Confluence	2023-07-07	562	640	1050	10	2013			
Confluence	2023-07-08	1228	1328	13550			0094		900226000320679
Confluence	2023-07-08	1082	1204	8600			0030		989001039566508
Confluence	2023-07-08	862	988	5300	17	2006	0095		989001039566485
Confluence	2023-07-08	848	934	4600	22	2001	0096		989001039566516
Confluence	2023-07-08	1180	1318	11000	31	1992	0097		900224000132427
Confluence	2023-07-08	998	1108	7450			0547		900226000629488
Confluence	2023-07-08	1000	1300	7150				107781	989001039566425
Confluence	2023-07-08	890	998	5500	15	2008	0098		989001039566464
Confluence	2023-07-08	488	550	750	7	2016	0099		900226000153980
Confluence	2023-07-08	894	1008	5900				110033	989001038119993
Confluence	2023-07-08	1204	1332	14450				57781	989001039566507
Confluence	2023-07-08	778	876	3000			0730		900226000630233
Confluence	2023-07-08	862	972	4550				105812	989001039566442
Confluence	2023-07-08	980	1106	8100	23	2000	0100		989001039566478
Confluence	2023-07-08	610	716	1500	10	2013	0051		989001039566457
Confluence	2023-07-08	380	433	450			0052		900226000629912
Confluence	2023-07-08	926	1026	6200				15326	989001039493724
Confluence	2023-07-08	1018	1132	7350			0502		989001039566424
Confluence	2023-07-08	374	424	200			0053		900226000629434
Confluence	2023-07-08	953	1043	6650			0462		989001039493729
Confluence	2023-07-08	742	851	3000			0469		989001038120015
Confluence	2023-07-08	1160	1260	10800			217		989001038119646
Confluence	2023-07-08	606	695	1900	9	2014			989001038119563

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-08	397	456	300	4	2019			989001038119565
Confluence	2023-07-08	458	520	600	5	2018			900226000893039
Confluence	2023-07-08	963	1078	6100				110144	900226000628157
Confluence	2023-07-08	980	1091	6950				107759	989001038119561
Confluence	2023-07-08	517	579	1000	9	2014			989001038119859
Confluence	2023-07-08	624	702	1550			0932		989001038119631
Confluence	2023-07-08	569	654	1150	9	2014			900224000132874
Confluence	2023-07-08	712	812	2650			212		900226000893116
Confluence	2023-07-08	916	1010	6000				110022	989001038119657
Confluence	2023-07-08	532	598	1500	9	2014			989001038119578
Confluence	2023-07-08	405	460	400	6	2017			
Confluence	2023-07-08	1065	1196	10350			0310		989001038119577
Confluence	2023-07-08	995	1116	8050	25	1998			989001039566309
Confluence	2023-07-09	1014	1250	9650				107668	900043000103496
Confluence	2023-07-09	820	924	4100				102844	989001039566427
Confluence	2023-07-09	880	988	4500			0054		
Confluence	2023-07-09	909	1028	4150			0318		
Confluence	2023-07-09	960	1070	6900			0504		900224000119331
Confluence	2023-07-09	1240	1376	13700			0055		900224000119474
Confluence	2023-07-09	1092	1208	9450			0624		900226000090661
Confluence	2023-07-09	778	867	3450			0056		900226000628193
Confluence	2023-07-09	1030	1072	8450				107663	900226000320650
Confluence	2023-07-09	1192	1314	13650			0945		989001039566437
Confluence	2023-07-09	952	1058	6550			0057		989001039566452
Confluence	2023-07-09	436	504	500			084		900224000132455
Confluence	2023-07-09	428	482	500					989001039493665
Confluence	2023-07-09	462	531	550			038		989001038119558
Confluence	2023-07-09	474	542	500			0622		989001038119628
Confluence	2023-07-09	1130	1262	10800	35	1988			989001039566274
Confluence	2023-07-09	1370	1520	18550					989001038119601
Confluence	2023-07-09	728	836	2850					989001038119573
Confluence	2023-07-09	658	738	1750					989001038119620
Confluence	2023-07-09	449	515	350			0931		989001038119863
Confluence	2023-07-09	576	634	1200					989001038119626
Confluence	2023-07-09	364	411	250					989001038119633
Confluence	2023-07-09	366	413	250					989001038119597
Confluence	2023-07-09	855	648	1600			0516		989001038119607

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-07-09	544	622	950					989001038119595
Confluence	2023-07-09	452	511	550					900226000893719
Confluence	2023-07-09	665	751	2100				104766	900226000629942
Confluence	2023-07-09	970	1074	7800				105732	989001039493828
Confluence	2023-07-09	620	704	2000			331		900226000630065
Confluence	2023-07-09	980	1092	6950				105234	989001038119573
Confluence	2023-07-09	744	851	2450			482		989001039566114
Confluence	2023-07-09	1024	1132	7250	29	1994			900226000893220
Confluence	2023-07-09	1160	1290	11950				110027	989001039566106
Confluence	2023-07-09	942	1010	7500	24	1999			900226000629620
Confluence	2023-07-09	1080	1182	9900				107811	989001039566121
Confluence	2023-07-09	720	816	3200			020		989001039566118
Confluence	2023-07-09	870	972	5300	22	2001			989001039566101
Confluence	2023-07-09	543	612	1350					989001039566119
Confluence	2023-07-09	746	822	2950					989001039566107
Confluence	2023-07-09	646	733	1900					989001039566100
Confluence	2023-07-09	506	582	1050					989001039566093
Confluence	2023-07-09	669	770	2200					
Confluence	2023-08-30	850	963	5500			0058		989001039567714
Confluence	2023-08-30	576	663	1100	9	2014	0059		989001039567648
Confluence	2023-08-30	624	698	1700			0060		989001039567714
Confluence	2023-08-30	540	628	950			0061		989001039567714
Confluence	2023-08-30	478	555	500	8	2015	0065		98900103956771
Confluence	2023-08-30	752	856	3500			0996		900226000320792
Confluence	2023-08-30	574	652	950			0066		989001039567711
Confluence	2023-08-30	320	368	100	3	2020	0067		989001039567704
Confluence	2023-08-30	632	712	1300	10	2013	0070		989001039567721
Confluence	2023-08-30	745	835	1850			0071		900224000132385
Confluence	2023-08-30	552	632	450	8	2015	0072		989001039567688
Confluence	2023-08-30	820	924	3450				105202	900226000630143
Confluence	2023-08-30	416	492	350	4	2019	0073		989001039567663
Confluence	2023-08-30	414	474	300	5	2018	0074		989001039567655
Confluence	2023-08-30	558	648	1200			0261		989001039567668
Confluence	2023-08-30	596	680	1450	10	2013	0075		989001039567713
Confluence	2023-08-30	474	548	650	5	2018	0576		989001039567679

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-08-30	470	540	650			0577		989001038119565
Confluence	2023-08-30	580	655	1300	10	2013	0578		989001039567698
Confluence	2023-08-30	469	525	550	5	2018	0579		989001039567639
Confluence	2023-08-30	665	755	2150	11	2012	0589		989001039567633
Confluence	2023-08-30	545	613	1150	9	2014	0581		989001039567687
Confluence	2023-08-30	585	686	1250			0582		989001039567714
Confluence	2023-08-30	1225	1328	14500				57836	989001039566517
Confluence	2023-08-30	1081	1219	10300				105963	900226000630101
Confluence	2023-08-30	749	846	4100			256		
Confluence	2023-08-30	572	647	1250	10	2013	0176		989001039566456
Confluence	2023-08-30	780	889	3550			0661		90022400011284
Confluence	2023-08-30	883	984	5350				107559	900226000628044
Confluence	2023-08-30	1218	1381	12300	32	1991			989001039566431
Confluence	2023-08-30	568	645	1150	10	2013			989001039566493
Confluence	2023-08-30	482	566	750	6	2017			989001039566434
Confluence	2023-08-30	944	1068	5350			311		989001038119984
Confluence	2023-08-30	835	944	4050	17	2006			989001039566509
Confluence	2023-08-30	1031	1160	7700				57797	989001039566459
Confluence	2023-08-30	931	1044	7150				106828	900226000630426
Confluence	2023-08-30	588	624	1350			445		989001038119774
Confluence	2023-08-30	958	1095	5600			9800		989001039566411
Confluence	2023-08-30	697	765	1900	12	2011			989001039566446
Confluence	2023-08-30	571	655	1000	8	2015			989001039566502
Confluence	2023-08-30	736	848	2250			0729		989001039566447
Confluence	2023-08-30	1240	1391	12500				57057	98900103956646
Confluence	2023-08-30	678	767	1950	9	2014	0657		98900103956647
Confluence	2023-08-30	629	699	1450	9	2014	0659		989001039566458
Confluence	2023-08-30	564	635	1200	9	2014	0200		989001039566445
Confluence	2023-08-30	462	534	600	5	2018	0198		989001039566465
Confluence	2023-08-30	710	805	2350			0150		989001038119756
Confluence	2023-08-30	779	869	3200	17	2006	0195		989001039566443
Confluence	2023-08-30	721	818	3000	10	2013	0194		989001039566438
Confluence	2023-08-30	488	545	600	5	2018	0193		989001039566504
Confluence	2023-08-30	919	1032	5700				105734	900226000630046
Confluence	2023-08-30	593	669	1450				104820	900226000893731
Confluence	2023-08-30	522	607	850	7	2016	0192		98900103956645

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-08-30	531	602	800	8	2015	0190		989001039566444
Confluence	2023-08-30	738	841	2900	12	2011	0185		989001039566519
Confluence	2023-08-30	723	836	2500			313		989001038120033
Confluence	2023-08-30	577	655	1200	9	2014	0183		989001039566479
Confluence	2023-08-31	1110	1222	10850				107580	900226000628105
Confluence	2023-08-31	1016	1044	6750			0842		900226000629518
Confluence	2023-08-31	1082	1230	9450			0427		989001039567683
Confluence	2023-08-31	416	482	350	4	2019	0583		98900103956765
Confluence	2023-08-31	428	494	400	5	2018	0584		989001039567657
Confluence	2023-08-31	838	934	4400	17	2006	0585		989001039567671
Confluence	2023-08-31	918	1038	5850	20	2003	0586		989001039567667
Confluence	2023-08-31	631	693	1550	11	2012	0587		98900103956772
Confluence	2023-08-31	604	683	1600	9	2014	0588		989001039567625
Confluence	2023-08-31	644	718	1850				107100	989001039567652
Confluence	2023-08-31	686	770	2250	12	2011	0589		989001039567646
Confluence	2023-08-31	610	694	1400	9	2014	0591		989001039567659
Confluence	2023-08-31	690	774	2500			490		989001038119844
Confluence	2023-08-31	544	624	1050	9	2014	0592		98900103956769
Confluence	2023-08-31	662	744	1750				13299	900226000090599
Confluence	2023-08-31	603	690	1450			0593		989001039493812
Confluence	2023-08-31	582	670	1250	7	2016	0594		989001039567678
Confluence	2023-08-31	558	642	1200	9	2014	0595		989001039567666
Confluence	2023-08-31	525	596	950			319		989001038119804
Confluence	2023-08-31	578	656	1250	9	2014	0596		98900103956763
Confluence	2023-08-31	628	686	1600			0597		989001039567714
Confluence	2023-08-31	673	772	2350	10	2013	0598		989001039567672
Confluence	2023-08-31	416	480	350	3	2020	0600		98900103956767
Confluence	2023-08-31	546	626	1050	8	2015	0601		989001039567628
Confluence	2023-08-31	464	535	600	6	2017	0602		989001039567694
Confluence	2023-08-31	584	673	1300			0603		989001039566293
Confluence	2023-08-31	589	678	1350	11	2012	0604		989001039567634
Confluence	2023-08-31	634	710	1650	10	2013	0605		989001039567676
Confluence	2023-08-31	595	671	1500	10	2013	0606		989001039567715
Confluence	2023-08-31	672	761	1850			404		900226000152888

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-08-31	636	736	1550			0955		900224000119194
Confluence	2023-08-31	411	474	400	4	2019	0181		989001039566503
Confluence	2023-08-31	736	841	3050				103285	900226000548309
Confluence	2023-08-31	971	1088	7100	21	2002	0174		989001039566491
Confluence	2023-08-31	615	706	1550	11	2012	0172		989001039566474
Confluence	2023-08-31	619	702	1900	11	2012	0167		989001039566514
Confluence	2023-08-31	636	728	1600	11	2012	0164		989001039566467
Confluence	2023-08-31	510	581	900	9	2014	0162		98900103956643
Confluence	2023-08-31	653	734	1900	11	2012	0161		989001039566515
Confluence	2023-08-31	485	539	900	8	2015	0160		989001039566498
Confluence	2023-08-31	521	605	1000			358		989001038119742
Confluence	2023-08-31	531	597	1100	9	2014	0159		989001039566435
Confluence	2023-08-31	468	528	500	5	2018	0158		989001039566481
Confluence	2023-08-31	556	643	1250					
Confluence	2023-08-31	571	649	1200	9	2014	0155		989001039566462
Confluence	2023-08-31	575	649	1150	9	2014	0153		989001039566428
Confluence	2023-08-31	600	683	1300			0007		900043000168277
Confluence	2023-08-31	647	732	1600	11	2012	0152		989001039566483
Confluence	2023-09-01	706	804	1600	15	2008	0607		989001039567699
Confluence	2023-09-01	978	1099	7350			0608		900226000630081
Confluence	2023-09-01	926	1018	7300	17	2006	0609		989001039567722
Confluence	2023-09-01	1016	1138	8000			-0529		989001039566355
Confluence	2023-09-01	385	433	350	4	2019	0610		989001039567717
Confluence	2023-09-01	1112	1236	10500			9000		989001039567629
Confluence	2023-09-01	855	976	5650	21	2002	0611		989001039567669
Confluence	2023-09-01	715	842	2950	10	2013	0612		98900103956768
Confluence	2023-09-01	764	863	3450			0168		989001038119894
Confluence	2023-09-01	576	660	1250	10	2013	0613		989001039567662
Confluence	2023-09-01	708	785	2550			0108		989001039493649
Confluence	2023-09-01	880	1002	5100	19	2004	0614		989001039567675
Confluence	2023-09-01	683	779	2250	10	2013	0615		989001039567681
Confluence	2023-09-01	750	840	4100			0256		989001039567682
Confluence	2023-09-01	709	790	2550	11	2012	0616		989001039567697
Confluence	2023-09-01	780	875	3500			0617		989001039567714
Confluence	2023-09-01	880	985	5050	17	2006			989001039567638

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-01	565	650	1150	9	2014	0651		989001039567632
Confluence	2023-09-01	404	460	350	4	2019	0652		989001039567665
Confluence	2023-09-01	378	438	250	4	2019	0653		989001039567627
Confluence	2023-09-01	718	805	2500	14	2009	0654		989001039567703
Confluence	2023-09-01	645	730	1850	10	2013	0655		989001039567709
Confluence	2023-09-01	632	699	1550	10	2013	0656		989001039567689
Confluence	2023-09-01	615	700	1450				115064	900226000152865
Confluence	2023-09-01	600	685	1250	8	2015	0657		989001039567641
Confluence	2023-09-01	485	543	1650	5	2018	0658		989001039567637
Confluence	2023-09-01	332	382	200	3	2020	0659		989001039567661
Confluence	2023-09-01	880	975	4550	22	2001	0660		989001039567666
Confluence	2023-09-01	780	878	3600	14	2009	0661		989001039567677
Confluence	2023-09-01	642	734	1700			0662		900226000628425
Confluence	2023-09-01	433	497	550	4	2019	0663		989001039567684
Confluence	2023-09-01	450	510	550			0664		98900103811978
Confluence	2023-09-01	726	830	3300			291		989001038119967
Confluence	2023-09-01	692	783	2050				115071	900226000152845
Confluence	2023-09-01	479	556	650	5	2018	0665		989001039567635
Confluence	2023-09-01	858	955	4350				110016	900226000893023
Confluence	2023-09-01	898	1014	5300				103309	900226000548252
Confluence	2023-09-01	733	823	2450	9	2014	0666		989001039567693
Confluence	2023-09-01	570	665	1150	11	2012	0667		989001039567702
Confluence	2023-09-01	746	842	2950	17	2006	0668		989001039567651
Confluence	2023-09-01	635	725	1900	11	2012	0669		989001039567696
Confluence	2023-09-01	474	535	700	8	2015	0670		989001039567656
Confluence	2023-09-01	634	709	1800	10	2013	0671		989001039567653
Confluence	2023-09-01	1120	1245	9300				105964	900226000630188
Confluence	2023-09-01	1097	1219	11550	31	1992	0151		989001039566512
Confluence	2023-09-01	1089	1160	9250				103307	900226000548293
Confluence	2023-09-01	1139	1273	11000			0475		900226000893009
Confluence	2023-09-01	974	1090	6750	11	2012	0547		989001039566381
Confluence	2023-09-01	764	870	3400	43	1980	0474		989001039566472
Confluence	2023-09-01	1241	1389	15050	29	1994	0473		989001039566497
Confluence	2023-09-01	1048	1175	8700			0472		989001039566429

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-01	1028	1153	8300	19	2004	0156		90022600032074
Confluence	2023-09-01	929	1031	6300			0421		989001039566469
Confluence	2023-09-01	579	650	1350			0406		989001039566461
Confluence	2023-09-01	370	426	350	4	2019	0468		989001039566488
Confluence	2023-09-01	599	682	1250	9	2014	0467		989001039566521
Confluence	2023-09-01	810	900	4850			318		989001038119982
Confluence	2023-09-01	652	739	2050	13	2010	0468		989001039566501
Confluence	2023-09-01	509	575	750	6	2017	0465		989001039566448
Confluence	2023-09-01	662	754	1900	14	2009	0463		989001039566473
Confluence	2023-09-01	565	651	1150	9	2014	0462		989001039566436
Confluence	2023-09-01	615	699	1600	10	2013	0461		989001039566495
Confluence	2023-09-01	656	731	1750	12	2011	0460		989001039566455
Confluence	2023-09-01	416	448	400	4	2019	0459		98900103956651
Confluence	2023-09-01	578	650	1200	10	2013	0458		989001039566439
Confluence	2023-09-01	639	715	1500	12	2011	0456		989001039566489
Confluence	2023-09-01	555	624	1050	7	2016	0455		989001039566492
Confluence	2023-09-01	616	706	1550	10	2013	0454		989001039566463
Confluence	2023-09-01	711	808	2250	15	2008	0453		98900103956652
Confluence	2023-09-01	607	691	1650	9	2014	0452		989001039566487
Confluence	2023-09-01	583	656	1250			0628		989001039566505
Confluence	2023-09-01	452	521	650	5	2018	0451		989001039566426
Confluence	2023-09-01	629	718	1700	9	2014	0500		989001039566433
Confluence	2023-09-01	568	663	1250			035		989001039493674
Confluence	2023-09-01	490	550	650	6	2017	0499		989001039566468
Confluence	2023-09-01	649	744	1950			0498		900226000320604
Confluence	2023-09-01	498	560	700	6	2017	0497		989001039566482
Confluence	2023-09-02	1016	1138	9050				105241	900226000630122
Confluence	2023-09-02	868	986	4750			0340		900224000119175
Confluence	2023-09-02	556	641	1050	8	2015	0672		989001039567647
Confluence	2023-09-02	850	953	4250	17	2006	0673		98900103956764
Confluence	2023-09-02	1056	1162	9800				48764	989001039566416
Confluence	2023-09-02	950	1062	5700	22	2001	0674		989001039567644
Confluence	2023-09-02	601	685	1200	8	2015	0675		989001039567645
Confluence	2023-09-02	630	734	1300	10	2013	0801		989001039567623
Confluence	2023-09-02	690	770	2050	11	2012	0802		989001039567658
Confluence	2023-09-02	658	742	2000			0732		989001039567626

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-02	560	641	1050	9	2014	0803		989001039567695
Confluence	2023-09-02	410	473	400	3	2020	0804		989001039567643
Confluence	2023-09-02	682	776	2000	13	2010	0805		989001039567624
Confluence	2023-09-02	226	256	50	0		0806		989001039567712
Confluence	2023-09-02	405	471	300	5	2018	0807		989001039567692
Confluence	2023-09-02	620	716	1650				104784	900226000893672
Confluence	2023-09-02	660	746	2300	16	2007	0808		989001039567705
Confluence	2023-09-02	541	616	1050			350		989001039567649
Confluence	2023-09-02	595	679	1650	7	2016	0809		989001039567708
Confluence	2023-09-02	552	623	1200				104751	900226000893718
Confluence	2023-09-02	564	646	1200			0811		900226000320685
Confluence	2023-09-02	441	506	650	5	2018	0812		989001039567674
Confluence	2023-09-02	525	599	1000	9	2014	0813		989001039567691
Confluence	2023-09-02	628	716	1850	11	2012	0815		989001039567716
Confluence	2023-09-02	465	523	1700			0816		989001039567636
Confluence	2023-09-02	589	670	1500	9	2014	0817		989001039567631
Confluence	2023-09-02	625	712	1750	5	2018	0818		989001039567654
Confluence	2023-09-02	500	573	1950			0819		989001039567719
Confluence	2023-09-02	619	702	1700			0472		989001039566173
Confluence	2023-09-02	570	676	1600			0820		989001038120027
Confluence	2023-09-02	544	630	1400			0822		989001039567718
Confluence	2023-09-02	532	615	1300			0824		989001039567642
Confluence	2023-09-02	528	597	1000			0825		989001039493744
Confluence	2023-09-02	383	441	400			0826		989001039567701
Confluence	2023-09-02	544	627	1100			0827		989001039567664
Confluence	2023-09-02	585	674	1150			0828		989001039567706
Confluence	2023-09-02	639	722	1550			0940		900226000320764
Confluence	2023-09-02	1153	1282	12400			0345		900224000119448
Confluence	2023-09-02	731	815	2850			441		989001038119838
Confluence	2023-09-02	992	1084	7250				107044	900226000629687
Confluence	2023-09-02	1271	1380	13600				105363	900226000630124
Confluence	2023-09-02	832	736	5100	19	2004	0496		989001039566644
Confluence	2023-09-02	980	1052	7350				110032	900226000153918
Confluence	2023-09-02	599	668	1300	9	2014	0495		989001039566466

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-02	572	651	1150	9	2014	0493		989001039566496
Confluence	2023-09-02	421	481	400	5	2018	0492		98900103956648
Confluence	2023-09-02	643	729	1500			104		900224000132359
Confluence	2023-09-02	532	603	700	5	2018	0491		9890010395665
Confluence	2023-09-02	652	739	1600	12	2011	0490		989001039566486
Confluence	2023-09-02	654	738	2050			0721		989001039566494
Confluence	2023-09-02	789	919	3850			0092		989001039566511
Confluence	2023-09-02	603	695	1450	10	2013	0488		989001039566484
Confluence	2023-09-02	673	755	1900	12	2011	0482		989001039566499
Confluence	2023-09-02	562	649	950	9	2014	0483		989001039566513
Confluence	2023-09-02	698	784	1950	11	2012	0487		989001039566522
Confluence	2023-09-02	607	696	1300	10	2013	0484		989001039566518
Confluence	2023-09-02	685	776	2150			0480		989001039566259
Confluence	2023-09-02	641	705	1600			0314		900224000119008
Confluence	2023-09-02	579	669	1250	10	2013	0481		989001039567913
Confluence	2023-09-02	659	751	1900	10	2013	0253		989001039567897
Confluence	2023-09-02	661	736	1550	10	2013	0259		989001039567912
Confluence	2023-09-02	623	712	1550	10	2013	0476		989001039567914
Confluence	2023-09-02	578	663	1200			0251		989001039567829
Confluence	2023-09-02	591	668	1300			0255		989001039567824
Confluence	2023-09-02	565	632	1250			0290		989001039567878
Confluence	2023-09-02	648	731	1600			0258		989001039567842
Confluence	2023-09-02	579	661	1150					989001039567857
Confluence	2023-09-02	612	706	1450			0266		989001039567909
Confluence	2023-09-02	538	609	1100			0272		989001039566454
Confluence	2023-09-02	644	731	1950			0268		989001039566449
Confluence	2023-09-02	505	585	850			0273		989001039566453
Confluence	2023-09-03	1221	1320	15550			0829		989001039567808
Confluence	2023-09-03	1131	1252	10100			0607		900224000132323
Confluence	2023-09-03	1300	1416	19300			0830		989001039567812
Confluence	2023-09-03	389	455	500			445		989001038119764
Confluence	2023-09-03	901	1026	5900			082		989001039493599
Confluence	2023-09-03	852	948	3900			0248		900224000113454
Confluence	2023-09-03	780	871	3400			0831		90022600062994
Confluence	2023-09-03	695	773	2400				110163	900226000893158
Confluence	2023-09-03	578	670	1300			0264		989001039567857

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-03	580	652	1150			0832		989001039567723
Confluence	2023-09-03	559	640	1300			0833		989001039567799
Confluence	2023-09-03	425	590	400			0834		989001039567817
Confluence	2023-09-03	750	845	2700			0835		989001039567803
Confluence	2023-09-03	579	655	1200			0105		989001039493602
Confluence	2023-09-03	555	635	1150			0836		989001039566276
Confluence	2023-09-03	560	635	1200			0837		989001039567726
Confluence	2023-09-03	509	580	800			0838		989001039567809
Confluence	2023-09-03	428	481	250			0839		989001039567775
Confluence	2023-09-03	482	560	750			0840		989001039567762
Confluence	2023-09-03	692	775	1850			0841		989001039567766
Confluence	2023-09-03	600	682	1750			022		989001039567724
Confluence	2023-09-03	512	575	850			0843		989001039567741
Confluence	2023-09-03	1322	1424	19600				109936	900226000893205
Confluence	2023-09-03	1018	1084	8100			076		989001039493632
Confluence	2023-09-03	1022	1170	9450			024		900224000119043
Confluence	2023-09-03	915	1031	5600			0274		98900103956789
Confluence	2023-09-03	931	1064	5950			0035	105247	90022600063023
Confluence	2023-09-03	1271	1380	13600				105363	900226000630124
Confluence	2023-09-03	434	496	300			0288		989001039567884
Confluence	2023-09-03	589	662	1200			251		989001038119678
Confluence	2023-09-03	672	761	2250			0289		989001039567916
Confluence	2023-09-03	585	672	1350			0299		989001039567848
Confluence	2023-09-03	471	550	550			0292		989001039567855
Confluence	2023-09-03	564	645	1200			0294		989001039567831
Confluence	2023-09-03	681	759	2200			0287		989001039567894
Confluence	2023-09-03	623	707	1600			0354		989001039567877
Confluence	2023-09-03	591	684	1400			0353		989001039567903
Confluence	2023-09-03	537	618	800			0276		989001039567869
Confluence	2023-09-03	642	742	1600			0283		989001039567902
Confluence	2023-09-03	719	799	2450			347		989001038120019
Confluence	2023-09-03	643	741	1850				104787	900226000893591
Confluence	2023-09-03	672	760	1900			0356		989001039567832
Confluence	2023-09-03	640	729	1550			0357		989001039567921
Confluence	2023-09-03	603	691	1650			0358		989001039567827

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-03	572	649	1150				115143	900226000767922
Confluence	2023-09-03	614	701	1700			0359		989001039567911
Confluence	2023-09-03	636	731	1600			0361		989001039566277
Confluence	2023-09-03	580	670	1350			266		989001039493881
Confluence	2023-09-03	604	691	1250			0362		989001039567851
Confluence	2023-09-03	629	696	1500			0363		989001039567892
Confluence	2023-09-03	503	579	900			0364		989001039567873
Confluence	2023-09-04	679	751	2650			0240		989001039566177
Confluence	2023-09-04	676	764	2100			0844		989001039567747
Confluence	2023-09-04	634	719	1950				107528	989001039493827
Confluence	2023-09-04	477	547	600			0845		989001039567751
Confluence	2023-09-04	680	779	2150			0846		989001039567774
Confluence	2023-09-04	575	656	1050			0647		989001039567744
Confluence	2023-09-04	796	900	3300				103202	900226000548381
Confluence	2023-09-04	722	824	2050			0848		989001039567748
Confluence	2023-09-04	548	627	900				115056	900226000152843
Confluence	2023-09-04	561	659	1150			065		989001039493604
Confluence	2023-09-04	654	741	1950			0849		989001039567818
Confluence	2023-09-04	639	713	1900			0271	107548	900224000119143
Confluence	2023-09-04	525	604	800			0850		989001039567725
Confluence	2023-09-04	548	627	900				115056	900226000152843
Confluence	2023-09-04	562	632	1200			0365		989001039567844
Confluence	2023-09-04	593	675	1300			0366		989001039567895
Confluence	2023-09-04	1035	1128	7450			0734		900226000630005
Confluence	2023-09-04	1267	1378	20150			0367		98900103956787
Confluence	2023-09-04	689	784	2800			0368		989001039567847
Confluence	2023-09-04	959	1063	6400				106848	900226000628186
Confluence	2023-09-04	911	1021	5200				107752	900226000629471
Confluence	2023-09-04	912	1035	5750			082		989001039493599
Confluence	2023-09-04	679	740	2300			0369		989001039567872
Confluence	2023-09-04	734	836	2700				104839	900226000893533
Confluence	2023-09-04	649	740	1650			0370		989001039567871
Confluence	2023-09-04	542	630	1150			0371		98900103956785
Confluence	2023-09-04	571	646	1200			0373		989001039567917
Confluence	2023-09-04	565	649	1400			303		989001038119689

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-04	564	641	1200			0699		989001039567881
Confluence	2023-09-04	731	834	2600			0375		989001039567891
Confluence	2023-09-04	634	716	1650			0374		989001039567896
Confluence	2023-09-04	410	479	600			0700		989001039567839
Confluence	2023-09-04	552	632	1050			0698		989001039567828
Confluence	2023-09-04	573	659	1300			424		98900103949385
Confluence	2023-09-05	820	920	3950			0908		900224000119302
Confluence	2023-09-05	1016	1134	7200				107780	900226000629365
Confluence	2023-09-05	1100	1201	10350			012		900226000320657
Confluence	2023-09-05	518	599	900			405		989001039493883
Confluence	2023-09-05	1274	1370	16300			108		900224000132051
Confluence	2023-09-05	950	1086	8100			0851		989001039566235
Confluence	2023-09-05	976	1078	6200			0348		989001039566165
Confluence	2023-09-05	1020	1064	8850				10524	900226000630122
Confluence	2023-09-05	504	583	800			0852		989001039567786
Confluence	2023-09-05	866	972	4650			0853		989001039567782
Confluence	2023-09-05	874	979	4850				105232	900226000629823
Confluence	2023-09-05	689	794	2100			0854		989001039567815
Confluence	2023-09-05	422	492	450			0855		989001039567771
Confluence	2023-09-05	635	719	1850			0856		989001039567788
Confluence	2023-09-05	654	733	1950				112555	90022600089329
Confluence	2023-09-05	375	431	300			0857		989001039567792
Confluence	2023-09-05	616	725	1600			0858		989001039566127
Confluence	2023-09-05	555	635	1150			0859		989001039567773
Confluence	2023-09-05	494	560	600			0497		989001039566482
Confluence	2023-09-05	574	661	1200			0861		989001039567769
Confluence	2023-09-05	439	502	550			0862		989001039567784
Confluence	2023-09-05	629	711	1650			0863		989001039567806
Confluence	2023-09-05	724	805	2150			0864		989001039567779
Confluence	2023-09-05	723	850	2650			0939		900226000320643
Confluence	2023-09-05	322	367	100			0865		989001039567731
Confluence	2023-09-05	684	751	2050			0866		989001039567765
Confluence	2023-09-05	450	530	700			0867		989001039567761
Confluence	2023-09-05	635	710	1700			0868		989001039567763

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-05	570	641	1100			0869		989001039567819
Confluence	2023-09-05	543	630	1000			0870		989001039567778
Confluence	2023-09-05	558	636	1200			0871		989001039567768
Confluence	2023-09-05	531	604	950			0872		989001039567811
Confluence	2023-09-05	634	733	2000			0873		989001039567755
Confluence	2023-09-05	691	782	2300			837		989001039567813
Confluence	2023-09-05	663	761	2100			0874		989001039567807
Confluence	2023-09-05	972	1106	7250			0152		90022600032078
Confluence	2023-09-05	1008	1123	7300			232		900226000628178
Confluence	2023-09-05	917	1022	6250			0697		989001039566423
Confluence	2023-09-05	631	731	1850			0696		98900103956649
Confluence	2023-09-05	1100	1214	9450				105726	900226000629826
Confluence	2023-09-05	694	785	1850			0805		989001039567624
Confluence	2023-09-05	1034	1163	8450				105958	900226000630198
Confluence	2023-09-05	963	1074	6800			088		98900103949368
Confluence	2023-09-05	1201	1296	12950				48617	900226000320703
Confluence	2023-09-05	621	702	1900			0147		989001039493715
Confluence	2023-09-05	465	532	600			0692		989001039566471
Confluence	2023-09-05	1031	1124	8800			483		989001039566432
Confluence	2023-09-05	527	598	900			0691		989001039566451
Confluence	2023-09-05	409	461	400			0690		989001039567882
Confluence	2023-09-05	421	481	500			0441		989001039566215
Confluence	2023-09-05	439	500	550			0688		989001039566506
Confluence	2023-09-05	719	794	2350				112999	900226000893425
Confluence	2023-09-05	485	546	650			369		98900103949363
Confluence	2023-09-05	621	699	1850			0686		989001039566441
Confluence	2023-09-05	586	668	1450			0685		989001039567887
Confluence	2023-09-05	494	573	750			0683		989001039567889
Confluence	2023-09-05	599	684	1300			0684		989001039567883
Confluence	2023-09-05	637	719	1400			0334		989001039566154
Confluence	2023-09-05	639	705	1800			0682		989001039567898
Confluence	2023-09-05	630	702	1800			0514		989001039493781
Confluence	2023-09-05	581	657	1300			0678		989001039567865
Confluence	2023-09-05	560	640	1250			0679		989001039567841
Confluence	2023-09-05	759	820	3200			0928		900226000628289
Confluence	2023-09-05	579	650	1200			0677		989001039567867

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-05	556	630	1300			0681		989001039567849
Confluence	2023-09-05	530	601	1150			0969		900043000168397
Confluence	2023-09-05	590	660	1550			0676		989001039567904
Confluence	2023-09-05	553	638	1250			0404		989001039567843
Confluence	2023-09-05	640	700	1700			0402		989001039567846
Confluence	2023-09-05	870	988	3600			0405		98900103956618
Confluence	2023-09-05	563	737	1350			0406		98900103956791
Confluence	2023-09-05	483	565	1400			0407		989001039567874
Confluence	2023-09-05	599	676	1450			0817		989001039567631
Confluence	2023-09-05	750	841	2200				7264	900226000630466
Confluence	2023-09-05	553	638	1250			missing		989001039567875
Confluence	2023-09-05	409	463	350			0408		98900103956784
Confluence	2023-09-05	613	697	1500			0409		989001039567866
Confluence	2023-09-06	388	449	300			0875		989001039567757
Confluence	2023-09-06	1174	1292	12500			0231		900224000113271
Confluence	2023-09-06	599	686	1200			0626		989001039567793
Confluence	2023-09-06	1008	1126	8750			0627		989001039567735
Confluence	2023-09-06	926	994	5600			0302		90022400011345
Confluence	2023-09-06	527	601	800			0628		989001039566228
Confluence	2023-09-06	637	724	1700			0629		989001039567753
Confluence	2023-09-06	706	802	2700			0744		989001038119705
Confluence	2023-09-06	1122	1212	13400			0927		900224000119077
Confluence	2023-09-06	755	857	3250			0630		989001039566237
Confluence	2023-09-06	654	744	1850			0631		989001039567805
Confluence	2023-09-06	661	746	2150			0632		989001039567802
Confluence	2023-09-06	633	724	1800			0633		989001039567772
Confluence	2023-09-06	443	515	450			0634		989001039566125
Confluence	2023-09-06	535	607	1000			0635		98900103956775
Confluence	2023-09-06	572	664	1300			0636		989001039567733
Confluence	2023-09-06	549	632	1150			0637		989001039567777
Confluence	2023-09-06	586	632	1400			0638		98900103956782
Confluence	2023-09-06	751	841	3000			0639		989001039567754
Confluence	2023-09-06	729	832	2850			0640		989001039567781
Confluence	2023-09-06	427	491	550			0641		989001039567776

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-06	646	734	2100			0642		900226000893599
Confluence	2023-09-06	624	716	1800			0643		989001039567736
Confluence	2023-09-06	534	619	950			0644		98900103956777
Confluence	2023-09-06	402	464	350			0645		989001039567773
Confluence	2023-09-06	576	649	1200			0406		989001039566461
Confluence	2023-09-06	834	887	4100			0646		989001039567739
Confluence	2023-09-06	645	734	2000			0747		989001039567728
Confluence	2023-09-06	614	709	1450			0648		989001039567822
Confluence	2023-09-06	494	569	800			0649		98900103956779
Confluence	2023-09-06	583	676	1400				115077	900226000152844
Confluence	2023-09-06	723	823	3000			0650		989001039567759
Confluence	2023-09-06	754	852	2800			0876		989001039567746
Confluence	2023-09-06	626	723	1600			0361		989001039566277
Confluence	2023-09-06	626	716	1500				115137	900226000767912
Confluence	2023-09-06	585	572	1450			0877		989001039567785
Confluence	2023-09-06	587	675	1050			0007		900043000168277
Confluence	2023-09-06	625	706	1600			0878		989001039567783
Confluence	2023-09-06	430	497	350			0879		989001039567743
Confluence	2023-09-06	541	619	950			0880		989001039567764
Confluence	2023-09-06	665	745	2100			0642		900226000893599
Confluence	2023-09-06	609	684	1600			0881		989001039567804
Confluence	2023-09-06	543	638	950			0882		9890010395678
Confluence	2023-09-06	565	646	1300			0884		989001039567734
Confluence	2023-09-06	411	464	300			0886		989001039567742
Confluence	2023-09-06	715	755	2250			0887		989001039567787
Confluence	2023-09-06	723	832	2600			0888		989001039567791
Confluence	2023-09-06	634	716	1750			0889		989001039567745
Confluence	2023-09-06	1053	1173	7750			267		989001038119971
Confluence	2023-09-06	450	521	650			0410		989001039567876
Confluence	2023-09-06	777	868	3650			460		98900103811968
Confluence	2023-09-06	960	1075	6750			088		98900103949368
Confluence	2023-09-06	938	1041	7400			0411		989001039567852
Confluence	2023-09-06	750	819	2650			318		989001039493864
Confluence	2023-09-06	568	651	1150			0412		98900103956786

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-06	571	651	1250			0413		989001039567864
Confluence	2023-09-06	442	501	600			0415		989001039567888
Confluence	2023-09-06	551	631	1250			0418		989001039567899
Confluence	2023-09-06	612	697	1600			0419		989001039567915
Confluence	2023-09-06	449	520	700			0420		989001039567863
Confluence	2023-09-06	860	944	4350			0421		989001039567918
Confluence	2023-09-06	560	631	1300			0423		989001039567856
Confluence	2023-09-06	556	643	1150			0422		989001039567893
Confluence	2023-09-06	480	541	650			0424		9890010395679
Confluence	2023-09-06	511	582	950			0257		900224000119186
Confluence	2023-09-06	568	657	1250			0425		989001039567834
Confluence	2023-09-06	613	694	1450			0906		989001038119878
Confluence	2023-09-06	514	580	950			0675		989001039567854
Confluence	2023-09-06	652	739	1650			0674		989001039567907
Confluence	2023-09-06	561	634	1150			0673		989001039567879
Confluence	2023-09-06	610	681	1700			0672		989001039567886
Confluence	2023-09-06	858	940	4200				115140	900226000153302
Confluence	2023-09-06	601	684	1250			0671		989001039567823
Confluence	2023-09-06	732	815	2450			0670		989001039567885
Confluence	2023-09-06	490	550	500			0668		989001039567868
Confluence	2023-09-06	628	708	1350				115062	900226000152872
Confluence	2023-09-06	555	620	900			0659		98900103956632
Confluence	2023-09-06	611	700	1450				115094	900226000152832
Confluence	2023-09-06	546	619	800			0660		989001039567838
Confluence	2023-09-06	580	661	850			0661		989001039567825
Confluence	2023-09-06	718	795	2350			0662		989001039567861
Confluence	2023-09-06	823	905	2700			0658		989001039567835
Confluence	2023-09-06	551	621	650			0657		989001039567836
Confluence	2023-09-06	544	621	600			0656		989001039567862
Confluence	2023-09-06	580	655	700			0655		989001039567901
Confluence	2023-09-06	528	597	1000			0825		989001039493744
Confluence	2023-09-06	558	625	1000			0654		989001039567833
Confluence	2023-09-06	562	637	950			0653		989001039567859
Confluence	2023-09-06	532	605	950			0652		989001039567919
Confluence	2023-09-06	390	451	300			0651		989001039567905
Confluence	2023-09-06	639	719	1650			0426		98900103956783
Confluence	2023-09-06	398	458	300			0427		989001039567837

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-06	453	518	400			0429		989001039567888
Confluence	2023-09-06	422	489	350			0431		989001039567922
Confluence	2023-09-06	635	714	1650			433		98900103811985
Confluence	2023-09-06	668	766	1750			0432		989001039567858
Confluence	2023-09-06	651	740	600			0433		989001039567853
Confluence	2023-09-06	565	636	950			0434		989001039567906
Confluence	2023-09-06	647	734	1650				107271	900226000629383
Confluence	2023-09-06	625	711	1450			0435		989001039567908
Confluence	2023-09-06	564	655	1000			0436		989001039567845
Confluence	2023-09-06	398	453	300			0440		
Confluence	2023-09-06	714	806	1950			0441		
Confluence	2023-09-06	556	630	950			0444		
Confluence	2023-09-06	589	671	1250			0446		
Confluence	2023-09-06	475	551	400			0445		
Confluence	2023-09-06	560	641	1050			0803		989001039567695
Confluence	2023-09-06	489	561	400			0447		
Confluence	2023-09-06	437	504	350			0448		
Confluence	2023-09-06	426	489	350			0450		
Confluence	2023-09-06	404	460	350			0652		989001039567665
Confluence	2023-09-07	870	962	5450			0890		989001039567801
Confluence	2023-09-07	1242	1368	14400				57848	900226000320638
Confluence	2023-09-07	966	1073	7150			0742		900226000548462
Confluence	2023-09-07	850	945	4750			292		989001039493833
Confluence	2023-09-07	1000	1128	8250			0891		989001039567727
Confluence	2023-09-07	1110	1220	11650				105204	900226000630006
Confluence	2023-09-07	503	635	1200			0892		1380344387
Confluence	2023-09-07	594	655	1400			0893		989001039567729
Confluence	2023-09-07	760	863	2300				104733	900226000893566
Confluence	2023-09-07	657	737	1650			0894		900226000768664
Confluence	2023-09-07	437	494	350			0895		989001039567737
Confluence	2023-09-07	579	672	1350			0896		989001039567794
Confluence	2023-09-07	696	787	2000			0897		989001039567796
Confluence	2023-09-07	438	498	400			0898		989001039567767
Confluence	2023-09-07	718	820	2650			0899		989001039567774
Confluence	2023-09-07	656	735	1700			0900		989001039567798

Location	Date	FL	TL	W	Age	Year Born	AAE Floy	NSC Floy	PIT Tag ID
		(mm)	(mm)	(g)					
Confluence	2023-09-07	464	565	1600			0901		989001039567789
Confluence	2023-09-07	504	576	650			0902		989001039567738
Confluence	2023-09-07	575	660	1250			0903		989001039567749
Confluence	2023-09-07	737	824	1450			0904		98900103956781
Confluence	2023-09-07	632	715	2050			433		98900103811985
Confluence	2023-09-07	570	653	1000			0905		989001039567758
Confluence	2023-09-07	946	1067	6300			0051	107837	900226000628316
Confluence	2023-09-07	920	1032	5750			209		900224000132218
Confluence	2023-09-07	908	1021	6200			0907		900226000090668
Confluence	2023-09-07	457	530	500			0908		989001039567814
Confluence	2023-09-07	636	741	1850			0909		989001039566304
Confluence	2023-09-07	484	557	450			0910		989001039567778
Confluence	2023-09-07	392	444	300			254		989001038119693
Confluence	2023-09-07	644	724	2100			0911		989001039567821
Confluence	2023-09-07	491	574	650			0912		989001039566091
Confluence	2023-09-07	583	663	1100			0913		989001039566104
Confluence	2023-09-07	920	1023	6850			0914		989001039566098
Confluence	2023-09-07	393	451	300			0602		989001039567487
Confluence	2023-09-07	1047	1148	7300				107179	900226000628007
Confluence	2023-09-07	1116	1336	12750			0603		989001039567468
Confluence	2023-09-07	1050	1152	7300			0604		989001039567472
Confluence	2023-09-07	657	735	1950			0519		989001038119647
Confluence	2023-09-07	1156	1293	12900				48719	989001039567437
Confluence	2023-09-07	647	748	2000			0605		98900103956744
Confluence	2023-09-07	1041	1159	7250					989001039567486
Confluence	2023-09-07	952	1048	6250					900226000320726
Confluence	2023-09-07	536	618	950			0448		989001039566182
Confluence	2023-09-07	661	763	1950			0610		989001039567498
Confluence	2023-09-07	690	759	2050			0608		989001039567435
Confluence	2023-09-07	583	668	1100			0611		989001039567505
Confluence	2023-09-07	618	692	1350			0609		989001039567492
Confluence	2023-09-07	710	808	2200			0612		989001039567496
Confluence	2023-09-07	553	642	1100			0613		989001039567493