Package 'primes'

July 27, 2020

Type Package

Title Generate and Test for Prime Numbers

Version 0.3.0

Date 2020-07-26

Description Functions for dealing with prime numbers, such as testing whether a number is prime and generating a sequence prime numbers.

License MIT + file LICENSE

Depends R (>= 2.10)

Imports Rcpp

LinkingTo Rcpp

Suggests testthat

SystemRequirements C++11

URL http://github.com/ironholds/primes

BugReports http://github.com/ironholds/primes/issues

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Encoding UTF-8

LazyData true

R topics documented:

`generate_n_primes` *Generate a Sequence of Prime Numbers*

Description

Generate a sequence of prime numbers from `min` to `max` using a fast implementation of the Sieve of Eratosthenes or generate a vector of the first `n` primes.

Usage

```
generate_n_primes(n)

generate_primes(min = 2L, max)
```

Arguments

`n`	the number of primes to generate.
`min`	the lower bound of the sequence.
`max`	the upper bound of the sequence.

Value

An integer vector of prime numbers.

Author(s)

Paul Egeler, MS

Examples

```
generate_primes(max = 12)
## [1]  2  3  5  7 11

generate_n_primes(5)
## [1]  2  3  5  7 11
```

is_prime *Test for Prime Numbers*

Description

Test whether a vector of numbers is prime or composite.

Usage

```
is_prime(x)
```

Arguments

x	an integer vector containing elements to be tested for primality.

Value

A logical vector.

Author(s)

Os Keyes and Paul Egeler, MS

Examples

```
is_prime(4:7)
## [1] FALSE  TRUE FALSE  TRUE

is_prime(1299827)
## [1] TRUE
```

k_tuple *Prime* k*-tuples*

Description

Use prime *k*-tuples to create lists of twin primes, cousin primes, prime triplets, and so forth.

Usage

```
k_tuple(min, max, tuple)

twin_primes(min, max)

cousin_primes(min, max)

sexy_primes(min, max)

sexy_prime_triplets(min, max)

third_cousin_primes(min, max)
```

Arguments

`min`	the lower bound of the sequence.
`max`	the upper bound of the sequence.
`tuple`	an integer vector representing the target *k*-tuple pattern.

Details

You can construct your own tuples and generate series of primes using `k_tuple`; however, there are functions that exist for some of the named relationships. They are listed below.

- `twin_primes`: represents `c(0,2)`.
- `cousin_primes`: represents `c(0,4)`.
- `third_cousin_primes`: represents `c(0,8)`.
- `sexy_primes`: represents `c(0,6)`.
- `sexy_prime_triplets`: represents `c(0,6,12)`.

The term "third cousin primes" is of the author's coinage. There is no canonical name for that relationship to the author's knowledge.

Value

A list of vectors of prime numbers satisfying the condition of `tuple`.

Author(s)

Paul Egeler, MS

Examples

```
# All twin primes up to 13
twin_primes(2, 13) # Identical to `k_tuple(2, 13, c(0,2))`
## [[1]]
## [1] 3 5
##
```

```
## [[2]]
## [1] 5 7
##
## [[3]]
## [1] 11 13

# Some prime triplets
k_tuple(2, 19, c(0,4,6))
## [[1]]
## [1]  7 11 13
##
## [[2]]
## [1] 13 17 19
```

`next_prime` *Find the Next and Previous Prime Numbers*

Description

Find the next prime numbers or previous prime numbers over a vector.

Usage

```
next_prime(x)

prev_prime(x)
```

Arguments

`x`	a vector of integers from which to start the search.

Details

For `prev_prime`, if a value is less than or equal to 2, the function will return `NA`.

Value

An integer vector of prime numbers.

Author(s)

Paul Egeler, MS

Examples

```
next_prime(5)
## [1] 7

prev_prime(5:7)
## [1] 3 5 5
```

nth_prime *Get the n-th Prime from the Sequence of Primes.*

Description

Get the n-th prime (p_n) in the sequence of primes.

Usage

```
nth_prime(n)
```

Arguments

n	an integer.

Value

An integer vector of length 1.

Author(s)

Paul Egeler, MS

primes *Pre-computed Prime Numbers*

Description

The first one thousand prime numbers.

Usage

```
primes
```

Format

An integer vector containing the first one thousand prime numbers.

See Also

generate_primes, generate_n_primes

`prime_count` *Prime-counting Functions and Estimating the Value of the n-th Prime*

Description

Functions for estimating $\pi(n)$—the number of primes less than or equal to n—and for estimating the value of p_n, the n-th prime number.

Usage

```
prime_count(n, upper_bound)

nth_prime_estimate(n, upper_bound)
```

Arguments

`n`	an integer. See *Details* for more information.
`upper_bound`	a logical indicating whether to estimate the lower- or upper bound.

Details

The `prime_count` function estimates the number of primes $\leq n$. When `upper_bound = FALSE`, it is guaranteed to under-estimate for all $n \geq 17$. When `upper_bound = TRUE`, it holds for all positive n.

The `nth_prime_estimate` function brackets upper and lower bound values of the nth prime. It is valid for $n \geq 6$.

The methods of estimation used here are a few of many alternatives. For further information, the reader is directed to the *References* section.

Author(s)

Paul Egeler, MS

References

"Prime-counting function" (2020) *Wikipedia*. https://en.wikipedia.org/wiki/Prime-counting_function#Inequalities (Accessed 26 Jul 2020).

`prime_factors` *Perform Prime Factorization on a Vector*

Description

Compute the prime factors of elements of an integer vector.

Usage

```
prime_factors(x)
```

Arguments

`x`	an integer vector.

Value

A list of integer vectors reflecting the prime factorizations of each element of the input vector.

Author(s)

Paul Egeler, MS

Examples

```
prime_factors(c(1, 5:7, 99))
## [[1]]
## integer(0)
##
## [[2]]
## [1] 5
##
## [[3]]
## [1] 2 3
##
## [[4]]
## [1] 7
##
## [[5]]
## [1]  3  3 11
```

primorial *Compute the Primorial*

Description

Computes the primorial for prime numbers and natural numbers.

Usage

```
primorial_n(n)

primorial_p(n)
```

Arguments

n	an integer indicating the numbers to be used in the computation. See *Details* for more information.

Details

The primorial_p function computes the primorial with respect the the first n *prime* numbers; while the primorial_n function computes the primorial with respect the the first n *natural* numbers.

Author(s)

Paul Egeler, MS

ruth_aaron_pairs *Find Ruth-Aaron Pairs of Integers*

Description

Find pairs of consecutive integers where the prime factors sum to the same value. For example, (5, 6) are Ruth-Aaron pairs because the prime factors 5 == 2 + 3.

Usage

```
ruth_aaron_pairs(min, max, distinct = FALSE)
```

Arguments

min	an integer representing the minimum number to check.
max	an integer representing the maximum number to check.
distinct	a logical indicating whether to consider repeating primes or only distinct prime number factors.

Value

A List of integer pairs.

Author(s)

Paul Egeler, MS

Index