


maree



Structure of referentiel database

Date generation: 29/05/2019 14:05:22

Schema maree

coef

List of all coefficients

.

Column name	Type	Not null	key	Comment
coef_id	integer	X		
coef_type_id	integer	X		
station_id	integer			
daydate	date	X		Date of event
hour	time without time zone	X		Hour of event
coef	double precision	X		Coefficient
hight	double precision			Hight of water

References

coef_type_id: maree.coef_type (coef_type_id)
station_id: maree.station (station_id)

coef_type

List of types of coefficients

.

Column name	Type	Not null	key	Comment
coef_type_id	integer	X	X	
coef_type_name	character varying	X		

Referenced by

coef_type_id: maree.coef (coef_type_id)

station

.

Column name	Type	Not null	key	Comment
station_id	integer	X	X	
station_name	character varying	X		
pmheure95	smallint			Décalage en minutes de la pleine mer, coefficient 95, par rapport à Royan
pmheure45	smallint			Décalage en minutes de la pleine mer, coefficient 45, par rapport à Royan
bmheure95	smallint			Décalage en minutes de la basse mer, coefficient 95, par rapport à Royan
bmheure45	smallint			Décalage en minutes de la basse mer, coefficient 45, par rapport à Royan

Referenced by

station_id: maree.[coef](#) (station_id)