



EXAM PAPERS PRACTICE

Boost your performance and confidence with these topic-based exam questions


Practice questions created by actual examiners and assessment experts

Detailed mark scheme

Suitable for all boards

Designed to test your ability and thoroughly prepare you

AQA A Level Further Mathematics (7367)



Topic

DA: Graphs

Sub topic

DA1: Terminology for Graphs

Mark Scheme

AQA A Level Further Mathematics (7367)

Mark Scheme

Topic

DA: Graphs

Sub topic

DA1: Terminology for Graphs

EXAM PAPERS PRACTICE


© 2024 Exams Papers Practice. All Rights Reserved

**To be used by all students and teachers for
AQA A Level Further Mathematics (7367)
for exams from 2025 onwards.**


Students and teachers of other boards may also find this useful

Mark schemes

Q1.

	Marking Instructions	AO	Marks	Typical Solution
(a) (i)	Draws $y = x$	AO1.1a	M1	
	Clearly labels (or shows by shading) the correct feasible region	AO1.1b	A1	
(ii)	Calculates the correct value of $5x + 4y$ at $(5, 6)$ or $(5.5, 5.5)$	AO1.1a	M1	Value at $(5, 6) = 49$ Value at $(5.5, 5.5) = 49.5$
	Finds the correct maximum value of $5x + 4y$	AO1.1b	A1	Maximum value is 49.5
(b) (i)	Explains the implication of the graph being connected Must refer explicitly to 'connected'	AO1.2	B1	The graph is connected, so no vertex can have degree 0.
	Explains the implication of the graph being simple Must refer explicitly to 'simple'	AO1.2	B1	The graph is simple, so each vertex can only connect at most once to each of the 6 other vertices.
(iii)	Explains why x and y cannot both be 6	AO2.4	E1	If x and y are both 6 then there would be two vertices that are both adjacent to the other five vertices.
	Completes rigorous argument for $x + y \leq 11$	AO2.1	R1	However, this would mean that there would be no vertex of degree 1 so one of x or y has to be at most 5. Hence $x + y \leq 5 + 6$
(iv)	Identifies the need for integer solutions	AO3.5b	B1	x and y must both be integers

	Marking Instructions	AO	Marks	Typical Solution
(c) (i)	Uses degree sum $= 2 \times 8$ to deduce $x + y$	AO2.2a	M1	$1 + 2 + 3 + v + w + x + y = 2 \times 8$ $16 - (1 + 2 + 3 + 4) = x + y$ $x + y = 6$


	Infers there are multiple solutions and finds two correct feasible pairs of x and y values	AO2.2b	M1	$x = 1, y = 5;$ $x = 2, y = 4;$ $x = 3, y = 3.$
	Finds all three pairs and no others Condone pairs written as coordinates	AO1.1b	A1	
(ii)	Starts to show configuration of G by drawing a connected graph with exactly 8 edges OR by listing/labelling the vertex degrees: 1, 2, 2, 2, 2, 3, 4	AO3.1	M1	
	Draws a correct graph with degrees: 1, 2, 2, 2, 2, 3, 4 NB Multiple correct solutions, check by counting degrees	AO3.2a	A1	
Total 14 marks				

Q2.

Marking Instructions	AO	Marks	Typical Solution
Circles correct answer	AO1.1b	B1	12
Total 1 mark			

Q3.

(a)



Bipartite graph, 2 sets of 5 vertices, at least 9 edges

M1

All correct, including labelling

A1

- (b) Only E can do task 1 and task 3.

M1

One person cannot do 2 tasks so impossible.

A1

2

Or

A does 5, then

B must do task 4 and D must do task 4.

*Must have A to 5 first, or 3 people A, B, D
can only do 2 tasks 4, 5*

(M1)

One task cannot be done by 2 people so impossible.

Not enough tasks for the number of people so impossible.

(A1)

Or

4 people A, B, C, D can only do 3 tasks 2, 4, 5

(M1)


Not enough tasks for the number of people so impossible.

(A1)

©2025 Exam Papers Practice. All rights reserved.

[4]

Q4.



Bipartite graph, 2 sets of 6 vertices, at least 10 edges

M1

Correct, including labels

A1

[2]

Q5.

	1	2	3	4	5	6
A	0	0	1	0	0	0
B	1	0	0	1	0	0
C	0	0	1	0	0	1
D	1	1	0	0	0	0
E	0	0	0	1	1	0
F	0	0	0	0	1	1

6×6 matrix labelled with some 0, 1, $\checkmark$, $\times$'s
(at least 9 entries)

All correct


M1

A1

[2]

Q6.

(a)



©2025 Exam Papers Practice. All rights reserved.

E1

1

(b) (i) 28

B1

(ii) Odd number of edges at (all) vertices
Must see the word odd, not just 7

E1

2

(c) (i) $\frac{n(n-1)}{2}$ OE

B1

(ii) $n - 1$

B1

(iii) n must be odd

Must have n in their answer

E1

(iv) $n = 3$

Must have n in their answer

B1

4

[7]

Q7.

	1	2	3	4	5	6
A	0	0	0	1	1	0
B	0	0	1	0	1	1
C	0	0	0	1	0	0
D	0	1	0	0	0	1
E	0	1	0	1	0	0
F	1	0	1	0	1	0

(6 x 6) matrix labelled with some $\sqrt{}$'s or $\times$'s or 0's or 1's or – 's

M1

CAO

EXAM PAPERS PRACTICE

©2025 Exam Papers Practice. All rights reserved.

A1

[2]

Q8.

(a) Max 5

B1

Min 1

Do not allow 1° or 5°

B1

2

(b) $4x - 12 \geq 1$ (or > 0)

$$\left(x \leq \frac{13}{4} \right)$$

Or

$4x - 12 \leq 5$ (or < 6)

$$\left(x \leq \frac{17}{4} \right)$$

Or

$$2x - 4 \leq 5 \text{ (or } < 6)$$

$$x \leq \frac{9}{2}$$

Any one of these inequalities

OR

Exhaustive check of all values from 1 to 5 inclusive, condone one omission.

M1

$$x = 4$$

First inequality and one of the other two, or completely correct exhaustive check, and $x = 4$

A1

2

Alternative solution

Sum of degrees = $11x - 24$ must be even

$\Rightarrow x$ is even

$$x - 2 > 0 \Rightarrow x > 2$$

M1

$$x \leq 5$$

$$\text{Hence } x = 4$$

A1

[4]

©2025 Exam Papers Practice. All rights reserved.

Q9.

(a) Min MST

4 edges

M1

$$= 8 + 10 + 10 + 11 = 39$$

A1

2

(b) Max MST = $8 + 17 + 17 + 18$
 $8 + 18 + 2 \text{ others}$


M1

$$= 60$$

A1

2

(c)



Connected graph with 5 vertices (all edges numbered, from G)

$MST = 53$
 $8, 11, 17, 17$ or $8, 10, 17, 18$

other edges OE

(other possibilities not shown)
 (all edges numbered, from G)

M1

A1

A1

3

[7]

EXAM PAPERS PRACTICE

Q10.

©2025 Exam Papers Practice. All rights reserved.

(a) eg A B C D E F A

Any tour ABA or better, any start vertex
 but not revisiting a vertex
 May be shown in a labelled diagram of a
 cycle (eg triangle ABC)

M1

With all vertices visited
 May be shown in a labelled diagram of a
 cycle

A1

2

(b) (i) F D C A B E F
 (20) (15) (5) (25) (15) (15)
 (= 95)

AG

Any tour, start/finish at F

M1

Visits all vertices

m1

Correct order

A1

3

*If solution shown solely on matrix, then
order of selection of vertices must be shown*

(ii) Tour

*"It's an answer", "a cycle", "it works"
"it's possible ..."*

E1

May be improved on

*"Can't be worse", "not necessarily best",
"could be improved"
Not "can be improved"*

E1

2

(c) F E C A B D F

Tour FE(ABCD in any order with B before D)F

M1

(30) (7) (5) (25) (11) (10)

Correct order

A1

= 88 ©2025 Exam Papers Practice. All rights reserved.

B1


3

*If solution shown solely on matrix, order
of selection of vertices must be shown*

[10]

Q11.

(a) (i)




OE

B1

1

(ii)



4 edges

OE

Note: new edges must meet each square at vertices on the opposite ends of a side of the square
eg

✓



✗




M1

A1

2

(iii)



4 edges

Eulerian (all vertices are of even order)

M1

A1

2

- (b) (i) n odd
 $(n \pm 1)$ even

B1

1

- (ii) (Triangle) $n = 3$
 Triangle, stated or drawn, scores B1

B2


2

[8]

Q12.

(a) (i) 2

B1



OE

B1

2

(ii) 3



OE


B1

B1

2

(iii) 3

B1




OE

B1

2

SC



OE

B1 (must have number and diagram)

(b) (i) n is odd

B1 1

(ii) 3 (only)

B1 1

[8]

Q13.

(a) (i) 9

B1 1

(ii) $n - 1$

B1 1

©2025 Exam Papers Practice. All rights reserved.

(b) (i) GI 5
9 edges

B1

AB 6
SCA

M1

EI 7
start with GI

A1

BD 8

~~EG~~ →

IJ 10
 IJ fifth

A1

HJ 11

$\overline{HI}$ 12

111 12,

AF 13

DE 14

CG 15

all correct

A1


5

(ii) 89

B1

1

(iii)



9 edges

M1

A1

2

[10]

Q14.

(a) (i) $m - 1$

B1

1

(ii) $n \geq m - 1$

B1 for $>$ or $(n \geq m)$ OE

B2


2

(b) $m(=n)$

B1

1

(c)



$m = 6$ and eulerian

All correct

M1

A1

2

[6]

Q15.

(a) (i) 21

B1

1

(ii) 6

B1

1

(iii) 7

B1

1

(b) (i) All vertices are even
OE

E1

1

(ii) n odd


E1

1

(c)

EXAM PAPERS PRACTICE

©2025 Exam Papers Practice. All rights reserved.



Graph with 6 vertices

M1

A1

2

[7]

Q16.

(a) $\text{Min} = 4 + 7 + 7 + 7$
 $= 25$

B1

1

(b) $\text{Min}(H) = 4 + 7 + 7 + 7 + 8$
 $= 33$

B1


1

(c) $\text{Min}(E) = \Sigma = 62$

B1

1

(d)



5 vertices

8 edges M1
All correct m1
A1

3

[6]

Q17.

(a)



Correct graph

4 vertices

M1

A1

2

(b) (i) 15

B1

1

(ii) 5 ©2025 Exam Papers Practice. All rights reserved.

B1

1

(iii) No, order of vertices is odd

B1

1

(c) (i) $\frac{n(n-1)}{2}$
OE

B1

1

(ii) $n - 1$

B1

1

(iii) n ODD
OE

B1

1

[8]

Q18.

(a) (i) 4

B1

1

(ii) 2

B1

1

(iii) 5

B1

1

(b)



or equivalent



or

B1

1

[4]

Q19.

(a) (i) Odd vertices ($\Rightarrow$ Repeats)
Eularian not enough

E1

1

(ii) Odd $BCDE$
considering odds

M1

$$\begin{aligned}
 BC + DE &= 14 \\
 BD + CE &= 12.5 + 10.5 = 23 \\
 \underline{BE} + \underline{CD} &= 9 + 4.5 = \underline{13.5}
 \end{aligned}$$

A2,1,0

$$\text{Distance} = 13.5 + 82$$

$$= 95.5$$

$$82 + \text{their (mir)}$$

M1

A1F

Route: $A B C D E F B E B D C A$
or equivalent

B1

6

(b) (i) $5 \times 3 = 15$

B1

1

(ii) $(n-1)(n-3)(n-5)\dots \times 1$

M1

$$(n-1)(n-3)$$

A1

2

[10]

Q20.

(a) 3

B1

1

(b) (i) $n-1$

B1

1


(ii) $(n-1)!$

M1 for factorial

M1A1

2

(c)



M1

connected graph

$m.s.t. = 17$ M1

all other arcs used and correct A1


A1

3

[7]

Q21.

(a) (i)



All correct (may be directed)

M1

A1

2

(ii) Odd vertices

B1

1

(b) $\frac{\text{Sum}}{2} =$ number of edges

B1

1

(c) Directed $A \rightarrow B \neq B \rightarrow A$
Or equivalent

E1

1

[5]

Q22.

(a) (i) Need $4 + 3 + 2 + 1$ edges

E1

1


- (b) (i) M.S.T. = $7 + 7 + 7 + 9 = 30$

B1
1

- (ii) Might include loop

E1
1

- (iii)



Must include loop with

7's

No loop with 9 & 11

M1

M1

A1
3

EXAM PAPERS PRACTICE [6]

©2025 Exam Papers Practice. All rights reserved.

Q23.

- (a) Trace each edge once and only once, ending at starting point

E1
1

- (b) (i) Odd vertices

E1
3

- (ii) A and E

B1

- (iii) ADBCDEBAE
or equiv.

B1

[4]

Q24.

(a) Closed path

E1

Every vertex once

E1

2

(b) $3! = 6$

M1A1

2

(c) $(n - 1)!$

M1 for $(n - 1)$ or factorial

M1A1

2

[6]


Q25.

(a) $(n - 1)$

B1

1

(b)



Prior's???

M1

2nd sketch

A1

3rd sketch

A1F

4th sketch

A1F

All correct

A1cao

(c) MST = 15

B1


5

1

[7]

Q26.

(a)



or equivalent

M1A1

2

(b) (i) $d = 2, 4, 6, 8$

M1A1

2

(ii) Edges = (9), 18, 27, 36

$$9 \times \frac{d}{2}$$

M1

©2025 Exam Papers Practice. All rights reserved.

A2F

3

[7]

Q27.

(a) 1

B1

1

(b) 2

B1

e.g. AB and ED

B1

2

(c) (i) e.g. add AB

B1

Eulerian trail $AEFABCDB$

M1 A1 3

- (ii) e.g. adding AB twice creates a connected graph with all degrees even

B1 1

- (iii) 4

B1

e.g.



M1A1 3

[10]

Q28.

- (a) E and H

Deduct 1 for error or omission

B2,1,0 2

- (b) F, G and H

Deduct 1 for error or omission

B2,1,0 2

- (c) E, F and G

Deduct 1 for error or omission

B2,1,0 2

- (d) F and G
(or M1 A1)

2 cao, or sensible working towards wrong answer will earn $\frac{1}{2}$

B2 2

[8]

Q29.

- (a) (i) Sum of degrees = $5d + 7$

B1


This must be even and so d must be odd

B1

2

- (ii) $d \geq 3$ makes $d + 3$ too big, so $d = 1$:
e.g.

B1



M1A1

3

- (b) (i) each vertex is joined once to at most the other 9 vertices

B1

1

- (ii) If all the degrees were different they would be 0 1 2 3 ... 9.

M1

But that would give a vertex joined to none and another joined to them all – clearly impossible.


© Exam Papers Practice. All rights reserved.

A1

2

[8]

Q30.



M1 A1

2

- (b) (i) e.g. 1234561

M1 A1

2

- (ii) For even n ((and > 2))

*B1 for "4 and 6"
(the ">2" not expected)*

B2,1 2

(c) $\frac{1}{2}n$

B1 1

(d) Case n even:

M1

By (i) we need $\frac{1}{2}n$ even;

i.e. n must be visible by 4

A1

Case n odd:

Some vertices always have odd degree, so not Eulerian

B1 3

[10]

Q31.

(a) CADEBFMLKJC

M1A1 2

(b) Neither

B1

More than two odd vertices

B1 2

(c) (i) KL

B1 1

(ii) Starting at A , say, we can only get to B

M1

along DE , but then we cannot get back.

(any sensible focus on the 'isthmus' DE)

A1 2

[7]

Q32.

- (i) Maximum degree = 5, so $d \leq 1$

B1

1

- (ii) Semi-Eulerian for $d = 1$

B1

This gives 2 odd degrees – in other case there are > 2 odd vertices.

(or $d = 0$ gives an isolated vertex)

B1

2

- (iii) $d = 0$ gives an isolated vertex,

B1

$d = 1$ gives a 'dead-end'

B1


2

[5]

Q33.

- (a)

©2025 Exam Papers Practice. All rights reserved.



a correctly labelled graph in the style shown can earn the marks for (a) and (b)

M1 A1

2

- (b) more than two odd vertices

B1

1

- (c) e.g. 51 62 53 61

B1

none of length 4

B1

every edge is from {51, 52, 53} to {61, 62, 63, 64},
so to get back where you

M1

started takes an even number.
or 'bipartite'

A1

4

- (d) A Hamiltonian cycle would be a closed path with seven edges.
or alternative


M1 A1

2

[9]

Q34.


- (a) eg



B1

1

- (b) 2; eg




any Hamiltonian extension

B1 B1

2

- (c) 2; eg



any Eulerian extension


B1 B1

2

[5]

Q35.

- (a) & (b)




Corridor vertex OK

ground floor

M1 F1 OK

first floor



M1

A1

M1

4

A1

- (c) Ground floor is Eulerian since all vertices are even

B1

First floor is semi-Eulerian since there are two odd vertices, F1 and F4

B1

Can pass through all doors once only in a tour of the ground floor.
 Can do the same on first floor only if starting/finishing at F1/4.
 Otherwise the door connecting F1 and F4 must be used twice

©2025 Exam Papers Practice. All rights reserved.


B1

3

[7]

Q36.

(a)



two Δ

M1

Rest

A1

A1

- (b) Two odd vertices, 2 and 7

B1

e.g. 2312 4354657687

M1A1

- (c) eg 124687531

M1A1

- (d) 13578, 13568, 13468, 12468

M1

for two

A1

Rest

A1

[11]

Q37.

- (a) Sum = $11m$ = even $\therefore m$ = even
Also $0 < 2m < 6 \therefore m = 2$


$\frac{1}{2}$ for sensible incomplete argument

©2025 Exam Papers Practice. All rights reserved.

B1ed.

B1

2



- (b) e.g.

M1

$SA = 2$ and attempt at rest

A1

Rest


A1

- (c) 10 (choices for A's pair of neighbours)

M1A1

Q38.

(a)




M1

A2 -1 each error

3


(b)



B1

1

(c)



Indicates available matchings.

M1

A1


B1

3

[7]

Q39.

(a)



(– 1 each error/omission)

M1

A2

3

Or with a 3 – D (cubical) graph.

- (b) e.g. (A,B,C) – 1
 (A,B,~C) – 2
 (A,~B,C) – 3
 (~A,B,C) – 4
 (~A,~B,C) – 5
 (~A,B,~C) – 6
 (A,~B,~C) – 7
 (~A,~B,~C) – 8

evidence of correct identification of vertices

M1

A1

2

(c) 6

M1 A1

(d) 6

M1 A1

4

[9]

Q40.

(a) Closed (back to start)

B1

Every vertex exactly once

B1 B1

(b) $(4 \times 3 \times 3 \times 2 \times 2)/2 = 72$

M1 sca

A1

(c) Can't avoid edge crossing(s)

©2025 Exam Papers Practice. All rights reserved.

B1

$K_{3,3}$ is a subgraph. (eg. Delete D and S + edges)

B1

[7]

Examiner reports

Q1.

This was a question which allowed students to demonstrate their understanding and application of mathematics in an unfamiliar situation, which is a key feature of the new specification. The majority of students scored 2/2 in part (a)(i). The most common error was to select an incorrect region as the feasible region. Some students did not draw the line $y = x$. Less than half of the students scored 2/2 in (a)(ii), with the most common mistakes being selecting the wrong vertex. The best solutions included an objective line which made the selection of the optimal vertex easier.

Nearly three quarters of students were able to explain the term 'connected' and relate it to the inequalities in (b)(i). However, less than half of students were able to correctly explain how the graph being simple related to the inequalities. Errors that were made included no direct reference to the degree of the vertices or the particular property of the graph that was being used.

Only 6% of students scored both marks in (b)(iii), with many students erroneously restating what they had written in (b)(ii). There were a significant number of no responses on this part. 10% of students scored the mark in part (b)(iv), with common errors being the adding together of two inequalities or the stating of a previous inequality.

Only a third of students scored any marks in (c)(i), with the vast majority not using the sum of the degrees being equal to twice the number of edges in the graph. Many answers did not write the values of x and y as pairs, and some solutions included pairs of x and y values that did not satisfy all of the inequalities.

More than half of students were able to score at least one mark in (c)(ii), with many students scoring 2/2 having not scored full marks on (c)(i). The better solutions included writing down the degree of each vertex next to the respective vertex. The loss of marks was most commonly due to having too few or too many edges on the graph.

Q3.

In part (a), apart from the rare slip or completely wrong format this was almost always correctly answered. Most students knew the answer to part (b), but many were unable to express it accurately. Many either stated the relevant specific links without explaining why they made a complete matching impossible, or made general statements about what constitutes a complete matching without tying it to the given situation.

Q4.

Almost all candidates scored full marks on this question – the common error was to omit the link from D to 6.

Q5.

The majority of students scored well on this question.

Q6.

This question differentiated well between the students. Many students showed a lack of understanding or knowledge of graph theory and were unable to answer this question correctly and weaker students found the abstractness of this question a bit too much of a

challenge.

The most common problem with par (b)(ii) was an incomplete or inaccurate description of vertices of an odd order, with students often talking about “odd vertices” or an “odd number of vertices”.

Marks were quite often lost in part (c) because of a failure to note the implications of the phrase “state in terms of n ” and part (c)(iv) identified the strongest students.

Q7.

Apart from the rare slip or completely wrong format, this question was almost always correct.

Q8.

Very few marks were scored. Around half the candidates appeared to think this question was about hexagons and certainly about the sizes of angles in degrees. From those who correctly interpreted the question the answers 2 and 6 to part (a) were about as common as the correct answers 1 and 5.

Most scoring attempts at part (b) were by numerical checking rather than the use of algebraic inequalities and revealed that most candidates had little or no concept of ‘show’, let alone ‘proof’ in this question.

Q9.

The usual mark scored was 4 out of 7, with very few candidates getting part (b) or the final mark in part (c) due to adding in extra edges and changing the MST.

Part (a) was usually correct.

Part (b) was usually incorrect, with $13 + 17 + 17 + 18 = 65$ being the almost universal answer. The very few who answered correctly were by no means always drawn from those scoring highest on the rest of the paper.

In part (c), most of the candidature spotted one of the two correct MSTs. A number of candidates elected to draw only a correct MST. Those candidates who attempted to complete the diagram frequently forfeited marks as their extra edges impacted on their MST. A few candidates drew separate diagrams.

Q10.

This work was well known, continuing the improvement from previous series. The weakest candidates often failed to complete tours. There were very few answers presented in matrix form – a considerable proportion of these failed to provide indication of order. In part (a), a surprising number of candidates omitted to give an example, opting to give a general description or definition of a tour. Part (b)(i) was usually correct. In part (b)(ii), as with similar past questions, there was a majority view that the current figure *can* be improved rather than *might* be. Some still failed to pick up the ‘tour’ mark. There were many correct responses to part (c) of the question.

Q11.

This question discriminated well. Despite the comparative ease of marking the short, sharp answers, it didn’t appear that weak candidates could ‘guess’ their way to a

reasonable mark. In part (a), full marks were very rare – the preserve of the generally most able candidates. Correct answers to parts (a)(ii) and (a)(iii) were often interchanged. Correct answers were also very rare in part (b). Many knew the node property required in part (b)(i) but failed to convert this into an acceptable statement about n . '4' was a more popular answer to part (b)(ii) than the correct answer. Average and weak candidates often provided answers consisting of ever more complicated algebraic expressions.

Q12.

Although this question discriminated between candidates, it was answered poorly by many. Candidates must be able to apply their knowledge in questions, but graph theory as a topic is important. This part of the specification appears to have been overlooked by many centres. The understanding of Hamiltonian and Eulerian was often confused.

Q13.

This question was a good source of marks for virtually all candidates, with few scripts using the wrong algorithm. Candidates who listed all the edges in part (b) were successful, although a common mistake was including edge FH. Some diagrams of minimum spanning trees were not labelled at the vertices.

Q14.

This question discriminated between candidates, with many showing little understanding of graph theory. Part (a)(ii) was beyond nearly all candidates and in the final part a significant number of candidates stated that all vertices needed to be of even order and then drew a graph with odd vertices. Candidates should expect to be tested on all different aspects of graph theory in the specification.

Q15.

This question discriminated between candidates. Although candidates must be able to apply their knowledge in questions, graph theory as a topic is important. The majority of candidates were able to attempt all parts but parts (a)(i) and (b) (ii) proved to be the most challenging.

Q16.

This question proved to be a good discriminator, requiring candidates to think of an abstract network. Part (a) was well answered, but correct answers to parts (b) and (c) were rarely seen. Candidates started part (d) well by drawing a network with 5 vertices and a minimum spanning tree of 26 units, but often went astray when adding the extra arcs, ending up with a graph for which the minimum spanning tree had a length of 25 units.

Q17.

This question was the least well answered on the paper. Although candidates must be able to apply their knowledge in questions, this tested graph theory itself and not the application of graph theory. The majority of candidates were able to answer parts (a), (b)(ii) and (c)(ii). Complete networks were not understood. The total number of edges was poorly answered. Parts (b)(iii) and (c)(iii) tested the understanding of Eulerian graphs and whilst candidates realised that the order of vertices was important, many failed to score the mark in part (c)(iii).

Q18.

Candidates generally scored high marks on this question, although full marks were rarely seen. Many candidates gave the wrong answer of 72 to part (a)(ii).

Q19.

Although candidates realised that an optimal 'Chinese postman' route depended on odd vertices, there was a disappointing number who failed to pair off the odd nodes correctly to arrive at the correct minimum repetition. A surprising number of candidates who did arrive at the correct numerical answer failed to write down a route. Part (b) proved to be the most difficult part of the paper with only a few candidates obtaining the correct answer for part (b)(ii).

Q20.

Most candidates made a reasonable attempt at this question but very few scored full marks. Many did not see the connection between parts (a) and (b)(i). In part (c) many candidates were able to draw a correct minimum spanning tree but very few were able to add on the remaining arcs successfully.

Q21.

The question was answered well but a significant number of candidates failed to answer part (c) correctly, with many believing that a look at a vertex was a correct answer.

Q22.

This question proved to be discriminating between the candidates. Although all candidates were able to attempt all of the question there were very few correct answers to part (b)(iii).

Q23.

©2025 Exam Papers Practice. All rights reserved.

The question was well answered but a significant number of candidates were too vague in their description of an Eulerian cycle to score the mark in part (a).

Q24.

Although this question was a standard piece of book work, correct solutions were rarely seen. In part (a), candidates needed to state that a Hamiltonian cycle is a closed path, visiting every vertex once. Part (b) only used four vertices so that candidates could, if they wanted, list all cycles. There were only two correct answers to part (c).

Q25.

This question was well answered with many scripts scoring full marks. Candidates who failed to score full marks often used Kruskal's algorithm. It is essential that all candidates are fully aware of the two algorithms, their differences and their relative merits.

Q26.

This question proved to be the most challenging on the paper, with only a few candidates scoring full marks. As the question stated that the graph was simple and connected, then d could not exceed 9 and had to be even, but there were many scripts that had odd values of d or values that implied the graph was not simple. Part (b)(ii) was a standard result but was poorly answered with some candidates quoting non-integer values for the number of

edges.

Q30.

Most candidates could draw G_6 , find a Hamiltonian cycle of it, and state that G_n is only Hamiltonian for even n (they were not penalised for failing to notice that G_2 is not Hamiltonian). Most also recognised that $G_6 = K_{3,3}$ and found the correct degrees in part (c).

Q31.

The first parts of the question were well done, although many candidates failed to make their Hamiltonian cycles return to C (no marks were lost for this). Also many candidates failed to earn the final two marks. In general if a candidate is asked “why is this graph not Hamiltonian” then the tautology “because it has no cycle visiting all the vertices” hardly answers the question because it makes no specific reference to the given graph. Here a simple answer involving the disconnecting edge DE was required.

Q33.

This question was quite well done.

Most candidates struggled to find a convincing reason why the graph was not Hamiltonian. The examiner had tried to be helpful: in part (b) we saw that all cycles had to be even, but a Hamiltonian cycle would have to use 7 edges!

Q34.

The answers here were generally good, but only a minority correctly spotted that two additional edges were sufficient to make the graph Eulerian.

©2025 Exam Papers Practice. All rights reserved.

Q36.

As usual some candidates confused Eulerian trails and Hamiltonian cycles. Even those who understood the terms often struggled to stipulate them.

Q37.

The reasoning given in part (a) was rather poor. All that was needed was “The total of $11m$ must be even, so m must be even. Hence for all degrees to be less than 6 we need $2 = m$ ”. Alternatively, many candidates correctly used the Hamiltonian cycle method to show non-planarity. As intended, the last part proved to discriminate well.

Q38.

This question caused candidates few problems.

Q39.

This question was answered well by candidates, but in part (b) some incorrectly thought that a degree count was sufficient to ensure isomorphism. A large proportion of candidates gave the correct answers to parts (c) and (d), but very few showed any working, thus giving themselves no opportunity to earn method marks should their counts have been wrong.

Q40.

Part (a) was well answered, but part (b) was not. Very few candidates were able to perform this simple count. Most candidates knew Kuratowski's theorem in part (c)



EXAM PAPERS PRACTICE

©2025 Exam Papers Practice. All rights reserved.