

Instituto Tecnológico de México
campus Culiacán

Temas Selectos de Bases de Datos

Nombre del Alumno:

- Barraza Caldera Kevin Paul
- Carrillo Beltran Irvin Jai

Ingeniería en Sistemas Computacionales

Nombre del Maestro: Daniel Esparza Soto

Practica Consultas

KEVIN PAUL BARRAZA CALDERA
25-3-2026

```

USE northwindDW;
GO
-- 1.
/*
Select
Measures.MEMBERS ON COLUMNS,
Empleados.[emp nombre].MEMBERS ON ROWS
From CuboNW
*/
SELECT
    ISNULL(E.FirstName + ' ' + E.LastName, 'All') AS [emp nombre],
    SUM(OD.Quantity) AS Quantity,
    SUM(OD.UnitPrice * OD.Quantity * (1 - OD.Discount)) AS Total,
    COUNT(DISTINCT O.OrderID) AS Ordenes,
    COUNT(DISTINCT O.CustomerID) AS [Recuento Clientes]

FROM Employees AS E
INNER JOIN Orders AS O ON E.EmployeeID = O.EmployeeID
INNER JOIN [Order Details] AS OD ON O.OrderID = OD.OrderID

GROUP BY(E.FirstName + ' ' + E.LastName) with rollup

```

	emp nombre	Quantity	Total	Ordenes	Recuento Clientes
1	Andrew Fuller	6055	166537.75497818	96	59
2	Anne Dodsworth	2670	77308.0667095184	43	29
3	Janet Leverling	7852	202812.842793465	127	63
4	Laura Callahan	5913	126862.277704239	104	56
5	Margaret Peacock	9798	232890.845947266	156	75
6	Michael Suyama	3527	73913.1292438507	67	43
7	Nancy Davolio	7812	192107.604320526	123	65
8	Robert King	4654	124568.23538208	72	45
9	Steven Buchanan	3036	68792.2825393677	42	29
10	All	51317	1265793.03961849	830	89

```

-- 2.
/*
Select
empleados.[empNombre].MEMBERS ON COLUMNS,
Measures.MEMBERS ON ROWS
FROM [cuboNW]
*/

-- Quantity
SELECT
    'Quantity' AS Medida,

    'All' = SUM(od.Quantity),
    'Andrew Fuller' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Andrew
Fuller' THEN od.Quantity END),
    'Anne Dodsworth' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Anne
Dodsworth' THEN od.Quantity END),
    'Janet Leverling' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Janet
Leverling' THEN od.Quantity END),
    'Laura Callahan' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Laura
Callahan' THEN od.Quantity END),
    'Margaret Peacock' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Margaret
Peacock' THEN od.Quantity END),

```

```

        'Michael Suyama' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Michael
Suyama' THEN od.Quantity END),
        'Nancy Davolio' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Nancy
Davolio' THEN od.Quantity END),
        'Robert King' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Robert King'
THEN od.Quantity END),
        'Steven Buchanan' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Steven
Buchanan' THEN od.Quantity END)
FROM Orders o
JOIN [Order Details] od ON o.OrderID = od.OrderID
JOIN Employees e ON e.EmployeeID = o.EmployeeID
UNION ALL
-- Total
SELECT
    'Total',

    'All' = SUM(od.UnitPrice * od.Quantity * (1 - od.Discount)),
    'Andrew Fuller' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Andrew
Fuller' THEN od.UnitPrice * od.Quantity END),
    'Anne Dodsworth' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Anne
Dodsworth' THEN od.UnitPrice * od.Quantity END),
    'Janet Leverling' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Janet
Leverling' THEN od.UnitPrice * od.Quantity END),
    'Laura Callahan' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Laura
Callahan' THEN od.UnitPrice * od.Quantity END),
    'Margaret Peacock' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Margaret
Peacock' THEN od.UnitPrice * od.Quantity END),
    'Michael Suyama' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Michael
Suyama' THEN od.UnitPrice * od.Quantity END),
    'Nancy Davolio' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Nancy
Davolio' THEN od.UnitPrice * od.Quantity END),
    'Robert King' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Robert King'
THEN od.UnitPrice * od.Quantity END),
    'Steven Buchanan' = SUM(CASE WHEN e.FirstName + ' ' + e.LastName = 'Steven
Buchanan' THEN od.UnitPrice * od.Quantity END)
FROM Orders o
JOIN [Order Details] od ON o.OrderID = od.OrderID
JOIN Employees e ON e.EmployeeID = o.EmployeeID
UNION ALL
-- Ordenes
SELECT
    'Ordenes',

    'All' = COUNT(DISTINCT o.OrderID),
    'Andrew Fuller' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Andrew Fuller' THEN o.OrderID END),
    'Anne Dodsworth' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Anne Dodsworth' THEN o.OrderID END),
    'Janet Leverling' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Janet Leverling' THEN o.OrderID END),
    'Laura Callahan' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Laura Callahan' THEN o.OrderID END),
    'Margaret Peacock' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Margaret Peacock' THEN o.OrderID END),
    'Michael Suyama' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Michael Suyama' THEN o.OrderID END),
    'Nancy Davolio' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Nancy Davolio' THEN o.OrderID END),
    'Robert King' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Robert King' THEN o.OrderID END),
    'Steven Buchanan' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Steven Buchanan' THEN o.OrderID END)

```

```

FROM Orders o
JOIN Employees e ON e.EmployeeID = o.EmployeeID
UNION ALL
-- Recuento Clientes
SELECT
    'Recuento Clientes',

    'All' = COUNT(DISTINCT o.CustomerID),
    'Andrew Fuller' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Andrew Fuller' THEN o.CustomerID END),
    'Anne Dodsworth' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Anne Dodsworth' THEN o.CustomerID END),
    'Janet Leverling' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Janet Leverling' THEN o.CustomerID END),
    'Laura Callahan' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Laura Callahan' THEN o.CustomerID END),
    'Margaret Peacock' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Margaret Peacock' THEN o.CustomerID END),
    'Michael Suyama' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Michael Suyama' THEN o.CustomerID END),
    'Nancy Davolio' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Nancy Davolio' THEN o.CustomerID END),
    'Robert King' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Robert King' THEN o.CustomerID END),
    'Steven Buchanan' = COUNT(DISTINCT CASE WHEN e.FirstName + ' ' + e.LastName =
'Steven Buchanan' THEN o.CustomerID END)
FROM Orders o
JOIN Employees e ON e.EmployeeID = o.EmployeeID;

```

	Medida	All	Andrew Fuller	Anne Dodsworth	Janet Leverling	Laura Callahan	Margaret Peacock	Michael Suyama	Nancy Davolio	Robert King
1	Quantity	51317	6055.00	2670.00	7852.00	5913.00	9798.00	3527.00	7812.00	4087.00
2	Total	1265793.03961849	177749.26	82964.00	213051.30	133301.03	250187.45	78198.10	202143.71	144447.94
3	Ordenes	830	96.00	43.00	127.00	104.00	156.00	67.00	123.00	72.00
4	Recuento Clientes	89	59.00	29.00	63.00	56.00	75.00	43.00	65.00	41.00