


Irwin Gabriel Martinez Prado
04-anonimizacion

SELECT – FROM, AS, END, CASE, WHEN, GROUP BY, BETWEEN, AND, THEM, HAVING




File Edit Selection View Go Run Terminal Help
LAB-01
Explorer
LAB-01
evidencias
01-clasificacion.pdf U
02-enmascaramiento.pdf U
03-seudonimizacion.pdf U
sql
01-clasificacion.sql M
02-enmascaramiento.sql M
03-seudonimizacion.sql M
04-anonimizacion.sql M
05-retencion.sql M
informe.md
README.md
Outline
Timeline
Application Builder
01-clasificacion.sql M
02-enmascaramiento.sql M
02-enmascaramiento.pdf U
sql > 04-anonimizacion.sql
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM clientes
GROUP BY 1, 2;
-- 12.4 Suprimir grupos pequeños (ejercicio didáctico de k-anonimato con umbral >= 5)
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5;
Problems Output Debug Console Terminal Ports Code Reference Log
80 | 3
81 | 1
(3 rows)
rango_edad | region | total
31-45 | 81 | 1
46+ | 82 | 1
31-45 | 80 | 3
(3 rows)
rango_edad | region | total
(0 rows)
rango_edad_amplio | total
18-40 | 3
41+ | 2
(2 rows)
postgres=#


File Edit Selection View Go Run Terminal Help
LAB-01
Explorer
LAB-01
evidencias
01-clasificacion.pdf U
02-enmascaramiento.pdf U
03-seudonimizacion.pdf U
sql
01-clasificacion.sql M
02-enmascaramiento.sql M
03-seudonimizacion.sql M
04-anonimizacion.sql M
05-retencion.sql M
informe.md
README.md
01-clasificacion.sql M
02-enmascaramiento.sql M
02-enmascaramiento.pdf U
03-seudonimizacion.sql
sql > 04-anonimizacion.sql
FROM clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5;
-- 13. Reto: Consulta modificada para reducir aún más el riesgo de reidentificación
-- Se amplían los rangos de edad y se omite el desglose regional especifico
SELECT
CASE
WHEN edad BETWEEN 18 AND 40 THEN '18-40'
ELSE '41+'
END AS rango_edad_amplio,
COUNT(*) AS total
FROM clientes
GROUP BY 1;