

Міністерство освіти і науки України
Національний університет "Львівська політехніка"



Звіт до лабораторної роботи №3
З дисципліни "Web-технології та Web-дизайн"
на тему: "CRUD Javascript App: View Page"

Виконала:

Ст.гр. ІР-11

Луцан І.З.

Прийняв:

доцент, к.т.н.

Іванюк О.О.

Львів 2025

Завдання:

3. CRUD Javascript App: View Page

Description: In this work, you have to make a simple presentation part of a website - **View Page** (You can find the template of the page by following the link - <https://wireframepro.mockflow.com/view/lviv-iot-crud-js-app>)

For your blocks you must use **data** from your java/python project class.

In case you don't have a **data** from previous year, you should choose any free task from this link:

https://docs.google.com/document/d/1RW9PpalOIHn-nVli8kbCr71vu_XLNsj4TKpTdBnZ-w/edit?usp=sharing

Then using JavaScript, you need to implement the following operations on your data (*it is up to you to decide which field should be used for each of the operations*):

- **Sort** of your items option
- **Search option**
- **Count total amount** of some of the field
(e.g total price of all cars)

Requirements:

- **Responsiveness** absolutely not required.
- **Styling** is not important at all. Is up to you.

Our recommendations and tips:

- use JS Array methods: map(), sort(), filter(), reduce()
- use native JS for any DOM operations (querySelector | findById | insertAdjacentHTML | etc)
- a website [example](#) from live coding
- Working with DOM & JS Array methods project
<https://github.com/bradtraversy/vanillawebprojects/tree/master/dom-array-methods>
- useful projects [examples](#)

Веб Сторінка:

""Оцін

Луцан

Луцан

Lab_W

Компл

БД: За

Lab_5

Rain G

Зайт B

SPLES

Міністр

Секція

Висно

Landle

Lab2_L

Sh x

← → ↺

Файл

/Users/zinoviy.lutsan/GitHub/Web_Programming_Labs/Lab_3/index.html

☆

↓

⌂

⋮

Shoes list

Пошук...

Producer	Price	Size	Color
Nike	2500	42	black
Adidas	2200	41	white
Puma	1800	43	green
Reebok	2000	44	blue
Under Armour	2700	45	red
New Balance	2300	42	black
Converse	1600	40	white
Vans	1900	41	gray
Asics	2100	43	blue
Fila	1700	42	red
Skechers	2400	44	black
Mizuno	2600	45	green
Brooks	2500	42	white

Total price: 28300 grn

Реалізація:

файл view.js:

```
function displayShoes() {

    const tableBody = document.querySelector("#shoesTable tbody");

    tableBody.innerHTML = "";

    shoesList.forEach(shoe => {

        const row = document.createElement("tr");

        row.innerHTML = `

            <td>${shoe.producer}</td>

            <td>${shoe.price}</td>

            <td>${shoe.size}</td>

            <td>${shoe.color}</td>

        `;

        tableBody.appendChild(row);

    });

    calculateTotal();

}
```

```

function sortTable(columnIndex) {

  const tableBody = document.querySelector("#shoesTable tbody");

  const rows = Array.from(tableBody.rows);

  const isNumeric = columnIndex === 1 || columnIndex === 2;

  rows.sort((a, b) => {

    const cellA = a.cells[columnIndex].textContent.trim();

    const cellB = b.cells[columnIndex].textContent.trim();

    if (isNumeric) {

      return parseFloat(cellA) - parseFloat(cellB);

    } else {

      return cellA.localeCompare(cellB);

    }

  });

  rows.forEach(row => tableBody.appendChild(row));

  calculateTotal();

}

function filterTable() {

  const query = document.getElementById("searchInput").value.toLowerCase();

  const rows = document.querySelectorAll("#shoesTable tbody tr");

  rows.forEach(row => {

    const cells = Array.from(row.cells);

    const matches = cells.some(cell => cell.textContent.toLowerCase().includes(query));

    row.style.display = matches ? "" : "none";

  });

  calculateTotal();

}

function calculateTotal() {

  const rows = document.querySelectorAll("#shoesTable tbody tr");

  let total = 0;

```

```

rows.forEach(row => {

    if (row.style.display !== "none") {

        const priceCell = row.cells[1].textContent.trim();

        total += parseFloat(priceCell) || 0;

    }

});

document.getElementById("totalPrice").textContent = `Total price: ${total} grn`;
}

window.addEventListener("DOMContentLoaded", () => {

    displayShoes();

    document.getElementById("searchInput").addEventListener("input", filterTable);

});

```

файл shoes.js :

```

class shose {

    constructor(producer, price, size, color) {

        this.producer = producer;

        this.price = price;

        this.size = size;

        this.color = color;

    }

    info() {

        return `${this.producer}, size ${this.size}, color ${this.color}, price: ${this.price} grn`;

    }

}

const shoesList = [

    new shose("Nike", 2500, 42, "black"),

    new shose("Adidas", 2200, 41, "white"),

    new shose("Puma", 1800, 43, "green"),

    new shose("Reebok", 2000, 44, "blue"),

```

```
new shose("Under Armour", 2700, 45, "red"),  
  
new shose("New Balance", 2300, 42, "black"),  
  
new shose("Converse", 1600, 40, "white"),  
  
new shose("Vans", 1900, 41, "gray"),  
  
new shose("Asics", 2100, 43, "blue"),  
  
new shose("Fila", 1700, 42, "red"),  
  
new shose("Skechers", 2400, 44, "black"),  
  
new shose("Mizuno", 2600, 45, "green"),  
  
new shose("Brooks", 2500, 42, "white")  
  
];  
  
shoesList.forEach(shoe => {  
  
    console.log(shoe.info());  
  
});
```

Посилання на лабораторну роботу на гітхабі:

https://github.com/IrynaLutsan/Web_Programming_Labs/tree/main/Lab_3