

My Workspace

NewImport

Collections

APIs

Environments

Mock Servers

Monitors

Flows

History

+

RESTFUL-BOOKER API

POST

Auth - Create Token

GET

Booking - GetBookingIds

GET

Booking-GetBooking

POST

Booking-Creat...Create Booking-raw j...

POST

Booking-Creat...Create Booking-raw ...

PUT

Booking - Update booking

RESTFUL-BOOKER API

AuthorizationPre-request ScriptTestsVariablesRuns

These variables are specific to this collection and its requests. Learn more

	VARIABLE	INITIAL VALUE ⓘ
<input checked="" type="checkbox"/>	auth	https://restful-booker.herokuapp.com/auth
<input checked="" type="checkbox"/>	url	https://restful-booker.herokuapp.com
	Add a new variable	

Start working with your team

67%

Next: Invite at least 1 person.

Invite

ⓘ Use variables to reuse values and protect sensitive data

Store sensitive data in variable type secret to keep its values masked

Work with the current value of a variable to prevent sharing sensitive data

more about [collection variables](#)

	CURRENT VALUE	...	Persist All	Reset All
kuap...	https://restful-booker.herokuapp.com/auth			
kuap...	https://restful-booker.herokuapp.com			

ata

masked on the screen. Learn more about [variable type](#)

sensitive values with your team. Learn more about [variable values](#)

×