

Barcode Lists

Standard Operating Procedure — Side Panel Extension for Barcode Management

Covers Extension	v7.11 (Chrome, Edge, Brave & other Chromium browsers)
Ordering Website	Lexmark (the signage / batch ordering site this extension automates)
SOP ID	BL-SOP-001
Version	1.1
Effective Date	September 7, 2026
Next Review Date	September 7, 2027
Document Owner	Isaac Sudakar — isudakar@calgarycoop.com
Audience	FMC store staff (all stores)
Status	Approved

What changed in v1.1: the ordering website is formally named **Lexmark**; automation must **always start at the "ALL BATCHES" page**; a new standing rule to **always check for updates**; a fix for the Lexmark **"Content not found"** error; and a required **TCO document column specification** (incorrect column values are the known, most common cause of TCO failures). Covers extension v7.10–v7.11 (mid-run page refresh with auto-resume, corrected TCO buttons).

Table of Contents

1. Introduction

1.1 Purpose — 1.2 Scope — 1.3 Audience — 1.4 Definitions (incl. Lexmark & ALL BATCHES)

2. Roles & Responsibilities

3. Installing the Extension

3.1 Browser requirements — 3.2 Install from Chrome Web Store — 3.3 Install from file (internal build) — 3.4 Verify the version — 3.5 Pin & open the side panel

4. Updating the Extension — always check for updates

4.1 Standing rule — 4.2 Web Store installs — 4.3 File-loaded installs — 4.4 Version warning

5. Account & Login

5.1 Creating a store account — 5.2 Logging in — 5.3 Login errors — 5.4 Logging out — 5.5 Changing account details — 5.6 Multiple computers

6. Working with Lists

6.1 Create — 6.2 Rename — 6.3 Delete — 6.4 Reorder — 6.5 Important lists — 6.6 New-list green glow — 6.7 Trash bin

7. Working with Barcodes

7.1 Add — 7.2 Paste multiple — 7.3 Delete — 7.4 Comments (incl. TCO Price) — 7.5 Search on Lexmark

8. Importing from Excel

8.1 TCO document column specification — 8.2 Import steps — 8.3 Errors

9. Automation (Auto-Add & TCO Pricing)

9.1 Requirements & start page (ALL BATCHES) — 9.2 Blue sparkles — 9.3 Yellow broom — 9.4 Several lists at once — 9.5 "Don't click away" pop-up — 9.6 "Content not found"

10. Cloud Sync & Notifications

11. Settings

12. Troubleshooting

13. Support & Escalation

14. Frequently Asked Questions

15. Conclusion & Expected Results

16. Revision History & Approvals

Appendix A — Quick Reference Card

1. Introduction

1.1 Purpose

This SOP describes how to install, use, and troubleshoot the Barcode Lists browser extension. The extension lets FMC staff save barcodes once, organize them into lists, import them from Excel files, and automatically re-enter them into the **Lexmark** ordering website — eliminating retyping of 12-digit numbers and digging through spreadsheets.

1.2 Scope

In scope: installation and updates on Chromium-based browsers; store account login; creating and managing barcode lists; adding barcodes by typing, pasting, and Excel import; comments; the search-on-site feature; batch auto-add and TCO price automation on Lexmark; cloud sync; basic troubleshooting and escalation.

Out of scope: modifying the extension source code, Supabase backend administration, and configuring the companion phone app. These are handled by the document owner (Section 13).

1.3 Audience

FMC store staff who use Barcode Lists during ordering. No technical background is required. A separate *Barcode Lists — Debug Guide* exists for IT/support staff.

1.4 Definitions

Term	Meaning
Lexmark	The ordering website this extension automates (create batches, add signs, set prices). When this SOP says "the site" or "the ordering site", it means Lexmark.
ALL BATCHES	The required Lexmark start page for automation. All automation runs must begin with Lexmark open at the ALL BATCHES view — the buttons the extension clicks live there. See 9.1 and 9.6.
List (category)	A named group of barcodes, e.g. "Dairy", "Frozen". Shown in the left sidebar.
Store account	Login made of a store number (e.g. FMC07) and a password. One account per store; new stores are created automatically on first login.
Batch	A group of signs created on Lexmark. The automation creates one batch per list and names it after the list.
TCO Price	A temporary price written as a barcode comment ("TCO Price: 4.99") or read from the TCO Price column of an Excel file. Drives the yellow broom automation.
Check digit	The trailing (last) digit of a UPC used for validation. Excel imports can strip it with the "Remove last digit" toggle.

Important list	A list marked with a leading * or pushed from management's companion app. Shows a red pulsing glow.
Content not found	A Lexmark error meaning you are not on the page the automation expects — normally fixed by going to ALL BATCHES and refreshing (9.6).

2. Roles & Responsibilities

Role	Responsibility
FMC Store Staff	Install/update the extension; log in with their store account; maintain lists and barcodes; run imports and automation from the ALL BATCHES page of Lexmark ; verify TCO document columns before import; report bugs and feature requests to the owner.
Department Manager	Ensures staff use the correct store number; shares important lists (marked with ) from the companion app; approves local process changes.
SOP / Extension Owner — Isaac Sudakar	Distributes builds and updates; manages store accounts (password resets, store-number changes); fixes bugs; implements feature requests; keeps this SOP current.


3. Installing the Extension

3.1 Browser requirements

Any Chromium-based browser: Google Chrome (recommended), Microsoft Edge, Brave, or Opera. Firefox and Safari are not supported (the side-panel feature does not exist there).

3.2 Install from the Chrome Web Store (recommended)

1. Open the store page: `chromewebstore.google.com/detail/barcode-lists/colpoghjdbjnmciefnipaefbdfgjljifg`
2. Click the blue **Add to Chrome** button (in Edge it reads *Get*; accept the "Allow extensions from other stores" prompt first if it appears).
3. Click **Add extension** in the confirmation pop-up. The icon appears in the toolbar (if not, see 3.5).




Chrome Web Store — Barcode Lists [Add to Chrome] ★ 4.9 · Users: 10+

Figure 3-1 — Chrome Web Store listing. Click "Add to Chrome".

3.3 Install from file (internal build — supplied as a ZIP)

Use this method when Isaac supplies a newer internal build (e.g. `Barcode-Lists-7.11-upload.zip`) that is not yet on the Web Store.

1. Unzip the file to a folder that will stay in place (e.g. `Documents/Barcode-Lists`).
2. Open `chrome://extensions` — type it in the address bar and press Enter.
3. Turn on **Developer mode** — toggle in the top-right corner.
4. Click **Load unpacked** (top-left) and select the unzipped folder.



chrome://extensions · Developer mode: ON · [Load unpacked] [Pack extension] [Update]

 **Barcode Lists 7.11** — Your lists, one click away · Details · Remove [v Reload]

Figure 3-2 — the `chrome://extensions` page with Developer mode ON, and the Barcode Lists card (version and Reload button highlighted).

Data note: a file-loaded copy and a Web Store copy are two separate installs. Use only one at a time — disable the other in `chrome://extensions` to avoid duplicates. Your data is safe either way because it syncs from the cloud after login (Section 5.6).

3.4 Verify the version

1. Open `chrome://extensions` .
2. Find the Barcode Lists card and read the version number under the name (e.g. **7.11**).

3.5 Pin the icon & open the side panel

1. Click the puzzle-piece icon (Extensions) at the top-right of the toolbar.
2. Click the pin  next to Barcode Lists so its icon stays on the toolbar.
3. Click the Barcode Lists icon — the side panel opens beside the current page.

This is how you open it every day.

4. Updating the Extension

Standing rule — always check for updates. At the start of every shift (and before any automation run), open `chrome://extensions`, turn Developer mode ON if needed, click **Update**, and confirm the Barcode Lists card shows **7.11** or newer. Older versions lack automation fixes and will misbehave on Lexmark. This takes ten seconds and prevents most automation problems.

4.1 Web Store installs (automatic + manual check)

Web Store installs update automatically within a few hours of a release. To force the check right away:

1. Open `chrome://extensions`.
2. Turn Developer mode ON (top-right). An **Update** button appears in the top-left.
3. Click **Update**. Browser extensions refresh to the newest store version.
4. Verify the version on the Barcode Lists card (3.4).

4.2 File-loaded installs (manual)

1. Unzip the new build.
2. Replace the contents of the existing folder with the new files (**same folder** — do not create a second folder and load it separately).
3. Open `chrome://extensions` and click the ↻ **Reload** arrow on the Barcode Lists card.
4. Close and reopen the side panel.

4.3 Version warning — read this

The Web Store may serve an older version (e.g. 7.7) while the internal build is 7.11. Older versions are missing:

Version	What it added
7.8	Yellow TCO broom button
7.9	Inline list renaming, prompt-free list creation
7.10	Lexmark batch page refresh before TCO pricing, with automatic resume
7.11	Corrected TCO automation buttons (3 fixed XPaths); stale saved settings migrate automatically


If your store needs TCO automation, always update per 4.1 / 4.2 first. The store listing description may also mention an older "photo/OCR import" feature that is not present in current builds.

5. Account & Login

5.1 Creating a store account (first time)

1. Open the side panel (3.5). Enter your store number (e.g. `FMC07`) and a password.
2. Click **Login**. The account is created automatically on first login.

Whoever logs in first with a store number claims it and sets its password. If you see "Invalid password" on a brand-new store number, someone else already created it — contact Isaac (Section 13). Example credentials shown in the boxes ("fmc07") are placeholders only — use your own password.



5.2 Logging in (existing store)

Same steps as 5.1 with your store's existing number and password. After login the panel shows your lists; the dot next to the store number turns green when the cloud is reachable.

5.3 Login errors

Message	Meaning / fix
Please enter store number and password	One field is empty. Fill both.
Invalid password	Wrong password for an existing store. Retry; if lost, contact Isaac (no self-service reset).
Server error: ...	Cloud unreachable. Check internet; red dot confirms offline. Try again later.
Failed to create account	Account creation failed (offline or store number conflict). Check connection, retry.

5.4 Logging out

1. In the sidebar header, click the logout button (top-right of the sidebar, next to the store number).
2. Confirm *Logout? Your local data will remain.*

You return to the login screen. Lists stay on that computer but are hidden until someone logs in. The cloud copy is untouched. Logging back in with the same store number restores everything.

5.5 Changing account details

Change	How
List names, barcodes, comments, order	Self-service — Sections 6 and 7.
Automation settings	Self-service — Section 11.
Password change / reset	Not available in the app — email Isaac.
Store number change or new store setup	Email Isaac.

5.6 Using one store login on several computers

Allowed. Log in with the same store number and password everywhere; each device pulls the full list set from the cloud at login and keeps syncing. Changes made on the phone companion app or another computer appear automatically (Section 10). One login per device at a time; log out on shared computers when done.

6. Working with Lists

6.1 Create a list

1. Click the + button at the bottom of the sidebar. A list named "New List" is created and becomes active, with its name selected for editing.
2. Type the real name (e.g. *Dairy*) and press Enter.

6.2 Rename a list

1. Click the pencil button (top of the main pane) — or simply click into the list-name box.
2. Edit the name. Press Enter or click elsewhere to save. Press Escape to cancel.

Tip: starting or ending the name with * marks the list as important (6.5).

6.3 Delete a list

1. Open the list, then click the red trash button in the header.
2. Confirm *"Delete this category? It will go to the trash bin."*

The list moves to the Trash (6.7) — it is recoverable, not gone.

6.4 Reorder lists

1. In the sidebar, press and drag a list up or down.
2. Drop it between two lists. The new order is saved and synced automatically.

6.5 Important lists (red glow)

Lists whose name starts with * — or that are pushed as important from management's companion app — show a pulsing red glow. Treat them as priority (e.g. promotions). The glow stays until the list is deleted or renamed without the *.

6.6 New-list green glow

Lists that arrive from another device (phone app or another computer) and have not been opened yet pulse green. Click the list once to clear it.

6.7 Trash bin — restore or permanently delete

1. Click the trash icon in the sidebar header (tooltip "Trash").
2. To recover: click **Restore**. If a live list already uses that name, it returns as "name (restored)".
3. To remove one entry forever: **Delete** (asks to confirm).
4. To wipe everything: **Empty Trash**.

7. Working with Barcodes

7.1 Add barcodes by typing

1. Open the target list, click the "Enter barcode(s)..." box.
2. Type or scan the barcode and press Enter.

Rules: digits only — anything else is rejected with *Numbers only*; duplicates in the same list are skipped with *Duplicate*.

7.2 Add many at once (paste)

1. Copy a column of barcodes from any source (Excel, email, notepad).
2. Paste into the box — one barcode per line — and press Enter. Invalid lines and duplicates are skipped; a toast reports the result.

7.3 Delete a barcode

Hover the barcode row and click the red trash icon on the right. This removes it immediately (no confirmation).

7.4 Comments

1. Click the speech-bubble icon on the barcode row. A text box opens under the row.
2. Type up to 250 characters (e.g. "On sale this week", TCO Price: 4.99) and press Enter or click elsewhere.

To delete a comment, clear the text and save. Rows with a comment show a filled bubble icon.

TCO Price comments: a comment of the form TCO Price: <number> is what triggers the yellow broom automation (Section 9.3). Prices imported from a TCO Price Excel column are saved as these comments automatically (8.1).

7.5 Search a barcode on Lexmark

1. Open Lexmark in a tab of the same window (the site must be the active tab, at ALL BATCHES).
2. In the side panel, click the magnifier icon on the barcode row. The extension types the number into Lexmark's search box and clicks search for you.
3. Successfully searched barcodes turn purple — a visual "done" marker.

If the site is not open you will see *Open the target site tab first*; if the current tab is not supported, *No content script on this page*.

8. Importing from Excel

Imports `.xlsx` / `.xls` files. The importer looks for a column headed **UPC** (it scans the first 10 rows of every sheet), strips spaces/dashes and other non-numeric characters, removes duplicates, and can also read a **TCO Price** column.

8.1 TCO document column specification — follow this exactly

Known issue — human error: when a TCO import "doesn't work", the reason is almost always that the document's columns do not follow this specification. **Check the header names AND the values in every column before importing.** This is the only reason the TCO flow fails — the extension is not at fault.

Column	Header (row 1–10 of any sheet)	Required values
UPC	Header cell contains the whole word UPC (e.g. "UPC", "UPC #"). Case-insensitive.	One barcode per row. Spaces, dashes and other non-numeric characters are stripped automatically (e.g. 6 2798717297 3 → 627987172973). Must contain at least 5 digits after cleaning; shorter values are skipped.
TCO Price	Header cell contains both TCO and Price (e.g. "TCO Price"). Case-insensitive. Optional — omit for plain imports.	A number per row (e.g. 4.99 or 4.997 → shown as 4.99). Blank = no price; the barcode is imported without a TCO comment. Saved as a TCO Price: x.xx comment.
Column H (8th column)	No header requirement — this column is read by position , not by name.	Free-text note (e.g. "No change Leave on TCO until Aug 22-26"). Rows whose column-H text contains the word no or change are skipped entirely (not imported). Keep the note in column H — if you shift columns, rows meant to be skipped will be imported.

Column H is position-based. The importer always reads the 8th spreadsheet column for the no/change note, regardless of where the UPC and TCO Price columns sit. If your file has extra columns, keep the note in column H or delete the rows' notes before importing.

8.2 Import steps

1. Click the upload icon (next to the barcode box) and choose the file.
2. The **Review Extracted Barcodes** window opens. Every found barcode has a checkbox (all pre-checked).
3. Review the badges:

TCO 5.49 — a price was found for this row; it will be saved as a **TCO Price:** comment.

Already in list — this barcode is already in the list you have open.

Exists — already in another list of your store.

4. If the UPCs have a trailing check digit, keep **Remove last digit (check digit)** checked (it is ON by default).
Uncheck it if your file already has final 12-digit codes.
5. Uncheck anything you do not want. Use **Select All** / **Deselect All** for speed.
6. Click **Add Selected**. A new list is created, named after the file (not the sheet), containing the selected barcodes.

Rows are skipped automatically when the file has a TCO Price column and the row's column-H note says **no** or **change** — these are items with no price change to process (8.1).

8.3 Errors

Error toasts: *Unsupported file type* (not .xlsx/.xls) · *No UPC column found in this file* (header not within the first 10 rows — fix the header per 8.1 and re-upload) · *Error processing file* (corrupt file — try re-saving it in Excel).

TCO import worked but prices are wrong or missing on Lexmark? Re-open the source file and verify every column against 8.1 — header spelling, TCO Price cell values, and the column-H notes. Incorrect values are a known, common human error and the only documented cause of TCO flow failures.

9. Automation (Auto-Add & TCO Pricing)

Automation types your list into **Lexmark** for you.

9.1 Requirements — do these every time

1. **Update check first.** Confirm the extension is current — Section 4 (always check for updates).
2. **Open Lexmark** in a tab of the same window as the side panel, and make it the active tab.
3. **Start at ALL BATCHES.** Navigate Lexmark to the **ALL BATCHES** page before clicking any automation button. The buttons automation clicks (create batch, add signs, ...) live on this page. Starting anywhere else is the main cause of "Content not found" (9.6) and stuck runs.
4. The site's XPath settings must be configured (Section 11 — preset by the owner, normally untouched).
5. The list(s) to process must contain at least one barcode.

Golden rule: Lexmark open → ALL BATCHES → then press the button. Never start from a batch detail page, a sign editor, or any other Lexmark view.

9.2 Blue sparkles — "Create batch and auto-add"

1. Open Lexmark and go to **ALL BATCHES** (9.1).
2. In the panel, open the list to process.
3. Click the ✨ sparkles button in the header. The extension creates a batch named after your list, then for every barcode: types it → searches → ticks the result → clicks add.
4. Watch the progress line under the header (e.g. `List Dairy: 3/50 012345678905`) and the "Don't click away" pop-up (9.5).
5. To stop early, click the same button again — it turns into a red stop square while running.

9.3 Yellow broom — batch + TCO prices

When the active list (or checkbox-selected lists) contains `TCO Price:` comments, the blue button is automatically replaced by the yellow broom 🧹. It does everything the blue button does, then:

1. Reopens the created batch.
2. **The Lexmark page refreshes itself once** so all barcodes load — do not click anything during this moment. The automation resumes automatically afterwards (v7.10 behaviour).
3. Selects all signs, applies the **"12up Managers' Special"** template.
4. Reopens the batch and edits each sign: searches the barcode, opens the sign edit sheet, replaces the price field with the TCO price from the barcode comment, saves, and returns to the batch list.

Barcodes without a TCO comment are added to the batch but skipped in the price pass (reported as *N skipped*).

9.4 Several lists at once

1. Tick the checkboxes beside two or more lists in the sidebar. A "N list(s) selected" bar appears.

2. Click the blue/yellow button — lists are processed one after another as separate batches. Click **Clear** to cancel the selection.

9.5 "Don't click away" pop-up

While automation runs, a pop-up shows live progress and rotating tips. **Do not switch tabs or click into Lexmark** — the automation drives that page. Use **Hide** to minimize it (the run continues) or **Don't show this again** (re-enable in Settings, Section 11).

9.6 "Content not found" — and other automation errors

If Lexmark says "Content not found": you are not on the right page. **Make sure you are at ALL BATCHES, then refresh the page** (F5 / ↻). Start the automation again from ALL BATCHES. That is the whole fix — no reinstall, no settings change.

Error you may see	Meaning / fix
Content not found (Lexmark page)	Not on ALL BATCHES. Go to ALL BATCHES → refresh the page → retry (9.1, 9.6).
Missing XPath: ... Check Settings	Automation not configured — Section 11.
Create batch button not found / Search box not found	Either you are not on ALL BATCHES, or Lexmark's layout changed. Go to ALL BATCHES and refresh first; if it repeats on the correct page, report to Isaac.
No barcodes in the selected list(s)	The list(s) you picked are empty.
Run stops mid-way / acts oddly	A tab was clicked mid-run, or the page wasn't at ALL BATCHES. Return to ALL BATCHES, refresh, start again.

10. Cloud Sync & Notifications

Always on, always automatic. Every add/delete/edit is pushed to the store's private cloud when online. Nothing to click.

Status dot (top of sidebar): ● green = connected · ● red = offline.

Offline work is fully supported. Keep editing; changes live on the computer and sync when the connection returns.

Updates from the phone app: when management shares a list, the panel pulls it automatically ("List updated from phone" toast). If the panel is closed, the toolbar icon shows a red **NEW** badge and a system notification appears — click it to open the panel.

11. Settings

1. Click the ⚙ gear button (right of the upload icon).
2. **General:** toggle the "Don't click away" pop-up on/off (off = Don't show this again was pressed).
3. **XPath sections** (Auto Add · Batch Setup · TCO Automation): addresses of Lexmark's buttons/fields. Do not change these unless instructed by the owner. Delay (default 1500 ms) = wait between barcodes; Timeout (default 8000 ms) = how long to wait for page elements.
4. Click **Save** (or Cancel to discard).

v7.11 note: if saved automation settings contain outdated TCO addresses from an older version, they are migrated to the corrected values automatically on load — no manual fix needed. Only edit these fields if Isaac instructs you.

12. Troubleshooting

Symptom	What to do
Lexmark shows "Content not found"	You are not on the required start page. Go to ALL BATCHES and refresh the page , then start the automation again from there (9.6).
TCO prices missing / wrong on signs	The TCO document's columns do not follow the specification (8.1). Check the header names and the values in every column — this is the known, most common cause (human error). Fix the file, re-import, run again.
Yellow broom button missing	(a) Active list has no TCO Price: comments — check spelling; (b) outdated extension — update (Section 4, always check for updates).
Red dot beside store number	Offline. Keep working — everything is saved locally and syncs when back online.
Invalid password	Retry carefully. If the password is lost, email Isaac (no self-service reset).
Missing XPath: ... Check Settings	Automation fields empty in Settings — email Isaac; do not guess values.
Automation stops mid-run or acts oddly	Another tab was clicked, or you were not at ALL BATCHES. Go to ALL BATCHES, refresh the page, and start again; if it repeats on the correct page, report to Isaac.
Search icon says <i>Open the target site tab first</i>	Open Lexmark (at ALL BATCHES) and make it the active tab, then retry.
Excel import finds nothing	File needs a column headed UPC within the first 10 rows (8.1). Fix the header and re-upload.
Rows that should be skipped got imported (or vice-versa)	The no/change notes are not in column H (8.1). Move the notes to column H and re-import.
Lists missing on a new computer	Log in with the same store number — everything pulls from the cloud.
Extension icon missing after a browser update	Check <code>chrome://extensions</code> ; if removed, reinstall (Section 3) and log in — data returns via sync.
Barcode rejected with <i>Numbers only</i>	The value contains letters/symbols. Remove them or re-scan.

13. Support & Escalation

All bugs, account issues (password resets, new stores) and feature requests go to a single contact:

Owner	Isaac Sudakar
Email	isudakar@calgarycoop.com
Response for	Bugs · password resets · new store setup · feature requests · this document

What to include in a bug report

1. Store number (e.g. FMC07) and extension version (3.4).
2. What you clicked and what you expected vs. what happened.
3. The exact error text / toast, if any (e.g. "Content not found").
4. Where Lexmark was when it happened (were you at ALL BATCHES?).
5. A screenshot of the panel (Cmd+Shift+4 on Mac, PrtScn on Windows).
6. Date and approximate time it happened.

Feature requests

Email the same address with "Feature request: ..." in the subject and a short description of the job to be done. Requests are reviewed with the department and scheduled into extension updates; this SOP is updated with each release.

14. Frequently Asked Questions

Question	Answer
What is Lexmark?	The ordering website the extension automates — batches and signs are created there. "The site" in this SOP means Lexmark.
Why must I start at ALL BATCHES?	The buttons automation clicks (create batch, add signs, templates) exist on that page. Starting elsewhere causes "Content not found" or stuck runs (9.1, 9.6).
What does "Content not found" mean?	A Lexmark error meaning you're on the wrong page. Fix: go to ALL BATCHES and refresh the page , then retry (9.6).
TCO run didn't set prices. Is the extension broken?	Almost never. The TCO document's columns don't follow the spec (8.1) — check headers and every value. Known issue: human error.
Where do I sign up?	Nowhere — the first login with a store number creates the account (5.1).
I forgot my password.	No reset flow exists by design. Email Isaac from your work address.
Can two people use the same store login?	Yes — on different computers, even at the same time. Changes sync both ways.
Will I lose lists if my browser is reinstalled?	No — everything synced to the cloud returns at next login. Unsynced offline edits made in the last moments before the wipe could be lost; sync first when possible.
Why does my coworker see different lists?	Different store number = different account. Log out and use your store's number.
What does the purple barcode mean?	It was successfully searched on Lexmark via the magnifier icon (7.5).
What does the red glow mean?	The list is marked important (starts with * or pushed by management) — treat as priority (6.5).
What does the green glow mean?	The list arrived from another device and hasn't been opened yet; click it to clear (6.6).
Does deleting a list destroy it?	No — it goes to the Trash and can be restored (6.3, 6.7).
Why did the Lexmark page refresh by itself mid-run?	Expected (v7.10+): the TCO automation reloads the batch page so all barcodes load, then resumes automatically. Don't click anything (9.3).
Do I need internet?	Only for sync and automation. Browsing lists, editing, and imports work offline.

Where does "Remove last digit" come from?

UPC files often include a trailing check digit; the toggle strips it during import. ON by default (8.2, step 4).

15. Conclusion & Expected Results

Following this SOP, every FMC store can install and operate Barcode Lists without technical help: a store account is created in under a minute, lists mirror the department's layout, barcodes arrive by typing, pasting, or Excel import, and the automation re-enters entire lists — with TCO prices — into **Lexmark** (always starting from **ALL BATCHES**) while staff supervise. Cloud sync keeps every device current, the trash bin protects against mistakes, and a single owner handles everything the app deliberately cannot (passwords, store setup, site-layout changes).

Expected results — verification checklist

Check	Expected result	✓
Extension installed & pinned (3)	Icon on toolbar; panel opens beside any page	☐
Update check done (4)	<code>chrome://extensions</code> shows 7.11 or newer after clicking Update	☐
Store login (5)	Main screen shows store number; dot green online	☐
List created and renamed (6.1–6.2)	Name saved; order persists after reopen	☐
Barcode add / paste (7.1–7.2)	Toast "Added N barcode(s)"; duplicates skipped	☐
TCO document checked (8.1)	UPC + TCO Price headers correct; column-H notes in place; cell values verified	☐
Excel import (8.2)	Review modal opens; Add Selected creates the file-named list	☐
Search-on-site (7.5)	Barcode typed into Lexmark; row turns purple	☐
Automation start page (9.1)	Lexmark open at ALL BATCHES before pressing the button	☐
Automation dry run (9)	Batch created on Lexmark; progress counts up; mid-run refresh resumes by itself; stop works	☐
"Content not found" drill (9.6)	ALL BATCHES + refresh resolves the error	☐
Sync (10)	List added on phone appears in panel automatically	☐

Trash round-trip (6.7)	Deleted list restored with all barcodes	☐
------------------------	---	--------------------------

Any unchecked box after following the matching section = a support case for Section 13.

16. Revision History & Approvals

Revision history

Version	Date	Change	Author
1.0	2026-08-30	Initial release — covers extension v7.9 (installation, updates, accounts, lists, barcodes, Excel import, automation, sync, troubleshooting, support).	Isaac Sudakar
1.1	2026-09-07	Ordering website formally named Lexmark ; automation must start at ALL BATCHES (9.1); standing rule to always check for updates (4); fix for Lexmark " Content not found " error (9.6, 12); TCO document column specification incl. fixed column H and value checks (8.1 — known human-error cause); covers v7.10 (batch-page refresh with automatic resume) and v7.11 (corrected TCO buttons, automatic settings migration).	Isaac Sudakar

Review triggers

This SOP must be reviewed after any extension release, any change to the Lexmark website layout that affects automation, or within 12 months — whichever comes first.

Approvals

Role	Signature	Date
Author — Isaac Sudakar		
Approver — FMC Dept. Manager		

Appendix A — Quick Reference Card

Print this page and keep it at the ordering station.

Task	Clicks
Open the app	Toolbar → Barcode Lists icon
Check for updates (do daily)	chrome://extensions → Developer mode ON → Update → confirm 7.11 on the card
Login / first-time account	Store number + password → Login
New list	Sidebar + → type name → Enter
Important list	Name it starting with * → red glow
Rename list	Pencil (or click the name) → edit → Enter
Delete list	Red trash in header → confirm → Trash
Restore list	Sidebar trash → Restore
Add barcode(s)	Type or paste (one per line) → Enter
Comment	Bubble icon → ≤250 chars → Enter
Search on site	Lexmark tab → magnifier icon → row turns purple
TCO Excel file (8.1)	Header UPC + header TC0 Price ; No/Change notes in column H ; verify values before import
Excel import	Upload icon → review → Add Selected
Start auto-add batch	Lexmark → ALL BATCHES → blue ✨ (yellow 🖌 for TCO) → watch progress
Stop automation	Click the same button (red square)
"Content not found"	Go to ALL BATCHES → refresh the page → retry
TCO prices wrong/missing	Check the Excel file's columns & values (8.1) — not the extension
Multi-list run	Tick sidebar checkboxes → blue/yellow button
Settings	⚙ gear → edit → Save
Logout	Sidebar header logout icon → confirm
Bug / password / request	isudakar@calgarycoop.com

Remember: Lexmark open → **ALL BATCHES** → button. Updates checked. TCO columns verified. That's 90% of trouble avoided.