

Barcode Lists

Standard Operating Procedure — Side Panel Extension for Barcode Management

Covers Extension v7.9 (Chrome, Edge, Brave & other Chromium browsers)

SOP ID	BL-SOP-001
Version	1.0
Effective Date	August 30, 2026
Next Review Date	August 30, 2027
Document Owner	Isaac Sudakar — isudakar@calgarycoop.com
Audience	FMC store staff (all stores)
Status	Approved

Table of Contents

1. Introduction	3
1.1 Purpose — 1.2 Scope — 1.3 Audience — 1.4 Definitions	
2. Roles & Responsibilities	4
3. Installing the Extension	4
3.1 Browser requirements — 3.2 Install from Chrome Web Store — 3.3 Install from file (internal build) — 3.4 Verify the version — 3.5 Pin & open the side panel	
4. Updating the Extension	7
4.1 Web Store installs — 4.2 File-loaded installs — 4.3 Version warning	
5. Account & Login	7
5.1 Creating a store account — 5.2 Logging in — 5.3 Login errors — 5.4 Logging out — 5.5 Changing account details — 5.6 Multiple computers	
6. Working with Lists	13
6.1 Create — 6.2 Rename — 6.3 Delete — 6.4 Reorder — 6.5 Important lists — 6.6 New-list green glow — 6.7 Trash bin	
7. Working with Barcodes	18
7.1 Add — 7.2 Paste multiple — 7.3 Delete — 7.4 Comments — 7.5 Search on ordering site	
8. Importing from Excel	24
9. Automation (Auto-Add & TCO Pricing)	26
10. Cloud Sync & Notifications	30
11. Settings	30
12. Troubleshooting	33
13. Support & Escalation	33
14. Frequently Asked Questions	34
15. Conclusion & Expected Results	34
16. Revision History & Approvals	35
Appendix A — Quick Reference Card	36

1. Introduction

1.1 Purpose

This SOP describes how to install, use, and troubleshoot the **Barcode Lists** browser extension. The extension lets FMC staff save barcodes once, organize them into lists, import them from Excel files, and automatically re-enter them into the ordering website — eliminating retyping of 12-digit numbers and digging through spreadsheets.

1.2 Scope

In scope: installation and updates on Chromium-based browsers; store account login; creating and managing barcode lists; adding barcodes by typing, pasting, and Excel import; comments; the search-on-site feature; batch auto-add and TCO price automation; cloud sync; basic troubleshooting and escalation.

Out of scope: modifying the extension source code, Supabase backend administration, and configuring the companion phone app. These are handled by the document owner (Section 13).

1.3 Audience

FMC store staff who use Barcode Lists during ordering. No technical background is required. A separate *Barcode Lists — Debug Guide* exists for IT/support staff.

1.4 Definitions

Term	Meaning
List (category)	A named group of barcodes, e.g. "Dairy", "Frozen". Shown in the left sidebar.
Store account	Login made of a store number (e.g. FMC07) and a password. Each store has its own private data. Created automatically on first login.
Check digit	The last digit of a UPC used for validation. Some Excel files include it; the import toggle removes it.
TCO Price	A special price stored as a comment (TCO Price: 4.99) that the yellow-broom automation applies on the ordering site.
Batch	A container on the ordering website that the automation fills with signs from one of your lists.
Sync	Automatic copying of your lists between the browser and the private cloud database, and between devices.
Side panel	The column that opens beside the web page when you click the extension icon.
XPath	A technical address of a button/field on the ordering site, used by the automation. Configured in Settings — normally preset.

2. Roles & Responsibilities

Role	Responsibility
FMC Store Staff	Install/update the extension; log in with their store account; maintain lists and barcodes; run imports and automation; report bugs and feature requests to the owner.
Department Manager	Ensures staff use the correct store number; shares important lists (marked with ) from the companion app; approves local process changes.
SOP / Extension Owner — Isaac Sudakar	Distributes builds and updates; manages store accounts (password resets, store-number changes); fixes bugs; implements feature requests; keeps this SOP current.

3. Installing the Extension

3.1 Browser requirements

- Any Chromium-based browser: **Google Chrome** (recommended), Microsoft Edge, Brave, or Opera.
- Firefox and Safari are **not** supported (the side-panel feature does not exist there).

3.2 Install from the Chrome Web Store (recommended)

- 1 Open the store page:

chromewebstore.google.com/detail/barcode-lists/colpoghjdbjnmciefnipaefbdfjlgjifg

- 2 Click the blue  button (in Edge it reads **Get**; accept the "Allow extensions from other stores" prompt first if it appears).
- 3 Click **Add extension** in the confirmation pop-up. The icon appears in the toolbar (if not, see 3.5).





Figure 3-1 — Chrome Web Store listing. Click "Add to Chrome".

3.3 Install from file (internal build — supplied as a ZIP)

Use this method when Isaac supplies a newer internal build (e.g. `Barcode-Lists-7.9-upload.zip`) that is not yet on the Web Store.

- 1 Unzip the file to a folder that will stay in place (e.g. `Documents/Barcode-Lists`).
- 2 Open `chrome://extensions` — type it in the address bar and press Enter.
- 3 Turn on **Developer mode** — toggle in the top-right corner.
- 4 Click **Load unpacked** (top-left) and select the unzipped folder.



Data note: a file-loaded copy and a Web Store copy are two separate installs. Use only one at a time — disable the other in `chrome://extensions` to avoid duplicates. Your data is safe either way because it syncs from the cloud after login (Section 5.6).


3.4 Verify the version

- 1 Open `chrome://extensions`.
- 2 Find the **Barcode Lists** card and read the version number under the name (e.g. **7.9**).

3.5 Pin the icon & open the side panel

- 1 Click the **puzzle-piece icon** (Extensions) at the top-right of the toolbar.
- 2 Click the **pin**  next to Barcode Lists so its icon stays on the toolbar.
- 3 Click the **Barcode Lists icon** — the side panel opens beside the current page.

This is how you open it every day.



4. Updating the Extension

4.1 Web Store installs (automatic + manual check)

Web Store installs update automatically within a few hours of a release. To force the check right away:

- 1 Open `chrome://extensions`.
- 2 Turn **Developer mode** ON (top-right). An **Update** button appears in the top-left.
- 3 Click **Update**. Browser extensions refresh to the newest store version.
- 4 Verify the version on the Barcode Lists card (3.4).

4.2 File-loaded installs (manual)

- 1 Unzip the new build.
- 2 Replace the contents of the existing folder with the new files (same folder — do not create a second folder and load it separately).
- 3 Open `chrome://extensions` and click the  **Reload** arrow on the Barcode Lists card.
- 4 Close and reopen the side panel.

4.3 Version warning — read this

The Web Store currently serves version 7.7, while the internal build is **7.9**. On 7.7 you will not have the yellow TCO broom (added in 7.8) or inline list renaming (7.9). If your store needs TCO automation, ask Isaac for the internal build and install it per 3.3 / 4.2. The store listing description may also mention an older "photo/OCR import" feature that is not present in current builds.

5. Account & Login

5.1 Creating a store account (first login)

There is **no separate sign-up**. The first time a store number logs in, the account is created automatically with the password you typed.

- 1 Open the side panel (3.5). The login screen appears.
- 2 Enter your **store number** (format: letters + digits, e.g. `FMC07`, `FMC99`).
- 3 Enter a **password** your store will use from now on. Share it only with staff who order.
- 4 Click **Login**. The main screen appears — the account now exists.

Whoever logs in first with a store number claims it and sets its password. If you see "Invalid password" on a brand-new store number, someone else already created it — contact Isaac (Section 13). Example credentials shown in the boxes ("fmc07") are placeholders only — use your own password.


The image shows a dark-themed login screen for 'Barcode Lists'. The title 'Barcode Lists' is centered at the top in a white sans-serif font. Below the title are three input fields: the first is labeled 'Store number (e.g., FMC07)', the second is labeled 'Password (e.g., fmc07)', and the third is a 'Login' button. All three fields have a light gray border and rounded corners. At the bottom of the form area, the text 'New stores will be created automatically' is displayed in a smaller, lighter font. The entire form is centered on a dark background.

Figure 5-1 — Login screen. Store number + password → Login. New stores are created automatically.

5.2 Logging in (existing store)

Same steps as 5.1 with your store's existing number and password. After login the panel shows your lists; the dot next to the store number turns green when the cloud is reachable.




Figure 5-2 — Main screen right after login (this store has one list, "Frozen", that arrived from another device — green glow).

5.3 Login errors

Message	Meaning / fix
Please enter store number and password	One field is empty. Fill both.
Invalid password	Wrong password for an existing store. Retry; if lost, contact Isaac (no self-service reset).
Server error: ...	Cloud unreachable. Check internet; red dot confirms offline. Try again later.
Failed to create account	Account creation failed (offline or store number conflict). Check connection, retry.




Figure 5-3 — "Invalid password" shown under the Login button.

5.4 Logging out

- 1 In the sidebar header, click the **trash-icon button** with the tooltip "Logout" (top-right of the sidebar, next to the store number).
- 2 Confirm **Logout? Your local data will remain.**

You return to the login screen. Lists stay on that computer but are hidden until someone logs in. The cloud copy is untouched. Logging back in with the same store number restores everything.

5.5 Changing account details

Change	How
List names, barcodes, comments, order	Self-service — Sections 6 and 7.
Automation settings	Self-service — Section 11.
Password change / reset	Not available in the app — email Isaac.
Store number change or new store setup	Email Isaac.

5.6 Using one store login on several computers

Allowed. Log in with the same store number and password everywhere; each device pulls the full list set from the cloud at login and keeps syncing. Changes made on the phone companion app or another computer appear automatically (Section 10). One login per device at a time; log out on shared computers when done.

6. Working with Lists

6.1 Create a list

- 1 Click the  button at the bottom of the sidebar. A list named **"New List"** is created and becomes active, with its name selected for editing.
- 2 Type the real name (e.g. `Dairy`) and press **Enter**.



Figure 6-1 — A new list was created; type the name and press Enter.

6.2 Rename a list

- 1 Click the **pencil** button (top of the main pane) — or simply click into the list-name box.
- 2 Edit the name. Press **Enter** or click elsewhere to save. Press **Escape** to cancel.

Tip: starting or ending the name with * marks the list as **important** (6.5).

6.3 Delete a list

- 1 Open the list, then click the **red trash** button in the header.
- 2 Confirm "**Delete this category? It will go to the trash bin.**"

The list moves to the **Trash** (6.7) — it is recoverable, not gone.

6.4 Reorder lists

- 1 In the sidebar, press and **drag** a list up or down.
- 2 Drop it between two lists. The new order is saved and synced automatically.

6.5 Important lists (red glow)

Lists whose name starts with * — or that are pushed as important from management's companion app — show a **pulsing red glow**. Treat them as priority (e.g. promotions). The glow stays until the list is deleted or renamed without the *.

6.6 New-list green glow

Lists that arrive **from another device** (phone app or another computer) and have not been opened yet pulse **green**. Click the list once to clear it.




Figure 6-2 — Sidebar: "Frozen" pulses green (arrived from another device, not opened yet); "PROMO Items" pulses red (important); "Dairy" is the active list.

6.7 Trash bin — restore or permanently delete

- 1 Click the **trash icon** in the sidebar header (tooltip "Trash").
- 2 To recover: click **Restore**. If a live list already uses that name, it returns as "*name* (restored)".

- 3 To remove one entry forever: **Delete** (asks to confirm).
- 4 To wipe everything: **Empty Trash**.




Figure 6-3 — Trash modal with one deleted list; Restore / Delete per entry, Empty Trash at the bottom.

7. Working with Barcodes

7.1 Add barcodes by typing

- 1 Open the target list, click the "**Enter barcode(s)...**" box.
- 2 Type or scan the barcode and press **Enter**.

Rules: digits only — anything else is rejected with `Numbers only`; duplicates in the same list are skipped with `Duplicate`.

7.2 Add many at once (paste)

- 1 Copy a column of barcodes from any source (Excel, email, notepad).
- 2 Paste into the box — one barcode per line — and press **Enter**. Invalid lines and duplicates are skipped; a toast reports the result.

The image shows a mobile application interface with two main panels. The left panel has a header 'FMC99' with a green dot and three icons: a trash can, a back arrow, and a plus sign. Below the header are two checkboxes: 'Frozen' and 'Dairy'. The right panel has a header 'Dairy' with three icons: a pencil, a trash can, and a share icon. Below the header is a text input field containing '0626100032' and '149' on two lines. The input field has a blue border and a cursor. To the right of the input field are two icons: an up arrow and an asterisk.

Figure 7-1 — Three barcodes pasted, one per line, ready for Enter.




Figure 7-2 — Toast "Added 3 barcode(s)".

7.3 Delete a barcode

- 1 Hover the barcode row and click the **red trash icon** on the right. This removes it immediately (no confirmation).

7.4 Comments

- 1 Click the **speech-bubble icon** on the barcode row. A text box opens under the row.
- 2 Type up to **250 characters** (e.g. "On sale this week", "TCO Price: 4.99") and press **Enter** or click elsewhere.

To delete a comment, clear the text and save. Rows with a comment show a **filled** bubble icon.




Figure 7-3 — Comment editor open under a barcode.

7.5 Search a barcode on the ordering site

- 1 Open the **ordering website in a tab** of the same window (the site must be the active tab).
- 2 In the side panel, click the **magnifier icon** on the barcode row. The extension types the number into the site's search box and clicks search for you.

- 3 Successfully searched barcodes turn **purple** — a visual "done" marker.

If the site is not open you will see `Open the target site tab first ; if the current tab is not supported, No content script on this page .`




Figure 7-4 — Barcode rows. Row icons: comment bubble · search magnifier · delete trash. The purple barcode has been searched on the site; row 1 has a comment (filled bubble).

8. Importing from Excel

Imports `.xlsx` / `.xls` files. The importer looks for a column headed **UPC** (it scans the first 10 rows of every sheet), strips spaces/dashes and other non-numeric characters, removes duplicates, and can also read a **TCO Price** column.

- 1 Click the **upload icon** (next to the barcode box) and choose the file.
- 2 The **Review Extracted Barcodes** window opens. Every found barcode has a checkbox (all pre-checked).
- 3 Review the badges:
 - **TCO 5.49** — a price was found for this row; it will be saved as a `TC0 Price: comment`.
 - **Already in list** — this barcode is already in the list you have open.
 - **Exists** — already in another list of your store.
- 4 If the UPCs have a trailing check digit, keep **Remove last digit (check digit)** checked (it is ON by default). Uncheck it if your file already has final 12-digit codes.
- 5 Uncheck anything you do not want. Use **Select All** / **Deselect All** for speed.
- 6 Click **Add Selected**. A new list is created, named after the **file** (not the sheet), containing the selected barcodes.

Rows are skipped automatically when the file has a TCO Price column and the row's last column says `no` or `change` — these are items with no price change to process.




Figure 8-1 — Review modal: check-digit toggle (ON), file group "tco-demo", per-barcode checkboxes, TCO price badges and duplicate badges, footer actions.

Error toasts: Unsupported file type (not.xlsx/.xls) · No UPC column found in this file · Error processing file (corrupt file — try re-saving it in Excel).

9. Automation (Auto-Add & TCO Pricing)

Automation types your list into the ordering website for you. **Requirements:** the ordering site must be open in a tab of the same window and be the active tab; the site's XPath settings must be configured (Section 11 — preset by the owner, normally untouched).

9.1 Blue sparkles — "Create batch and auto-add"

- 1 Open the ordering site tab.
- 2 In the panel, open the list to process.
- 3 Click the  in the header. The extension creates a batch named after your list, then for every barcode: types it → searches → ticks the result → clicks add.
- 4 Watch the progress line under the header (e.g. `List Dairy: 3/50 012345678905`) and the "Don't click away" pop-up (9.4).
- 5 To stop early, click the same button again — it turns into a red **stop square** while running.

9.2 Yellow broom — batch + TCO prices

When the active list (or checkbox-selected lists) contains `TCO Price:` comments, the blue button is automatically **replaced by the yellow broom**. It does everything the blue button does, then reopens the batch, selects all signs, applies the "**12up Managers' Special**" template, and types each sign's price from its comment. Barcodes without a TCO comment are added but skipped in the price pass (reported as `N skipped`).




Figure 9-1 — The yellow broom replaces the blue sparkles while the "TCO Demo" list (which has TCO Price comments) is active.

9.3 Several lists at once

- 1 Tick the **checkboxes** beside two or more lists in the sidebar. A "N list(s) selected" bar appears.
- 2 Click the blue/yellow button — lists are processed one after another as separate batches. Click **Clear** to cancel the selection.




Figure 9-2 — Two lists checkbox-selected; the selection bar reads "2 lists selected".

9.4 "Don't click away" pop-up

While automation runs, a pop-up shows live progress and rotating tips. **Do not switch tabs or click into the site** — the automation drives that page. Use **Hide** to minimize it (the run continues) or **Don't show this again** (re-enable in Settings, Section 11).




Figure 9-3 — "Don't click away" pop-up with live progress.

Errors you may see: Missing XPath: ... Check Settings (automation not configured — Section 11) · Create batch button not found / Search box not found (ordering site layout changed — report to Isaac) · No barcodes in the selected list(s).

10. Cloud Sync & Notifications

- **Always on, always automatic.** Every add/delete/edit is pushed to the store's private cloud when online. Nothing to click.
- **Status dot** (top of sidebar): ● **green** = connected · ● **red** = offline.
- **Offline work is fully supported.** Keep editing; changes live on the computer and sync when the connection returns.
- **Updates from the phone app:** when management shares a list, the panel pulls it automatically ("List updated from phone" toast). If the panel is closed, the toolbar icon shows a red **NEW** badge and a system notification appears — click it to open the panel.

11. Settings

- 1 Click the  **gear** button (right of the upload icon).
- 2 **General:** toggle the "Don't click away" pop-up on/off (off = *Don't show this again* was pressed).
- 3 **XPath sections** (Auto Add · Batch Setup · TCO Automation): addresses of the ordering site's buttons/fields. **Do not change these unless instructed by the owner.** Delay (default 1500 ms) = wait between barcodes; Timeout (default 8000 ms) = how long to wait for page elements.
- 4 Click **Save** (or **Cancel** to discard).




Figure 11-1 — Settings: general toggle and the Auto Add XPath fields.




Figure 11-2 — Settings scrolled down: Batch Setup and TCO Automation XPath fields.

12. Troubleshooting

Symptom	What to do
Red dot beside store number	Offline. Keep working — everything is saved locally and syncs when back online.
Invalid password	Retry carefully. If the password is lost, email Isaac (no self-service reset).
Yellow broom button missing	(a) Active list has no TC0 Price: comments — check spelling; (b) Web Store version 7.7 — update (Section 4) or install internal build 7.9.
Missing XPath: ... Check Settings	Automation fields empty in Settings — email Isaac; do not guess values.
Automation stops mid-run or acts oddly	Another tab was clicked, or the ordering site layout changed. Reopen the site tab and start again; if it repeats, report to Isaac.
Search icon says Open the target site tab first	Open the ordering site and make it the active tab, then retry.
Excel import finds nothing	File needs a column headed UPC within the first 10 rows. Fix the header and re-upload.
Lists missing on a new computer	Log in with the same store number — everything pulls from the cloud.
Extension icon missing after a browser update	Check <code>chrome://extensions</code> ; if removed, reinstall (Section 3) and log in — data returns via sync.
Barcode rejected with Numbers only	The value contains letters/symbols. Remove them or re-scan.

13. Support & Escalation

All bugs, account issues (password resets, new stores) and feature requests go to a single contact:

Owner	Isaac Sudakar
Email	isudakar@calgarycoop.com
Response for	Bugs · password resets · new store setup · feature requests · this document

What to include in a bug report

1. Store number (e.g. FMC07) and extension version (3.4).
2. What you clicked and what you expected vs. what happened.
3. The exact error text / toast, if any.
4. A screenshot of the panel (Cmd+Shift+4 on Mac, PrtScn on Windows).
5. Date and approximate time it happened.

Feature requests

Email the same address with "Feature request: ..." in the subject and a short description of the job to be done. Requests are reviewed with the department and scheduled into extension updates; this SOP is updated with each release.

14. Frequently Asked Questions

Question	Answer
Where do I sign up?	Nowhere — the first login with a store number creates the account (5.1).
I forgot my password.	No reset flow exists by design. Email Isaac from your work address.
Can two people use the same store login?	Yes — on different computers, even at the same time. Changes sync both ways.
Will I lose lists if my browser is reinstalled?	No — everything synced to the cloud returns at next login. Unsynced offline edits made in the last moments before the wipe could be lost; sync first when possible.
Why does my coworker see different lists?	Different store number = different account. Log out and use your store's number.
What does the purple barcode mean?	It was successfully searched on the ordering site via the magnifier icon (7.5).
What does the red glow mean?	The list is marked important (starts with * or pushed by management) — treat as priority (6.5).
What does the green glow mean?	The list arrived from another device and hasn't been opened yet; click it to clear (6.6).
Does deleting a list destroy it?	No — it goes to the Trash and can be restored (6.3, 6.7).
Why is there no photo/OCR import?	The store listing (v7.7) describes it, but current builds do not include it. Excel import (Section 8) is the supported path.
Do I need internet?	Only for sync and automation. Browsing lists, editing, and imports work offline.
Where does "Remove last digit" come from?	UPC files often include a trailing check digit; the toggle strips it during import. ON by default (8, step 4).

15. Conclusion & Expected Results

Following this SOP, every FMC store can install and operate Barcode Lists without technical help: a store account is created in under a minute, lists mirror the department's layout, barcodes arrive by typing, pasting, or Excel import, and the automation re-enters entire lists — with TCO prices — into the ordering site while staff supervise. Cloud sync keeps every device current, the trash bin protects against mistakes, and a single owner handles everything the app deliberately cannot (passwords, store setup, site-layout changes).

Expected results — verification checklist

Check	Expected result	✓
Extension installed & pinned (3)	Icon on toolbar; panel opens beside any page	☐
Version is 7.9 (3.4 / 4.3)	Card shows 7.9; yellow broom available	☐
Store login (5)	Main screen shows store number; dot green online	☐
List created and renamed (6.1–6.2)	Name saved; order persists after reopen	☐
Barcode add / paste (7.1–7.2)	Toast "Added N barcode(s)"; duplicates skipped	☐
Excel import (8)	Review modal opens; Add Selected creates the file-named list	☐
Search-on-site (7.5)	Barcode typed into site; row turns purple	☐
Automation dry run (9)	Batch created on site; progress counts up; stop works	☐
Sync (10)	List added on phone appears in panel automatically	☐
Trash round-trip (6.7)	Deleted list restored with all barcodes	☐

Any unchecked box after following the matching section = a support case for Section 13.

16. Revision History & Approvals

Revision history

Version	Date	Change	Author
1.0	2026-08-30	Initial release — covers extension v7.9 (installation, updates, accounts, lists, barcodes, Excel import, automation, sync, troubleshooting, support).	Isaac Sudakar

Review triggers

This SOP must be reviewed after any extension release, any change to the ordering website layout that affects automation, or within 12 months — whichever comes first.

Role	Signature	Date
Author — Isaac Sudakar		
Approver — FMC Dept. Manager		

Appendix A — Quick Reference Card

Print this page and keep it at the ordering station.

Task	Clicks
Open the app	Toolbar → Barcode Lists icon
Login / first-time account	Store number + password → Login
New list	Sidebar + → type name → Enter
Important list	Name it starting with * → red glow
Rename list	Pencil (or click the name) → edit → Enter
Delete list	Red trash in header → confirm → Trash
Restore list	Sidebar trash → Restore
Add barcode(s)	Type or paste (one per line) → Enter
Comment	Bubble icon → ≤250 chars → Enter
Search on site	Open site tab → magnifier icon → row turns purple
Excel import	Upload icon → review → Add Selected
Auto-add batch	Site tab open → blue ✨ (yellow 🛠 for TCO) → watch progress
Stop automation	Click the same button (red square)
Multi-list run	Tick sidebar checkboxes → blue/yellow button
Settings	⚙ gear → edit → Save
Logout	Sidebar header logout icon → confirm
Bug / password / request	isudakar@calgarycoop.com