

HMS Technologies

// Pioneer in the Next-Gen Technologies – Corporate Website

This document is a complete UI/UX design handoff specification for the HMS Technologies website. It includes annotated wireframes for every section, the design system (colors, typography, spacing), interaction & animation notes, responsive breakpoints, and a recommended technology stack.

PROJECT

HMS Technologies Website

DOCUMENT TYPE

Wireframe + UI/UX Spec


SECTIONS

8 Page Sections

VERSION

v1.0 — April 2026

01 Page Structure Overview



02 Navigation Bar

Fixed Top Navigation

NAV

// HMS Technologies

ServicesProcessTechnologyClients

WIREFRAME — NAVBAR

HEIGHT: 72px

Get Started

DEV NOTE — Scroll Behaviour

On scroll $\geq 40\text{px}$, transition background from `rgba(5, 10, 18, 0.85)` $\rightarrow$ `rgba(5, 10, 18, 0.97)`. Use `backdrop-filter: blur(16px)` at all times. Transition duration: 200ms ease.

A1 — LOGO

Font: "Nimbus Sans", "Open Sans" 800. Prefix `//` in IBM Plex Mono, color: #00DCC8. Links to top of page (#).

A2 — NAV LINKS


DM Sans, 0.88rem, uppercase, letter-spacing 0.04em. Color: #6b84a3 $\rightarrow$ #eef4ff on hover. Anchor scroll to section IDs.

A3 — CTA BUTTON

Background #00DCC8, text color #050A12, font-weight 600, padding 8px 20px. On hover: box-shadow glow.

UX — MOBILE At $< 768\text{px}$ hide nav links. Replace with a hamburger icon ($\equiv$) that opens a full-screen drawer menu.

03 Hero Section



DEV NOTE – Background Effects

Two absolutely-positioned orb divs using radial-gradient + filter:blur(120px). Animate with keyframes: transform:translate(0,0) → translate(30px,40px), 12–15s ease-in-out infinite alternate. Background grid: CSS repeating linear-gradient at 48×48px. Noise overlay: SVG feTurbulence as background-image, opacity 0.04.

B1 – STATUS BADGE

IBM Plex Mono, 0.75rem, color #00DCC8. Blinking dot: 6×6px circle, keyframe blink opacity 1→0.2, 1.4s infinite.

B2 – HEADLINE H1

B3 – SUBHEADING

DM Sans, 1.1rem, color #6b84a3, max-width 520px, line-height 1.7.

B4 – CTA PAIR

Primary: filled cyan button. Secondary: ghost/outline button. Both with hover states. Wrap on mobile.

B5 – METRICS BAR

4 columns with bottom border. Each shows animated number + label. Counter animates via IntersectionObserver on scroll-into-view.

UX – LOAD ANIMATION

All hero elements fade-in + slide-up on page load. Stagger delay: badge 0ms → H1 100ms → sub 200ms → CTAs 300ms.



C1 – GRID LAYOUT

CSS Grid, 3 columns auto-fit minmax(280px,1fr). Gap is 1px with background set to border color (creates seamless divider illusion).

C2 – ICON BOX

48×48px, border 1px solid border-color, border-radius 8px, flex-centered emoji or SVG icon. Dark bg #050a12.



C3 – CARD HOVER

On hover: background shifts from #0b1422 → #0f1d30. A cyan-to-transparent gradient overlay fades in (opacity 0→1, 300ms). Use ::after pseudo-element.

C4 – LEARN MORE LINK

IBM Plex Mono, 0.78rem, cyan color. Arrow "→" moves right on hover via gap transition (gap 6px → 10px, 200ms).

UX — SCROLL TRIGGEREach card fades up (opacity 0→1, translateY 28px→0) when scrolled into view via IntersectionObserver. Stagger by 80ms per item.



D1 – PROCESS CONNECTOR

A horizontal line runs behind all 4 step dots at top (position:absolute, top:10px). Linear gradient: transparent → #00DCC8 → transparent. The dots sit on this line as milestones.

D2 – STEP NUMBERING

Labels like "01 / DISCOVER" in IBM Plex Mono 0.7rem, cyan color. Each dot is 10×10px, border 2px solid cyan, with cyan glow box-shadow.

D3 – TECH TAG HOVER

Default state: muted border + text. Hover: border → cyan, text → cyan, background → cyan at 15% opacity. Transition 200ms ease.

D4 – TESTIMONIAL CARD

Large decorative " as ::before pseudo-element, positioned top-left. Font-size 5rem, opacity 0.15, cyan color. Quote text is positioned relatively above it.

D5 – AVATAR INITIALS


38×38px circle, gradient background (blue → cyan), centered initials in "Nimbus Sans", "Open Sans"700. Fallback for no profile images.

UX — TECH TAGSOn mobile, stack tags and allow horizontal scroll on the tag container with overflow-x: auto. No-wrap each individual tag.

06 CTA + Footer

●Call-to-Action + 4-Column Footer

FOOTER



E1 – CTA BACKGROUND

Radial gradient overlay: cyan at 8% opacity centered on section. Creates a subtle glow behind the text.

E2 – CTA BUTTONS

Centered flex row. Primary = filled cyan, links to mailto: or contact form. Secondary = outline, links to tel:.

E3 – FOOTER GRID

4 columns: 1.4fr 1fr 1fr 1fr. At ≤768px: 2×2. At ≤480px: 1 column. Column headers in "Nimbus Sans", "Open Sans"700, uppercase.

E4 – SOCIAL ICONS

34×34px, border 1px solid, border-radius 4px. Hover: border → cyan, icon color → cyan. Transition 200ms.

UX — FOOTER COLUMNSServices, Company, Contact. Each link scrolls to or links to the relevant section or mailto/tel. All links have a hover colour transition.

07 Design System

COLOR PALETTE

Background

#050A12

Surface

#0B1422

Panel

#0F1D30

Cyan (Primary)

#00DCC8

Blue (Accent)

#0575E6

White

#EEF4FF

Muted Text

#6B84A3

Border

rgba(0,220,200,0.12)

Cyan Glow

rgba(0,220,200,0.35)

TYPOGRAPHY SCALE

Display H1	HMS	
Section H2	Our Services	
Card H3	Cloud Infrastructure	
Body	We engineer the future.	DM Sans 400 · 1rem
Mono Label	// WHAT WE DO	IBM Plex Mono · 0.72rem
Nav Link	SERVICES	DM Sans · 0.88rem uppercase

📏 SPACING SCALE

xs

– 4px (inner padding, gaps)

sm

– 8px (button padding, badge)

md

– 14px (card inner padding)

lg

– 20px (card padding)

xl

– 36px (card generous padding)

2xl

– 60px (section vertical padding)

3xl

– 100px (full section inner pad)

Page Max Width: 1200px

·

Horizontal Padding: 5% (fluid)

🔘 BUTTON STATES

Primary

bg #00DCC8 · text #050A12 · hover: glow + translateY(-2px)

Outline

border + text · hover: bg cyan-dim + border cyan

Ghost

Light border only · used in light contexts

Nav CTA

Compact version in navbar · same as Primary

All buttons: border-radius: 4px · Transitions: 200–250ms ease

08 Interaction & Animation Spec

🔘 Full Interaction Map

UX BEHAVIOUR

Element	Trigger	Behaviour	Duration / Easing	Type
Hero content	Page load	Fade in + slide up (translateY 28px→0, opacity 0→1). Stagger: tag 0ms, H1 100ms, sub 200ms, buttons 300ms	700ms ease	LOAD
Orb backgrounds	Continuous	Drift via @keyframes translate(0,0)→translate(30px,40px), infinite alternate	12–15s ease-in-out	ANIM
Status badge dot	Continuous	Opacity blink: 1→0.2→1 (simulates live status indicator)	1.4s ease-in-out ∞	ANIM
Metric counters	Scroll into view	Numbers count up from 0 to final value using easeOutCubic. Triggered once per session by IntersectionObserver	1600ms cubic	SCROLL
All .fade-up elements	Scroll into view	opacity 0→1, translateY 28px→0. Stagger each item 80ms. Unobserve after trigger (fires once)	700ms ease · threshold 10%	SCROLL
Service card	Hover	Background darkens (#0b1422→#0f1d30). Cyan gradient overlay ::after fades in (opacity 0→1)	200ms / 300ms ease	HOVER
Learn more arrow	Hover (parent card)	Gap between text and "→" increases (6px→10px)	200ms ease	HOVER
Primary button	Hover	box-shadow: 0 0 32px rgba(0,220,200,0.35) + translateY(-2px)	250ms ease	HOVER
Tech stack tags	Hover	border-color → #00DCC8, color → #00DCC8, background → rgba(0,220,200,0.15)	200ms ease	HOVER
Nav bar	Window scroll	background transitions from 0.85→0.97 opacity. JS listens to window.scroll event	instant (JS event)	SCROLL
Nav links	Click	Smooth scroll to anchor section via scroll-behavior: smooth on html element	CSS native	CLICK
Social icons	Hover	border-color → cyan, icon color → cyan	200ms ease	HOVER

09 Responsive Breakpoints

Desktop

> 768px

Full layout as designed. 3-column services, 4-column footer, nav links visible, 4-step process row.

Tablet

481px – 768px

Footer: 2×2 grid. Services: 2-col. Process: 2×2. Nav links hidden → hamburger icon shown.

Mobile

≤ 480px

Footer: 1-col stacked. Services: 1-col. Process: vertical list. Hero text: full width. Metrics: 2×2.

10 Recommended Tech Stack for Coding

Implementation Recommendations

DEVELOPER GUIDE

FRONTEND FRAMEWORK

HTML5 + CSS3 + Vanilla JS or React.js or Next.js (recommended for SEO)

CSS APPROACH

CSS Variables (tokens) CSS Grid + Flexbox or Tailwind CSS

FONTS (GOOGLE FONTS CDN)

IBM Plex Mono (labels) DM Sans (body)

ANIMATION LIBRARIES

CSS @keyframes (orbs, blink) IntersectionObserver API or GSAP (optional)

ICONS

Lucide Icons or Heroicons or Unicode Emoji (minimal)

CONTACT / FORM

mailto: link (simple) or Formspree or custom backend (Node/PHP)

PERFORMANCE NOTES FOR DEVELOPER

- Use backdrop-filter: blur() sparingly — only on the navbar. Overuse causes performance drops on low-end devices.
- Lazy-load all images. Serve WebP format with PNG fallback.
- Preconnect to Google Fonts: <link rel="preconnect" href="https://fonts.googleapis.com">
- IntersectionObserver callbacks should unobserve() elements after they animate to avoid redundant calls.
- The grid background and noise overlay use position:fixed — ensure they are below all content via z-index: 0 and pointer-events: none.
- Counter animation uses requestAnimationFrame with easeOutCubic: 1 - Math.pow(1 - progress, 3)