

Homework 1

Course: Introduction to applied data science (PHYS050)


TA: Zahra Sattari

Summer 2020

Due Date: July 6, 11:59 p.m.

Problem 1: Linear algebra

We want to dial an N -digit number using a dial pad shown below. In every step, we are just allowed to move either vertically or horizontally to one of the neighbor numbers. For example, the red lines in the figure show three possible paths from number 2 and blues show two possible paths from number 7. So, if we start from number 2 and want to dial a 2-digit number, we just need one move and can only dial 21, 23 and 25. Starting from number 0, we have only one possible move to number 8. The question is if we start from number S and want to dial an N -digits number, how many distinct numbers, $\Omega(S, N)$, can be dialed? For instance, $\Omega(0, 2) = 1$, and $\Omega(2, 2) = 3$.



Let's solve this question step-by-step using linear algebra. Consider a 10×10 matrix which is defined as follows:

$$A_{ij} = \begin{cases} 1 & \text{if } i \text{ to } j \text{ is an allowed move} \\ 0 & \text{if } i \text{ to } j \text{ is a forbidden move} \end{cases}$$

For clarity, let's identify all elements of the matrix. $A_{00} = 0$, since moving from number 0 to itself is forbidden. The only possible move from 0 is to 8, so $A_{08} = 1$ and $A_{01} = A_{02} = A_{03} = A_{04} = A_{05} = A_{06} = A_{07} = A_{09} = 0$. Keep doing it for all other rows of the matrix and construct A as follows:

$$A = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 1 & 0 & 1 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 & 0 & 1 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \end{pmatrix}$$

Imagine we have started from number S , so $N - 1$ digits are left to be dialed. Starting from S , we can only dial an allowed set of numbers, $\{j | A_{Sj} = 1\}$. Therefore, $\Omega(S, N)$ can be calculated

recursively by adding $\Omega(k, N - 1)$ values for $k \in \{j | A_{Sj} = 1\}$.

$$\Omega(S, N) = \sum_{k \in \{j | A_{Sj} = 1\}} \Omega(k, N - 1)$$

a) Show that the above equation can be written in a form of matrix such that $\Omega(S, N)$ is S^{th} element of a 10×1 matrix (Ω_N):

$$\Omega(N) = A \times \Omega(N - 1)$$

Once $\Omega(N)$ is calculated, $\Omega(S, N)$ can be found by reading S^{th} element of $\Omega(N)$ matrix, $\Omega(S, N) = \Omega(N)_S$. For instance, 0^{th} element of $\Omega(2)$ is $\Omega(0, 2) = 1$.

Note that $\Omega(1)$ corresponds to the starting point before we move to the second digit of the number. So, It is a 10×1 matrix with all the elements equal to 1.

$$\Omega(1) = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \end{pmatrix}$$

b) Show that $\Omega(N)$ can be found recursively using the following equation:

$$\Omega(N) = A \times \dots \times A \times A \times \Omega(1) = A^{N-1} \times \Omega(1)$$


That's it! We solved the problem. Let's write a Python code to find $\Omega(N)$ for a given N .

c) Create a 10×10 NumPy matrix which contains all the elements we have found for A . Find the transpose of the matrix using `numpy.transpose`. Are the matrix and its transpose equal? Did you expect this result?

d) Define a function with the name of "Dialer_Problem" which takes two parameters, S and N and returns $\Omega(S, N)$. Within the function, use a "for loop" to multiply $\Omega(1)$ to A and then A and so on. Test your function for a few examples. For instance, running `Dialer_Problem(5, 10)` should return 18713.

e) Rewrite the same code without using NumPy package. You will need to create a nested list which includes all the elements in A and also define a function which performs matrix multiplication.

Let's evaluate the algorithmic efficiency of our code. We can use Python's time module to evaluate the time needed to execute the code for a given N . The figure below shows the execution time as a function of N while running the code on my own laptop. The time increases linearly with the number of digits, so in Big O notation, its performance can be written as $\mathcal{O}(N)$.



f) Using time module of Python, evaluate the algorithmic efficiency of your code in part d. You need to make the similar figure shown above on your computer.

g) How long will running your code for $N = 10^7$ take? You do not run your code for this big number of digits! Use extrapolation to estimate the running time. Do you think we need to improve the performance of our code to execute it for large numbers?