```
PS C:\Users\pc> virtualenv env
created virtual environment CPython3.10.2.final.0-64 in 3485ms
creator CPython3Windows(dest=C:\Users\pc\env, clear=False, no_vcs_ig
nore=False, global=False)
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wh
eel=bundle, via=copy, app_data_dir=C:\Users\pc\AppData\Local\pypa\virt
ualenv)
virtualenv 20.13.1 from C:\Users\pc\AppData\Local\Programs\Python\Pyth
on310\lib\site-packages\virtualenv\__init__.py
PS C:\Users\pc> hActivator,BatchActivator,FishActivator,NushellActivat
or,PowerShellActivator,PythonActivator
PS C:\Users\pc> virtualenv --version
```

Windows PowerShell PS C:\Users\pc> env/Scripts/activate (env) PS C:\Users\pc> _

```
PS C:\Users\pc> env/Scripts/activate
(env) PS C:\Users\pc> pip freeze
(env) PS C:\Users\pc> pip install python-dateutil
Collecting python-dateutil
Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting six>=1.5
Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, python-dateutil
Successfully installed python-dateutil-2.8.2 six-1.16.0
(env) PS C:\Users\pc>
```

```
(env) PS C:\Users\pc> pip freeze
python-dateutil==2.8.2
six==1.16.0
(env) PS C:\Users\pc>
```

```
(env) PS C:\Users\pc> deactivate
PS C:\Users\pc>
```